CONTRACT NO: HK/2011/07

WANCHAI DEVELOPMENT PHASE II AND CENTRAL WANCHAI BYPASS SAMPLING, FIELD MEASUREMENT AND TESTING WORKS (STAGE 2)

ENVIRONMENTAL PERMIT NO. EP-356/2009, FURTHER EVIRONMENTAL PERMIT NOS. FEP-01/356/2009, FEP-02/356/2009, FEP-03/356/2009, FEP-04/356/2009 AND FEP-05/356/2009

MONTHLY ENVIRONMENTAL MONITORING & AUDIT REPORT

- APRIL 2012 -

CLIENTS:

Civil Engineering and Development Department

and

Highways Department

PREPARED BY:

Lam Geotechnics Limited

11/F Centre Point 181-185 Gloucester Road, Wanchai, H.K.

Telephone: (852) 2882-3939
Facsimile: (852) 2882-3331
E-mail: info@lamenviro.com
Website: http://www.lamenviro.com

CERTIFIED BY:

Raymond Dai

Environmental Team Leader

DATE:

9 May 2012



Ref.: AACWBIECEM00_0_2722L.12

9 May 2012

By Post and Fax (2691 2649)

AECOM Asia Company Limited 8/F, Tower 2 Grand Central Plaza 138 Shatin Rural Committee Road, Shatin, New Territories, Hong Kong

Attention: Mr. Kelvin CHENG

Dear Sir,

Re: Wan Chai Development Phase II and Central-Wan Chai Bypass Monthly Environmental Monitoring and Audit Report (April 2012) for EP-356/2009, FEP-01/356/2009, FEP-02/356/2009, FEP-03/356/2009, FEP-04/356/2009 and FEP-05/356/2009

Reference is made to the Environmental Team's submission of the captioned Monthly Environmental Monitoring and Audit (EM&A) Report for April 2012 dated 9 May 2012.

Please be informed that we have no adverse comment on the captioned submission. We write to verify the captioned submission in accordance with Condition 3.4 in the captioned Environmental Permits.

Thank you very much for your kind attention and please do not hesitate to contact the undersigned should you have any queries.

Yours sincerely,

David Yeung

Independent Environmental Checker

c.c.

HyD CEDD Mr. Jones Lai

by fax: 2714 5289

Mr. Patrick Keung

by fax: 2577 5040

AECOM

Mr. Francis Leong / Mr. Stephen Lai

by fax: 2691 2649

Lam

Mr. Raymond Dai

by fax: 2882 3331

Q:\Projects\AACWBIECEM00\Corr\AACWBIECEM00_0_2722L.12.doc



TABLE OF CONTENTS

EXE	XECUTIVE SUMMARY	4
1.	INTRODUCTION	13
	1.1 Scope of the Report	
2.	PROJECT BACKGROUND	15
	 2.1 Background	15 16
3.	STATUS OF REGULATORY COMPLIANCE	25
	3.1 Status of Environmental Licensing and Permitting under the Project	25
4.	MONITORING REQUIREMENTS	36
	4.1 Noise Monitoring	37
5.	MONITORING RESULTS	45
	5.1 Noise Monitoring Results 5.2 Real-time Noise Monitoring 5.3 Air Monitoring Results 5.4 Water Monitoring Results 5.5 Waste Monitoring Results	47 49
6.	COMPLIANCE AUDIT	58
	 6.1 Noise Monitoring 6.2 Real-time noise Monitoring 6.3 Air Monitoring 6.4 Water Quality Monitoring 6.5 Review of the Reasons for and the Implications of Non-compliance 6.6 Summary of action taken in the event of and follow-up on non-compliance 	
7.	CUMULATIVE CONSTRUCTION IMPACT DUE TO THE CONCURRENT PR	OJECTS61
8.	ENVIRONMENTAL SITE AUDIT	62
9.	COMPLAINTS, NOTIFICATION OF SUMMONS AND PROSECUTION	63
10	CONCLUSION	68



LIST OF TABLES

Table I	Summary of Water Quality Monitoring Exceedances in Reporting Month
Table II	Summary of Enhanced Dissolved Oxygen Monitoring Exceedances in Reporting Month
Table 2.1	Schedule 2 Designated Projects under this Project
Table 2.2	Details of Individual Contracts under the Project
Table 2.3	Contact Details of Key Personnel
Table 3.1	Summary of the current status on licences and/or permits on environmental
Table 3.1	protection pertinent to the Project
Table 3.2	Cumulative Summary of Valid Licences and Permits under Contract no. HY/2009/11
Table 3.3	Summary of submission status under FEP-01/356/2009 Condition
Table 3.4	Cumulative Summary of Valid Licences and Permits under Contract no. HK/2009/01
Table 3.5	Summary of submission status under FEP-02/356/2009 Condition
Table 3.6	Cumulative Summary of Valid Licences and Permits under Contract no. HK/2009/02
Table 3.7	Summary of submission status under FEP-03/356/2009 Condition
Table 3.8	Cumulative Summary of Valid Licences and Permits under Contract no. HY/2009/15
Table 3.9	Summary of submission status under FEP-04/356/2009 Condition
Table 3.10	Cumulative Summary of Valid Licences and Permits under Contract no. HK/2010/06
Table 3.11	Summary of submission status under EP-356/2009 and FEP-05/356/2009 Condition
Table 3.12	Cumulative Summary of Valid Licences and Permits under Contract no. HY/2009/19
Table 4.1	Noise Monitoring Station
Table 4.2	Real Time Noise Monitoring Station
Table 4.3	Air Monitoring Station
Table 4.4	Marine Water Quality Stations for Water Quality Monitoring
Table 4.5	Marine Water Quality Monitoring Frequency and Parameters
Table 4.6	Marine Water Quality Stations for Enhanced Water Quality Monitoring
Table 4.7	Marine Water Quality Stations for Additional DO Monitoring
Table 5.1	Noise Monitoring Stations for Contract no. HY/2009/11
Table 5.2	Noise Monitoring Station for Contract nos. HK/2009/01, HK/2009/02 and HK/2010/06
Table 5.3	Noise Monitoring Station for Contract no. HY/2009/15
Table 5.4	Noise Monitoring Station for Contract no. HY/2009/19
Table 5.5	Real Time Noise Monitoring Station for Contract no. HY/2009/11 and HY/2009/19
Table 5.6	Air Monitoring Stations for Contract no. HY/2009/11
Table 5.7	Air Monitoring Stations for Contract no. HK/2009/01
Table 5.8	Air Monitoring Station for Contract no. HK/2009/02
Table 5.9	Air Monitoring Station for Contract no. HY/2009/15
Table 5.10	Air Monitoring Stations for Contract no. HY/2009/19 Air Monitoring Stations for Contract no. HY/2009/19
Table 5.10	Water Monitoring Stations for Contract no. HY/2009/11
Table 5.12	Water Monitoring Stations for Contract no. HK/2009/01
Table 5.13	Water Monitoring Stations for Contract no. HK/2009/02
Table 5.14	Water Monitoring Stations for Contract no. HK/2010/06
Table 5.15	Water Monitoring Stations for Contract no. HY/2009/15
Table 5.16	Water Monitoring Stations for Contract no. HY/2009/19
Table 5.17	Summary of Water Quality Monitoring Exceedances in Reporting Month
Table 5.18	Summary of Enhanced Dissolved Oxygen Monitoring Exceedances in Reporting Month
Table 5.19	Details of Waste Disposal for Contract no. HK/2009/01
Table 5.20	Details of Waste Disposal for Contract no. HK/2009/02
Table 5.21	Details of Waste Disposal for Contract no. HY/2009/15
<i>Table 5.22</i>	Details of Waste Disposal for Contract no. HK/2010/06
Table 8.1	Summary of Environmental Inspections for Contract no. HK/2009/01



Lam Geotechnics Limited

Contract No. HK/2011/07 Wanchai Development Phase II and Central-Wanchai Bypass Sampling, Field Measurement and testing Works (Stage 2) Monthly EM&A Report (Apr 2012)

Table 8.2	Summary of Environmental Inspections for Contract no. HK/2009/02
Table 8.3	Summary of Environmental Inspections for Contract no. HY/2009/15
Table 8.4	Summary of Environmental Inspections for Contract no. HK/2010/06
Table 8.5	Summary of Environmental Inspections for Contract no. HY/2009/19
Table 9.1	Cumulative Statistics on Complaints
Table 9.2	Cumulative Statistics on Successful Prosecutions
Table 10.1	Construction Activities and Recommended Mitigation Measures in Coming
	Reporting Month

LIST OF FIGURES

Figure	2.	1	Pro _.	ject	Lay	out

Figure 2.2 Project Organization Chart

Figure 2.3 Locations of Environmental Monitoring Stations

LIST OF APPENDICES

Δr	nondiv 3 1	Environmental	Mitigation	Implementation	Schodule
Aμ	penaix s. i	Eliviiolilielilai	wiiugauon	mpiemenauon	Scriedule

Appendix 4.1 Action and Limit Level

Appendix 4.2 Copies of Calibration Certificates

Appendix 5.1 Monitoring Schedule for Reporting Month and Coming month

Appendix 5.2 Noise Monitoring Results and Graphical Presentations

Appendix 5.3 Air Quality Monitoring Results and Graphical Presentations, and Odour Patrol Results

Appendix 5.4 Water Quality Monitoring Results and Graphical Presentations

Appendix 5.4a Additional Dissolved Oxygen Monitoring Results

Appendix 5.5 Real-time Noise Monitoring Results and Graphical Presentations

Appendix 6.1 Event Action Plans

Appendix 6.2 Summary for Notification of Exceedance

Appendix 7.1 Complaint Log

Appendix 8.1 Construction Programme of Individual Contracts



EXECUTIVE SUMMARY

i. This is the Environmental Monitoring and Audit (EM&A) Monthly Report –April 2012 for the Project of Wan Chai Development Phase II and Central-Wanchai Bypass under Environmental Permit no. EP-356/2009 and Further Environmental permit nos. FEP-01/356/2009, FEP-02/356/2009, FEP-03/356/2009, FEP-04/356/2009 and FEP-05/356/2009. This report presents the environmental monitoring findings and information recorded during the period March 2012 to April 2012. The cut-off date of reporting is at 27th of each reporting month.

Construction Activities for the Reported Period

- ii. Contract no. HY/2009/11- North Point Reclamation
 - The major work activities for Contract no. HY/2009/11 was confirmed substantial complete by RSS on 4 January 2012. The construction site was handed over to contractor HY/2009/19.
- iii. During this reporting period, the major work activities for Contract no. HK/2009/01 included: Marine Works (at Wan Chai)
 - Dredging works within HKCEC Water Channel from CH190 to CH250 for Type 2 sediment
 - Installation of sheet pile water channel for cooling water intake at Dome Promenade between CH170 and CH260
 - Rockfilling for rock bund at HKCEC Water Channel from CH220 to Ch230
 - Reclamation of HKCEC3W within HKCEC Water Channel
 - Seawall reinstatement at Wan Chai Landfall in Zone B1-3
 - Preparation works for demolition of existing seawall at Expo Drive East including removal of planter and tree transplantation in the vicinity

Cross-Harbour Watermains Installation (CHA & CHB) and Marine Works (at TST)

- Installation of cross-harbour watermains nos. A17/B17
- Rockfilling and rock protection to cross-harbour watermains
- Trench excavation, installation of shoring system and trimming obstructions (mini-piles) for a 1000 dia. Cross Harbour Watermains (CHB) along the pipe pile wall at TST seashore
- Trench excavation and installation of shoring system for a 1000 dia. Cross Harbour
 Watermains (CHA) along the pipe pile wall at TST seashore

Fresh Watermains, Cooling Watermains and Salt Watermains (On Land)

- Mainlaying works at Zone B1-6, B4-3, B4-4, B5-1B, B5-3, A1-1, A2-2, A3-3, A3-4B, A3-5B, A4-1 and A4-2A
- Mainlaying works and subsequent reinstatement in Zone B1-3
- Mainlaying works at Zone B4-3 and Zone A2-2
- Road modification works (set back road kerb of central divider) at Expo Drive
- Mainlaying works and subsequent carriageway reinstatement in Zone A2-3C1 and

Lam Geotechnics Limited

A1- 4A

- Diversion of underground cables at footpath of Fenwick Pier Street at Zone A3-3
- Cable ducting works along Convention Avenue, Fleming Road, Harbour Road and Fenwick Street
- Heading No. H7 (Mainlaying works by trenchless method)
- Mainlaying Works at Heading No. 8 and Zone A1-5A1
- Mainlaying and chamber construction works at the traffic island near junction of Convention Avenue and Fenwick Pier Street
- Pipe installation of a 1000 dia. Watermains (CHF) by trenchless method across the EVA near Salisbury Garden was commenced. Excavation of a 7m tunnel across the EVA
- Pipe installation of a 1000 dia. Watermains (CHE) by trenchless method across the EVA near Salisbury Garden
- iv. During this reporting period, the major work activities for Contract no. HK/2009/02 included:
 - 300mm thick topping slab
 - T&C of Foam system at Helipad
 - T&C of Safety net panel installation at Helipad
 - ABWF and E&M final fixing of Passenger Terminal Building (PTB)
 - Lighting system at Helipad
 - Louvers and touch up works of steel columns of Noise Barrier 1 & Noise Barrier 2
 - Placing of paving block along EVA
 - GFS handover and Fire services inspection
 - E&M installation works of P7, P8 & P9
 - Respectively as of 20 April 2012. Self-testing of the individual systems
 - -0.85mPD steel platform of P7 and the installation at P8 & P9
 - Wet Well penstock installation at P7, P8 & P9 and install the traveling band screen
 - The TBM retrieval of the DSD 2nd drive
 - Approximate 65m cooling water pipe was laid at Harbour Centre, Harbour Road,
 Tonnochy Road and ex-pet garden.
 - Combined chamber for SHK at ex-pet garden
 - Approximate 8m cable duct was laid at Harbour Road and Tonnochy Road.
 - Heading construction at ex-pet garden was completed for the cooling mains installation across Convention Avenue.
 - ABWFs and E&M installation at the TX room of the WSD Salt Water Pumping Station
 - Installation and welding for 3rd layer of walings and struts for construction of intake culvert Bay 19B at Wan Shing Street
 - Sand backfilling works and dewatering at Wan Shing Street Bay 24
 - ELS of 3rd layer (-1.5mPD) struts & walings of salt water intake landside cofferdam



- ELS of 2nd layer (+0.5mPD) struts & walings of salt water intake seaside cofferdam
- ELS of 3rd layer (-2.0mPD) struts & walings of Submarine Outfall Seaside Cofferdam was in progress.
- Portion 1A upper caps & beams construction
- Portion 2A 2A3 & 2A2 upper caps and beams formwork
- Portion 2B 2B3 & 2B2 upper caps and beams formwork
- Portion 2C
- Portion 3C 3C1 & 3C2 water tank installed sealing and 3C3 is under fabrication.
- Backfilling on the HDPE pipelines at diffuser section between CH0 & CH150
- Approximate 8m DN800 MS pipe installation near Gate 1 at ex-pet garden
- Trial dredging works of WCR2
- · Piping diversion at WCR2
- Pre-bored H-piles construction at Box Culvert O and divert HHR traffic to small pet garden
- Installation of precast beam, central beam and excavation works at Box Culvert O
- v. During this reporting period, the major work activities for Contract no. HY/2009/15 included:
 - Dredging for seawall foundation at TS2
- vi. During this reporting period, the major work activities for Contract no. HK/2010/06 included:
 - · Excavation of bored piles
 - · Concreting of bored piles
 - Coring Works
 - Sheet Piles
 - · Construction of Pre-cast Unit in China
- vii. During this reporting period, the major work activities for Contract no. HY/2009/19 included:
 - Marine bored piling

Noise Monitoring

- viii. Noise monitoring during daytime and restricted hour were conducted at the stations M1a, M2b, M3a, M4b, M5b and M6 on a weekly basis in the reporting month.
- ix. Due to adverse weather condition, the noise monitoring at the following stations were rescheduled:

M4b: From 17 Apr 2012 to 20 Apr 2012 M5b: From 17 Apr 2012 to 20 Apr 2012 M6: From 17 Apr 2012 to 20 Apr 2012

x. One action level exceedance was recorded. The noise complaint related to Contract no. HY/2009/15 was recorded on 5 April 2012. One limit level exceedances was recorded at M6 on 2 April 2012 during this reporting month. The limit level exceedance was considered as non-project related.



Real-time Noise Monitoring

xi. Real-time noise monitoring at FEHD Hong Kong Transport Section Whitefield Depot and Oil Street Community Centre have been commenced on 5 October 2010 for the filling works of Contract no. HY/2009/11. No project-related exceedance was recorded in the reporting month.

Air Quality Monitoring

- xii. Due to extension of site boundary by contractor of HY/2009/19, location of air monitoring station CMA1b Oil Street Community Liaison Centre has been finely adjusted on 21 April 2012.
- xiii. Due to lack of electricity supply, the 24-hr TSP monitoring at the following stations were rescheduled:

CMA3a: from 16 and 20 Apr 2012 to 17 and 24 Apr 2012

CMA6a: from 20 Apr 2012 to 21 Apr 2012

- xiv. The data for the rescheduled air monitoring for CMA1b, dated 30 April 2012, will be presented in the next monthly report (May 2012).
- xv. Air quality monitoring has been conducted at stations CMA1b, CMA2a, CMA3a, CMA4a, CMA5a and CMA6a. No exceedance was recorded in the reporting month.

Water Quality Monitoring

- xvi. WDII/RSS advised that the dredging works for submarine pipeline at Victoria Harbour had been completed in January 2012. Therefore, the concurrent dredging activities at Sewage Pipeline Zone and reclamation shoreline zone TCBR under the EP-356/2009 scenario 2B no longer exist. As such, with reference to Table 5.39 of the EIA Report for Wan Chai Development Phase II and Central-Wan Chai Bypass, the application of silt screen for cooling water intakes for Queensway Government Offices was suspended and the others were remains unchanged.
- xvii. Based on the joint inspection on 4 Jan 2012 for the NPR area, the 4-week water quality monitoring at WSD9, WSD10, WSD15, WSD17, C8, C9 to confirm no water deterioration with respect to NPR was commenced since 7 Jan 2012 and was completed on 6 Feb 2012 water quality monitoring.
- xviii. Water quality monitoring at WSD10 and WSD15 will be temporary suspended while water quality monitoring at WSD9 and WSD17 was implemented with respect to HK/2009/02 from 8 Feb 12 onwards;
- xix. Water quality monitoring at C8 and C9 have been implemented with respect to HY/2009/19 since the marine bore piling work started on 28 Jan 12.
- xx. With respect to the trial dredging at WCR2 was scheduled on 20, 22, 24, 25 March and 1, 3, 11, 13, 15, 17, 19 and 20 Apr 2012, on-going water quality monitoring results at WSD21 during this period was checked and indicated that there was no contribution due to the trial dredging operation. Enhanced review of water quality around WCR2 was also implemented and no deterioration in the water quality was observed.

Lam Geotechnics Limited

Contract No. HK/2011/07 Wanchai Development Phase II and Central-Wanchai Bypass Sampling, Field Measurement and testing Works (Stage 2) Monthly EM&A Report (Apr 2012)

- xxi. Based on the safety concern when external façade refurbishment was conducted by contractor employed by Provident Centre (C9) between 9 January 2012 to 30 July 2012 which caused to the inaccessibility of sampling either land and marine since 3 Feb 2012, there is a fine adjustment of the sampling location of water quality monitoring at C9 since 10 March 2012 to the closest accessible point prior to the completion of the external facade refurbishment work.
- xxii. Due to the access of water monitoring station at WSD19 was blocked by LCSD construction works from 3 April 2012 to 2 May 2012 and lead to the inaccessibility of sampling either land and marine, there is a fine adjustment of the sampling point of WSD 19 since 5 April 2012 to the closest accessible point prior to the completion of the construction activities.
- xxiii. Due to the enforcement of Amber Rainstorm Warning Signal on 16, 20 and 27 April 2012, the ebb tide water monitoring on 16, 20 and 27 April 2012 were cancelled.
- xxiv. Water quality monitoring at 18 monitoring stations was conducted three days per week during the reporting period. The action and limit level exceedances of water quality monitoring are summarized in *Table I*.

Table I Summary of Water Quality Monitoring Exceedances in Reporting Month

				Mid-	flood			Mid-ebb					
Contract no.	Water Monitoring	D	0	Turk		SS	S	D	0	Turb	idity	S	S
	Station	AL	LL	AL	L	AL	LL	AL	LL	AL	LL	AL	LL
HY/2009/11	WSD9	0	0	0	0	0	0	0	0	0	0	0	0
Monitoring finished on 6 Feb 2012	WSD10	0	0	0	0	0	0	0	0	0	0	0	0
	WSD15	0	0	0	0	0	0	0	0	0	0	0	0
	WSD17	0	0	0	0	0	0	0	0	0	0	0	0
	C8	0	0	0	0	0	0	0	0	0	0	0	0
	C9	0	0	0	0	0	0	0	0	0	0	0	0
HK/2009/01	WSD19	0	0	0	0	0	0	0	0	0	0	0	1
	WSD20	0	0	0	0	0	0	0	0	0	0	0	0
	WSD7	0	0	0	0	0	0	0	0	0	0	0	0
	C1	0	0	0	0	0	0	0	0	0	0	0	0
	C3	0	0	0	0	0	0	0	0	0	0	0	0
	C4e	0	0	0	0	0	0	0	0	0	0	0	0
	C4w	0	0	0	0	0	0	1	0	0	0	0	0
HK/2009/01 & HK/2010/06	C2	0	0	0	1	0	0	0	0	0	0	0	0
HK/2009/02	C5e	0	0	0	1	2	0	0	0	0	0	0	0
	C5w	0	0	0	1	1	0	0	0	0	0	0	0
Monitoring started on	WSD21	0	0	1	1	1	0	0	0	0	0	0	0
8 Feb 2012	WSD9	0	0	0	0	0	0	0	0	0	0	0	0
	WSD17	0	0	0	0	0	0	0	0	0	0	0	0
HY/2009/15	C7	0	0	0	1	0	0	0	0	0	0	0	0
HY/2009/19	C8	0	0	0	0	0	0	0	0	0	0	0	0

Lam Geotechnics Limited

Contract No. HK/2011/07 Wanchai Development Phase II and Central-Wanchai Bypass Sampling, Field Measurement and testing Works (Stage 2) Monthly EM&A Report (Apr 2012)

		Mid-flood						Mid-ebb					
Contract no.	Water Monitoring Station	D	0	Turk	idit	S	S	D	0	Turb	idity	S	S
		AL	LL	AL	LL	AL	LL	AL	LL	AL	LL	AL	LL
Monitoring started on 28 Jan 2012	C9	0	0	0	0	0	0	0	0	0	0	0	0
Total		0	0	1	5	4	0	1	0	0	0	0	1

- Remarks: The cessation of seawater intake operation for C6 was confirmed on 17 May 2011, the water monitoring at C6 was then terminated since 17 May 2011.
 - WSD9 and WSD17 were implemented with respect to HK/2009/02 from 8 Feb 2012.
 - 4-week water quality monitoring at WSD9, WSD10, WSD15, WSD17, C8 and C9 were completed on 6 Feb 2012.
 - C8 and C9 were implemented with respect to HY/2009/19 from 28 Jan 2012.
- xxv. Investigations were found that the exceedances are not related to the Project works. The details of the recorded exceedances can be referred to the Section 6.4.
- Enhanced DO monitoring at 4 monitoring stations in Causeway Bay Typhoon Shelter and Ex-Public Cargo Works Area was conducted three days per week during the reporting period.
 The action and limit level exceedances of water quality monitoring are summarized in *Table II*.
- xxvii. Due to the enforcement of Amber Rainstorm Warning Signal on 16, 20 and 27 April 2012, the ebb tide Enhanced DO water monitoring on 16, 20 and 27 April 2012 were cancelled.

Table II Summary of Enhanced Dissolved Oxygen Monitoring Exceedances in Reporting Month

_		Mid-f	lood	Mid-ebb		
Contract no.	Water Monitoring Station	D	0	DO		
	- Cumon	AL	LL	AL	LL	
	C6	0	0	0	0	
LIV/2000/45	C7	0	0	0	0	
HY/2009/15	Ex-WPCWA SW	0	0	0	0	
	Ex-WPCWA SE	0	0	0	0	
	Total			0	0	

xxviii. There was no exceedances of enhanced dissolved oxygen in this reporting month.

xxix. In response to the Condition 2.18 of the Environmental Permit no. EP-356/2009 requiring that a silt curtain / impermeable barrier system be installed to channel water discharge flow from Culvert L to locations outside the embayment area, a proposed replacement of the requirement with additional dissolved oxygen monitoring has been conducted at three monitoring stations, namely A, B and C between the eastern seawall of Central Reclamation Phase III and the HKCEC Extension since November 2011 under EP-356/2009 so that DO level between the eastern seawall of Central Reclamation Phase II and the HKCEC extension could be continuously monitored.

Complaints, Notifications of Summons and Successful Prosecutions

xxx. There was one complaint received in this reporting month.

Site Inspections and Audit

xxxi. The Environmental Team (ET) conducted weekly site inspections for Contract nos. HK/2009/01, HK/2009/02, HY/2009/15 HK/2010/06 and HY/2009/19 under EP no. EP-356/2009 in the reporting month. Major observations and recommendations made during the audit sessions were rectified by the Contractors. No non-conformance was identified during the site inspections.

Future Key Issues

xxxii. In coming reporting month, the principal work activities of individual contracts are anticipated as follows:

Contract no. HY/2009/11- North Point Reclamation

 The major work activities for Contract no. HY/2009/11 was confirmed substantial complete by RSS on 4 January 2012. The construction site was handed over to contractor HY/2009/19 on 31 December 2011.

Contract no. HK/2009/01 - Wan Chai Development Phase II - Central -Wanchai Bypass at HKCEC

Marine Works

- Reclamation works and installation of sheet pile water channel (from CH170 to CH260)
- Rockfilling within HKCEC Water Channel (from CH220 to CH230)
- Seawall reinstatement at WC landfall section
- Dredging from CH290 to CH410 (Stage 3) near Expo Drive East Bridge would be commenced upon securing the MDN from the Marine Department and CNP from Environmental Protection Department.
- Installation of excavation and lateral support for modification of vertical seawall near Expo Drive East

Cross-Harbour Watermains Installation (CHA & CHB)

- Installation of shoring system for installation of cross harbour watermains (CHA & CHB) along the pipe pile wall at TST seashore
- Installation of cross-harbour watermains nos. A18/B18
- Trust block construction, concrete coating for flange joint and Rockfilling protection works for cross-harbour watermains in Victoria Harbour

Fresh Watermains, Cooling Watermains and Salt Watermains (On Land)

- Works would be continued at Zone B1-6, B4-3, B4-4, B5-1B, B5-3, A1-1, A2-2, A3-3, A3-4B, A3-5B, A4-1 and A4-2A.
- Mainlaying and road reinstatement works at Zone B1-6

Lam Geotechnics Limited



- Trench excavation at Zone B2-1, B1-5A, B4-1A and B5-1B would be commenced
- Jacking pit construction at Zone A1-3 and Heading No. H6 (toward western direction) would be commenced accordingly.
- Mainlaying works at Zone A2-2. Valve connections for both cooling mains intake pipe and discharge pipe of Shui On Centre and APA
- · Heading No. H6 (toward eastern direction) would be commenced
- Mainlaying works at Renaissance Harbour View Hotel Run-Out
- Mainlaying works at Zone A4-1 would be continued. Valve connections for cooling mains intake pipe of Government"s towers would be carried out.
- Mainlaying works at traffic island near junction between Convention Avenue and Fenwick Pier Street
- Heading Nos. H7 (Mainlaying works by trenchless method)
- Cable ducting works at Zone GA and at Zone GS (across Harbour Road)
- Cable ducting works at Zone GC (along Convention Avenue Road) Cable ducting works at Zone GH (along Harbour Road)

<u>Contract no. HK/2009/02 - Wan Chai Development Phase II – Central – Wan Chai Bypass at WanChai East</u>

- Continue operation of Tseung Kwan O Public Fill Sorting Facility.
- Completed steel platforms installation at -0.85mPD for P8 & P9 Pumping Stations.
- Continue steel platforms (Wet Well) installation at +2.2mPD for P7, P8 & P9
 Pumping Stations.
- Commence pipe jacking of WSD 2nd last drive.
- Continue pipe laying works along Harbour Road and Tonnochy Road.
- Complete concrete work to + 15.71mPD or WSD Salt Water Pumping Station.
- Handover TX room to HEC installation on 6 May 2012.
- Continue 800MS pipe installation inside Ex-pet Garden
- Continue ABWFs & E&M works of WSD Salt Water Pumping Station.
- Continue ELS works of seaside cofferdams for salt water intake culvert, submarine outfall and Box Culvert N1.
- Continue ELS works of landside cofferdam for the construction of Bay 6 10 salt water intake culverts.
- Continue substructure works for the New Ferry Pier at Portions 1A, 2A, 2B, 2C & 3C.
- Complete the fabrication of precast slabs for the New Ferry Pier in PRC casting yard.
- Complete Installation of precast domes and end caps at the diffuser section of the HDPE pipelines.
- Complete backfilling rockfills for the installed submarine outfall pipes and diffuser section and commence precast dome installation.
- · Commence reclamation works at WCR2 area.
- Completed remaining SHK piping diversion at WCR2 area.

Lam Geotechnics Limited

Contract No. HK/2011/07 Wanchai Development Phase II and Central-Wanchai Bypass Sampling, Field Measurement and testing Works (Stage 2) Monthly EM&A Report (Apr 2012)

- Commence bulkhead wall construction for Box Culvert O diversion.
- Complete the excavation works and utilities diversion at Box Culvert O
- Complete permanent precast beam, central beam and reinstatement for Box Culvert
 O.

<u>Contract no. HY/2009/15 - Central-Wanchai Bypass - Tunnel (Causeway Bay Typhoon Shelter Section)</u>

Dredging for seawall foundation at TS2

<u>Contract no. HK/2010/06 - Wan Chai Development Phase II - Central - Wan Chai Bypass over MTR Tsuen Wan Line</u>

- · Concreting of bored piles
- · Pile head breaking works
- Sheet Piles
- Construction of Pre-cast Unit in China

Contract no. HY/2009/19- Wan Chai Bypass Tunnal (North Point Section) and Island Eastern Corridor Link

· Marine bored piling



1. Introduction

1.1 Scope of the Report

- 1.1.1. Lam Geotechnics Limited (LGL) has been appointed to work as the Environmental Team (ET) under Environmental Permit no. EP-356/2009 and Further Environmental permit nos. FEP-01/356/2009, FEP-02/356/2009, FEP-03/356/2009, FEP-04/356/2009 and FEP-05/356/2009 to implement the Environmental Monitoring and Audit (EM&A) programme as stipulated in the EM&A Manual of the approved Environmental Impact Assessment (EIA) Report for Wan Chai Development phase II and Central-Wan Chai Bypass (Register No.: AEIAR-125/2008) and in the EM&A Manual of the approved EIA Report for Central-Wan Chai Bypass and Island Eastern Corridor Link (Register No. AEIAR-014/2001).
- 1.1.2. This report presents the environmental monitoring and auditing work carried out in accordance to the Section 10.3 of EM&A Manual and "Environmental Monitoring and Audit Requirements" under Particular Specification Section 27.
- 1.1.3. This report documents the finding of EM&A works for Environmental Permit no. EP-356/2009, Further Environmental Permit no. FEP-01/356/2009, FEP-02/356/2009, FEP-03/356/2009, FEP-04/356/2009 and FEP-05/356/2009 and during the period of March to April. The cut-off date of reporting is at 27th of each reporting month.

1.2 Structure of the Report

- **Section 1** *Introduction* details the scope and structure of the report.
- **Section 2 Project Background** summarizes background and scope of the project, site description, project organization and contact details of key personnel during the reporting period.
- **Section 3 Status of Regulatory Compliance** summarizes the status of valid Environmental Permits / Licenses during the reporting period.
- **Section 4** *Monitoring Requirements* summarizes all monitoring parameters, monitoring methodology and equipment, monitoring locations, monitoring frequency, criteria and respective event and action plan and monitoring programmes.
- **Section 5** *Monitoring Results* summarizes the monitoring results obtained in the reporting period.
- **Section 6 Compliance Audit** summarizes the auditing of monitoring results, all exceedances environmental parameters.
- Section 7 Cumulative Construction Impact due to the Concurrent Projects summarizes the relevant cumulative construction impact due to the concurrent activities of the concurrent Projects.

Contract No. HK/2011/07 Wanchai Development Phase II and Central-Wanchai Bypass Sampling, Field Measurement and testing Works (Stage 2) Monthly EM&A Report (Apr 2012)

Section 8 Site Inspection – summarizes the findings of weekly site inspections undertaken within the reporting period, with a review of any relevant follow-up actions within the reporting period.

Section 9 *Complaints, Notification of summons and Prosecution* – summarizes the cumulative statistics on complaints, notification of summons and prosecution

Section 10 Conclusion



2. Project Background

2.1 Background

- 2.1.1. "Wan Chai Development phase II and Central-Wan Chai Bypass" and "Central-Wan Chai Bypass and Island Eastern Corridor Link" (hereafter called "the Project") are Designed Project (DP) under the Environmental Impact Assessment Ordinance (Cap. 499) (EIAO). The Environmental Impact Assessment (EIA) Reports for Central-Wan Chai Bypass and Island Eastern Corridor Link (Register No. AEIAR-041/2001) and Wan Chai Development phase II and Central-Wan Chai Bypass (Register No.: AEIAR-125/2008) have been approved on 31 August 2001 and 11 December 2008 respectively.
- 2.1.2. The key purpose of Wan Chai Development Phase II (WDII) is to provide land at Wan Chai North and North Point for construction of the Central-Wan Chai Bypass and Island Eastern Corridor Link (CWB). Land formed under the project will be developed as a world-class waterfront promenade joining that at the new Central waterfront for public enjoyment.
- 2.1.3. There is a compelling and present need for the CWB to provide relief to the very congested east-west Connaught Road Central/Harcourt Road / Gloucester Road Corridor (the Corridor) which is currently operating beyond its capacity. The CWB will provide relief to the existing congestion along the Corridor and cater for the anticipated growth of traffic on Hong Kong Island. Without the CWB and its access roads, there will not be sufficient capacity to serve the heavy traffic demands at both strategic and local levels.

2.2 Scope of the Project and Site Description

- 2.2.1. The Project is located mainly in Wan Chai North, Causeway Bay and North Point, and is demarcated by Gloucester Road and Victoria Park Road to the south, Fenwick Pier Street to the west and Tong Shui Road Interchange to the east, as shown in *Figure 2.1*.
- 2.2.2. The study area encompasses existing developments along the Wan Chai, Causeway Bay and North Point shorelines. Major land uses include the Hong Kong Convention & Exhibition Centre (HKCEC) Extension, the Wan Chai Ferry Pier, the ex-Wan Chai Public Cargo Working Area (ex-PCWA), the Royal Hong Kong Yacht Club (RHKYC), the Police Officers' Club, the Causeway Bay Typhoon Shelter (CBTS) and commercial and residential developments.

2.2.3. The scope of the Project comprises:

- Land formation for key transport infrastructure and facilities, including the Trunk Road
 (i.e. CWB) and the associated slip roads for connection to the Trunk Road and for
 through traffic from Central to Wan Chai and Causeway Bay. The land formed for the
 above transport infrastructure will provide opportunities for the development of an
 attractive waterfront promenade for the enjoyment of the public
- Reprovisioning / protection of the existing facilities and structures affected by the land formation works mentioned above
- Extension, modification, reprovisioning or protection of existing storm water drainage outfalls, sewerage outfalls and watermains affected by the revised land use and land formation works mentioned above



- Upgrading of hinterland storm water drainage system and sewerage system, which would be rendered insufficient by the land formation works mentioned above
- Provision of the ground level roads, flyovers, footbridges, necessary transport facilities and the associated utility services
- Construction of the new waterfront promenade, landscape works and the associated utility services
- The Trunk Road (i.e. CWB) within the study area and the associated slip roads for connection to the Trunk Road.
- 2.2.4. The project also contains various Schedule 2 DPs that, under the EIAO, require Environmental Permits (EPs) to be granted by the DEP before they may be either constructed or operated. Table 2.1 summarises the five individual DPs under this Project. Figure 2.1 shows the locations of these Schedule 2 DPs.

Table 2.1 Schedule 2 Designated Projects under this Project

Item	Designated Project	EIAO Reference	Reason for inclusion
DP1	Central-Wanchai Bypass (CWB) including its road tunnel and slip roads	Schedule 2, Part I, A.1 and A.7	Trunk road and road tunnel more than 800 m in length
DP2	Road P2 and other roads which are classified as primary/district distributor roads	Schedule 2, Part I, A.1	Primary / district distributor roads
DP3	Reclamation works including associated dredging works	Schedule 2, Part I, C.1 and C.12	Reclamation more than 5 ha in size and a dredging operation less than 100 m from a seawater intake point
DP5	Wan Chai East Sewage Outfall	Schedule 2, Part I, F.5 and F.6	Submarine sewage pipelines with a total diameter more than 1,200 mm and include a submarine sewage outfall
DP6	Dredging for the Cross-harbour Water Mains from Wan Chai to Tsim Sha Tsui	Schedule 2, Part I, C.12	A dredging operation less than 100 m from a seawater intake point

2.3 **Division of the Project Responsibility**

- 2.3.1. Due to the multi-contract nature of the Project, there are a number of contracts sub-dividing the whole works area into different work areas to be commenced. Contractors of individual contracts will be required by the EP holder to apply Further Environmental Permits (FEP) such that the impact monitoring stations are sub-divided accordingly to facilitate the implementation of EM&A programme and to streamline the EM&A reporting for individual FEP holders correspondingly.
- 2.3.2. The details of individual contracts are summarized in *Table 2.2*.



Table 2.2 Details of Individual Contracts under the Project

Contract No.	Contract Title	Associated DP(s)	Construction Commencement Date
HK/2009/01	Wan Chai Development Phase II – Central –Wanchai Bypass at Hong	DP3, DP6	23 July 2010
	Kong Convention and Exhibition Centre	DP1, DP2	25 August 2011
HK/2009/02	Wan Chai Development Phase II –	DP3, DP5	5 July 2010
	Central – Wan Chai Bypass at WanChai East	DP1	26 April 2011
HY/2009/11	Wan Chai Development Phase II and Central – Wan Chai Bypass – North Point Reclamation	DP3	17 March 2010 (Under application of surrender)
HY/2009/15	Central-Wanchai Bypass – Tunnel	DP3	10 November 2010
	(Causeway Bay Typhoon Shelter Section)	DP1	13 July 2011
HK/2010/06	Wan Chai Development Phase II-Central-Wan Chai Bypass over MTR Tsuen Wan Line	DP3	22 March 2011
04/HY/2006	Reconstruction of Bus Terminus near Man Yiu Street and Man Kwong Street	DP1	September 2010
HY/2009/17	Central - Wan Chai Bypass (CWB) at FEHD Whitfield Depot - Advanced piling works.	DP1	5 October 2010
HY/2009/18	Central - Wan Chai Bypass (CWB) – Central Interchange	DP1	21 April 2011
HY/2009/19	Central - Wanchai Bypass Tunnel (North Point Section) and Island Eastern Corridor Link	DP1	24 March 2011

2.4 Project Organization and Contact Personnel

- 2.4.1. Civil Engineering and Development Department and Highways Department are the overall project controllers for the Wan Chai Development Phase II and Central-Wan Chai Bypass respectively. For the construction phase of the Project, Project Engineer, Contractor(s), Environmental Team and Independent Environmental Checker are appointed to manage and control environmental issues.
- 2.4.2. The proposed project organization and lines of communication with respect to environmental protection works are shown in *Figure 2.2*. Key personnel and contact particulars are summarized in *Table 2.3*:

Table 2.3 Contact Details of Key Personnel

Party	Role	Post	Name	Contact No.	Contact Fax
AECOM	Engineer's Representative for WDII	Principal Resident Engineer	Mr. Frankie Fan	2587 1778	2587 1877
	Engineer's Representative for CWB	Principal Resident Engineer	Mr. Peter Poon	3922 8332	3529 2829
China Harbour-	Contractor under Contract no.	Project Director	Mr. Cho Yu Fun	3157 1086	3157 1085



Party	Role	Post	Name	Contact No.	Contact Fax
CRBC Joint Venture	HY/2009/11	Project Manager	Mr. Gregory Wong	3157 1086	
venture		Site Agent	Mr. Daniel Cheung	3157 1086	
		Environmental Officer	Mr. C. M. Wong	3157 1086	
Chun Wo – Leader	Contractor under Contract no.	Project Director	Mr. PL Yue	9124 2471	2634 1626
Joint Venture	HK/2009/01	Site Agent	Mr. Paul Yu	9456 9819	
		Operation Manager	Mr. Lau Yee Ching	9466 3918	
		Construction Manager	Mr. Wyman Wong	9627 2467	
		Construction Manager	Mr. Jack Chu	9775 3008	
		Construction Manager	Mr. KK Yuen Mr. Andy Yu	9498 1213 96484896	
		Environmental Officer (Compliance Manager)	Mr. Andy Mak	9103 2370	
Chun Wo – CRGL	Contractor under Contract no.	Site Agent	Mr. Chan Sing Cho	3658 3002	2827 9996
Joint Venture	HK/2009/02	Quality & Environmental Manager	Mr. C.P. Ho	3658 3000	
		Environmental Officer	Ms. Flora Ng	3658 3064	
China State	Contractor under Contract no.	Project Manager	Mr. M Y Wong	2823 7879	2528 5651
Constructi on Engineerin g (HK) Ltd.	HY/2009/15	Contractor's Representativ e	Mr. David Lau	3557 6337	2566 2192
		Construction Manager	Mr. C K Kwok	3557 6393	2566 2192
		Construction Manager (East)	Gene Cheung	3557 6395	2566 2192
		Construction Manager (West)	Tony Chiu	9090 0606	
		Environmental Officer	Mr. Daniel Sin	3557 6215	
Gammon -Leader JV	Contractor under Contract no.	Project Manager	Mr. Paul Lui	9095 7922	2529 2880
	HK/2010/06	Site Agent	Mr. Keith Tse	2529 2068	1
		Environmental Officer	Mr. Lee Wai Man	9481 6024	



Party	Role	Post	Name	Contact No.	Contact Fax
Chun Wo - CRGL -	Contractor under Contract no.	Project Manager	Mr. Rayland Lee	3758 8879	2570 8013
MBEC_ Joint Venture	HY/2009/19	Site Agent	Mr. Cheung Kit Cheung	6909 1555	
		Environmental Engineer	Mr. Simon Wong	9281 4346	
		Environmental Manager / Environmental Officer	Mr. M.H. Isa	9884 0810	
		Construction Manager (Marine)	William Luk	9610 1101	
		Construction Manager (Land)	Patrick Cheung	9643 3012	
ENVIRON Hong Kong Limited	Independent Environmental Checker (IEC)	Independent Environmental Checker (IEC)	Mr. David Yeung	3743 0788	3548 6988
Lam Geotechni cs Limited	Environmental Team (ET)	Environmental Team Leader (ETL)	Mr. Raymond Dai	2882 3939	2882 3331

- 2.4.3. The major work activities for Contract no. HY/2009/11 was confirmed substantial complete by RSS on 4 January 2012. The construction site was handed over to contractor HY/2009/19 on 31 December 2011.
- 2.4.4. For Contract no. HK/2009/01, the principal work activities in this reporting month included:

Marine Works (at Wan Chai)

- Dredging works within HKCEC Water Channel from CH190 to CH250 for Type 2 sediment
- Installation of sheet pile water channel for cooling water intake at Dome Promenade between CH170 and CH260
- Rockfilling for rock bund at HKCEC Water Channel from CH220 to Ch230
- Reclamation of HKCEC3W within HKCEC Water Channel
- Seawall reinstatement at Wan Chai Landfall in Zone B1-3
- Preparation works for demolition of existing seawall at Expo Drive East including removal of planter and tree transplantation in the vicinity

Cross-Harbour Watermains Installation (CHA & CHB) and Marine Works (at TST)

- Installation of cross-harbour watermains nos. A17/B17
- Rockfilling and rock protection to cross-harbour watermains
- Trench excavation, installation of shoring system and trimming obstructions

(mini-piles) for a 1000 dia. Cross Harbour Watermains (CHB) along the pipe pile wall at TST seashore

 Trench excavation and installation of shoring system for a 1000 dia. Cross Harbour Watermains (CHA) along the pipe pile wall at TST seashore

Fresh Watermains, Cooling Watermains and Salt Watermains (On Land)

- Mainlaying works at Zone B1-6, B4-3, B4-4, B5-1B, B5-3, A1-1, A2-2, A3-3, A3-4B, A3-5B, A4-1 and A4-2A
- Mainlaying works and subsequent reinstatement in Zone B1-3
- Mainlaying works at Zone B4-3 and Zone A2-2
- Road modification works (set back road kerb of central divider) at Expo Drive
- Mainlaying works and subsequent carriageway reinstatement in Zone A2-3C1 and A1-4A
- Diversion of underground cables at footpath of Fenwick Pier Street at Zone A3-3
- Cable ducting works along Convention Avenue, Fleming Road, Harbour Road and Fenwick Street
- Heading No. H7 (Mainlaying works by trenchless method)
- Mainlaying Works at Heading No. 8 and Zone A1-5A1
- Mainlaying and chamber construction works at the traffic island near junction of Convention Avenue and Fenwick Pier Street
- Pipe installation of a 1000 dia. Watermains (CHF) by trenchless method across the EVA near Salisbury Garden was commenced. Excavation of a 7m tunnel across the EVA
- Pipe installation of a 1000 dia. Watermains (CHE) by trenchless method across the EVA near Salisbury Garden

2.4.5. For Contract no. HK/2009/02, the principal work activities in this reporting month included:

- 300mm thick topping slab
- T&C of Foam system at Helipad
- T&C of Safety net panel installation at Helipad
- ABWF and E&M final fixing of Passenger Terminal Building (PTB)
- Lighting system at Helipad
- Louvers and touch up works of steel columns of Noise Barrier 1 & Noise Barrier 2
- Placing of paving block along EVA
- GFS handover and Fire services inspection
- E&M installation works of P7, P8 & P9
- respectively as of 20 April 2012. Self-testing of the individual systems
- -0.85mPD steel platform of P7 and the installation at P8 & P9
- Wet Well penstock installation at P7, P8 & P9 and install the traveling band screen
- The TBM retrieval of the DSD 2nd drive
- Approximate 65m cooling water pipe was laid at Harbour Centre, Harbour Road,

Tonnochy Road and ex-pet garden.

- Combined chamber for SHK at ex-pet garden
- Approximate 8m cable duct was laid at Harbour Road and Tonnochy Road.
- Heading construction at ex-pet garden was completed for the cooling mains installation across Convention Avenue.
- ABWFs and E&M installation at the TX room of the WSD Salt Water Pumping Station
- Installation and welding for 3rd layer of walings and struts for construction of intake culvert Bay 19B at Wan Shing Street
- Sand backfilling works and dewatering at Wan Shing Street Bay 24
- ELS of 3rd layer (-1.5mPD) struts & walings of salt water intake landside cofferdam
- ELS of 2nd layer (+0.5mPD) struts & walings of salt water intake seaside cofferdam
- ELS of 3rd layer (-2.0mPD) struts & walings of Submarine Outfall Seaside Cofferdam was in progress.
- Portion 1A upper caps & beams construction
- Portion 2A 2A3 & 2A2 upper caps and beams formwork
- Portion 2B 2B3 & 2B2 upper caps and beams formwork
- Portion 2C
- Portion 3C 3C1 & 3C2 water tank installed sealing and 3C3 is under fabrication.
- Backfilling on the HDPE pipelines at diffuser section between CH0 & CH150
- Approximate 8m DN800 MS pipe installation near Gate 1 at ex-pet garden
- Trial dredging works of WCR2
- · Piping diversion at WCR2
- Pre-bored H-piles construction at Box Culvert O and divert HHR traffic to small pet garden
- Installation of precast beam, central beam and excavation works at Box Culvert O
- 2.4.6. For Contract no. HY/2009/15, the principal work activities in this reporting month included:
 - Dredging for seawall foundation at TS2
- 2.4.7. For Contract no. HK/2010/06, the principal work activities in this reporting month included:
 - Excavation of bored piles
 - Concreting of bored piles
 - Coring Works
 - Sheet Piles
 - Construction of Pre-cast Unit in China
- 2.4.8. For Contract no. HY/2009/19, the principal work activity in this reporting month included:
 - Marine bored piling

2.4.9. In coming reporting month, the principal work activities of individual contracts are anticipated as follows:

Contract no. HY/2009/11- North Point Reclamation

 The major work activities for Contract no. HY/2009/11 was confirmed substantial complete by RSS on 4 January 2012. The construction site was handed over to contractor HY/2009/19 on 31 December 2011.

Contract no. HK/2009/01 - Wan Chai Development Phase II - Central -Wanchai Bypass at HKCEC

Marine Works

- Reclamation works and installation of sheet pile water channel (from CH170 to CH260)
- Rockfilling within HKCEC Water Channel (from CH220 to CH230)
- Seawall reinstatement at WC landfall section
- Dredging from CH290 to CH410 (Stage 3) near Expo Drive East Bridge would be commenced upon securing the MDN from the Marine Department and CNP from Environmental Protection Department.
- Installation of excavation and lateral support for modification of vertical seawall near Expo Drive East

Cross-Harbour Watermains Installation (CHA & CHB)

- Installation of shoring system for installation of cross harbour watermains (CHA & CHB) along the pipe pile wall at TST seashore
- Installation of cross-harbour watermains nos. A18/B18
- Trust block construction, concrete coating for flange joint and Rockfilling protection works for cross-harbour watermains in Victoria Harbour

Fresh Watermains, Cooling Watermains and Salt Watermains (On Land)

- Works would be continued at Zone B1-6, B4-3, B4-4, B5-1B, B5-3, A1-1, A2-2, A3-3, A3-4B, A3-5B, A4-1 and A4-2A.
- Mainlaying and road reinstatement works at Zone B1-6
- Trench excavation at Zone B2-1, B1-5A, B4-1A and B5-1B would be commenced
- Jacking pit construction at Zone A1-3 and Heading No. H6 (toward western direction) would be commenced accordingly.
- Mainlaying works at Zone A2-2. Valve connections for both cooling mains intake pipe and discharge pipe of Shui On Centre and APA
- Heading No. H6 (toward eastern direction) would be commenced
- Mainlaying works at Renaissance Harbour View Hotel Run-Out
- Mainlaying works at Zone A4-1 would be continued. Valve connections for cooling mains intake pipe of Government's towers would be carried out.
- Mainlaying works at traffic island near junction between Convention Avenue and



- Heading Nos. H7 (Mainlaying works by trenchless method)
- Cable ducting works at Zone GA and at Zone GS (across Harbour Road)
- Cable ducting works at Zone GC (along Convention Avenue Road) Cable ducting works at Zone GH (along Harbour Road)

Contract no. HK/2009/02 - Wan Chai Development Phase II - Central - Wan Chai Bypass at WanChai East

- Continue operation of Tseung Kwan O Public Fill Sorting Facility.
- Completed steel platforms installation at -0.85mPD for P8 & P9 Pumping Stations.
- Continue steel platforms (Wet Well) installation at +2.2mPD for P7, P8 & P9
 Pumping Stations.
- Commence pipe jacking of WSD 2nd last drive.
- Continue pipe laying works along Harbour Road and Tonnochy Road.
- Complete concrete work to + 15.71mPD or WSD Salt Water Pumping Station.
- Handover TX room to HEC installation on 6 May 2012.
- Continue 800MS pipe installation inside Ex-pet Garden
- Continue ABWFs & E&M works of WSD Salt Water Pumping Station.
- Continue ELS works of seaside cofferdams for salt water intake culvert, submarine outfall and Box Culvert N1.
- Continue ELS works of landside cofferdam for the construction of Bay 6 10 salt water intake culverts.
- Continue substructure works for the New Ferry Pier at Portions 1A, 2A, 2B, 2C & 3C.
- Complete the fabrication of precast slabs for the New Ferry Pier in PRC casting yard.
- Complete Installation of precast domes and end caps at the diffuser section of the HDPE pipelines.
- Complete backfilling rockfills for the installed submarine outfall pipes and diffuser section and commence precast dome installation.
- Commence reclamation works at WCR2 area.
- Completed remaining SHK piping diversion at WCR2 area.
- Commence bulkhead wall construction for Box Culvert O diversion.
- Complete the excavation works and utilities diversion at Box Culvert O
- Complete permanent precast beam, central beam and reinstatement for Box Culvert
 O.

<u>Contract no. HY/2009/15 - Central-Wanchai Bypass - Tunnel (Causeway Bay Typhoon Shelter Section)</u>

Dredging for seawall foundation at TS2

Contract No. HK/2011/07 Wanchai Development Phase II and Central-Wanchai Bypass Sampling, Field Measurement and testing Works (Stage 2) Monthly EM&A Report (Apr 2012)

<u>Contract no. HK/2010/06 - Wan Chai Development Phase II - Central - Wan Chai Bypass over MTR Tsuen Wan Line</u>

- Concreting of bored piles
- Pile head breaking works
- Sheet Piles
- · Construction of Pre-cast Unit in China

<u>Contract no. HY/2009/19 – Central- Wan Chai Bypass Tunnel (North Point Section) and Island Eastern Corridor Link</u>

· Marine bored piling



- 3. Status of Regulatory Compliance
- 3.1 Status of Environmental Licensing and Permitting under the Project
- 3.1.1. A summary of the current status on licences and/or permits on environmental protection pertinent to the Project is shown in *Table 3.1*.

Table 3.1 Summary of the current status on licences and/or permits on environmental protection pertinent to the Project

Permits and/or Licences	Reference No.	Issued Date	Status
Environmental Permit	EP-356/2009	30 Jul 2009	Valid
Environmental Permit	EP-364/2009/A	4 Aug 2010	Valid
Environmental Permit	EP-364/2009	17 Aug 2009	Superseded
Environmental Permit	EP-376/2009	13 Nov 2010	Valid
Further Environmental Permit	FEP-01/356/2009	18 Feb 2010	Under application of surrender
Further Environmental Permit	FEP-02/356/2009	24 Mar 2010	Valid
Further Environmental Permit	FEP-03/356/2009	24 Mar 2010	Valid
Further Environmental Permit	FEP-04/356/2009	22 Nov 2010	Valid
Further Environmental Permit	FEP-05/356/2009	24 Mar 2011	Valid
Further Environmental Permit	FEP-01/364/2009	24 Mar 2010	Valid
Further Environmental Permit	FEP-02/364/2009	21 Apr 2010	Valid
Further Environmental Permit	FEP-03/364/2009	12 Jul 2010	Valid
Further Environmental Permit	FEP-04/364/2009/A	14 Oct 2010	Surrendered
Further Environmental Permit	FEP-05/364/2009/A	15 Nov 2010	Valid
Further Environmental Permit	FEP-06/364/2009/A	22 Nov 2010	Valid
Further Environmental Permit	FEP-07/364/2009/A	25 Feb 2011	Valid

3.1.2. Due to the multi-contract nature of the Project, the status of permits and/or licences under the individual contract(s) are presented as below:

Contract no. HY/2009/11 - Central - Wanchai Bypass, North Point Reclamation

3.1.3. The major work activities for Contract no. HY/2009/11 was confirmed substantial complete by RSS on 4 January 2012. The construction site was handed over to contractor HY/2009/19 on 31 December 2011.



- 3.1.4. Summary of the current status on licences and/or permits on environmental protection pertinent and submission under FEP-01/356/2009 for contract no. HY/2009/11 are shown in *Table 3.2* and *Table 3.3*.
- 3.1.5. Contractor submitted a letter dated 20 July 2011 to confirm that the dredging works and dumping operation were completed.

Table 3.2 Cumulative Summary of Valid Licences and Permits under Contract no. HY/2009/11

Permits and/or Licences	Reference No.	Issued Date	Valid Period/ Expiry Date	Status
Further Environmental Permit	FEP-01/356/2009	18 Feb 2010	N/A	Valid
Notification of Works Under APCO	331892	4 Jul. 2011	N/A	Valid
Construction Noise Permit (CNP) for non-piling equipment	GW-RS0922-11	12 Oct 2011	1 Nov 2011 to 30 Apr 2012	Valid
Registration as a Chemical Waste Producer	WPN5213-151-C36 31-02	12 Oct 2010	N/A	Valid
Billing Account under Waste Disposal Ordinance	7010037	13 Jan 2010	N/A	Valid
Discharge Licence	WT00007942-2010	29 Nov 2010	30 Nov 2015	Valid

Table 3.3 Summary of submission status under FEP-01/356/2009 Condition

EP Condition	Submission	Date of Submission
Condition 2.6	Management Organization of Main Construction Companies	18 Dec 2009
Condition 2.7	Submission of works schedule and location plan	8 Feb 2010
Condition 2.8	Revised Silt Curtain Deployment Plan (Rev. 3)	4 Dec 2010
Condition 2.9	Silt Screen Deployment Plan (Rev. 6)	18 May 2011
Condition 2.10	Coral Translocation Plan	20 Nov 2009
Condition 2.16	Revised Noise Management Plan (Rev 5)	19 Feb 2011
Condition 2.17	Landscape Plan	12 May 2010
	Revised landscape Plan	30 Jun 2010
	Submission of Supplementary Information - Revised Management & Maintenance Schedule for Submitted Revised Landscape Plan	25 Aug 2010



<u>Contract no. HK/2009/01 - Wan Chai Development Phase II - Central -Wanchai Bypass at HKCEC</u>

3.1.6. Summary of the current status on licences and/or permits on environmental protection pertinent and submission for contract no. HK/2009/01 under FEP-02/356/2009 are shown in *Table 3.4* and *Table 3.5*.

Table 3.4 Cumulative Summary of Valid Licences and Permits under Contract no. HK/2009/01

Permits and/or Licences	Reference No.	Issued Date	Valid Period/ Expiry Date	Status
Further Environmental Permit	FEP-02/356/2009	24 Mar 2010	N/A	Valid
	FEP-02/364/2009	21 Apr 2010	N/A	Valid
Notification of Works Under APCO	313088	6 Jan 2010	N/A	Valid
Construction Noise Permit (CNP) for non-piling equipment	GW-RS0356-12	03 Apr 2012	11 Apr 2012 to 29 Sep 2012	Valid
	GW-RS0394-12	16 Apr 2012	19 Apr 2012 to 12 Oct 2012	Valid
	GW-RS1094-11	23 Nov 2011	27 Nov 2011 to 26 May 2012	Valid
	GW-RS1031-11	3 Nov 2011	7 Nov 2011 to 6 May 2012	Valid
	GW-RS1221-11	30 Jan 2011	20 Jan 2012 to 19 Jul 2012	Valid
	GW-RS1227-11	30 Dec 2011	30 Dec 2011 to 26 Jul 2012	Cancelled
	GW-RS0038-12	16 Jan 2012	15 Jan 2012 to 12 Jul 2012	Cancelled
	GW-RS0158-12	24 Feb 2012	24 Feb 2012 to 23 Aug 2012	Valid
	GW-RS0181-12	24 Feb 2012	27 Feb 2012 to 23 Aug 2012	Valid
	GW-RS0213-12	28 Feb 2012	29 Feb 2012 to 27 Aug 2012	Valid
	GW-RS0225-12	2 Mar 2012	14 Mar 2011 to 13 Sep 2012	Valid
	GW-RS0227-12	2 Mar 2012	16 Mar 2011 to 15 Sep 2012	Valid

Permits and/or Licences	Reference No.	Issued Date	Valid Period/ Expiry Date	Status
	GW-RE0174-12	5 Mar 2012	30 Mar 2012 to 29 Sep 2012	Valid
	GW-RS0312-12	28 Mar 2012	30 Mar 2012 to 29 Sep 2012	Valid
	GW-RS-0314-12	29 Mar 2012	30 Mar 2012 to 25 Sep 2012	Cancelled
	GW-RS0440-12	26 Apr 2012	26 Apr 2012 to 30 Apr 2012	Expired
Discharge Licence	WT00006220-2010	18 Mar 2010	31 Mar 2015	Valid
	WT00009641-2011	24 Jul 2011	31 Jul 2016	Valid
Billing account under Waste Disposal Ordinance	7010069	21 Jan 2010	N/A	Valid
Registration as a Chemical Waste Producer	WPN5213-134-C3585-01	21 Jan 2010	N/A	Valid
Dumping Permit (Type 1 – Open Sea Disposal)	EP/MD/12-091	23 Nov 2011	24 Nov 2011 to 23 May 2012	Valid
Dumping Permit (Type 1 – Open Sea Disposal (Dedicate Sites) &	EP-MD-12-136	8 Mar 2012	10 Mar 2012 to 9 Apr 2012	Expired
Type 2 – Confined Marine Disposal)	EP-MD-12-147	02 Apr 2012	10 Apr 2012 to 9 May 2012	Valid

Table 3.5 Summary of submission status under FEP-02/356/2009 Condition

EP Condition	Submission	Date of Submission
Condition 2.6	Management Organization of Main Construction Companies	13 Apr 2010
Condition 2.7	Works Schedule and Location Plan	8 Apr 2010
Condition 2.8	Silt Curtain Deployment Plan	19 Apr 2010
Condition 2.9	Silt Screen Deployment Plan	19 Apr 2010
0	Supplementary Document on Silt Curtain and Silt Screen Deployment Plan	19 Jul 2010
Conditions 2.8 and 2.9	Report on Field Testing for Silt Curtain	26 Aug 2010
	Report on Field Testing for Silt Curtain (Rev. A)	15 Nov 2010
Condition 2.12(d)	Alternative Proposal on Concurrent Dredging for Sewage Pipeline and Cross Harbour Water Mains	15 Apr 2011
Condition 2.17	Noise Management Plan	23 Apr 2010
Condition 2.18	Landscape Plan (Erection of Decorative Screen Hoarding along Construction Site around Hong Kong Exhibition and Convention Centre)	15 May 2010
	Landscape Plan (Night-time Lighting)	22 Oct 2010
	Landscape Plan (Rev. B)	15 Nov 2010

<u>Contract no. HK/2009/02 - Wan Chai Development Phase II - Central - Wan Chai Bypass at WanChai East</u>

3.1.7. Summary of the current status on licences and/or permits on environmental protection pertinent and submission for contract no. HK/2009/02 under FEP-03/356/2009 are shown in *Table 3.6* and *Table 3.7*.

Table 3.6 Cumulative Summary of Valid Licences and Permits under Contract no. HK/2009/02

Permits and/or Licences	Reference No.	Issued Date	Valid Period/ Expiry Date	Status
Further Environmental Permit	FEP-03/356/2009	24 Mar 2010	N/A	Valid
	FEP-01/364/2009	24 Mar 2010	N/A	Valid
Notification of Works Under APCO	313962	2 Feb 2010	N/A	Valid
Construction Noise Permit (CNP) for piling equipment	PP-RS0007-12	27 Mar 2012	28 Mar 2012 to 27 Sept 2012	Valid



Permits and/or Licences	Reference No.	Issued Date	Valid Period/ Expiry Date	Status
Construction Noise Permit (CNP) for non-piling equipment	GW-RE0710-11	30 Sept 2011	1 Nov 2011 to 30 Apr 2012	Valid
	GW-RS0918-11	7 Oct 2011	10 Oct 2011 to 9 Apr 2012	Expired
	GW-RS0930-11	11 Oct 2011	1 Nov 2011 to 30 Apr 2012	Valid
	GW-RS0931-11	7 Oct 2011	10 Oct 2011 to 9 Apr 2012	Expired
	GW-RS0941-11	20 Oct 2011	23 Nov 2011 to 22 May 2012	Valid
	GW-RS0955-11	14 Oct 2011	23 Nov 2011 to 22 May 2012	Valid
	GW-RS0968-11	20 Oct 2011	18 Nov 2011 to 17 May 2012	Valid
	GW-RS0983-11	24 Oct 2011	26 Oct 2011 to 23 April 2012	Cancelled
	GW-RS0984-11	25 Oct 2011	30 Oct 2011 to 27 April 2012	Expired
	GW-RS1028-11	3 Nov 2011	7 Dec 2011 to 6 June 2012	Valid
	GW-RS1052-11	18 Nov 2011	21 Nov 2011 to 18 May 2012	Valid
	GW-RS1111-11	28 Nov 2011	29 Nov 2011 to 28 May 2012	Valid
	GW-RS1116-11	28 Nov 2011	13 Dec 2011 to 12 Jun 2012	Valid
	GW-RS1209-11	3 Jan 2012	17 Jan 2012 to 16 July 2012	Valid
	GW-RS0037-12	19 Jan 2012	1 Feb 2012 to 31 July 2012	Valid
	GW-RS0051-12	19 Jan 2012	1 Feb 2012 to 31 July 2012	Valid
	GW-RS0052-12	19 Jan 2012	1 Feb 2012 to 30 April 2012	Valid
	GW-RS0086-12	30 Jan 2012	3 Feb 2012 to 2 Aug 2012	Valid
	GW-RS0105-12	3 Feb 2012	10 Feb 2012 to 9 Aug 2012	Valid
	GW-RS0153-12	17 Feb 2012	21 Feb 2012 to 20 Aug 2012	Valid
	GW-RS0233-12	6 Mar 2012	9 Mar 2012 to 8 Sept 2012	Cancelled
	GW-RS0255-12	14 Mar 2012	17 Mar 2012 to 15 Sept 2012	Valid
	GW-RE0283-12	5 Apr 2012	1 May 2012 to 30 Nov 2012	Valid
	GW-RS0298-12	22 Mar 2012	26 Mar 2012 to 25 June 2012	Valid
	GW-RS0301-12	20 Mar 2012	21 Mar 2012 to 20 Sept 2012	Valid



Permits and/or Licences	Reference No.	Issued Date	Valid Period/ Expiry Date	Status
	GW-RS0303-12	26 Mar 2012	27 Mar 2012 to 27 Sept 2012	Valid
	GW-RS0341-12	3 Apr 2012	28 Apr 2012 to 27 Oct 2012	Valid
	GW-RS0348-12	3 Apr 2012	10 Apr 2012 to 9 Oct 2012	Valid
	GW-RS0380-12	12 Apr 2012	1 May 2012 to 31 Oct 2012	Valid
	GW-RS0388-12	13 Apr 2012	1 May 2012 to 31 Oct 2012	Valid
Discharge Licence	WT00006249-2010	22 Mar 2010	31 Mar 2015	Valid
	WT00006436-2010	15 Apr 2010	30 Apr 2015	Valid
	WT00006673-2010	14 May 2010	31 Mar 2015	Valid
	WT00006757-2010	28 May 2010	31 May 2015	Valid
	WT00007129-2010	28 July 2010	31 Jul 2015	Valid
	WT00008982-2011	26 April 2011	30 April 2016	Valid
	WT00009691-2011	1 Aug 2011	31 July 2016	Valid
Billing Account under Waste Disposal Ordinance (Land)	7010255	10 Feb 2010	N/A	Valid
Billing Account under Waste Disposal Ordinance (Marine)	7011496	6 Oct 2010	N/A	Valid
Registration as Chemical Waste Producer (Wan Chai)	WPN5213-135-C3 593-01	10 Mar 2010	N/A	Valid
Registration as Chemical Waste Producer (TKO 137)	WPN5213-839-C3 593-02	22 Sep 2010	N/A	Valid
Dumping Permit (Type 1 – Open Sea Disposal)	EP/MD/12-082	31 Oct 2011	29 Nov 2011 to 28 May 2012	Valid
Dumping Permit (Type 1 – Open Sea Disposal (Dedicate	EP/MD/12-129	2 Mar 2012	4 Mar 2012 to 3 Apr 2012	Expired
Sites) & Type 2 – Confined Marine disposal)	EP/MD/12-146	27 Mar 2012	4 Apr 2012 to 3 May 2012	Valid

Table 3.7 Summary of submission status under FEP-03/356/2009 Condition

EP Condition	Submission	Date of Submission
Condition 1.12	Commencement Date of Construction of Marine Works	8 April 2010
Condition 2.6	Management Organization of Main Construction Companies	10 April 2010
Condition 2.7	Works Schedule and Location Plans	8 April 2010
Condition 2.8	Silt Curtain Deployment Plan (Revision A)	20 April 2010
	Silt Curtain Deployment Plan (Revision B)	25 May 2010
	Silt Curtain Deployment Plan (Revision C)	14 Jun 2010
	Silt Curtain Deployment Plan (Revision H)	15 Feb 2011
	Silt Curtain Deployment Plan (Revision I)	17 Nov 2011



EP Condition	Submission	Date of Submission
	Silt Curtain Deployment Plan (Revision J)	15 Feb 2012
	Silt Screen Deployment Plan	21 April 2010
Condition 2.9	Supplementary Information for Existing WSD Salt Water Intakes at Quarry Bay and Sai Wan Ho	5 Oct 2010
	Silt Screen Deployment Plan (Revision B)	15 Feb 2012
Condition 2.17	Noise Management Plan	6 May 2010
	Landscape Plan (Decorative Screen Hoarding)	11 May 2010
Condition 2.18	Landscape Plan (Control of Night Time Lighting)	2 June 2010
Condition 2.16	Landscape Plan (Combined Version)	20 July 2011
	Landscape Plan (Combined Version)	5 Aug 2011
	Acknowledge of Submission	22 Aug 2011

<u>Contract no. HY/2009/15 - Central-Wanchai Bypass – Tunnel (Causeway Bay Typhoon Shelter Section)</u>

3.1.8. Summary of the current status on licences and/or permits on environmental protection pertinent and submission for contract no. HY/2009/15 under EP-356/2009 are shown in *Table* 3.8 and *Table* 3.9.

Table 3.8 Cumulative Summary of Valid Licences and Permits under Contract no. HY/2009/15

Permits and/or Licences	Reference No.	Issued Date	Valid Period/ Expiry Date	Status
Further Environmental Permit	FEP-04/356/2009	22 Nov 2010	N/A	Valid
	FEP-06/364/2009/A	22 Nov 2010	N/A	Valid
	FEP-01/416/2011	11 Nov 2011	N/A	Valid
Notification of Works Under APCO	321822	24 Sep 2010	N/A	Valid
Construction Noise Permit (CNP) for non-piling equipment	GW-RS1190-11	30 Dec 2011	5 Jan 2012 to 21 Jun 2012	Valid
	GW-RS0343-12	12 Apr 2012	13 Apr 2012 to 8 Oct 2012	Valid
Registration as a Chemical Waste Producer Water Discharge Licence	WPN5213-147-C116 9-35	15 Nov 2010	N/A	Valid
Water Discharge Licence	WT00008780-2011	22 Mar 2011	22 Mar 2011 to 31 Mar 2016	Valid
	WT00010482-2011	30 Sep 2011	30 Sep 2011 to 30 Sep 2013	Valid



Permits and/or Licences	Reference No.	Issued Date	Valid Period/ Expiry Date	Status
	WT00011322-2011	15 Dec 2011	15 Dec 2011 to 31 Dec 2013	Valid
	WT00011718-2012	16 Jan 2012	16 Jan 2012 to 31 Jan 2014	Valid
Billing Account under Waste Disposal Ordinance	7011553	30 Sep 2010	27 Sep 2010 to 27 Jan 2016	Valid
	7011761	26 Jan 2011	1 Feb 2012 to 16 Apr 2012	Expired
	7011761	3 Apr 2012	17 Apr 2012 to 16 Jul 2012	Valid
Dumping Permit (Type 1 – Open Sea Disposal)	EP/MD/12-112	20 Jan 2012	20 Jan 2012 to 19 Jul 2012	Cancelled
	EP/MD/12-145	10 Apr 2012	10 Apr 2012 to 9 Oct 2012	Valid
Dumping Permit (Type 1 – Open Sea Disposal (Dedicate Sites) & Type 2 – Confined Marine disposal)	EP/MD/12-134	26 Feb 2012	15 Mar 2012 to 14 Apr 2012	Expired
	EP/MD/12-153	13 Apr 2012	15 Apr 2012 to 14 May 2012	Valid

Table 3.9 Summary of submission status under FEP-04/356/2009 Condition

EP Condition	Submission	Date of Submission
Condition 2.7	Amendment for Works Schedule and Location Plans	12 Nov 2010
Condition 2.8	Silt Curtain Deployment Plan Rev 2	11 May 2011
Condition 2.9	Silt Screen Deployment Plan Rev3	15 Jun 2011
Condition 2.18	Amendment for Proposal for the Removal of Odorous Sediment and Slime	2 Aug 2011
Condition 2.21	Landscape Plan	18 Feb 2011
Condition 2.23	Amendment for Noise Management Plan	27 Jan 2011

3.1.9. Implementation status of the recommended mitigation measures during this reporting period is presented in *Appendix 3.1*.

Contract no. HK/2010/06 - Wan Chai Development Phase II - Central - Wanchai Bypass over MTR Tsuen Wan Line

3.1.10. Summary of the current status on licences and/or permits on environmental protection pertinent and submission for contract no. HK/2010/06 under EP-356/2009 are shown in *Table 3.10* and *Table 3.11*.

Table 3.10 Cumulative Summary of Valid Licences and Permits under Contract no. HK/2010/06

Permits and/or Licences	Reference No.	Issued Date	Valid Period/ Expiry Date	Status
			Expiry Date	
Further Environmental Permit	FEP-05/356/2009	24 Mar 2011	N/A	Valid
Notification of Works Under APCO	326344	18 Jan 2011	N/A	Valid
Construction Noise Permit (CNP) for piling equipment	PP-RS0045-11	22 Dec 2011	12 Jan to 5 Jul 2012	Valid
Construction Noise Permit (CNP) for non-piling equipment	GW-RS0879-11	22 Sept 2011	6 Oct 2011 to 5 Apr 2012	Expired
	GW-RS0034-12	17 Jan 2012	18 Jan to 12 Jul 2012	Valid
	GW-RS0313-12	27 Mar 2012	6 Apr to 5 Oct 2012	Valid
Billing Account under Waste Disposal Ordinance	7012338	16 Feb 2011	N/A	Valid
Registration as Chemical Waste Producer	WPN5213-134-G25 33-01	11 Feb 2011	N/A	Valid
Water Discharge Licence	WT00010905-2011	4 November 2011	31 July 2016	Valid
Dumping Permit (Type 1 – Open Sea Disposal)	EP/MD/12-122	9 Feb 12	12 Feb 2012 to 11 Aug 2012	Valid

Table 3.11 Summary of submission status under EP-356/2009 and FEP-05/356/2009 Condition

EP Condition	Submission	Date of Submission
Condition 2.6	Management Organization of Main Construction Companies	24 October 2011
Condition 2.7	Works Schedule and Location Plans	11 March 2011
Condition 2.8	Revised Silt Curtain Deployment Plan	31 Aug 2011
Condition 2.9	Silt Screen Deployment Plan	11 April 2011
Condition 2.23	Noise Management Plan	11 March 2011

Contract no. HY/2009/19 – Central- Wan Chai Bypass Tunnel (North Point Section) and Island Eastern Corridor Link

3.1.11. Summary of the current status on licences and/or permits on environmental protection pertinent for contract no. HY/2009/19 is shown in *Table 3.12*.

<u>Table 3.12</u> Cumulative Summary of Valid Licences and Permits under Contract no. HY/2009/19

Permit / Licence / Notification / Reference No. **Issued Date** Valid Period / **Application Status Approval** Further Environmental Permit FEP-07/364/2009/A 25 Feb 2011 Granted Notified Notification of Works Under 326160 24 Jan 2011 APCO Construction Noise Permit (CNP) GW-RS0180-12 22-Feb-12 26-Aug-12 (For D-wall construction) Construction Noise Permit (CNP) (For Bored pile construction at GW-RS0286-12 23-Mar-12 26-Sep-12 Portion III) Construction Noise Permit (CNP) GW-RS0028-12 18-Jan-12 17-Jun-12 (For Watson Road) WT00010093-2011 Discharge Licence (Land) 31 Aug 2011 30-Sept-16 Discharge Licence (Sea) WT00010865-2011 03 Nov 2011 30-Nov-16 Registration as a Waste 7012306 21 Jan 2011 Registered Producer C&D Waste Disposal 7012306 10 Feb 2011 Registered Vessel Disposal 7013285 21 July 2011 Registered Registration as Chemical Waste 5213-151-C3654-01 24 Mar 201112 Registered Producer

Contract No. HK/2011/07



4. Monitoring Requirements

4.1 Noise Monitoring

NOISE MONITORING STATIONS

4.1.1. The noise monitoring stations for the Project are listed and shown in *Table 4.1* and *Figure 4.1*.
Appendix 4.1 shows the established Action/Limit Levels for the monitoring works.

Table 4.1 Noise Monitoring Station

Station	Description
M1a	Harbour Road Sports Centre
M2b	Noon Gun Area
МЗа	Tung Lo Wan Fire Station
M4b	Victoria Centre
M5b	City Garden
M6	HK Baptist Church Henrietta Secondary School

REAL-TIME NOISE MONITORING STATIONS

4.1.2. The real-time noise monitoring stations for the Project are listed and shown in *Table 4.2* and *Figure 4.1*. Appendix 4.1 shows the established Action/Limit Levels for the monitoring works.

Table 4.2 Real Time Noise Monitoring Station

District	Station	Description
Tin Hau	RTN1	FEHD Hong Kong Transport Section Whitefield Depot
North Point	RTN2	Oil Street Community Liaison Centre

NOISE MONITORING PARAMETERS, FREQUENCY AND DURATION

- 4.1.3. The construction noise level shall be measured in terms of the A-weighted equivalent continuous sound pressure level (L_{eq}). $L_{eq~(30~minutes)}$ shall be used as the monitoring parameter for the time period between 0700 and 1900 hours on normal weekdays. For all other time periods, $L_{eq~(5~minutes)}$ shall be employed for comparison with the Noise Control Ordinance (NCO) criteria. Supplementary information for data auditing, statistical results such as L10 and L90 shall also be obtained for reference.
- 4.1.4. Noise monitoring shall be carried out at all the designated monitoring stations. The monitoring frequency shall depend on the scale of the construction activities. The following is an initial guide on the regular monitoring frequency for each station on a weekly basis when noise generating activities are underway:
 - one set of measurements between 0700 and 1900 hours on normal weekdays.
- 4.1.5. If construction works are extended to include works during the hours of 1900 0700 as well as public holidays and Sundays, additional weekly impact monitoring shall be carried out during



respective restricted hours periods. Applicable permits under NCO shall be obtained by the Contractor.

MONITORING EQUIPMENT

- 4.1.6. As referred to in the Technical Memorandum ™ issued under the NCO, sound level meters in compliance with the International Electrotechnical Commission Publications 651: 1979 (Type 1) and 804: 1985 (Type 1) specifications shall be used for carrying out the noise monitoring. Immediately prior to and following each noise measurement the accuracy of the sound level meter shall be checked using an acoustic calibrator generating a known sound pressure level at a known frequency. Measurements may be accepted as valid only if the calibration level from before and after the noise measurement agree to within 1.0 dB.
- 4.1.7. Noise measurements shall not be made in fog, rain, wind with a steady speed exceeding 5 m/s or wind with gusts exceeding 10 m/s. The wind speed shall be checked with a portable wind speed meter capable of measuring the wind speed in m/s.

4.2 Air Monitoring

AIR QUALITY MONITORING STATIONS

4.2.1. The air monitoring stations for the Project are listed and shown in *Table 4.3* and *Figure 4.1*. *Appendix 4.1* shows the established Action/Limit Levels for the monitoring works.

Table 4.3 Air Monitoring Station

Station ID	Monitoring Location	Description
CMA1b	Oil Street Community Liaison Centre	North Point
CMA2a	Causeway Bay Community Centre	Causeway Bay
CMA3a	CWB PRE Site Office *	Causeway Bay
CMA4a	Society for the Prevention of Cruelty to Animals	Wan Chai
CMA5a	Children Playgrounds opposite to Pedestrian Plaza	Wan Chai
CMA6a	WDII PRE Site Office *	Wan Chai

^{*} Remarks: As per the ENPC meeting in January 2011, the monitoring stations CMA3a - Future CWB site office at Wanchai Waterfront Promenade and CMA6a - Future AECOM site office at Work Area were renamed as remark.



AIR MONITORING PARAMETERS, FREQUENCY AND DURATION

- 4.2.2. One-hour and 24-hour TSP levels should be measured to indicate the impacts of construction dust on air quality. The 24-hour TSP levels shall be measured by following the standard high volume sampling method as set out in the Title 40 of the Code of Federal Regulations, Chapter 1 (Part 50), Appendix B.
- 4.2.3. All relevant data including temperature, pressure, weather conditions, elapsed-time meter reading for the start and stop of the sampler, identification and weight of the filter paper, and any other local atmospheric factors affecting or affected by site conditions, etc., shall be recorded down in detail.
- 4.2.4. For regular impact monitoring, the sampling frequency of at least once in every six-days, shall be strictly observed at all the monitoring stations for 24-hour TSP monitoring. For 1-hour TSP monitoring, the sampling frequency of at least three times in every six-days should be undertaken when the highest dust impact occurs.

SAMPLING PROCEDURE AND MONITORING EQUIPMENT

- 4.2.5. High volume samplers (HVSs) in compliance with the following specifications shall be used for carrying out the 1-hour and 24-hour TSP monitoring:
 - 0.6 1.7 m3 per minute adjustable flow range;
 - equipped with a timing / control device with +/- 5 minutes accuracy for 24 hours operation;
 - installed with elapsed-time meter with +/- 2 minutes accuracy for 24 hours operation;
 - capable of providing a minimum exposed area of 406 cm2;
 - flow control accuracy: +/- 2.5% deviation over 24-hour sampling period;
 - equipped with a shelter to protect the filter and sampler;
 - incorporated with an electronic mass flow rate controller or other equivalent devices;
 - equipped with a flow recorder for continuous monitoring;
 - provided with a peaked roof inlet;
 - incorporated with a manometer;
 - able to hold and seal the filter paper to the sampler housing at horizontal position;
 - · easily changeable filter; and
 - capable of operating continuously for a 24-hour period.
- 4.2.6. Initial calibration of dust monitoring equipment shall be conducted upon installation and thereafter at bi-monthly intervals. The transfer standard shall be traceable to the internationally recognized primary standard and be calibrated annually. The concern parties such as IEC shall properly document the calibration data for future reference. All the data should be converted into standard temperature and pressure condition.

LABORATORY MEASUREMENT / ANALYSIS

4.2.7. A clean laboratory with constant temperature and humidity control, and equipped with necessary measuring and conditioning instruments to handle the dust samples collected, shall be available for sample analysis, and equipment calibration and maintenance. The laboratory should be HOKLAS accredited.



- 4.2.8. An alternative non-HOKLAS accredited laboratory was set-up for carrying out the laboratory analysis, the laboratory equipment was approved by the ER on 8 February 2011 and the measurement procedures were witnessed by the IEC. Any measurement performed by the laboratory was be demonstrated to the satisfaction of the ER and IEC. IEC shall regularly audit to the measurement performed by the laboratory to ensure the accuracy of measurement results.
- 4.2.9. Filter paper of size 8" x 10" shall be labelled before sampling. It shall be a clean filter paper with no pinholes, and shall be conditioned in a humidity-controlled chamber for over 24-hours and be pre-weighed before use for the sampling.
- 4.2.10. After sampling, the filter paper loaded with dust shall be kept in a clean and tightly sealed plastic bag. The filter paper shall then be returned to the laboratory for reconditioning in the humidity controlled chamber followed by accurate weighing by an electronic balance with readout down to 0.1 mg. The balance shall be regularly calibrated against a traceable standard.
- 4.2.11. All the collected samples shall be kept in a good condition for 6 months before disposal.

IMPACT MONITORING FOR ODOUR PATROL

- 4.2.12. Odour patrols along the shorelines of Causeway Bay Typhoon Shelter and ex-Wan Chai Public Cargo Working Area when there is temporary reclamation in Causeway Bay Typhoon Shelter and/or in the ex-Wan Chai Public Cargo Working Area, or when there is dredging of the odorous sediment and slime at the south-western corner of the Causeway Bay Typhoon Shelter. Odour patrols will be carried out at bi-weekly intervals during July, August and September by a qualified person of the ET who shall:
 - be at least 16 years of age;
 - be free from any respiratory illnesses; and
 - not be allowed to smoke, eat, drink (except water) or use chewing gum or sweets 30 min
 - before and during odour patrol
- 4.2.13. Odour patrol shall be conducted by independent trained personnel / competent persons patrolling and sniffing around the shore as shown in *Figure 4.1* to detect any odour at the concerned hours (afternoon is preferred for higher daily temperature).
- 4.2.14. The qualified person will use the nose (olfactory sensor) to sniff odours at different locations. The main odour emission sources and the areas to be affected by the odour nuisance will be identified.
- 4.2.15. The perceived odour intensity is to be divided into 5 levels which are ranked in the descending order as follows:
 - 0 Not detected. No odour perceived or an odour so weak that it cannot be easily characterized or described;
 - 1 Slight Identifiable odour, and slight chance to have odour nuisance;
 - 2 Moderate Identifiable odour, and moderate chance to have odour nuisance;
 - 3 Strong Identifiable, likely to have odour nuisance;
 - 4 Extreme Severe odour, and unacceptable odour level.





- 4.2.16. The findings including odour intensity, odour nature and possible odour sources, and also the local wind speed and direction at each location will be recorded. In addition, some relevant meteorological and tidal data such as daily average temperature, and daily average humidity, on that surveyed day will be obtained from the Hong Kong Observatory Station for reference. The Action and Limit levels for odour patrol are shown in <u>Appendix 6.1</u>.
- 4.2.17. The qualified odour patrol member has individual n-butanol thresholds complied with the requirement of European Standard Method of Air Quality Determination of Odour Concentration by Dynamic Olfactometry (EN13725) in the range of 20 to 80 ppb. The certificate for the qualified odour panel member is shown in *Appendix 4.2*.

4.3 Water Quality Monitoring

- 4.3.1. The EIA Report has identified that the key water quality impact would be associated with the dredging works during the construction phase. Marine water quality monitoring for dissolved oxygen (DO), suspended solid (SS) and turbidity is therefore recommended to be carried out at selected WSD flushing water intakes. The impact monitoring should be carried out during the proposed dredging works to ensure the compliance with the water quality standards.
- 4.3.2. The updated EM&A Manual for EP-356/2009 (Version in March 2011) is approval by EPD on 29 April 2011. As such, the Action Level and Limit Level for the wet season (April September) will be effected and applied to the water quality monitoring data from 30 April 2011.

Water Quality Monitoring Stations

4.3.3. It is proposed to monitor the water quality at 9 WSD salt water intakes and 14 cooling water intakes along the seafront of the Victoria Harbour. The proposed water quality monitoring stations of the Project are shown in *Table 4.4* and *Figure 4.1*. *Appendix 4.1* shows the established Action/Limit Levels for the monitoring works.

Table 4.4 Marine Water Quality Stations for Water Quality Monitoring

Station Ref.	Location	Easting	Northing
WSD Salt Water Int	WSD Salt Water Intake		
WSD7	Kowloon South	834150.0	818300.3
WSD9	Tai Wan	837921.0	818330.0
WSD10	Cha Kwo Ling	841900.9	817700.1
WSD15	Sai Wan Ho	841110.4	816450.1
WSD17	Quarry Bay	839790.3	817032.2
WSD19	Sheung Wan	833415.0	816771.0
WSD20	Kennedy Town	830750.6	816030.3
WSD21	Wan Chai	836220.8	815940.1
RW1	Wan Chai (Reprovision)	836188.8	815911.1
Cooling Water Inta	Cooling Water Intake		
C1	HKCEC Extension	835885.6	816223.0
C2	Telecom House	835647.9	815864.4
C3	HKCEC Phase I	835836.2	815910.0



Station Ref.	Location	Easting	Northing
C4e	Great Eagle Centre	835932.8	815888.2
C4w	Wan Chai Tower	835629.8	815889.2
C5e	Sun Hung Kai Centre (Eastern)	836250.1	815932.2
C5w	Sun Hung Kai Centre (Western)	836248.1	815933.2
C6	Excelsior Hotel	837009.6	815999.3
C7	Windsor House	837193.7	816150.0
C8	City Garden	837970.6	816957.3
C9	Provident Garden	838355.0	817116.6
RC1	Proposed HKAPA Extension	835487.7	815987.7
RC5	Sun Hung Kai Centre (Reprovision)	836291.4	816029.7
RC7	Windsor House (Temporary Dilution)	837245.2	816156.6

WATER QUALITY PARAMETERS

- 4.3.4. Monitoring of dissolved oxygen (DO), turbidity and suspended solids (SS) shall be carried out at WSD flushing water intakes and cooling water intakes. DO and Turbidity are measured in-situ while SS is determined in laboratory.
- 4.3.5. In association with the water quality parameters, other relevant data shall also be measured, such as monitoring location/position, time, sampling depth, water temperature, pH, salinity, dissolved oxygen (DO) saturation, weather conditions, sea conditions, tidal stage, and any special phenomena and work underway at the construction site etc.

SAMPLING PROCEDURES AND MONITORING EQUIPMENT

4.3.6. The interval between two sets of monitoring should not be less than 36 hours except where there are exceedances of Action and/or Limit Levels, in which case the monitoring frequency will be increased. *Table 4.5* shows the proposed monitoring frequency and water quality parameters. Duplicate in-situ measurements and water sampling should be carried out in each sampling event. For selection of tides for in-situ measurement and water sampling, tidal range of individual flood and ebb tides should be not less than 0.5m.

Table 4.5 Marine Water Quality Monitoring Frequency and Parameters

Activities	Monitoring Frequency ¹	Parameters ²
During the 4-week baseline monitoring period	Three days per week, at mid-flood and mid-ebb tides	Turbidity, Suspended Solids (SS), Dissolved Oxygen (DO), pH, Temperature, Salinity
During marine construction works	Three days per week, at mid-flood and mid-ebb tides	Turbidity, Suspended Solids (SS), Dissolved Oxygen (DO), pH, Temperature, Salinity
After completion of marine construction works	Three days per week, at mid-flood and mid-ebb tides	Turbidity, Suspended Solids (SS), Dissolved Oxygen (DO), pH, Temperature, Salinity

Notes:

- 1. For selection of tides for in-situ measurement and water sampling, tidal range of individual flood and ebb tides should be not less than 0.5m.
- 2. Turbidity should be measured in situ whereas SS should be determined by laboratory.

DISSOLVED OXYGEN AND TEMPERATURE MEASURING EQUIPMENT

- 4.3.7. The instrument should be a portable, weatherproof dissolved oxygen measuring instrument complete with cable, sensor, comprehensive operation manuals, and use a DC power source. It should be capable of measuring:
 - a dissolved oxygen level in the range of 0-20 mg/l and 0-200% saturation
 - a temperature of 0-45 degree Celsius
- 4.3.8. It should have a membrane electrode with automatic temperature compensation complete with a cable. Sufficient stocks of spare electrodes and cables should be available for replacement where necessary. (e.g. YSI model 59 meter, YSI 5739 probe, YSI 5795A submersible stirrer with reel and cable or an approved similar instrument).
- 4.3.9. Should salinity compensation not be build-in in the DO equipment, in-situ salinity shall be measured to calibrate the DO equipment prior to each DO measurement.

TURBIDITY MEASUREMENT INSTRUMENT

4.3.10. The instrument should be a portable, weatherproof turbidity-measuring instrument complete with comprehensive operation manual. The equipment should use a DC power source. It should have a photoelectric sensor capable of measuring turbidity between 0-1000 NTU and be complete with a cable (e.g. Hach model 2100P or an approved similar instrument).

SAMPLER

4.3.11. A water sampler comprises a transparent PVC cylinder, with a capacity of not less than 2 litres, and can be effectively sealed with latex cups at both ends. The sampler should have a positive latching system to keep it open and prevent premature closure until released by a messenger when the sampler is at the selected water depth (e.g. Kahlsico Water Sampler or an approved similar instrument).

SAMPLE CONTAINER AND STORAGE

4.3.12. Water samples for suspended solids measurement should be collected in high-density polythene bottles, packed in ice (cooled to 4°C without being frozen), and delivered to ALS Technichem (HK) Pty Ltd. as soon as possible after collection for analysis.

WATER DEPTH DETECTOR

4.3.13. A portable, battery-operated echo sounder shall be used for the determination of water depth at each designated monitoring station. This unit can either be handheld or affixed to the bottom of the workboat, if the same vessel is to be used throughout the monitoring programme.

SALINITY

4.3.14. A portable salinometer capable of measuring salinity in the range of 0-40 ppt shall be provided for measuring salinity of the water at each of monitoring location.

MONITORING POSITION EQUIPMENT

4.3.15. A hand-held or boat-fixed type digital Global Positioning System (GPS) with waypoint bearing indication or other equivalent instrument of similar accuracy shall be provided and used during monitoring to ensure the monitoring vessel is at the correct location before taking measurements.



CALIBRATION OF IN-SITU INSTRUMENTS

- 4.3.16. All in-situ monitoring instrument shall be checked, calibrated and certified by a laboratory accredited under HOKLAS or equivalent before use, and subsequently re-calibrated at 3 monthly intervals throughout all stages of the water quality monitoring. Responses of sensors and electrodes should be checked with certified standard solutions before each use. Wet bulb calibration for a DO meter shall be carried out before measurement at each monitoring location.
- 4.3.17. For the on site calibration of field equipment by the ET, the BS 127:1993, "Guide to Field and on-site test methods for the analysis of waters" should be observed.
- 4.3.18. Sufficient stocks of spare parts should be maintained for replacements when necessary. Backup monitoring equipment shall also be made available so that monitoring can proceed uninterrupted even when some equipment is under maintenance, calibration, etc.
- 4.3.19. Current calibration certificates of equipments are presented in <u>Appendix 4.2</u>.

LABORATORY MEASUREMENT / ANALYSIS

4.3.20. Analysis of suspended solids has been carried out in a HOKLAS accredited laboratory, ALS Technichem (HK) Pty Ltd. Water samples of about 1L shall be collected at the monitoring stations for carrying out the laboratory SS determination. The SS determination work shall start within 24 hours after collection of the water samples. The SS determination shall follow APHA 19ed or equivalent methods subject to the approval of IEC and EPD.

ENHANCED WATER QUALITY MONITORING IN THE EX-WAN CHAI PUBLIC CARGO WORKING AREA AND THE CAUSEWAY BAY TYPHOON SHELTER

- 4.3.21. The enhanced water quality monitoring and audit programme is to avoid aggravation of odour nuisance from seawater arising from temporary reclamation in the ex-Wan Chai Public Cargo Working Area and the Causeway Bay Typhoon Shelter.
- 4.3.22. Dissolved oxygen monitoring at the intakes C6 and C7 in Causeway Bay Typhoon Shelter when there is temporary reclamation in Causeway Bay Typhoon Shelter and at the south-western and south-eastern corners of the ex-Wan Chai Public Cargo Working Area. The proposed water quality monitoring stations of the Project are shown in *Table 4.6* and *Figure 4.1*.

Table 4.6 Marine Water Quality Stations for Enhanced Water Quality Monitoring

Station	Location
C6	Excelsior Hotel
C7	Windsor House
Ex-WPCWA-SW	South-western of the ex-Wan Chai Public Cargo Working Area
Ex-WPCWA-SE	South-eastern of the ex-Wan Chai Public Cargo Working Area

4.3.23. The monitoring of dissolved oxygen are to be carried out 3 days per week, at mid-flood and mid-ebb tides for 3 water depths (1m below water surface, mid-depth and 1m above sea bed, except where the water depth less than 6m, the mid-depth may be omitted. If the water depth be equal to or less than 3m, only the mid-depth will be monitored).

DAILY SS MONITORING AND 24 HOURS TURBIDITY MONITORING SYSTEM

- 4.3.24. During dredging of the sediment at the south-western corner of the Causeway Bay Typhoon Shelter, daily monitoring of suspended solids and 24 hour monitoring of turbidity at the cooling water intakes (C6 and C7) shall be conducted.
- 4.3.25. The 24 hours monitoring of turbidty at the cooling water intakes (C6 and C7) shall be established by setting up a continuous water quality monitoring station in front of the intakes during the dredging activities. The monitoring system include the turbidity sensor and data logger which is capable of data capturing at every 5 minutes. The data sahll be downloaded daily and compared with the Action and Limit level determined during the baseline water quality monitoring at the cooling water intake locations.

$\frac{\text{ADDITIONAL DISSOVLED OXYGEN MONITORING FOR CULVERT L WATER DISCHARGE}}{\text{FLOW}}$

- 4.3.26. In response to the Condition 2.18 of the Environmental Permit no. EP-356/2009 requiring that a silt curtain / impermeable barrier system be installed to channel water discharge flow from Culvert L to locations outside the embayment area, a proposed replacement of the requirement with additional dissolved oxygen monitoring has been conducted at three monitoring stations, namely A, B and C between the eastern seawall of Central Reclamation Phase III and the HKCEC Extension since November 2011 under EP-356/2009 so that DO level between the eastern seawall of Central Reclamation Phase II and the HKCEC extension could be continuously monitored.
- 4.3.27. The proposed DO monitoring stations of the Project are shown in *Table 4.7* and *Figure 4.1*.

Table 4.7 Marine Water Quality Stations for Additional DO Monitoring

Station	Easting	Northing
Α	835468	815857
В	835572	815961
С	835659	816271

4.3.28. The monitoring of dissolved oxygen are to be carried out once per week, at mid-flood and mid-ebb tides for 3 water depths (1m below water surface, mid-depth and 1m above sea bed, except where the water depth less than 6m, the mid-depth may be omitted. If the water depth be equal to or less than 3m, only the mid-depth will be monitored).



5. **Monitoring Results**

- The environmental monitoring will be implemented based on the division of works areas of each designed project managed under different contracts with separate FEP applied by individual contractors. Overall layout showing work areas of various contracts, latest status of work commencement and monitoring stations is shown in Figure 2.1 and Figure 4.1. The monitoring results are presented in according to the Individual Contract(s).
- 5.0.2. The major work activities for Contract no. HY/2009/11 was confirmed substantial complete by RSS on 4 January 2012. The construction site was handed over to contractor HY/2009/19 on 31 December 2011.
- 5.0.3. The surrender of the Further Environmental Permit for HY/2009/11 withdrew by contractor on 14 February 2012. However, there is no work was conducted by the contractor.
- 5.0.4. In the reporting month, the concurrent contracts are as follows:
 - Contract no. HY/2009/11 Central Wan Chai Bypass North Point Reclamation;
 - Contract no. HK/2009/01 Wan Chai Development Phase II Central-Wan Chai Bypass at Hong Kong Convention and Exhibition Centre; and
 - Contract no. HK/2009/02 Wan Chai Development Phase II Central-Wan Chai Bypass at Wan Chai East
 - Contract no. HY/2009/15 Central-Wanchai Bypass Tunnel (Causeway Bay Typhoon Shelter Section)
 - Contract no. HK/2010/06 Wan Chai Development Phase II Central-Wan Chai Bypass over MTR Tsuen Wan Line
 - Contract no. HY/2009/19- Cental- Wan Chai Bypass Tunnel (North Point Section) and Island Eastern Corridor Link
- 5.0.5. The environment monitoring schedules for reporting month and coming month are presented in Appendix 5.1.

5.1 **Noise Monitoring Results**

5.1.1. Due to adverse weather condition, the noise monitoring at the following stations were rescheduled:

M4b: From 17 Apr 2012 to 20 Apr 2012 M5b: From 17 Apr 2012 to 20 Apr 2012 M6: From 17 Apr 2012 to 20 Apr 2012

Contract no. HY/2009/11 - Central - Wanchai Bypass, North Point Reclamation

- The major work activities for Contract no. HY/2009/11 was confirmed substantial complete by RSS on 4 January 2012. The construction site was handed over to contractor HY/2009/19 on 31 December 2011 and the FEP-01/356/2009 was under application of surrender in this reporting period. The monitoring was temporary suspended since 5 January 2012.
- 5.1.3. The proposed division of noise monitoring stations for Contract no. HY/2009/11 are summarized in Table 5.1 below:



Table 5.1 Noise Monitoring Stations for Contract no. HY/2009/11

Station	Description
M4b	Victoria Centre
M5b	City Garden

- 5.1.4. Day time and evening period noise monitoring was conducted at the City Garden and Victoria Centre in the reporting month.
- 5.1.5. Noise monitoring results measured in this reporting period are reviewed and summarized. No exceedance was recorded in reporting month. Details of noise monitoring results and graphical presentation can be referred in *Appendix 5.2*.

Contract no. HK/2009/01 - Wan Chai Development Phase II - Central - Wanchai Bypass at HKCEC, Contract no. HK/2009/02 - Wan Chai Development Phase II - Central - Wan Chai Bypass at WanChai East and Contract no. HK/2010/06 Wan Chai Development Phase II - Central-Wan Chai Bypass over MTR Tsuen Wan Line

5.1.6. The proposed division of noise monitoring stations are summarized in *Table 5.2* below.

Table 5.2 Noise Monitoring Station for Contract nos. HK/2009/01, HK/2009/02 and HK/2010/06

Station	Description
M1a	Harbour Road Sports Centre

5.1.7. Daytime and evening period noise monitoring was conducted at the Harbour Road Sport Centre in the reporting month.

<u>Contract no. HY/2009/15 - Central-Wanchai Bypass - Tunnel (Causeway Bay Typhoon</u> Shelter Section)

5.1.8. The noise monitoring for HY/2009/15 was commenced on 10 November 2010. The proposed division of noise monitoring stations are summarized in *Table 5.3* below.

Table 5.3 Noise Monitoring Station for Contract no. HY/2009/15

Station	Description
M2b	Noon Gun Area
М3а	Tung Lo Wan Fire Station

5.1.9. Noise monitoring results measured in the period of daytime and restricted hour are reviewed and summarized. One action level exceedance and no limit level exceedance were recorded in this reporting month. The noise complaint was recorded on 5 April 2012. Details of noise monitoring results and graphical presentation can be referred in <u>Appendix 5.2</u>



Contract no. HY/2009/19- Wan Chai Bypass Tunnal (North Point Section) and Island Eastern Corridor Link

5.1.10. The proposed division of noise monitoring stations are summarized in *Table 5.4* below.

Table 5.4 Noise Monitoring Station for Contract no. HY/2009/19

Station	Description
М3а	Tung Lo Wan Fire Station
M4b	Victoria Centre
M5b	City Garden
M6	HK Baptist Church Henrietta Secondary School

No action level exceedance and one limit level exceedance was recorded on 2 April 2012 at M6 – HK Baptist Church Henrietta Secondary School in the reporting month. Major traffic jam and no major work activities were observed during monitoring, the exceedances was considered as non-project related.

5.1 Real-time Noise Monitoring

Contract no. HY/2009/11 - Central - Wanchai Bypass, North Point Reclamation

5.2.1. The major work activities for Contract no. HY/2009/11 was confirmed substantial complete by RSS on 4 January 2012. The construction site was handed over to contractor HY/2009/19 on 31 December 2011 and the FEP-01/356/2009 was under application of surrender in this reporting period. The monitoring was temporary suspended since 5 January 2012.

Table 5.5 Real Time Noise Monitoring Station for Contract no. HY/2009/11 and HY/2009/19

District	Station	Description	
Tin Hau	RTN1	FEHD Hong Kong Transport Section Whitefield Depot	
North Point	RTN2	Oil Street Community Liaison Centre	

^{*} Real time noise monitoring results and graphical presentation during night time period are for information only.

5.2.2. Real time noise monitoring results were reviewed and no project-related Action and Limit level exceedance were recorded in the reporting period. Details of real time noise monitoring results and graphical presentation can be referred to **Appendix 5.5.**

5.2 Air Monitoring Results

- 5.3.1. Due to extension of site boundary by contractor of HY/2009/19, location of air monitoring station CMA1b – Oil Street Community Liaison Centre has been finely adjusted on 21 April 2012.
- 5.3.2 Due to lack of electricity supply, the 24 TSP monitoring at the following stations were rescheduled

CMA3a: from 16 and 20 Apr 2012 to 17 and 24 Apr 2012

CMA6a: from 20 Apr 2012 to 21 Apr 2012



- 5.3.3. The data for the rescheduled air monitoring for CMA1b, dated 30 April 2012, will be presented in the next monthly report (May 2012).
 - Contract no. HY/2009/11 Central Wanchai Bypass, North Point Reclamation
- 5.3.4. The major work activities for Contract no. HY/2009/11 was confirmed substantial complete by RSS on 4 January 2012. The construction site was handed over to contractor HY/2009/19 on 31 December 2011and the FEP-01/356/2009 was valid in this reporting period. The monitoring for the contract was temporary suspended on 6 January 2012.
- 5.3.5. The proposed division air monitoring stations is summarized in *Table 5.6* below.

Table 5.6 Air Monitoring Stations for Contract no. HY/2009/11

Station	Description	
CMA1b	Oil Street Community Liaison Centre	
CMA2a	Causeway Bay Community Centre	

- 5.3.6. No exceedance was recorded in the reporting month. Details of air monitoring results and graphical presentation can be referred in *Appendix 5.3*.
 - Contract no. HK/2009/01 Wan Chai Development Phase II Central -Wanchai Bypass at HKCEC
- 5.3.7. Air monitoring was commenced on 1 April 2011 in response to the commencement of the land-filling work for Contract no. HK/2009/01. The proposed division of air monitoring stations are summarized in *Table 5.7* below. No exceedance was recorded in the reporting month.

Table 5.7 Air Monitoring Stations for Contract no. HK/2009/01

Station	Description
CMA5a	Children Playgrounds opposite to Pedestrian Plaza
CMA6a	WDII PRE Site Office

<u>Contract no. HK/2009/02 - Wan Chai Development Phase II - Central - Wan Chai Bypass at</u> WanChai East

5.3.8. Air monitoring was commenced in mid-January 2011 for the land-filling work for Contract no. HK/2009/02. The proposed division of air monitoring stations are summarized in *Table 5.8* below. No exceedance was recorded in the reporting month.

Table 5.8 Air Monitoring Station for Contract no. HK/2009/02

Station	Description
CMA4a	Society for the Prevention of Cruelty to Animals

<u>Contract no. HY/2009/15 - Central-Wanchai Bypass - Tunnel (Causeway Bay Typhoon Shelter Section)</u>



5.3.9. Air monitoring was commenced on 15 March 2011 for the land filling work for Contract no. HY/2009/15. The proposed division of air monitoring stations are summarized in *Table 5.9* below. No exceedance was recorded in the reporting month.

Table 5.9 Air Monitoring Station for Contract no. HY/2009/15

Station	Description
CMA3a	CWB PRE Site Office

Contract no. HY/2009/19- Wan Chai Bypass Tunnal (North Point Section) and Island Eastern Corridor Link

5.3.10. The proposed division of air monitoring stations are summarized in Table 5.10 below. Air monitoring for the tunnel works under contract no. HY/2009/19 was commenced on 26 April 2011. No exceedance was recorded in the reporting month.

Table 5.10 Air Monitoring Stations for Contract no. HY/2009/19

Station	Description
CMA1b	Oil St Community Liaison Centre
CMA2a	Causeway Bay Community Centre

5.3 Water Monitoring Results.

- 5.4.1. WDII/RSS advised that the dredging works for submarine pipeline at Victoria Harbour had been completed in January 2012. Therefore, the concurrent dredging activities at Sewage Pipeline Zone and reclamation shoreline zone TCBR under the EP-356/2009 scenario 2B no longer exist. As such, with reference to Table 5.39 of the EIA Report for Wan Chai Development Phase II and Central-Wan Chai Bypass, the application of silt screen for cooling water intakes for Queensway Government Offices was suspended and the others remain unchanged.
- 5.4.2. Based on the joint inspection on 4 Jan 2012 for the NPR area, the 4-week water quality monitoring at WSD9, WSD10, WSD15, WSD17, C8, C9 to confirm no water deterioration with respect to NPR was commenced since 7 Jan 2012 and it was completed on 6 February 2012.
- 5.4.3. Water quality monitoring at WSD10 and WSD15 was temporary suspended while water quality monitoring at WSD9 and WSD17 was implemented with respect to HK/2009/02 from 8 Feb 12 onwards;
- 5.4.4. Water quality monitoring at C8 and C9 have been implemented with respect to HY/2009/19 since the marine bore piling work started on 28 Jan 12.
- 5.4.5. Based on the safety concern when external façade refurbishment was conducted by contractor employed by Provident Centre (C9) since 3 Feb 2012, there is a fine adjustment of the sampling location of water quality monitoring at C9 to the closest accessible point prior to the completion of the external façade refurbishment work.
- 5.4.6. With respect to the trial dredging at WCR2 was scheduled on 20, 22, 24, 25 March and 1, 3, 11, 13, 15, 17, 19 and 20 Apr 2012, on-going water quality monitoring results at WSD21 during this period was checked and indicated that there was no contribution due to the trial dredging



- operation. Enhanced review of water quality around WCR2 was also implemented and no deterioration in the water quality was observed.
- 5.4.7. Due to the access of water monitoring station at WSD19 was blocked by LCSD construction works from 3 April 2012 to 2 May 2012 and lead to the inaccessibility of sampling either land and marine, there is a fine adjustment of the sampling point of WSD 19 since 5 April 2012 to the closest accessible point prior to the completion of the construction activities.
- 5.4.8. Due to the enforcement of Amber Rainstorm Warning Signal on 16, 20 and 27 April 2012, the ebb tide water monitoring on 16, 20 and 27 April 2012 had been cancelled.

Contract no. HY/2009/11 – Central – Wanchai Bypass, North Point Reclamation

- 5.4.9. The major work activities for Contract no. HY/2009/11 was confirmed substantial complete by RSS on 4 January 2012. The construction site was handed over to contractor HY/2009/19 on 31 December 2011 and the FEP-01/356/2009 was valid in this reporting period.
- 5.4.10. The proposed division of water monitoring stations for Contract no. HY/2009/11 are summarized in *Table 5.11* below:

Table 5.11 Water Monitoring Stations for Contract no. HY/2009/11

Station Ref.	Location	Easting	Northing	
WSD Salt Water Intake				
WSD9	Tai Wan	837921.0	818330.0	
WSD10	Cha Kwo Ling	841900.9	817700.1	
WSD15	Sai Wan Ho	841110.4	816450.1	
WSD17	Quarry Bay	839790.3	817032.2	
Cooling Water Intake				
C8	City Garden	837970.6	816957.3	
C9	Provident Garden	838355.0	817116.6	

Remarks: WSD9, WSD10, WSD15, WSD17, C8 and C9 water monitoring finished on 6 Feb 2012.

<u>Contract no. HK/2009/01 - Wan Chai Development Phase II - Central -Wanchai Bypass at HKCEC</u>

5.4.11. Water monitoring for Contract no. HK/2009/01 was commenced on 23 July 2010. The proposed division of water monitoring stations are summarized in *Table 5.12* below.

Table 5.12 Water Monitoring Stations for Contract no. HK/2009/01

Station Ref.	Location	Easting	Northing	
WSD Salt Water Intake				
WSD7	Kowloon South	834150.0	818300.3	
WSD19	Sheung Wan	833415.0	816771.0	
WSD20	Kennedy Town	830750.6	816030.3	
Cooling Water Intake				
C1	HKCEC Extension	835885.6	816223.0	



Station Ref.	Location	Easting	Northing
C2	Telecom House	835647.9	815864.4
C3	HKCEC Phase I	835836.2	815910.0
C4e	Great Eagle Centre	835932.8	815888.2
C4w	Wan Chai Tower	835629.8	815889.2

Remarks:

The water monitoring stations for the dredging works under Contract No. HK/2009/01 should also include WSD9, WSD17, WSD 21 and C5 if water quality monitoring at these locations have not been carried out by others. Similarly, the water monitoring stations for the dredging works under Contract No. HK/2009/02 should also include WSD7, WSD9, WSD17, WSD 19, C1, C2, C3 and C4 if water quality monitoring at these locations have not been carried out by others.

<u>Contract no. HK/2009/02 - Wan Chai Development Wan Chai Development Phase II – Central – Wan Chai Bypass at WanChai East</u>

5.4.12. Water monitoring for Contract no. HK/2009/02 was commenced on 8 July 2010. The proposed division of water monitoring stations are summarized in *Table 5.13* below.

Table 5.13 Water Monitoring Stations for Contract no. HK/2009/02

Station Ref.	Location	Easting	Northing		
WSD Salt Water Int	WSD Salt Water Intake				
WSD21	Wan Chai	836220.8	815940.1		
WSD9 (Monitoring started from 8 Feb 12)	Sheung Wan	833415.0	816771.0		
WSD17 (Monitoring started from 8 Feb 12)	Kennedy Town	830750.6	816030.3		
Cooling Water Intake					
C5e	Sun Hung Kai Centre (Eastern)	836250.1	815932.2		
C5w	Sun Hung Kai Centre (Western)	836248.1	815933.2		

Remarks:

- The water monitoring stations for the dredging works under Contract No. HK/2009/01 should also include WSD9, WSD17, WSD 21 and C5 if water quality monitoring at these locations have not been carried out by others. Similarly, the water monitoring stations for the dredging works under Contract No. HK/2009/02 should also include WSD7, WSD9, WSD17, WSD 19, C1, C2, C3 and C4 if water quality monitoring at these locations has not been carried out by others.
- Water quality monitoring at WSD9 and WSD 17 was implemented with respect to HK/2009/02 from 8
 Feb 2012.

<u>Contract no. HK/2010/06 - Wan Chai Development Phase II – Central –Wanchai Bypass over MTR Tsuen Wan Line</u>

5.4.13. Water monitoring for Contract no. HK/2010/06 was commenced on 8 March 2011. The proposed division of water monitoring stations are summarized in *Table 5.14* below.

Table 5.14 Water Monitoring Stations for Contract no. HK/2010/06

Station Ref.	Location	Easting	Northing
--------------	----------	---------	----------

Contract No. HK/2011/07 Wanchai Development Phase II and Central-Wanchai Bypass Sampling, Field Measurement and testing Works (Stage 2) Monthly EM&A Report (Apr 2012)

Station Ref.	Location	Easting	Northing	
Cooling Water Intake				
C2	Telecom House	835647.9	815864.4	

<u>Contract no. HY/2009/15 - Central-Wanchai Bypass – Tunnel (Causeway Bay Typhoon Shelter Section)</u>

5.4.14. Due to the commencement of the maintenance dredging on 10 November 2010, water quality monitoring for Contract no. HY/2009/15 was commenced on 9 November 2010. The proposed division of water monitoring stations are summarized in *Table 5.15* below.

Table 5.15 Water Monitoring Stations for Contract no. HY/2009/15

Station Ref. Location		Easting	
Cooling Water Inta	ke		
C6	C6 Excelsior Hotel		815999.3
C7 Windsor House		837193.7	816150.0

Remarks: - The cessation of seawater intake operation for C6 was confirmed on 17 May 2011, the water monitoring at C6 was then terminated since 17 May 2011.

Contract no. HY/2009/19 – Central- Wan Chai Bypass Tunnel (North Point Section) and Island Eastern Corridor Link

5.4.15. Due to the commencement of the marine bored piling on 28 Jan 2012, water quality monitoring for Contract no. HY/2009/19 was commenced on 28 Jan 2012. The proposed division of water monitoring stations are summarized in *Table 5.16* below.

Table 5.16 Water Monitoring Stations for Contract no. HY/2009/19

Station Ref.	Station Ref. Location		Northing	
Cooling Water Inta	ke			
C8	City Garden	837970.6	816957.3	
C9 Provident Garden		838355.0	817116.6	

Remarks: C8 and C9 monitoring commenced on 28 Jan 2012.

- 5.4.16. Based on the safety concern when external façade refurbishment was conducted by contractor employed by Provident Center (C9) between 9 January 2012 to 30 July 2012 which caused to the inaccessibility of sampling either land and marine since 3 Feb 2012, there is a fine adjustment of the sampling location of water quality monitoring at C9 since 10 March 2012 to the closest accessible point prior to the completion of the external façade refurbishment work.
- 5.4.17. Due to the access of water monitoring station at WSD19 was blocked by LCSD construction works from 3 April 2012 to 2 May 2012 and lead to the inaccessibility of sampling either land and marine, there is a fine adjustment of the sampling point of WSD 19 since 5 April 2012 to the closest accessible point prior to the completion of the construction activities.
- 5.4.18. As per the meeting with the representative of Excelsior Hotel and World Trade Centre on 17 May 2011, they confirmed that the seawater intake for The Excelsior was no longer in use and replaced by the connected permanent water supply from WSD pipelines since 11 January

- 2011. Thus, the impact water quality monitoring for the cooling intake C6 was terminated effective from 26 May 2011.
- 5.4.19. 24 hours monitoring of turbidity at the cooling water intakes at C7 was conducted. With respect to the seawall collapsing at TS4 on 17 November 2011, the 24 hours turbidity monitoring and was kept in November 2011. Since the reinstating the seawall was completed on 13 January 2012 and no any water deterioration was performed, 24 hour turbidity monitoring was then suspended on 27 January 2012.
- 5.4.20. Water monitoring results measured in this reporting period are reviewed and summarized.

 Details of water quality monitoring results and graphical presentation can be referred in
 Appendix 5.4.

Table 5.17 Summary of Water Quality Monitoring Exceedances in Reporting Month

			Mid-flood				Mid-ebb						
Contract no.	Water Monitoring	D	0	Turk		SS	3	D	0	Turb	idity	S	S
	Station	AL	LL	AL	L	AL	LL	AL	LL	AL	LL	AL	LL
HY/2009/11	WSD9	0	0	0	0	0	0	0	0	0	0	0	0
Monitoring finished on 6 Feb 2012	WSD10	0	0	0	0	0	0	0	0	0	0	0	0
	WSD15	0	0	0	0	0	0	0	0	0	0	0	0
	WSD17	0	0	0	0	0	0	0	0	0	0	0	0
	C8	0	0	0	0	0	0	0	0	0	0	0	0
	C9	0	0	0	0	0	0	0	0	0	0	0	0
HK/2009/01	WSD19	0	0	0	0	0	0	0	0	0	0	0	1
	WSD20	0	0	0	0	0	0	0	0	0	0	0	0
	WSD7	0	0	0	0	0	0	0	0	0	0	0	0
	C1	0	0	0	0	0	0	0	0	0	0	0	0
	C3	0	0	0	0	0	0	0	0	0	0	0	0
	C4e	0	0	0	0	0	0	0	0	0	0	0	0
	C4w	0	0	0	0	0	0	1	0	0	0	0	0
HK/2009/01 & HK/2010/06	C2	0	0	0	1	0	0	0	0	0	0	0	0
HK/2009/02	C5e	0	0	0	1	2	0	0	0	0	0	0	0
	C5w	0	0	0	1	1	0	0	0	0	0	0	0
	WSD21	0	0	1	1	1	0	0	0	0	0	0	0
Monitoring started on 8 Feb 2012	WSD9	0	0	0	0	0	0	0	0	0	0	0	0
Monitoring started on 8 Feb 2012	WSD17	0	0	0	0	0	0	0	0	0	0	0	0
HY/2009/15	C7	0	0	0	1	0	0	0	0	0	0	0	0
HY/2009/19 Monitoring started on	C8	0	0	0	0	0	0	0	0	0	0	0	0
28 Jan 2012	C9	0	0	0	0	0	0	0	0	0	0	0	0

Contract No. HK/2011/07 Wanchai Development Phase II and Central-Wanchai Bypass Sampling, Field Measurement and testing Works (Stage 2) Monthly EM&A Report (Apr 2012)

				Mid-	flood					Mid-e	ebb		
Contract no.	Water Monitoring	D	0	Turk		S	S	D	0	Turb	idity	S	S
	Station	AL	LL	AL		AL	LL	AL	LL	AL	LL	AL	LL
Total		0	0	1	5	4	0	1	0	0	0	0	1

- Remarks: The cessation of seawater intake operation for C6 was confirmed on 17 May 2011, the water monitoring at C6 was then terminated since 17 May 2011.
 - WSD9 and WSD17 were implemented with respect to HK/2009/02 from 8 Feb 2012.
 - 4-week water quality monitoring at WSD9, WSD10, WSD15, WSD17, C8, C9 were completed on 6 Feb 2012.
 - C8 and C9 were implemented with respect to HY/2009/19 from 28 Jan 2012.
- 5.4.21. Enhanced DO monitoring at 4 monitoring stations in Causeway Bay Typhoon Shelter and Ex-Public Cargo Works Area was conducted three days per week during the reporting period. The action and limit level exceedances of water quality monitoring are summarized in *Table* 5.18.
- 5.4.22. Due to the enforcement of Amber Rainstorm Warning Signal on 16, 20 and 27 April 2012, the ebb tide Enhanced DO water monitoring on 16, 20 and 27 April 2012 were cancelled.

Table 5.18 Summary of Enhanced Dissolved Oxygen Monitoring Exceedances in Reporting Month

		Mid-f	lood	Mid-ebb		
Contract no.	Water Monitoring Station	D)	DO		
		AL	LL	AL	LL	
	C6	0	0	0	0	
HY/2009/15	C7	0	0	0	0	
H1/2009/15	Ex-WPCWA SW	0	0	0	0	
	Ex-WPCWA SE	0	0	0	0	
Total		0	0	0	0	

- 5.4.23. There is no exceedance in enhanced dissolved oxygen monitoring in this reporting period.
- 5.4.24. In response to the Condition 2.18 of the Environmental Permit no. EP-356/2009 requiring that a silt curtain / impermeable barrier system be installed to channel water discharge flow from Culvert L to locations outside the embayment area, a proposed replacement of the requirement with additional dissolved oxygen monitoring has been conducted at three monitoring stations, namely A, B and C between the eastern seawall of Central Reclamation Phase III and the HKCEC Extension since November 2011 under EP-356/2009 so that DO level between the eastern seawall of Central Reclamation Phase II and the HKCEC extension could be continuously monitored. Details of additional DO monitoring results can be referred in Appendix 5.4a.
- 5.5 Waste Monitoring Results

Contract no. HY/2009/11 - Central - Wanchai Bypass, North Point Reclamation



- 5.5.1. The major work activities for Contract no. HY/2009/11 was confirmed substantial complete by RSS on 4 January 2012. Therefore, no C&D waste was generated.
 - Contract no. HK/2009/01 Wan Chai Development Phase II Central -Wanchai Bypass at HKCEC
- 5.5.2. Inert and non- inert C&D waste were disposed of in this reporting month. Details of the waste flow table are summarized in *Table 5.19*.

Table 5.19 Details of Waste Disposal for Contract no. HK/2009/01

Waste Type	Quantity this month	Cumulative Quantity-to-Date	Disposal / Dumping Grounds
Inert C&D materials disposed, m ³	2156.53	21594.81	TKO137, TM38
Inert C&D materials recycled, m ³	0	389.96	N/A
Non-inert C&D materials disposed, m ³	46.8	698.24	SENT Landfill
Non-inert C&D materials recycled, kg	0	139314	N/A
Chemical waste disposed, kg	100	5960	N/A
*Marine Sediment (Type 1 – Open Sea Disposal), m ³	0 (Bulk Volume)	83,482.2 (Bulk Volume)	South of Cheung Chau
* Marine Sediment (Type 1 – Open Sea Disposal (Dedicate Sites) & Type 2 – Confined Marine Disposal) , m ³	5807 (Bulk Volume)	26797 (Bulk Volume)	East of Cha Chau
Dredged Sediment Requiring Type 3 – Special Treatment / Disposal contained in Geosynthetic Containers	0 (Bulk Volume)	5613 (Bulk Volume)	East of Cha Chau

- 5.5.3. There were marine sediments Type 1 Open Sea Disposal (Dedicate Sites) & Type 2 Confined Marine Disposal and Type 3 Special Treatment / Disposal contained in Geosynthetic Containers disposed in the reporting month. The maximum dredging rate in cross harbour water main is 975 m³ per day, which is complied with the recommended maximum dredging rate listed in Table 2 of FEP-02/356/2009.
 - <u>Contract no. HK/2009/02 Wan Chai Development Phase II Central Wan Chai Bypass at WanChai East</u>
- 5.5.4. Inert and non- inert C&D waste were disposed of in this reporting month. Details of the waste flow table are summarized in *Table 5.20*.

Table 5.20 Details of Waste Disposal for Contract no. HK/2009/02



Waste Type	Quantity this month	Cumulative Quantity-to-Date	Disposal / Dumping Grounds
Inert C&D materials disposed, m ³	15,257	122,951	TKO137 / TM 38
Inert C&D materials recycled, m ³	NIL	NIL	N/A
Non-inert C&D materials disposed, m ³	33	417	SENT Landfill
Non-inert C&D materials recycled, m ³	NIL	NIL	N/A
Chemical waste disposed, kg	Nil	4,186	N/A
Marine Sediment (Type 1 – Open Sea Disposal), m ³	NIL	154,827 (Bulk volume)	South of Cheung Chau
Marine Sediment (Type 1 – Open Sea Disposal (Dedicate Sites) & Type 2 – Confined Marine Disposal), m ³	2549	114464 (Bulk volume)	East of Sha Chau

<u>Contract no. HY/2009/15 - Central-Wanchai Bypass - Tunnel (Causeway Bay Typhoon Shelter Section)</u>

5.5.5. Inert and non- inert C&D waste were disposed of in this reporting month. Details of the waste flow table are summarized in *Table 5.21*

Table 5.21 Details of Waste Disposal for Contract no. HY/2009/15

Waste Type	Quantity this month	Cumulative Quantity-to-Date	Disposal / Dumping Grounds
Inert C&D materials disposed,	9586.8	141579.2	Tuen Mun Area 38
m ³	32285.9	65216	TKO137 FB
Inert C&D materials recycled, m ³	NIL	184.0	To Contract HY/2009/11
	NIL	304	ex-PCWA
	2.9	111.9	TS4
Non-inert C&D materials disposed, m ³	46.6	252.2	SENT Landfill
Non-inert C&D materials recycled, kg	147918.5	299361.5	N/A
Chemical waste disposed, kg	NIL	8,200	N/A
Marine Sediment (Type 1 – Open Sea Disposal), m³	10,646	44,073 (Bulk Volume)	South of Cheung Chau
Marine Sediment (Type 1 – Open Sea Disposal (Dedicate Sites) & Type 2 – Confined Marine Disposal) , m ³	5000	174252 (Bulk Volume)	East of Sha Chau

Contract No. HK/2011/07 Wanchai Development Phase II and Central-Wanchai Bypass Sampling, Field Measurement and testing Works (Stage 2) Monthly EM&A Report (Apr 2012)

Waste Type	Quantity this month	Cumulative Quantity-to-Date	Disposal / Dumping Grounds
Marine Sediment (Type 3 – Special Treatment / Disposal contained in Geosynthetic Containers)	NIL	7,050 (Bulk Volume)	East of Sha Chau

<u>Contract no. HK/2010/06 - Wan Chai Development Phase II - Central - Wan Chai Bypass over MTR Tsuen Wan Line</u>

5.5.6. Non-inert C&D waste was recycled of in this reporting month. Details of the waste flow table are summarized in *Table 5.22.*

Table 5.22 Details of Waste Disposal for Contract no. HK/2010/06

Waste Type	Quantity this month	Cumulative Quantity-to-Date	Disposal / Dumping Grounds
Inert C&D materials disposed, m ³	0	10037.83	TM38
Inert C&D materials recycled, m ³	NIL	NIL	N/A
Non-inert C&D materials disposed, m ³	NIL	NIL	N/A
Non-inert C&D materials recycled, kg	277	938.5	N/A
Chemical waste disposed, L	0	600	N/A
Marine Sediment (Type 1 – Open Sea Disposal), m ³	0 (Bulk Volume)	3,297 (Bulk Volume)	South Cheung Chau
Marine Sediment (Type 1 – Open Sea Disposal (Dedicate Sites) & Type 2 – Confined Marine Disposal) , m ³	0 (Bulk Volume)	12,297 (Bulk Volume)	East Sha Chau

There were no marine sediments Type 1 – Open Sea Disposal (Dedicate Sites) & Type 2 – Confined Marine Disposal dredging from bore-piling casing in the reporting month.

Contract no. HY/2009/19 –Central- WanChai Bypass Tunnel (North Point Section) and Island Eastern Corridor Link

5.5.7. There is no project-related waste disposal in the reporting month.



6. Compliance Audit

6.0.1. The Event Action Plan for construction noise, air quality and water quality are presented in **Appendix 6.1**.

6.1 Noise Monitoring

Contract no. HY/2009/11 – Central – Wanchai Bypass, North Point Reclamation

6.1.1 No exceedance was recorded in the reporting month.

Contract no. HK/2009/01 - Wan Chai Development Phase II - Central - Wanchai Bypass at HKCEC

6.1.2 No exceedance was recorded in the reporting month.

Contract no. HK/2009/02 - Wan Chai Development Phase II - Central - Wan Chai Bypass at WanChai East

6.1.3 No exceedances was recorded in the reporting month.

<u>Contract no. HY/2009/15 - Central-Wanchai Bypass – Tunnel (Causeway Bay Typhoon Shelter Section)</u>

- 6.1.4 One action level exceedance and no limit level exceedance were recorded in the reporting month. The noise compliant related to Contract no. 2009/15 was recorded on 5 April 2012.
 - Contract no. HK/2010/06 Wan Chai Development Phase II Central Wanchai Bypass over MTR Tsuen Wan Line
- 6.1.5 No exceedance was recorded in the reporting month.

Contract no. HY/2009/19 – Central – Wanchai Bypass Tunnel (North Point Section) and Island Eastern Corridor Link under FEP-07/364/2009/A

6.1.6 There was no action level exceedance and one limit level exceedance was recorded at M6 – HK Baptist Church Henrietta Secondary School on 2 April 2012 in the reporting month. Investigation found that major traffic noise was contributed in the noise monitoring and not related to the Project.

6.2 Real-time noise Monitoring

6.2.1. No project-related exceedance was recorded in real-time noise monitoring in the reporting month.

6.3 Air Monitoring

6.3.1. No exceedance was recorded in 1-hr TSP and 24-hrs TSP monitoring in the reporting month.



6.4 Water Quality Monitoring

Contract no. HY/2009/11 - Central - Wanchai Bypass, North Point Reclamation

6.4.1 No exceedance was recorded in the reporting month.

Contract no. HK/2009/01 - Wan Chai Development Phase II - Central - Wanchai Bypass at HKCEC

- 6.4.2 Exceedance of SS level was recorded at WSD19. Investigation found that possible runoff from the non-project related construction activities besides to the water monitoring station WSD19. Checked with Contractor's works, the deployed silt screen and silt curtain were in proper condition for the dredging of type 2 sediment at HKCEC water channel. In view that the silt screen and silt curtain were in proper condition, this exceedance was considered no related to Project work.
- 6.4.3 One DO and One turbidity exceedance recorded at C4w and C2 respectively on 5 April 2012. Investigation found that the condition of silt screen and silt curtain was in proper conditions for the backfilling at VIP area and dredging at water channel. Other than that, Contractor's daily recorded were checked and no further exceedances was recorded in the next consecutive monitoring. These exceedances were considered no related to Project work.

<u>Contract no. HK/2009/02 - Wan Chai Development Phase II – Central – Wan Chai Bypass at WanChai East</u>

- 6.4.4 Occasional turbidity and SS exceedances at mid-flood were recorded at WSD21, C5e and C5w in this reporting month. After checking with Contractor, the deployed silt screen at intake and silt curtain at western temporary sheet pile were observed to be in proper condition for the marine construction works during the water quality monitoring, and Contractor has provided all the necessary mitigation measures to ensure the marine water quality. These exceedances were considered not related to the Projects works.
- 6.4.5 There were turbidity and SS exceedances at mid-flood were recorded at C5e and C5w on 25 April 2012. Investigation found that the cleaning of silt screen at SHK and Wan Chai WSD Pumping Station was recorded on 25 April 2012. Materials from the cleaning of silt screen was unavoidably collected during monitoring. After checking with the Contractor's inspection record, the silt screen and silt curtain were in proper condition on 25 April 2012. No further exceedance was recorded in the next consecutive monitoring. These exceedances were considered no related to Project Work.

<u>Contract no. HY/2009/15 - Central-Wanchai Bypass – Tunnel (Causeway Bay Typhoon Shelter Section)</u>

6.4.6 One turbidity exceedance recorded at C7 on 5 April 2012. Investigation found that the condition of silt screen and silt curtain was in proper conditions for the filling behind seawall block of ME4. Other than that, Contractor's daily recorded were checked and no further exceedance was recorded in the next consecutive monitoring. This exceedance was considered no related to Project work.

Contract No. HK/2011/07 Wanchai Development Phase II and Central-Wanchai Bypass Sampling, Field Measurement and testing Works (Stage 2) Monthly EM&A Report (Apr 2012)

Contract no. HK/2010/06 - Wan Chai Development Phase II - Central - Wanchai Bypass over MTR Tsuen Wan Line

6.4.7 One turbidity exceedance recorded at C2 on 5 April 2012. Investigation found that the condition of silt screen and silt curtain were in proper conditions for the drilling of head concrete, sheet piling works and welding works at eastern staging platform. Other than that, Contractor's daily recorded were checked and no further exceedances was recorded in the next consecutive monitoring. These exceedances were considered no related to Project work.

Contract no. HY/2009/19- Central- Wan Chai Bypass Tunnel (North Point Section) and Island Eastern Corridor Link

- 6.4.8 No exceedances was recorded in this reporting month.
- 6.4.9 Summary for notification of exceedances can be referred to **Appendix 6.2**.

6.5 Review of the Reasons for and the Implications of Non-compliance

- 6.5.1. There was no non-compliance from the site audits in the reporting period. The observations and recommendations made in each individual site audit session were presented in Section 8.
- 6.6 Summary of action taken in the event of and follow-up on non-compliance
- 6.6.1. There was no particular action taken since no project-related non-compliance was recorded from the site audits and environmental monitoring in the reporting period.

Contract No. HK/2011/07 Wanchai Development Phase II and Central-Wanchai Bypass Sampling, Field Measurement and testing Works (Stage 2) Monthly EM&A Report (Apr 2012)

7. Cumulative Construction Impact due to the Concurrent Projects

- 7.0.1. According to Condition 3.4 of the EP-356/2009, this section addresses the relevant cumulative construction impact due to the concurrent activities of the current projects including the Central Reclamation Phase III, Central-Wanchai Bypass and Island Eastern Corridor Link projects.
- 7.0.2. Monthly EM&A report (April 2012) of Central Reclamation Phase III (CRIII) is outstanding in this reporting period, no cumulative construction impact due to the concurrent activities of the current projects with the Central Reclamation Phase III (CRIII) could be done.
- 7.0.3. According to the construction programme of Wan Chai Development Phase II, Central-Wan Chai Bypass and Island Eastern Corridor Link projects, the major construction activities at Reclamation Shoreline Sub-zones under Wan Chai Development Phase II were the dredging and filling at HKCEC3w, dredging at submarine sewage pipelines, reinstatement of seawall block construction at TCBR1W and marine bored piling at MTR Tunnel Crossing in the reporting month. The major environmental impact was water quality impact at, Causeway Bay and Wan Chai.
- 7.0.4. The major environmental impacts generated from the reclamation work at Central Reclamation Phase III were only located along the coastline of Central and Admiralty. As no project related exceedance was recorded in the Project, it was considered no adverse environmental impact caused by the Project works. Thus, it is evaluated the cumulative construction impact was insignificant.



8. Environmental Site Audit

- 8.0.1. During this reporting month, weekly environmental site audits were conducted for Contracts no. HK/2009/01, HK/2009/02, HY/2009/15, HK/2010/06 and HY/2009/19. No non-conformance was identified during the site audits.
- 8.0.2. Five site inspections for Contract no. HK/2009/01 were carried out on 28 March 2012, 3, 11, 20 and 25 April 2012 in reporting month. Results of these inspections and outcomes are summarized in Table 8.1.

Table 8.1 Summary of Environmental Inspections for Contract no. HK/2009/01

Item	Date	Observations	Action taken by Contractor	Outcome
120328_01	28-Mar-12	The mud was observed on the site hoarding which was generated from BC-cutter. (Water Channel)	The muddy site hoarding should be cleaned and the splash of mud by BC-cutter should be prevented.	Completion as observed on 3-Apr-12
_		The water pipe was not connected to the water sedimentation tank. (Renaissace Harbour View Hotel nearby workfront)	The water pipe should be connected correctly	Completion as observed on 3-Apr-12
120403_01	3-Apr-12	The protection fame for the tree pit of tree (A162) was missed. (Renaissace Harbour View Hotel nearby workfront)	The tree protection fame should be provided	Completion as observed on 11-Apr-12
120411_01	11-Apr-12	The accumulated water in the drip tray was observed. (Water channel)	The accumulated water should be removed.	Completion as observed on 20-Apr-12
120420_01	20-Apr-12	The exposed soil of the tree no. A162 was not surrounded by sandbags. (Renaissace Harbour View Hotel nearby workfront	The exposed soil should be surrounded by sandbags	Completion as observed on 2-May-12
120420_02		The construction materials were placed on the plants. (Expo Drive East)	The construction materials should be removed from the plant	Completion as observed on 25 - Apr-12
120425_01	25-Apr-12	The cement bags were not covered by tarpaulin sheet. (Water Channel)	The cement bags should be covered by tarpaulin sheet	Completion as observed on 2 - May-12

8.0.3. Five site inspections for Contract no. HK/2009/02 were carried out on 29 March 2012, 5, 12, 18 and 26 April 2012 during this reporting period. The results of these inspections and outcomes are summarized in *Table 8.2*.

Table 8.2 Summary of Environmental Inspections for Contract no. HK/2009/02

Item	Date		Action taken by Contractor	Outcome
120329_01	29-Mar-12	Drip tray was not provided for	The drip tray	Completion as
		chemical containers.	oriodia be	observed on
		(WCRI)	provided for the	5-Apr-12



ltem	Date	Observations	Action taken by Contractor	Outcome
			chemical containers.	
120329_02	29-Mar-12	The stockpile was not covered by tarpaulin sheet (Harbour road)	The stockpile should be covered by tarpaulin sheet	Completion as observed on 5-Apr-12
120405_01	5-Apr-12	Three sides enclosure provided for grouting plant was not covered completely.	The enclosure for grouting plant should be covered completely.	Completion as observed on 12-Apr-12
120405_02	5-Apr-12	Drip tray was not provided for chemicals containers.(opposite to SPCA)	The drip tray should be provided for the chemicals containers	Completion as observed on 12-Apr-12
120412_01	12-Apr-12	The water accumulated in the ground level inside the WSD pumping station.	The accumulated water should be removed	Completion as observed on 18-Apr-12
120412_02	12-Apr-12	The accumulated water was observed in the drip tray. (WCRI)	The drip tray should be cleaned regularly.	Completion as observed on 18-Apr-12
120412_03	12-Apr-12	The tarpaulin sheet for the transfer of sediment was placed improperly.(WCRI)	The tarpaulin sheet should be placed properly.	Completion as observed on 18-Apr-12
120418_01	18-Apr-12	Dark smoke emission from Excavator (pc138) was observed. (Ex-pet garden)	The filter for dust suppression should be cleaned regularly.	
120426_01	26-Apr-12	The bentonite bags were not covered by tarpaulin sheet. (WCR1)	The bentonite bags should be covered by tarpaulin sheet	Completion as observed on 3-May-12

8.0.4. Four site inspections for Contract no. HY/2009/15 were carried out on 3, 10, 17 and 24 April 2012 in reporting month. The results of these inspections and outcomes are summarized in *Table 8.3*.

Table 8.3 Summary of Environmental Inspections for Contract no. HY/2009/15

Item	Date	Observations	Action taken by Contractor	Outcome
120403 01	3-Apr-12	Treated sediment from sedimentation tank was not dispose of properly. (TS1-wastewater treatment plant)	Removal of sediment outlet pipe from sea and pumped sediment away	Completion as observed on 10-Apr-12
120403_02	3-Apr-12	Oil drum was not stored properly.(TS1)	Oil drum should be stored properly	Completion as observed on 10-Apr-12
120403_03	3-Apr-12	Steps for the plant were missed.	Steps should be taken to prevent and minimize oil leakage from plants	Completion as observed on 10-Apr-12
120410_01	10-Apr-12	Black smoke were observed from the plants and	The plants and vehicles should	Completion as observed on



Item	Date	Observations	Action taken by Contractor	Outcome
		vehicles.(TS1)	be better maintained to avoid black smoke	17-Apr-12
120410 02	10-Apr-12	Stockpile was placed near to the seawall. (Temporary eastern seawall of TS4)	Stockpile should be kept clear from seawall block	Completion as observed on 17-Apr-12
120410_03	10-Apr-12	Hole at sedimentation tank was observed. (By seawall of TPCWAE)	The hole at the sedimentation tank should be repaired.	Completion as observed on 17-Apr-12
120410_04	10-Apr-12	Breaking operations site area was too dry.	The breaking operations should be performed with spraying water	Completion as observed on 17-Apr-12
120417 01	17-Apr-12	Drip trays were not provided for oil drums (TPCWAE)		Completion as observed on 24-Apr-12
120417_02	17-Apr-12		Regular maintenance should be performed for the sedimentation tank to avoid overflow and overload.	Completion as observed on 24-Apr-12
120417 03	17-Apr-12	Oil stains was observed .(TPCWAE)	Oil stains should be removed as chemical waste and preventive actions should be taken to avoid oil leakage.	Completion as observed on 24-Apr-12
120424_01		Muddy trail was observed in the gate of TS4, outside POC.	The muddy trail should be cleaned	Completion as observed on 3-May-12

8.0.5. Four site inspections for Contract no. HK/2010/06 was carried out on 2, 10, 19 and 23 April 2012 in reporting month. The results of these inspections and outcomes are summarized in Table 8.4.

Table 8.4 Summary of Environmental Inspections for Contract no. HK/2010/06

Item	Date	Observations	Action taken by Contractor	Outcome
120402_01	2-Apr-12	The cement bags were not covered by tarpaulin sheet completely. (HKCEC2W)	The cement bags should be	Completion as observed on 10-April-12



Item	Date	Observations	Action taken by Contractor	Outcome
120410_01	10-Apr-12	The floating debris was observed (HKCEC 2w and 2e)	The floating debris should be cleaned regularly	Completion as observed on 19-April-12
120410_02	10-Apr-12	The stock plugs of drip trays for air compressors was missing. (HKCEC 2w and 2e)	The stock plugs of drip trays for air compressors should be provided.	Completion as observed on 19-April-12
120419_01	19-Apr-12	The drip tray for welding was not plugged. (HKCEC 2W)	The drip tray should be plugged properly.	Completion as observed on 23-April-12
120419_02	19-Apr-12	The fuel leakage was observed near to the fuel tank.(HKCEC 2W)	The fuel leakage should be cleaned immediately and the absorbent should be placed near to the tank.	Completion as observed on 23-April-12
120419_03	19-Apr-12	The unconnected U-channel was observed. (HKCEC 2e)	The U-channel should be connected properly.	Completion as observed on 23-April-12

8.0.6. Five site inspections for Contract no. HY/2009/19 were carried out on 28 March 2012, 5, 11, 18 and 26 April 2012 in reporting month. The results of these inspections and outcomes are summarized in *Table 8.5*.

Table 8.5 Summary of Environmental Inspections for Contract no. HY/2009/19

Item	Date	Observations	Action taken by Contractor	Outcome
120405_01	5-Apr-12	The current drainage and treatment system cannot prevent runoff out of project site area effectively. (Portion3, Culvert-U, U-channels near Oil Street exit)	Effective drainage and treatment system should be provided to prevent runoff out of project site area.	Completion as observed on 11-April-12
120405_02	5-Apr-12	Silt curtain floating was observed. (Portion 3, culvert-u)	The silt curtain should be better maintained to prevent floating	Completion as observed on 11-April-12
120411_01	11-Apr-12	Drip tray was not provided for oil drums. (Pier 37)	Drip tray and proper storage should be provided for oil drums.	Completion as observed on 18-April-12
120411_02	11-Apr-12	Oil leakage and stains washed by water were observed.	The oil stains should be removed as chemical waste and not by washing with	Completion as observed on 18-April-12



Contract No. HK/2011/07 Wanchai Development Phase II and Central-Wanchai Bypass Sampling, Field Measurement and testing Works (Stage 2) Monthly EM&A Report (Apr 2012)

Item	Date	Observations	Action taken by Contractor	Outcome
			water.	
120426_01	26-Apr-12	Drip tray was not provided for oil drums	trays should be	Completion as observed on 3-May-12



9. Complaints, Notification of Summons and Prosecution

- 9.0.1. One environmental complaint was received on 5 April 2012 in the reporting period.
- 9.0.2. A noise impact complaint was received by ET on 5 April 2012 (ICC Ref. No.: 1-349030623 dated 5 April 2012, forwarded by RSS). The complaint was reported by an anonymous complainant that excessive noise from construction sites of CBTS was observed daily before 7:30am except on public holidays, and the noise source was mainly from piling works. The complainant requested that construction works should start after 8:30am to avoid nuisance to nearby residents and a speedy follow-up and reply.
- 9.0.3. ET confirmed with the Resident Site Staff that no piling works were performed during the concerned period.
- 9.0.4. After reviewing the results of noise monitoring (M2b and M3a), no exceedance was recorded during daytime period and the noise level was below 75dB (A). Site inspection for HY/2009/15 was conducted on 10 April 2012. The condition of noise mitigation measures around CBTS was found satisfactory. RSS confirmed that no pilings were performed during the concerned period. The major works included drilling, diaphragm wall construction and excavations.
- 9.0.5. HyD made a reply to the complainant on 16 April 2012 via 1823. HyD replied that the current works at CBTS were drilling, diaphragm wall construction and deep excavations. In order to minimize the noise generated from the above works, the Contractor had erected temporary noise barriers and provided noise blankets on plants. RSS would continue to work with the Contractor on the effectiveness of the environmental mitigation measures implemented on site. No further complaint was received after the response.
- 9.0.6. The details of cumulative complaint log and updated summary of complaints are presented in *Appendix 9.1*.
- 9.0.7. Cumulative statistic on complaints and successful prosecutions are summarized in *Table 9.1* and *Table 9.2* respectively.

Table 9.1 Cumulative Statistics on Complaints

Reporting Period	No. of Complaints
Commencement works (Mar 2010) to last reporting month	25
Apr 2012	1
Project-to-Date	26

Table 9.2 Cumulative Statistics on Successful Prosecutions

Environmental Parameters	Cumulative No. Brought Forward	No. of Successful Prosecutions this month (Offence Date)	Cumulative No. Project-to-Date
Air	-	0	0
Noise	-	0	0
Water	-	0	0
Waste	-	0	0
Total	-	0	0



10. Conclusion

- 10.0.1. The EM&A programme was carried out in accordance with the EM&A Manual requirements, minor alterations to the programme proposed were made in response to changing circumstances.
- 10.0.2. WDII/RSS advised that the dredging works for submarine pipeline at Victoria Harbour had been completed in January 2012. Therefore, the concurrent dredging activities at Sewage Pipeline Zone and reclamation shoreline zone TCBR under the EP-356/2009 scenario 2B no longer exist. As such, with reference to Table 5.39 of the EIA Report for Wan Chai Development Phase II and Central-Wan Chai Bypass, the application of silt screen for cooling water intakes for Queensway Government Offices was suspended and the others were remains unchanged.
- 10.0.3. Water quality monitoring at WSD10 and WSD15 will be temporary suspended while water quality monitoring at WSD9 and WSD17 were implemented with respect to HK/2009/02 for the water quality monitoring scheduled on 8 Feb 12 onwards;
- 10.0.4. Water quality monitoring at C8 and C9 have been implemented with respect to HY/2009/19 since the marine bore piling work started on 28 January 2012.
- 10.0.5. Based on the safety concern when external façade refurbishment was conducted by contractor employed by Provident Centre (C9) between 9 January 2012 to 30 July 2012 which caused to the inaccessibility of sampling either land and marine since 3 Feb 2012, there is a fine adjustment of the sampling location of water quality monitoring at C9 since 10 March 2012 to the closest accessible point prior to the completion of the external façade refurbishment work.
- 10.0.6. Due to the access of water monitoring station at WSD19 was blocked by LCSD construction works from 3 April 2012 to 2 May 2012 and lead to the inaccessibility of sampling either land and marine, there is a fine adjustment of the sampling point of WSD 19 since 5 April 2012 to the closest accessible point prior to the completion of the construction activities.
- 10.0.7. With respect to the trial dredging at WCR2 was scheduled on 20, 22, 24, 25 March and 1, 3, 11, 13, 15, 17, 19 and 20 Apr 2012, on-going water quality monitoring results at WSD21 during this period was checked and indicated that there was no contribution due to the trial dredging operation. Enhanced review of water quality around WCR2 was also implemented and no deterioration in the water quality was observed.
- 10.0.8. The scheduled construction activities and the recommended mitigation measures for the coming month are listed in *Table 10.1*.

Table 10.1 Construction Activities and Recommended Mitigation Measures in Coming Reporting Month

Contract No.	Key Construction Works	Recommended Mitigation Measures
HK/2009/01	Marine Works Reclamation works and installation of sheet pile water channel (from CH170 to CH260)	 To conform the installation and setting as in the silt screen deployment plan Frequency spray water on the dry dusty road and on the surface of concrete breaking
		 To cover the dusty material or



Contract No.	Key Construction Works	Recommended Mitigation Measures
	Rockfilling within HKCEC Water	stockpile by impervious sheet
	Channel (from CH220 to	To space out noisy equipment and position as far as possible
	CH230)	and position as far as possible from sensitive receiver.
	Seawall reinstatement at WC	To well maintain the mechanical
	landfall section	equipments / machineries to avoid abnormal noise nuisance.
	Dredging from CH290 to CH410	Machines and plant that may be in
	(Stage 3) near Expo Drive East	intermittent use should be shut
	Bridge would be commenced	down between work periods or should be throttled down to a
	upon securing the MDN from the	minimum
	Marine Department and CNP	Daily visual inspection of silt screen and silt curtain to ensure
	from Environmental Protection	its operation properly
	Department.	
	Installation of excavation and	
	lateral support for modification of	
	vertical seawall near Expo Drive	
	East	
	Cross-Harbour	
	Watermains Installation (CHA &	
	CHB)	
	Installation of shoring system for	
	installation of cross harbour	
	watermains (CHA & CHB) along	
	the pipe pile wall at TST	
	seashore	
	Installation of cross-harbour	
	watermains nos. A18/B18	
	Trust block construction,	
	concrete coating for flange joint	
	and Rockfilling protection works	
	for cross-harbour watermains in	
	Victoria Harbour	
	Fresh Watermains, Cooling	
	Watermains and Salt Watermains	
	(On Land) Works would be continued at	
	Zone B1-6, B4-3, B4-4, B5-1B,	
	B5-3, A1-1, A2-2, A3-3, A3-4B,	
	A3-5B, A4-1 and A4-2A.	
	A0-00, A4-1 allu A4-2A.	



Contract No.	Key Construction Works	Recommended Mitigation Measures
	Mainlaying and road	
	reinstatement works at Zone	
	B1-6	
	• Trench excavation at Zone B2-1,	
	B1-5A, B4-1A and B5-1B would	
	be commenced	
	Jacking pit construction at Zone	
	A1-3 and Heading No. H6	
	(toward western direction) would	
	be commenced accordingly.	
	Mainlaying works at Zone A2-2.	
	Valve connections for both	
	cooling mains intake pipe and	
	discharge pipe of Shui On	
	Centre and APA	
	Heading No. H6 (toward eastern	
	direction) would be commenced	
	Mainlaying works at	
	Renaissance Harbour View	
	Hotel Run-Out	
	Mainlaying works at Zone A4-1	
	would be continued. Valve	
	connections for cooling mains	
	intake pipe of Government"s	
	towers would be carried out.	
	Mainlaying works at traffic island	
	near junction between	
	Convention Avenue and	
	Fenwick Pier Street	
	Heading Nos. H7 (Mainlaying	
	works by trenchless method)	
	Cable ducting works at Zone GA	
	and at Zone GS (across Harbour	
	Road)	
	Cable ducting works at Zone GC	
	(along Convention Avenue	
	Road) Cable ducting works at	



Contract No.	Key Construction Works	Recommended Mitigation Measures
	Zone GH (along Harbour Road)	
HK/2009/02	 Zone GH (along Harbour Road) Continue operation of Tseung Kwan O Public Fill Sorting Facility. Completed steel platforms installation at -0.85mPD for P8 & P9 Pumping Stations. Continue steel platforms (Wet Well) installation at +2.2mPD for P7, P8 & P9 Pumping Stations. Commence pipe jacking of WSD 2nd last drive. Continue pipe laying works along Harbour Road and Tonnochy Road. Complete concrete work to + 15.71mPD or WSD Salt Water Pumping Station. Handover TX room to HEC installation on 6 May 2012. Continue 800MS pipe installation inside Ex-pet Garden Continue ABWFs & E&M works of WSD Salt Water Pumping Station. 	 To cover the dusty material or stockpile by impervious sheet; Frequency spray water on the dry dusty road and on the surface of concrete breaking To well maintain the mechanical equipments / machineries to avoid abnormal noise nuisance and dark smoke emission To conform the installation and setting as in the silt screen and silt curtain deployment plan Movable noise barrier shall be deployed for demolition works Daily visual inspection of silt screen and silt curtain to ensure its operation properly Review silt screen deployment and resubmit associate plans to EPD Implement silt screen and silt curtain in accordance with the associated plans submitted to EPD.
	 installation inside Ex-pet Garden Continue ABWFs & E&M works of WSD Salt Water Pumping 	
	 Continue ELS works of landside cofferdam for the construction of Bay 6 – 10 salt water intake culverts. Continue substructure works for the New Ferry Pier at Portions 1A, 2A, 2B, 2C & 3C. 	



Contract No.	Key Construction Works	Recommended Mitigation Measures
Contract No.	 Complete the fabrication of precast slabs for the New Ferry Pier in PRC casting yard. Complete Installation of precast domes and end caps at the diffuser section of the HDPE pipelines. Complete backfilling rockfills for the installed submarine outfall pipes and diffuser section and commence precast dome installation. Commence reclamation works at WCR2 area. Completed remaining SHK piping diversion at WCR2 area. Commence bulkhead wall construction for Box Culvert O diversion. Complete the excavation works and utilities diversion at Box Culvert O Complete permanent precast beam, central beam and reinstatement for Box Culvert O. 	Recommended Mitigation Measures
HY/2009/15	Dredging for seawall foundation at TS2	 Watering any dust generating activities Checking all drip trays frequently and clear any stagnant water and mud inside it. Noise control measures shall be provided during restricted hours.
HK/2010/06	 Concreting of bored piles Pile head breaking works Sheet Piles Construction of Pre-cast Unit in China 	 To conform the installation and setting as in the silt screen and silt curtain deployment plan To space out noisy equipment and position as far as possible from sensitive receiver.


Lam Geotechnics Limited


Contract No. HK/2011/07 Wanchai Development Phase II and Central-Wanchai Bypass Sampling, Field Measurement and testing Works (Stage 2) Monthly EM&A Report (Apr 2012)


Contract No.	Key Construction Works	Recommended Mitigation Measures
		Daily visual inspection of silt screen and silt curtain to ensure its operation properly
HY/2009/19	Marine Bored Piling	To conform the installation and setting as in the silt screen and silt curtain deployment plan


Figure 2.1


Project Layout

















Figure 2.2

Project Organization Chart

Project Organization Chart







Figure 2.3

Locations of Monitoring Stations










am

Location plan of Environmental Monitoring Stations







Appendix 3.1

Environmental Mitigation Implementation Schedule

Wan Chai Development Phase II and Central-Wanchai Bypass

- Sampling, Field Measurement and Testing Works (Stage 2)

Environmental Mitigation Implementation Schedule

Implementation Schedule for Air Quality Control

EIA Ref	Environmental Protection Measures / Mitigation Measures	Location / Timing	Implementation	Ir		entati ges*	Relevant Legislation and Guidelines	
		8	Agent	Des	C	o	Dec	and Guidelines
Constructio								
For the Who	ole Project							
S3.6.5	Four times a day watering of the work site with active operations.	Work site / during construction	Contractor		√			EIAO-TM
S3.8.1	Implementation of dust suppression measures stipulated in Air Pollution Control (Construction Dust) Regulation. The following mitigation measures, good site practices and a comprehensive dust monitoring and audit programme are recommended to minimise cumulative dust impacts. Strictly limit the truck speed on site to below 10 km per hour and water spraying to keep the haul roads in wet condition; Watering during excavation and material handling; Provision of vehicle wheel and body washing facilities at the exit points of the site, combined with cleaning of public roads where necessary; and Tarpaulin covering of all dusty vehicle loads transported to, from and between site locations.	Work site / during construction	Contractor		٨			

Appendix 3.1

Contract no. HK/2011/07

Wan Chai Development Phase II and Central-Wanchai Bypass

- Sampling, Field Measurement and Testing Works (Stage 2)

EIA Ref	Environmental Protection Measures / Mitigation Measures	Location / Timing	Implementation	Implementation Stages*				Relevant Legislation
2111111	Zava omnestina i roccioni svenom co / svaniganion svenom co	Doewion, Timing	Agent	Des	C	0	Dec	and Guidelines
\$3.5.6	For the dredging activities carried out in the vicinity of Police Officers' Club, the dredging operation will be restricted to only 1 small close grab dredger to minimise the odour impact during the dredging activity. The dredging rate should be reduced as much as practicable for the area in close proximity to the Police Officers' Club. The sediments contain highly contaminated mud which may be disposed with the use of geosynthetic containers (details shall refer to Section 6), grab dredger has to be used for filling up the geosynthetic containers on barges. the dredging rate for the removal of the sediments at the south-west corner of the typhoon shelter shall be slowed down or restricted to specific non-popular hours in weekdays when it is necessary during construction.	Corner of CBTS/implementation of harbour-front enhancement	CEDD <u>1</u>		√			EIAO-TM
S3.8.8	Carry out dredging at the corner of CBTS to remove the sediment and clean the slime attached on the CBTS shoreline seawall	Corner of CBTS & CBTS shoreline seawall/implementation of harbour-front enhancement	CEDD ²		1			EIAO-TM
Operation I	Phase	I	1	1	1	1	1	I
For the Who	ole Project							·

¹ CEDD will identify an implementation agent.

 $^{^{\}rm 2}$ CEDD will identify an implementation agent.

Wan Chai Development Phase II and Central-Wanchai Bypass

- Sampling, Field Measurement and Testing Works (Stage 2)

EIA Ref	Environmental Protection Measures / Mitigation Measures	Location / Timing	Implementation	In	nplem Sta	entati ges*	on	Relevant Legislation
			Agent	Des	C	О	Dec	and Guidelines
S3.10.2	Monthly (from July to September) monitoring of odour impacts, for a period of 5 years, is proposed during the operational phase of the Project to ascertain the effectiveness of the Enhancement Package over time, and to monitor any ongoing odour impacts at the ASRs.	Planned ASRs (CBTS Breakwater)/First 5-year period of operation phase	CEDD ¹			V		EIAO-TM
	CWB (Within the Project Boundary)	I	ı					T
S3.6.53 –	The design parameters of the East and Central Ventilation	East and Central	HyD					
S3.6.54	Buildings as set in Tables 3.10 and 3.11	Ventilation Buildings / During operation of the Trunk Road						
S3.10.2	Air quality monitoring for the operation performance of the East Ventilation Building and associated East Vent Shaft will be conducted.	East Vent Shaft / During operation of the East Ventilation Building and associated East Vent Shaft	HyD			V		EIAO-TM

• Des - Design, C - Construction, O - Operation, and Dec - Decommissioning

Appendix 3.1

Contract no. HK/2011/07

 $\label{thm:chain} \mbox{Wan Chai Development Phase II and Central-Wanchai Bypass}$

- Sampling, Field Measurement and Testing Works (Stage 2)

Monthly EM&A Report

Table A13.2 Implementation Schedule for Noise Control

Construction Phase	EIA Ref	Environmental Protection Measures / Mitigation Measures	Location / Timing	Implementation Agent	Des	Stages		Relevant Legislation and Guidelines	
Construction I hase	Constructio	n Phase							

Monthly EM&A Report

EIA Ref	Environmental Protection Measures / Mitigation Measures	Location / Timing	Implementation Agent	In	nplem Sta	entati ges*	Relevant Legislation			
21.1111	Zarra camera a roccosto a racessa es y racessa es cares a racessa es			Des	C	0	Dec	and Guidelines		
S4.9.4	Good Site Practice:	Work Sites / During	Contractor		√			EIAO-TM, NCO		
	Only well-maintained plant shall be operated on-site and plant shall be serviced regularly during the construction program.	Construction	Construction							
	Silencers or mufflers on construction equipment shall be utilized and shall be properly maintained during the construction program.									
	Mobile plant, if any, shall be sited as far away from NSRs as possible.									
	Machines and plant (such as trucks) that may be in intermittent use shall be shut down between works periods or shall be throttled down to a minimum.									
	Plant known to emit noise strongly in one direction shall, wherever possible, be orientated so that the noise is directed away from the nearby NSRs.									
	Material stockpiles and other structures shall be effectively utilized, wherever practicable, in screening noise from on- site construction activities.									
For DP1 –	CWB (Within the Project Boundary)									

Appendix 3.1

Contract no. HK/2011/07

Wan Chai Development Phase II and Central-Wanchai Bypass

- Sampling, Field Measurement and Testing Works (Stage 2)

EIA Ref	Environmental Protection Measures / Mitigation Measures	Location / Timing	Implementation	Implementation Stages*				Relevant Legislation
		g	Agent	Des	C	О	Dec	and Guidelines
S4.8.5 S4.8.5	Use of quiet powered mechanical equipment, movable noise barrier and temporary noise barrier for the following tasks: Slip road 8 tunnel Construction of diaphragm wall and substructures of the tunnel approach ramp Excavation Construction of slabs Backfill Demolition and construction of substructures for the IEC Demolition works of existing piers and crossheads of the marine section of the existing IEC Use of PME grouping for the following tasks: At-grade road construction Substructure for IECL connection	Work Sites / During Construction	Contractor		√			EIAO-TM, NCO
	WDII Major Roads (Road P2)							
S4.8.3 – S4.8.4	Use of quiet powered mechanical equipment, movable noise barrier and temporary noise barrier for the following tasks: Temporary road diversion Resurfacing At-grade roadwork	Work Sites / During Construction	Contractor		√			EIAO-TM, NCO
For DP3 -	Reclamation Works							
S4.8.3 – S4.8.4	Use of quiet powered mechanical equipment for the following task: Filling behind seawall Seawall construction	Work Sites / During Construction	Contractor		V			EIAO-TM, NCO

Monthly EM&A Report

EIA Ref	Environmental Protection Measures / Mitigation Measures	Location / Timing	Implementation	Ir	nplem Sta	entati ges*	Relevant Legislation	
		g	Agent	Des	C	О	Dec	and Guidelines
For DP5 –	Wan Chai East Sewage Outfall							
S4.8.3 – S4.8.4	Use of quiet powered mechanical equipment for the following tasks: • Submarine pipelines (marine section)	Work Sites / During Construction	Contractor		1			EIAO-TM, NCO
	Use of quiet powered mechanical equipment and movable noise barrier for the following tasks: Installation of a new pipeline (land section)							
For DP6 –	Cross-Harbour Water Mains from Wan Chai to Tsim Sha Tsui							
\$4.8.3 – \$4.8.4	Use of quiet powered mechanical equipment for the following tasks: • Submarine pipelines (marine section) •	Work Sites / During Construction	Contractor		N			EIAO-TM, NCO

Appendix 3.1

Contract no. HK/2011/07

Wan Chai Development Phase II and Central-Wanchai Bypass

- Sampling, Field Measurement and Testing Works (Stage 2)

EIA Ref	Environmental Protection Measures / Mitigation Measures	Location / Timing	Implementation	In	ıplem Staş		on	Relevant Legislation and Guidelines
			Agent	Des	C	0	Dec	
		_						
Operation 1	Phase							
For DP1 – 0	CWB (Within the Project Boundary)							

Monthly EM&A Report

EIA Ref	Environmental Protection Measures / Mitigation Measures	Location / Timing	Implementation	In	nplem Sta	entati ges*	Relevant Legislation	
			Agent	Des	C	o	Dec	and Guidelines
S4.8.14 — S4.8.18	For Existing NSRs about 235m length of noise semi-enclosure with transparent panel covering the westbound slip road from the IEC about 230m length of noise semi-enclosure with transparent panel covering the main carriageways (eastbound and westbound) of the CWB and IEC about 135m length of 5.5m high cantilevered noise barrier with 3m cantilever inclined at 45° with transparent panel on the eastbound slip road to the IEC	Near North Point / Before commencement of operation of road project	HyD	V	√	√ ·		EIAO-TM
	 about 95m length of 5.5m high cantilevered noise barrier with 1m cantilever inclined at 45° with transparent panel on the eastbound slip road to the IEC about 350m length of 3.5m high vertical noise barrier with transparent panel on the eastbound slip road to the IEC 							
	low noise road surfacing for the trunk road (except tunnel section and beneath the landscaped deck at the eastern portal area) with speed limit of 70 km/hour For Future/Planned NSRs about 265m length of noise semi-enclosure with transparent panel covering the westbound slip road from the IEC	In between the Electric Centre (next to City Garden) and CDA(1) site / Before occupation of Planned NSRs in CDA and CDA(1) sites.	HyD	√	√#			

Appendix 3.1

Contract no. HK/2011/07

 $\label{thm:chain} \mbox{Wan Chai Development Phase II and Central-Wanchai Bypass}$

- Sampling, Field Measurement and Testing Works (Stage 2)

EIA Ref	Environmental Protection Measures / Mitigation Measures	Location / Timing	Implementation	Implementation Stages*		on	Relevant Legislation	
		g	Agent	Des	C	О	Dec	and Guidelines
	• The openable windows of the temple, if any, should be	Near Causeway Bay Fire	Project					
	orientated so as to avoid direct line of sight to the existing	Station / During detailed	Proponent for					
	Victoria Park Road as far as practicable.	design of the re-	the					
		provisioned Tin Hau	re-provisioned					
		Temple	Tin Hau Temple					ļ

^{*} Des - Design, C - Construction, O - Operation, and Dec - Decommissioning

[#] Only the steel frame for this section of noise semi-enclosure would be erected in advance during the construction of the westbound slip road.

Table A13.3 Implementation Schedule for Water Quality Control

EIA Ref	Environmental Protection Measures / Mitigation Measures	Location /	Implementation	Implementation Stages*				Relevant Legislation
LIII KCI	Environmental Protection Measures / Mitigation Measures	Timing	Agent	Des	C	0	Dec	and Guidelines
Construction	on Phase							
For DP3 - Boundary)	Reclamation Works, DP5 (Wan Chai East Sewage Outfall), DP6 (Cross-Harbo	our Water Mains	from Wan Chai to T	sim Sh	a Tsu	i), DP	1 – CW	B (within the Project
S5.8	A phased reclamation approach is planned for the WDII. Containment of fill within each of the reclamation phases by seawalls is proposed, with the seawall constructed first (above high water mark) with filling carried out behind the completed seawalls. Any gaps that may need to be provided for marine access will be shielded by silt curtains to control sediment plume dispersion away from the site. Filling for seawall construction should be carried out behind the silt curtain	Work site / During the construction period	Contractor		√			EIAO-TM, WPCO
S5.8	Dredging shall be carried out by closed grab dredger for the following works: Seawall construction in all the reclamation areas; Construction of the CWB Tunnel Construction of the proposed WSD water mains; and Construction of the proposed Wan Chai East sewage outfall pipelines.	Work site / During the construction period	Contractor		1			EIAO-TM, WPCO
S5.8, Figure 5.3	Dredging for the Wan Chai East sewage outfall pipelines shall not be carried out concurrently with the following activities: Dredging along the proposed cross-harbour water mains; Dredging along the seawall in the Wan Chai Reclamation (WCR) zone (area between HKCEC Extension and PCWA).	Work site / During the construction period	Contractor		1			EIAO-TM, WPCO

Appendix 3.1

Contract no. HK/2011/07

Wan Chai Development Phase II and Central-Wanchai Bypass

- Sampling, Field Measurement and Testing Works (Stage 2)

EIA Ref	Environmental Protection Measures / N	Aitigation Measures		Location /	Implementation	In		entat ges*	ion	Relevant Legislation
2	Zarva omnestna 11 oceanou premoures / 1	Treightion Trempures		Timing	Agent	Des	C	О	Dec	and Guidelines
S5.8	The water body behind the temporary rec typhoon shelter shall not be fully enclosed		Causeway Bay	Work site / During the construction period	Contractor		1			EIAO-TM, WPCO
S5.8	As a mitigation measure, to avoid the acc within the temporary embayment be impermeable barrier, suspended from a	tween CRIII and floating boom on the	HKCEC1, an water surface	Work site / During the construction	Contractor		√			EIAO-TM, WPCO
	and extending down to the seabed, will be erected by the contractor before the HKCEC1 commences. The barrier will channel the stormwater discharge flows from Culvert L to the outside of the embayment. The contractor will maintain this barrier until the reclamation works in HKCEC2W are carried out and the new Culvert L extension is constructed.			period						
S5.8, Figure 5.3	The total dredging rates in each of the m than the maximum production rates state production rates without considering the	ed in the table below.		Work site / During the construction period	Contractor		V			EIAO-TM, WPCO
	Reclamation Area	Maximum Dredging Rate	Maximum Dredging Rate							
	Recialitation Af ea	Reclamation Area m³ per hour (m³ per day) Mate m³ per hour (m³ per day) Mate m³ per day Mate m²								
	Dredging along seawall or breakwater									
	North Point Shoreline Zone (NPR)	6,000 375	42,000							
	Causeway Bay TBW	1,500 94	10,500							
	Shoreline Zone TCBR	6,000 375	42,000							
	PCWA Zone	5,000 313	35,000		1	1	1	1	1	I

Monthly EM&A Report

EIA Ref	Environmental Protection Measures / Mitigation Measures	Location /	Implementation	In		entati ges*	on	Relevant Legislation
21.1.10.	Zin i di d	Timing	Agent	Des	C	0	Dec	and Guidelines
	Wan Chai Shoreline Zone (WCR) 6,000 375 42,000 HKCEC Shoreline Zone HKCEC Stage 1 & 3 1,500 94 10,500 (HKCEC) HKCEC Stage 2 6,000 375 42,000 Cross Harbour Water Mains 1,500 94 10,500 Wan Chai East Submarine Sewage Pipeline 1,500 94 10,500 Note: 1,500 m³ per day shall be applied for construction of the western seawall of WCR1.							
S5.8, Figure 5.3	Dredging along the seawall at WCR1 shall be undertaken initially at 1,500m ³ per day for construction of the western seawall (which is in close proximity of the WSD intake), followed by partial seawall construction at the western seawall (above high water mark) to protect the adjacent intakes as much as possible from further dredging activities.	Work site / During the construction period	Contractor		V			EIAO-TM, WPCO
S5.8, Figure 5.3	For dredging within the Causeway Bay typhoon shelter, seawall shall be partially constructed to protect the nearby seawater intakes from further dredging activities. For example, at TCBR1W, the southern and eastern seawalls shall be constructed first (above high water mark) so that the seawater intakes at the inner water would be protected from the impacts from the remaining dredging activities along the northern boundary.	Work site / During the construction period	Contractor		V			EIAO-TM, WPCO
S5.8, Figure 5.3	Silt curtains shall be deployed around the closed grab dredgers during seawall dredging and seawall trench filling in the areas of HKCEC, WCR, TCBR and NP.	Work site / During the construction period	Contractor		V			EIAO-TM, WPCO
S5.8, Figure 5.3	Silt screens shall be applied to seawater intakes at interim construction stages as stated below: Interim Construction Location of Applications	Work site / During the construction period	Contractor		V			EIAO-TM, WPCO

Appendix 3.1

Contract no. HK/2011/07

Wan Chai Development Phase II and Central-Wanchai Bypass

- Sampling, Field Measurement and Testing Works (Stage 2)

EIA Ref	Environmental Protection	n Measures / Mitigation Measures	Location /	Implementation	Implementation Stages*				Relevant Legislation
			Timing	Agent	Des	C	О	Dec	and Guidelines
	TBW, NP and Water Mains Zone Scenario 2B in late 2009/2010 with concurrent dredging activities at Sewage Pipelines Zone and TCBR.	Convention and Exhibition Centre Phase I, Telecom House / HK Academy for Performing Arts / Shun On Centre, Wan Chai Tower / Revenue Tower / Immigration Tower and Sun Hung Kai Centre WSD saltwater intakes at Sheung Wan, Wan Chai Cooling water intakes for Queensway Government Offices, Excelsior Hotel, World Trade Centre and Windsor House.							
	Scenario 2C in 2011 with concurrent dredging activities at HKCEC and TCBR.	WSD saltwater intakes at Sheung Wan and Reprovisioned WSD Wan Chai saltwater intake. Cooling water intakes for MTR South, Excelsior Hotel & World Trade Centre and reprovisioned Windsor House.							
S5.8	spillage and sealed ti contaminated mud, clo • all vessels shall be size vessels and the seabe turbidity is not gene	include: used, shall be designed and maintained to avoid ghtly while being lifted. For dredging of any sed watertight grabs must be used; d so that adequate clearance is maintained between d in all tide conditions, to ensure that undue rated by turbulence from vessel movement or	Work site / During the construction period	Contractor		V			ProPECC PN 1/94; WPCO (TM-DSS)
	their bottom openings to construction activities other objectionable madumping grounds; loading of barges and dredged material into the	dredgers shall be fitted with tight fitting seals to o prevent leakage of material; shall not cause foam, oil, grease, scum, litter or tter to be present on the water within the site or noppers shall be controlled to prevent splashing of the surrounding water. Barges or hoppers shall not to will cause the overflow of materials or polluted							

EIA Ref	Environmental Protection Measures / Mitigation Measures	Location /	Implementation Agent	Implementation Stages*				Relevant Legislation
		Timing		Des	C	О	Dec	and Guidelines
	before commencement of the reclamation works, the holder of Environmental Permit has to submit plans showing the phased construction of the reclamation, design and operation of the silt curtain.							
S5.8	Silt screens are recommended to be deployed at the seawater intakes during the reclamation works period. Installation of silt screens at the seawater intake points may cause a potential for accumulation and trapping of pollutants, floating debris and refuse behind the silt screens and may lead to potential water quality deterioration at the seawater intake points. Major sources of pollutants and floating refuse include the runoff and storm water discharges from the nearby coastal areas. As a mitigation measure to avoid the pollutant and refuse entrapment problems and to ensure that the impact monitoring results are representative, regular maintenance of the silt screens and refuse collection shall be performed at the monitoring stations at regular intervals on a daily basis. The Contractor shall be responsible for keeping the water behind the silt screen free from floating rubbish and debris during the impact monitoring period.	Work site / During the construction period	Contractor		√ ·			EIAO-TM, WPCO

Appendix 3.1

Contract no. HK/2011/07 Wan Chai Development Phase II and Central-Wanchai Bypass

- Sampling, Field Measurement and Testing Works (Stage 2)

EIA Ref	Environmental Protection Measures / Mitigation Measures	Location /	Implementation	In		entati ges*	Relevant Legislation	
		Timing	Agent	Des	C	o	Dec	and Guidelines
\$5.8	Dredging of contaminated mud is recommended as a mitigation measures for control of operational odour impact from the Causeway Bay typhoon shelter. In recognition of the potential impacts caused by dredging activities close to the seawater intakes, only I small close grab dredger shall be operated within the typhoon shelter (for the dredging to mitigate odour impact) at any time to minimize the potential impact. Double silt curtains shall be deployed to fully enclose the closed grab dredger during the dredging operation. In addition, an impermeable barrier, suspended from a floating boom on the water surface and extended down to the seabed, shall be erected to isolate the adjacent intakes as much as possible from dredging activities. For example, if dredging is to be carried out at the southwest corner of the typhoon shelter, physical barriers shall be erected to west of the cooling water intake for Excelsior Hotel so that the intake would be shielded from most of the SS generated from the dredging operation to the west of the intake. For area in close proximity of the cooling water intake point, the dredging rate shall be reduced as much as practicable. Site audit and water quality monitoring shall be carried out at the seawater intakes during the dredging operations. Daily monitoring of SS at the cooling water intake shall be carried out, and 24 hour monitoring of turbidity at the intakes shall be implemented during the dredging activities. If the monitoring results indicate that the dredging operation has caused significant changes in water quality conditions at the seawater intakes, appropriate actions shall be taken to stop the dredging and mitigation measures such as slowing down the dredging rate shall be implemented.	Causeway Bay typhoon shelter/Imple mentation of harbour-front enhancement.	CEDD <u>3</u>		1			WPCO

Monthly EM&A Report

EIA Ref	Fr	nvironmental Protection Measures / Mitigation Measures	Location /	Implementation	In		entati ges*	on	Relevant Legislation
LIA KU	L	Tribulinental Frocetion Measures / Miligation Measures	Timing	Agent	Des	C	0	Dec	and Guidelines
For the Wh	ole 1	Project							
S5.8	•	Construction Runoff and Drainage	Work site	Contractor		V			ProPECC PN 1/94; WPCO (TM-DSS)
	•	use of sediment traps, wheel washing facilities for vehicles leaving the site, and adequate maintenance of drainage systems to prevent flooding and overflow;	/ During the constructi on period						WPCO (IM-DSS)
	•	Permanent drainage channels shall incorporate sediment basins or traps and baffles to enhance deposition rates. The design of efficient silt removal facilities shall be based on the guidelines in Appendix A1 of ProPECC PN 1/94;							
	•	a sediment tank constructed from pre-formed individual cells of approximately 6 - 8 m3 capacity can be used for settling ground water prior to disposal;							
	•	oil interceptors shall be provided in the drainage system for the tunnels and regularly cleaned to prevent the release of oils and grease into the storm water drainage system after accidental spillages. The interceptor shall have a bypass to prevent flushing during periods of heavy rain;							
	•	precautions and actions to be taken when a rainstorm is imminent or forecast, and during or after rainstorms. Particular attention shall be paid to the control of any silty surface runoff during storm events;							
	•	on-site drainage system shall be installed prior to the commencement of other construction activities. Sediment traps shall be installed in order to minimise the sediment loading of the effluent prior to discharge;							
	•	All temporary and permanent drainage pipes and culverts provided to facilitate runoff discharge shall be adequately designed for the controlled release of storm flows. All sediment control measures shall be regularly inspected and maintained to ensure proper and efficient operation at all times and particularly following rain storms. The temporarily diverted drainage shall be reinstated to its original condition when the construction work is finished or the temporary diversion is no longer							

 $^{^{\}rm 3}$ CEDD will identify an implementation agent.

Appendix 3.1

Contract no. HK/2011/07

Wan Chai Development Phase II and Central-Wanchai Bypass

- Sampling, Field Measurement and Testing Works (Stage 2)

EIA Ref	Environmental Protection Measures / Mitigation Measures	Location /	Implementation	In		entati ges*	Relevant Legislation	
		Timing	Agent	Des	C	О	Dec	and Guidelines
	required.							
	All fuel tanks and store areas shall be provided with locks and be sited on sealed areas, within bunds of a capacity equal to 110% of the storage capacity.							
	Minimum distances of 100 m shall be maintained between the storm water discharges and the existing or planned WSD flushing water intakes during construction phase.							
S5.8	Sewage from Construction Work Force Construction work force sewage discharges on site shall be connected to the existing trunk sewer or sewage treatment facilities. The construction sewage shall be handled by portable chemical toilets prior to the commission of the on-site sewer system. Appropriate numbers of portable toilets shall be provided by a licensed contractor to serve the large number of construction workers over the construction site. The Contractor shall also be responsible for waste disposal and maintenance practices.	Work site / During the construction period	Contractor		V			ProPECC PN 1/94; WPCO (TM-DSS)
S5.8	Floating Debris and Refuse Collection and removal of floating refuse shall be performed at regular intervals on a daily basis. The contractor shall be responsible for keeping the water within the site boundary and the neighbouring water free from rubbish.	Work site and adjacent water / During the construction period.	Contractor		1			WPCO

Monthly EM&A Report

EIA Ref	Environmental Protection Measures / Mitigation Measures	Location /	Implementation	Implementation Stages*			on	Relevant Legislation and Guidelines
		Timing	Agent	Des	C	О	Dec	and Guidelines
S5.8	Storm Water Discharges Minimum distances of 100 m shall be maintained between the existing or planned stormwater discharges and the existing or planned WSD flushing water intakes.	Work site and adjacent water / During the design and construction period.	Contractor	V	√ 			WPCO
Operation	Phasa							
	B (within the Project Boundary)							
S5.8	For the operation of CWB, a surface water drainage system would be provided to collect road runoff. The following operation stage mitigation measures are recommended to ensure road runoff would comply with the TM under the WPCO: • The drainage from tunnel sections shall be directed through petrol	CWB/During design and operational period	HyD/TD ³	√		1		WPCO
	interceptors to remove oil and grease before being discharged to the nearby foul water manholes.							
	Petrol interceptors shall be regularly cleaned and maintained in good working condition.							
	Oily contents of the petrol interceptors shall be properly handled and disposed of, in compliance with the requirements of the Waste Disposal Ordinance.							
	Sewage arising from ancillary facilities of CWB (for examples, car park,							

Appendix 3.1

Contract no. HK/2011/07

Wan Chai Development Phase II and Central-Wanchai Bypass

- Sampling, Field Measurement and Testing Works (Stage 2)

EIA Ref	Environmental Protection Measures / Mitigation Measures	Location /	Implementation	In	1 .	entatio ges*	on	Relevant Legislation and Guidelines
	Zinyi olilientai 1 Totottoi ili zina katoo / Managattoi Managattoi ili zina katoo / Managattoi ili zina katoo /	Timing	Agent	Des	C	О	Dec	
	control room, ventilation and administration buildings and tunnel portals) shall be connected to public sewerage system. Sufficient capacity in public sewerage shall be made available to the proposed facilities. • Road drainage shall also be provided with adequately designed silt trap to minimize discharge of silty runoff. • The design of the operational stage mitigation measures for CWB shall take into account the guidelines published in ProPECC PN 5/93 "Drainage Plans subject to Comment by the EPD." All operational discharges from the CWB into drainage or sewerage systems are required to be licensed by EPD under the WPCO.							

^{*} Des - Design, C - Construction, O - Operation, and Dec - Decommissioning

 $^{^{\}rm 3}$ if employ Management, Operation and Maintenance (MOM) Contract

Table A13.4 Implementation Schedule for Waste Management

EIA Ref	Environmental Protection Measures / Mitigation Measures	Location / Timing	Implementation	Ir		entati ges*	on	Relevant Legislation
			Agent	Des	C	О	Dec	and Guidelines
Construction	on Phase							
For DP3 -	Reclamation Works							
	Marine Sediments	Work site / During the construction period	Contractor		V			ETWB TCW No. 34/2002
S6.7.2	The dredged marine sediments would be loaded onto barges, transported to and disposed of at the designated disposal sites at South of Cheung Chau, East of Ninepin, East of Tung Lung Chau, South of Tsing Yi or East of Sha Chau to be allocated by the MFC depending on their level of contamination or at other disposal sites after consultation with the MFC and EPD. In accordance with the ETWB TCW No. 34/2002, the contaminated material must be dredged and transported with great care. The mitigation measures recommended in Section 5 of the EIA Report shall be incorporated. The dredged contaminated sediment must be effectively isolated from the environment upon final disposal and shall be disposed of at the Type 2 confined marine disposal contaminated mud pit.							
S6.7.3	Based on the biological screening results, the Category H (>10xLCEL) sediment which failed the biological testing would require Type 3 special disposal. The volume of Category H sediment from the Causeway Bay typhoon shelter which would require special disposal arrangements is estimated to be approximately 0.05 Mm³. A feasible containment method is proposed whereby the dredged sediments are sealed in geosynthetic containers and, at the disposal site, the containers would be dropped into the designated contaminated mud pit where they would be covered by further mud disposal and later by the mud pit capping, thereby meeting the requirements for fully confined mud disposal.							

Appendix 3.1

Contract no. HK/2011/07

Wan Chai Development Phase II and Central-Wanchai Bypass

- Sampling, Field Measurement and Testing Works (Stage 2)

Environmental Protection Measures / Mitigation Measures	Location / Timing	Implementation Agent	In		entati ges*	Relevant Legislation	
			Des	C	0	Dec	and Guidelines
It will be the responsibility of the Contractor to satisfy the appropriate authorities that the contamination levels of the marine sediment to be dredged have been analysed and recorded. According to the ETWB TCW No. 34/2002, this will involve the submission of a formal Sediment Quality Report to the DEP, at least 3 months prior to the dredging contract being tendered							
During transportation and disposal of the dredged marine sediments requiring Type 1 and Type 2 disposal, the following measures shall be taken to minimise potential impacts on water quality: • Bottom opening of barges shall be fitted with tight fitting seals to prevent leakage of material. Excess material shall be cleaned from the decks and exposed fittings of barges							
	It will be the responsibility of the Contractor to satisfy the appropriate authorities that the contamination levels of the marine sediment to be dredged have been analysed and recorded. According to the ETWB TCW No. 34/2002, this will involve the submission of a formal Sediment Quality Report to the DEP, at least 3 months prior to the dredging contract being tendered During transportation and disposal of the dredged marine sediments requiring Type 1 and Type 2 disposal, the following measures shall be taken to minimise potential impacts on water quality: Bottom opening of barges shall be fitted with tight fitting seals to prevent leakage of material. Excess material shall	It will be the responsibility of the Contractor to satisfy the appropriate authorities that the contamination levels of the marine sediment to be dredged have been analysed and recorded. According to the ETWB TCW No. 34/2002, this will involve the submission of a formal Sediment Quality Report to the DEP, at least 3 months prior to the dredging contract being tendered During transportation and disposal of the dredged marine sediments requiring Type 1 and Type 2 disposal, the following measures shall be taken to minimise potential impacts on water quality: Bottom opening of barges shall be fitted with tight fitting seals to prevent leakage of material. Excess material shall be cleaned from the decks and exposed fittings of barges	It will be the responsibility of the Contractor to satisfy the appropriate authorities that the contamination levels of the marine sediment to be dredged have been analysed and recorded. According to the ETWB TCW No. 34/2002, this will involve the submission of a formal Sediment Quality Report to the DEP, at least 3 months prior to the dredging contract being tendered During transportation and disposal of the dredged marine sediments requiring Type 1 and Type 2 disposal, the following measures shall be taken to minimise potential impacts on water quality: Bottom opening of barges shall be fitted with tight fitting seals to prevent leakage of material. Excess material shall be cleaned from the decks and exposed fittings of barges	Environmental Protection Measures / Mitigation Measures It will be the responsibility of the Contractor to satisfy the appropriate authorities that the contamination levels of the marine sediment to be dredged have been analysed and recorded. According to the ETWB TCW No. 34/2002, this will involve the submission of a formal Sediment Quality Report to the DEP, at least 3 months prior to the dredging contract being tendered During transportation and disposal of the dredged marine sediments requiring Type 1 and Type 2 disposal, the following measures shall be taken to minimise potential impacts on water quality: Bottom opening of barges shall be fitted with tight fitting seals to prevent leakage of material. Excess material shall be cleaned from the decks and exposed fittings of barges	Environmental Protection Measures / Mitigation Measures Location / Timing Implementation Agent Des C It will be the responsibility of the Contractor to satisfy the appropriate authorities that the contamination levels of the marine sediment to be dredged have been analysed and recorded. According to the ETWB TCW No. 34/2002, this will involve the submission of a formal Sediment Quality Report to the DEP, at least 3 months prior to the dredgeing contract being tendered During transportation and disposal of the dredged marine sediments requiring Type 1 and Type 2 disposal, the following measures shall be taken to minimise potential impacts on water quality: Bottom opening of barges shall be fitted with tight fitting seals to prevent leakage of material. Excess material shall be cleaned from the decks and exposed fittings of barges	Environmental Protection Measures / Mitigation Measures Location / Timing Implementation Agent Stages* Des C O It will be the responsibility of the Contractor to satisfy the appropriate authorities that the contamination levels of the marine sediment to be dredged have been analysed and recorded. According to the ETWB TCW No. 34/2002, this will involve the submission of a formal Sediment Quality Report to the DEP, at least 3 months prior to the dredging contract being tendered During transportation and disposal of the dredged marine sediments requiring Type 1 and Type 2 disposal, the following measures shall be taken to minimise potential impacts on water quality: Bottom opening of barges shall be fitted with tight fitting seals to prevent leakage of material. Excess material shall be cleaned from the decks and exposed fittings of barges	Environmental Protection Measures / Mitigation Measures Location / Timing Implementation Agent Des C O Dec It will be the responsibility of the Contractor to satisfy the appropriate authorities that the contamination levels of the marine sediment to be dredged have been analysed and recorded. According to the ETWB TCW No. 34/2002, this will involve the submission of a formal Sediment Quality Report to the DEP, at least 3 months prior to the dredging contract being tendered During transportation and disposal of the dredged marine sediments requiring Type 1 and Type 2 disposal, the following measures shall be taken to minimise potential impacts on water quality: Bottom opening of barges shall be fitted with tight fitting seals to prevent leakage of material. Excess material shall be cleaned from the decks and exposed fittings of barges

Monthly EM&A Report

EIA Ref	Environmental Protection Measures / Mitigation Measures	Location / Timing	Implementation	Implementation Stages*				Relevant Legislation
			Agent	Des	C	О	Dec	and Guidelines
	Monitoring of the barge loading shall be conducted to ensure that loss of material does not take place during transportation. Transport barges or vessels shall be equipped with automatic self-monitoring devices as specified by the DEP. Barges or hopper barges shall not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation.							
S6.6.12	Floating Refuse During the construction phase, the project proponent's contractor will be responsible for the collection of any refuse within their works area. Floating booms will be provided on the water surface to confine the refuse from the working barges as well as to avoid the accumulation of pollutants within temporary embayment as mentioned in Table 13.3.	Work site / During the construction period	Contractor		√			
For the Who	ole Project		•					

Appendix 3.1

Contract no. HK/2011/07

Wan Chai Development Phase II and Central-Wanchai Bypass

- Sampling, Field Measurement and Testing Works (Stage 2)

EIA Ref	Environmental Protection Measures / Mitigation Measures	Location / Timing	Implementation	In		entati ges*	on	Relevant Legislation
List ites	Environmental Protection Measures / Mitigation Measures	Document Timing	Agent	Des	C	О	Dec	and Guidelines
S6.7.7	Recommendations for good site practices during the construction activities include: nomination of an approved person, such as a site manager, to be responsible for good site practices, arrangements for collection and effective disposal to an appropriate facility, of all wastes generated at the site; training of site personnel in proper waste management and chemical waste handling procedures; provision of sufficient waste disposal points and regular collection for disposal; appropriate measures to minimise windblown litter and dust during transportation of waste by either covering trucks or by transporting wastes in enclosed containers; regular cleaning and maintenance programme for drainage systems, sumps and oil interceptors; and a recording system for the amount of wastes generated, recycled and disposed of (including the disposal sites).	Work site / During the construction period	Contractor		7			Waste Disposal Ordinance (Cap.354)

Monthly EM&A Report

EIA Ref	Environmental Protection Measures / Mitigation Measures	Location / Timing	Implementation	In		entati ges*	on	Relevant Legislation
			Agent	Des	C	О	Dec	and Guidelines
S6.7.8	Waste Reduction Measures Waste reduction is best achieved at the planning and design stage, as well as by ensuring the implementation of good site practices. Recommendations to achieve waste reduction include: • segregation and storage of different types of waste in different containers, skips or stockpiles to enhance reuse or recycling of materials and their proper disposal;	Work site / During planning and design stage, and construction stage	Contractor	V	√			
	to encourage collection of aluminium cans, PET bottles and paper, separate labelled bins shall be provided to segregate these wastes from other general refuse generated by the work force;							
•	any unused chemicals or those with remaining functional capacity shall be recycled;							
	use of reusable non-timber formwork, such as in casting the tunnel box sections, to reduce the amount of C&D material.							
	prior to disposal of C&D waste, it is recommended that wood, steel and other metals shall be separated for re-use and / or recycling to minimise the quantity of waste to be disposed of to landfill;							
	proper storage and site practices to minimise the potential for damage or contamination of construction materials; and							
	plan and stock construction materials carefully to minimise amount of waste generated and avoid unnecessary generation of waste.							

Appendix 3.1

Contract no. HK/2011/07

Wan Chai Development Phase II and Central-Wanchai Bypass

- Sampling, Field Measurement and Testing Works (Stage 2)

EIA Ref	Environmental Protection Measures / Mitigation Measures	Location / Timing	Implementation	Ir		entati ges*	on	Relevant Legislation and Guidelines
		_	Agent	Des	C	0	Dec	and Guidennes
S6.7.10	General Refuse General refuse shall be stored in enclosed bins or compaction units separate from C&D material. A licensed waste collector shall be employed by the contractor to remove general refuse from the site, separately from C&D material. A collection area shall be provided where wastes can be stored and loaded prior to removal from site. An enclosed and covered area is recommended to reduce the occurrence of 'wind blow' light material.	Work site / During the construction period	Contractor		V			Public Health and Municipal Services Ordinance (Cap. 132)
S6.7.11	Chemical Wastes After use, chemical wastes (for example, cleaning fluids, solvents, lubrication oil and fuel) shall be handled according to the Code of Practice on the Packaging, Labelling and Storage of Chemical Wastes. Spent chemicals shall be collected by a licensed collector for disposal at the CWTF or other licensed facility in accordance with the Waste Disposal (Chemical Waste) (General) Regulation.	Work site / During the construction period	Contractor		V			Waste Disposal (Chemical Waste) (General) Regulation Code of Practice on the Packaging, Labelling and Storage of Chemical Wastes
\$6.7.12	Construction and Demolition Material C&D material shall be sorted on-site into inert C&D material (that is, public fill) and C&D waste. All the suitable inert C&D material shall be broken down to 250 mm in size for reuse as public fill in the WDII reclamation. C&D waste, such as wood, glass, plastic, steel and other metals shall be reused or recycled and, as a last resort, disposed of to landfill. A suitable area shall be designated to facilitate the sorting process and a temporary stockpiling area will be required for the separated materials.	Work site / During the construction period	Contractor		1			ETWB TCW No. 33/2002, 31/2004, 19/2005

Monthly EM&A Report

EIA Ref	Environmental Protection Measures / Mitigation Measures	Location / Timing	Implementation	In		entati ges*	on	Relevant Legislation
			Agent	Des	C	o	Dec	and Guidelines
S6.7.13	In order to monitor the disposal of public fill and C&D waste at public filling facilities and landfills, respectively, and to control fly tipping, a trip-ticket system shall be included as one of the contractual requirements and implemented by the Environmental Team undertaking the environmental monitoring and audit work. An Independent Environment Checker shall be responsible for auditing the results of the system.	Work site / During the construction period	Contractor and Independent Environmental Checker		V			ETWB TCW No. 31/2004
S6.7.14	Bentonite Slurry The disposal of residual used bentonite slurry shall follow the good practice guidelines stated in ProPECC PN 1/94 "Construction Site Drainage" and listed as follows: If the disposal of a certain residual quantity cannot be avoided, the used slurry may be disposed of at the marine spoil grounds subject to obtaining a marine dumping licence from EPD on a case-by-case basis. If the used bentonite slurry is intended to be disposed of through the public drainage system, it shall be treated to the respective effluent standards applicable to foul sewers, storm drains or the receiving waters as set out in the Technical Memorandum of Standards for Effluents Discharged into Drainage and Sewerage Systems, Inland and Coastal Waters. If the used bentonite slurry is intended to be disposed to public fill reception facilities, it will be mixed with dry soil on site before disposal.	Work site / During the construction period	Contractor		٨			ProPECC PN 1/94

^{*} Des - Design, C - Construction, O - Operation, and Dec - Decommissioning

Appendix 3.1

Contract no. HK/2011/07

Wan Chai Development Phase II and Central-Wanchai Bypass

- Sampling, Field Measurement and Testing Works (Stage 2)

Table A13.5 Implementation Schedule for Land Contamination

EIA Ref	Environmental Protection Measures / Mitigation Measures	Location / Timing	Implementation	In		entati ges*	on	Relevant Legislation
En Rei	Environmental Protection Measures / Margarion Measures	Location / Timing	Agent	Des	C	0	Dec	and Guidelines
Construction	on Phase							
For the Wh	ole Project							
S.12.6	The contaminated site shall be cleaned up before commencement of site clearance and construction work at the concerned area which may disturb the ground.	A King Marine / Before commencement of construction activities at A King Marine.	Project proponent for the re- provisioned Tin Hau Temple	V				"Guidance Notes for Investigation and Remediation of Contaminated Sites of Petrol Filling Stations, Boatyards, and Car Repair/Dismantling Workshops" published by EPD, HKSAR EPD ProPECC Note No. 3/94
S7.10	During soil remediation works, the Contractor for the excavation works shall take note of the following points for excavation: • Excavation profiles must be properly designed and executed; • In case the soil to be excavated is situated beneath the groundwater table, it may be necessary to lower the groundwater table by installing well points or similar means; • Quantities of soil to be excavated must be estimated; • It maybe necessary to split quantities of soil according to soil type, degree and nature of contamination. • Temporary storage of soil at intermediate depot or on-site	A King Marine / During soil remediation works	Contractor	V				Air Pollution Control Ordinance Noise Control Ordinance Waste Disposal Ordinance Waste Disposal (Chemical Waste) (General) Regulation

Monthly EM&A Report

EIA Ref	Environmental Protection Measures / Mitigation Measures	Location / Timing	Implementation Agent	Implementation Stages*				Relevant Legislation
				Des	C	o	Dec	and Guidelines
	maybe required. The storage site shall include protection facilities for leaching into the ground. eg. Liner maybe required.							
	Supply of suitable clean backfill materials is needed after excavation. Care must be taken of existing buildings and utilities. Precautions must be taken to control of ground settlement Speed controls for vehicles shall be imposed on dusty site areas. Vehicle wheel and body washing facilities at the site's exit points shall be established and used. The following environmental mitigation measures shall be strictly followed during the operation and/or maintenance of the CS/S facilities:							Water Pollution Control Ordinance

Appendix 3.1	٩р	per	ndi	х З	ا.1
--------------	----	-----	-----	-----	-----

Contract no. HK/2011/07

Wan Chai Development Phase II and Central-Wanchai Bypass

- Sampling, Field Measurement and Testing Works (Stage 2)

EIA Ref	Environmental Protection Measures / Mitigation Measures	Location / Timing	Implementation	In		entati ges*	ion	Relevant Legislation and Guidelines
23.7.110.7		8	Agent	Des	C	О	Dec	
	Air Quality Mitigation Measures The loading, unloading, handling, transfer or storage of cement shall be carried out in an enclosed system. The loading, unloading, handling, transfer or storage of other materials which may generate airborne dust emissions such as untreated soil and oversize materials sorted out from the screening plant and stabilized soil stockpiled in the designated handling area, shall be carried out in such a manner to prevent or minimise dust emissions. These materials shall be adequately wetted prior to and during the loading, unloading and handling operations. All practicable measures, including speed controls for vehicles, shall be taken to prevent or minimize the dust emission caused by vehicle movement. Tarpaulin or low permeable sheet shall be put on dusty vehicle loads transported between site locations.							
	Noise Mitigation Measures The mixing facilities shall be sited as far as practicable to the nearby noise sensitive receivers. Simultaneous operation of mixing facilities and other equipment shall be avoided. Mixing process and other associated material handling activities shall be properly scheduled to minimise potential cumulative noise impact on the nearby noise sensitive receivers. Construction Noise Permit shall be applied for the operation of powered mechanical equipment during restricted hours (if any).							

EIA Ref	Environmental Protection Measures / Mitigation Measures	Location / Timing	Implementation	Ir	nplem Sta	entati ges*	on	Relevant Legislation and Guidelines
			Agent	Des	C	0	Dec	
	Water Quality Mitigation Measures Stockpile of untreated soil shall be covered as far as practicable to prevent the contaminated material from leaching out. The leachate shall be discharged following the requirements of WPCO. Waste Mitigation Measures Treated oversize materials will be used as filling material for backfilling within the site. Sorted materials of size smaller than 5 cm will be collected and transferred to the mixing plant for further decontamination treatment. Stabilized soils shall be broken into suitable size for backfilling or reuse on site. A high standard of housekeeping shall be maintained							
	within the mixing plant area. • If necessary, there shall be clear and separated areas for stockpiling of untreated and treated materials.							

^{*} Des - Design, C - Construction, O - Operation, and Dec - Decommissioning

Appendix 3.1

Contract no. HK/2011/07

Wan Chai Development Phase II and Central-Wanchai Bypass

- Sampling, Field Measurement and Testing Works (Stage 2)

Monthly EM&A Report

Table A13.6 Implementation Schedule for Marine Ecology

EIA Ref	Environmental Protection Measures / Mitigation Measures	Location / Timing	Implementation	Implementation Stages*			on	Relevant Legislation
	Agent		Agent	Des	C	О	Dec	and Guidelines
Construction	on Phase							
For the Wh	ole Project - Schedule 3 DP							
S.9.7.2	Alternative design of the Trunk Road constructed in tunnel shall be adopted to avoid permanent reclamation in CBTS and ex-PWCA Basin.	-	CEDD/HyD	V				EIAO TM Annex 16 (Section 8.4) & EIAO Guidance Note No. 3/2002.
For DP3 -	Reclamation Works							
S.9.7.3	Translocation of those potentially affected coral colonies to the nearby suitable habitats such as Junk Bay is recommended. A detailed translocation plan (including translocation methodology, monitoring of transplanted corals, etc.) should be drafted and approval by AFCD during the detailed design stage of the Project.	Ex-PCWA Basin and along seawall next to a public pier which is about 250 m away from the CBTS		1				EIAO TM Annex 16 (Section 8.4) & EIAO Guidance Note No. 3/2002.

- Sampling, Field Measurement and Testing Works (Stage 2)

Monthly EM&A Report

EIA Ref	Environmental Protection Measures / Mitigation Measures	Location / Timing	Implementation	In	•	entati ges*	on	Relevant Legislation
	Zirin olimenta i rotection richada es / rintigation richada es	Document, 1 mmng	Agent	Des	C	0	Dec	and Guidelines
S.9.7.4	During dredging and filling operations, a number of mitigation measures to control water quality shall be adopted to confine sediment plume within reclamation area and protect marine fauna in proximity to the reclamation. The mitigation measures include the following: • Installation of silt curtains during dredging activities • Use of tightly-closed grab dredger • Reduction of dredging rate • Control of grab descending speed • Construction of leading edges of seawall in the early stages of the reclamation works	Work site / during construction phase	Contractor		~			EIAO TM Annex 16 (Section 8.4) & EIAO Guidance Note No. 3/2002.
	Adoption of multiple-phase construction schedule							

Appendix 3.1

Contract no. HK/2011/07

Wan Chai Development Phase II and Central-Wanchai Bypass

- Sampling, Field Measurement and Testing Works (Stage 2)

Monthly EM&A Report

EIA Ref	Environmental Protection Measures / Mitigation Measures	Location / Timing	Implementation	Implementation Stages*				Relevant Legislation
		g	Agent	Des	C	О	Dec	and Guidelines
S.9.7.6	To minimize potential disturbance impacts on the foraging ardeid population in the CBTS, particularly in the area near the A King Shipyard, appropriate mitigation measures shall be adopted particularly during the construction phase. The following measures are recommended: Use of Quiet Mechanical Plant during the construction phase shall be adopted wherever possible. Adoption of multiple-phase construction schedule. General measures to reduce noise generated during the construction phase (see noise impact assessment) shall be	Work site / during construction phase	Contractor		V			EIAO TM Annex 16 (Section 8.4) & EIAO Guidance Note No. 3/2002.
S.9.7.7	effectively implemented. Seawalls shall be constructed in advance around the reclamation areas within the area of the CBTS to screen adjacent feeding ground from construction phase activities, reduce noise disturbance to the associated seabirds and also to restrict access to this habitat adjacent to works areas by ship traffic.	Work site / during construction phase	Contractor		√			EIAO TM Annex 16 (Section 8.4) & EIAO Guidance Note No. 3/2002.
S.9.7.8	Loss of artificial seawall habitats shall be reinstated by the construction of about 1 km vertical wave absorbing seawall along the coastlines of the new reclamation around the HKCEC and at North Point. The new seawalls are expected to provide large area of hard substrata for settlement and recruitment of intertidal fauna similar to those previously recorded from existing intertidal habitats.	Work site / during construction phase	Contractor		√			EIAO TM Annex 16 (Section 8.4) & EIAO Guidance Note No. 3/2002.

^{*}Des - Design, C - Construction, O - Operation, and Dec - Decommissioning

Table A13.7 Implementation Schedule for Landscape and Visual

EIA Ref	Envir	onmental Protection Measures / Mitigation Measures	Location / Timing	Implementation Agent	Ir	nplem Sta	entati ges*	ion	Relevant Legislation and Guidelines
					Des	C	О	Dec	
Construction	Phase								
For the Whole	e Project								
Table 10.5	CM1	Topsoil, where identified, shall be stripped and stored for re-use in the construction of the soft landscape works, where practical.	Work site / During Construction Phase	Contractor	√	1			EIAO TM
Table 10.5	CM2	Existing trees to be retained on site shall be carefully protected during construction.	Work site / During Construction Phase	Contractor	V	√			EIAO TM
Table 10.5	CM3	Trees unavoidably affected by the works shall be transplanted where practical.	Work site / During Construction Phase	Contractor	V	√			EIAO TM
Table 10.5	CM4	Compensatory tree planting shall be provided to compensate for felled trees.	Work site / During Construction Phase	Contractor	V	√			EIAO TM
Table 10.5	CM5	Control of night-time lighting.	Work site / During Construction Phase	Contractor		√			EIAO TM
Table 10.5	CM6	Erection of decorative screen hoarding compatible with the surrounding setting.	Work site / During Construction Phase	Contractor		√			EIAO TM
For DP1 - CV	VB (With	in the Project Boundary)							
Table 10.5	CM1	Topsoil, where identified, shall be stripped and stored for re-use in the construction of the soft landscape works, where practical.	Work site / During Construction Phase	Contractor		V			EIAO TM
Table 10.5	CM2	Existing trees to be retained on site shall be carefully protected during construction.	Work site / During Construction Phase	Contractor	V	V			EIAO TM
Table 10.5	CM3	Trees unavoidably affected by the works shall be transplanted where practical.	Work site / During Construction Phase	Contractor	V	1			EIAO TM
Table 10.5	CM4	Compensatory tree planting shall be provided to compensate for felled trees.	Work site / During Construction Phase	Contractor	V	1			EIAO TM
Table 10.5	CM5	Control of night-time lighting.	Work site / During Construction Phase	Contractor		V			EIAO TM

Appendix 3.1

Contract no. HK/2011/07

Wan Chai Development Phase II and Central-Wanchai Bypass

- Sampling, Field Measurement and Testing Works (Stage 2)

Monthly EM&A Report

EIA Ref	Envir	onmental Protection Measures / Mitigation Measures	Location / Timing	Implementation Agent	Implementation Stages*			ion	Relevant Legislation and Guidelines
					Des	C	О	Dec	
Table 10.5	CM6	Erection of decorative screen hoarding compatible with the surrounding setting.	Work site / During Construction Phase	Contractor		1			EIAO TM
For DP2 _ WD	II Majo	r Roads (Road P2)							
Table 10.5	CM1		Work site / During Construction Phase	Contractor	√	1			EIAO TM
Table 10.5	CM2	Existing trees to be retained on site shall be carefully protected during construction.	Work site / During Construction Phase	Contractor	V	V			EIAO TM
Table 10.5	CM3		Work site / During Construction Phase	Contractor	V	V			EIAO TM
Table 10.5	CM4	Compensatory tree planting shall be provided to compensate for felled trees.	Work site / During Construction Phase	Contractor	1	V			EIAO TM
Table 10.5	CM5	Control of night-time lighting.	Work site / During Construction Phase	Contractor		V			EIAO TM
Table 10.5	CM6	Erection of decorative screen hoarding compatible with the surrounding setting.	Work site / During Construction Phase	Contractor		V			EIAO TM
For DP3 - Rec	lamatio	n Works							
Table 10.5	CM5	Control of night-time lighting.	Work site / During Construction Phase	Contractor		√			EIAO TM
Table 10.5	CM6	Erection of decorative screen hoarding compatible with the surrounding setting.	Work site / During Construction Phase	Contractor		V			EIAO TM
For DP5 - Wa	n Chai I	East Sewage Outfall	•			•		•	
Refer to EIA- 058/2001 Table 10.13	CM2	Minimisation of works areas.	Work site / During Construction Phase	Contractor		1			EIAO TM
Refer to EIA- 058/2001 Table 10.13	CM3	Erection of decorative hoardings.	Work site / During Construction Phase	Contractor		V			EIAO TM

Monthly EM&A Report

- Sampling, Field Measurement and Testing Works (Stage 2)

EIA Ref	Envir	onmental Protection Measures / Mitigation Measures	Location / Timing	Implementation Agent	In		entati ges*	on	Relevant Legislation and Guidelines
					Des	C	О	Dec	
Refer to EIA- 058/2001 Table 10.13	CM4	Control night-time lighting.	Work site / During Construction Phase	Contractor		V			EIAO TM
Refer to EIA- 058/2001 Table 10.13	CM5	Minimisation of disruption to public by effective programming of the works.	Work site / During Construction Phase	Contractor		√			EIAO TM
	ss-Harb	our Water Mains from Wan Chai to Tsim Sha Tsui							
Refer to EIA- 058/2001 Table 10.13		Minimisation of works areas.	Work site / During Construction Phase	Contractor		1			EIAO TM
Refer to EIA- 058/2001 Table 10.13	CM3	Erection of decorative hoardings.	Work site / During Construction Phase	Contractor		V			EIAO TM
Refer to EIA- 058/2001 Table 10.13	CM4	Control night-time lighting.	Work site / During Construction Phase	Contractor		V			EIAO TM
Refer to EIA- 058/2001 Table 10.13	CM5	Minimisation of disruption to public by effective programming of the works.	Work site / During Construction Phase	Contractor		V			EIAO TM
Operation Pha	se					-			
For the Whole	Project	- Schedule 3 DP							
Table 10.6, Figure 10.5.1- 10.5.5	OM1	Aesthetic design of buildings and road-related structures, including viaducts, vent buildings, subways, footbridges and noise barriers and enclosure.	Work site / During Design Stage and Operation Phases	CEDD/HyD	1	1	1		ETWB TCW 2/2004
Table 10.6, Figure 10.5.1- 10.5.5	OM2	Shrub and Climbing Plants to soften proposed structures.	Work site / During Design Stage and Operation Phases	CEDD/HyD	1	1	1		ETWB TCW 2/2004

Appendix 3.1

Contract no. HK/2011/07

Wan Chai Development Phase II and Central-Wanchai Bypass

- Sampling, Field Measurement and Testing Works (Stage 2)

Monthly EM&A Report

EIA Ref	Enviro	onmental Protection Measures / Mitigation Measures	Location / Timing	Implementation Agent	In	nplem	entati ges*	ion	Relevant Legislation and Guidelines
				Agent	Des	C	0	Dec	and Guidennes
Table 10.6, Figure 10.5.1- 10.5.5	OM3	Buffer Tree and Shrub Planting to screen proposed roads and associated structures.	Work site / During Design Stage and Operation Phases	CEDD/HyD/	1	1	1		ETWB TCW 2/2004
Table 10.6, Figure 10.5.1- 10.5.5	OM4	Aesthetic design of proposed waterfront promenade.	Work site / During Design Stage and Operation Phases	CEDD ⁴	V	√	V		ETWB TCW 2/2004
Table 10.6, Figure 10.5.1- 10.5.5	OM5	Aesthetic streetscape design.	Work site / During Design Stage and Operation Phases	CEDD/HyD	1	1	V		ETWB TCW 2/2004
Table 10.6, Figure 10.5.1- 10.5.5	OM6	Aesthetic design of roadside amenity areas.	Work site / During Design Stage and Operation Phases	CEDD/HyD	1	1	1		ETWB TCW 2/2004
For DP1 - CW	B (Withi	in the Project Boundary)							
Table 10.6,	OM1	Aesthetic design of buildings and road-related structures,	Work site / During	HyD	√	√	√		ETWB TCW 2/2004
Figure 10.5.1- 10.5.5		including viaducts, vent buildings, subways, footbridges and noise barriers and enclosure.	Design Stage and Operation Phases						
Table 10.6, Figure 10.5.1- 10.5.5	OM2	Shrub and Climbing Plants to soften proposed structures	Work site / During Design Stage and Operation Phases	HyD	V	1	V		ETWB TCW 2/2004
Table 10.6, Figure 10.5.1- 10.5.5	OM3	Buffer Tree and Shrub Planting to screen proposed roads and associated structures.	Work site / During Design Stage and Operation Phases	HyD	1	1	1		ETWB TCW 2/2004
Table 10.6, Figure 10.5.1- 10.5.5	OM5	Aesthetic streetscape design.	Work site / During Design Stage and Operation Phases	HyD	1	1	V		ETWB TCW 2/2004
Table 10.6, Figure 10.5.1- 10.5.5	OM6	Aesthetic design of roadside amenity areas. *Roads (Road P2)	Work site / During Design Stage and Operation Phases	HyD	V	√	V		ETWB TCW 2/2004

⁴ CEDD will identify an implementation agent

- Sampling, Field Measurement and Testing Works (Stage 2)

Monthly EM&A Report

EIA Ref	Envir	onmental Protection Measures / Mitigation Measures	Location / Timing	Implementation Agent	In	nplem Sta	entati ges*	on	Relevant Legislation and Guidelines
				_	Des	C	0	Dec	
Table 10.6, Figure 10.5.1- 10.5.5	OM1	Aesthetic design of buildings and road-related structures, including viaducts, vent buildings, subways, footbridges and noise barriers and enclosure.	Work site / During Design Stage and Operation Phases	CEDD/HyD		1	V		ETWB TCW 2/2004
Table 10.6, Figure 10.5.1- 10.5.5	OM3	Buffer Tree and Shrub Planting to screen proposed roads and associated structures.	Work site / During Design Stage and Operation Phases	CEDD/HyD		1	1		ETWB TCW 2/2004
Table 10.6, Figure 10.5.1- 10.5.5	OM5	Aesthetic streetscape design.	Work site / During Design Stage and Operation Phases	CEDD/HyD		√	√		ETWB TCW 2/2004
Table 10.6, Figure 10.5.1- 10.5.5	OM6	Aesthetic design of roadside amenity areas	Work site / During Design Stage and Operation Phases	CEDD/HyD		1	1		ETWB TCW 2/2004
For DP3 - Rec	lamatio	n Works							
Table 10.6, Figure 10.5.1- 10.5.5	OM4	Aesthetic design of proposed waterfront promenade.	Work site / During Design Stage and Operation Phases	CEDD ⁵	√	√	√		ETWB TCW 2/2004

^{*}Des - Design, C - Construction, O - Operation, and Dec - Decommissioning

Appendix 3.1

 $^{^{\}rm 5}$ CEDD will identify an implementation agent

Appendix 4.1

Action and Limit Level



Lam Geotechnics Limited

Action and Limit Level

Action and Limit Level for Noise Monitoring

Time Period	Action Level	Limit Level
07:00 – 19:00 hours on normal weekdays	When one documented complaint is received.	75 dB(A) ^{Note 1}

Note 1:

- 70dB(A) and 65 dB(A) for schools during normal teaching periods and school examination periods, respectively.
- If works are to be carried out during the restricted hours, the conditions stipulated in the Construction Noise Permit (CNP) issued by the Noise Control Authority have to be followed.

Action and Limit Level for Air Monitoring

Monitoring Location	1-hour TSP Leve	el in μ g/m ³	24-hour TSP Le	vel in μ g/m ³
	Action Level	Limit Level	Action Level	Limit Level
CMA1b Note 2	320.1	500	176.7	260
CMA2a	323.4	500	169.5	260
CMA3a Note 2	311.3	500	171.0	260
CMA4a	312.5	500	171.2	260
CMA5a Note 2	332.0	500	181.0	260
CMA6a Note 2	300.1	500	187.3	260

Note 2:

- As per facing owner's rejection in allowing the implementation of long-term air quality impact monitoring at their premises, alternative monitoring stations and justification were proposed for IEC verification and EPD approval.
- The established Action and Limit Levels from the baseline air monitoring will be adopted to the alternative monitoring stations

Action and Limit Level for Water Monitoring

Parameters	Dry S	eason	Wet S	eason					
r ai ailletei 3	Action	Limit	Action	Limit					
WSD Salt Water Intake									
SS in mg L ⁻¹	13.00	14.43	16.26	19.74					
Turbidity in NTU	8.04	9.49	10.01	11.54					
DO in mg/L	3.66	3.28	3.17	2.63					
Cooling Water Inta	ke								
SS in mg L ⁻¹	15.00	22.13	18.42	27.54					
Turbidity in NTU	9.10	10.25	11.35	12.71					
DO in mg/L	3.36	2.73	3.02	2.44					

Remarks:

 Action and Limit Level for the wet season are applied after the EPD approval of Updated EM&A Manual on 29 April 2011.

Action and Limit Levels for Odour Patrol

Parameters	Action	Limit
Odour Nuisance (from odour intensity analysis or odour patrol)	 When two documented complaint are received; or Odour Intensity of 2 is measured from odour intensity analysis. 	 Five or more consecutive genuine documented complaints within a week; or Odour Intensity of 3 or above is measured from odour intensity analysis.

Appendix 4.2

Copies of Calibration Certificates



Certificate No.

12888

Page:

of 4 Pages

Customer: Lam Geotechnics Limited

Address: 11/F., Centre Point, 181-185 Gloucester Road, Wanchai, Hong Kong

Order No.: Q10982

Date of receipt

25-May-11

Item Tested

Description: Precision Integrating Sound Level Meter

Manufacturer: Rion

Model

: NL-14

Serial No.

: 10303242

Test Conditions

Date of Test: 26-May-11

(23 ± 3)°C

Supply Voltage :--

Relative Humidity: (50 ± 25) %

Ambient Temperature: **Test Specifications**

Calibration check.

Ref. Document/Procedure: Z01.

Test Results

All results were within the IEC 651 Type 1 or IEC 804 Type 1 specification after adjustment.

The results are shown in the attached page(s).

Main Test equipment used:

Equipment No. Description

Cert No.

Traceable to

S017

Multi-Function Generator

C101623

SCL-HKSAR

S024

Sound Level Calibrator

04062

NIM-PRG & SCL-HKSAR

The values given in this Calibration Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environmental changes, vibration and snock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Hong Kong Calibration Ltd. shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to International System of Units (SI). The test results apply to the above Unit-Under-Test only

Calibrated by

Approved by:

Alan Chu

25-May-11

This Coddiçate is issued by

Horst Kong Calbration Ltd

Unit 60, 246. Web Fore Indospiol Contro, No. 58.70. To Charte Fing Street, Kwel Chang, MT Hong Keng.

Tel: 2425-8801 Fax 2425-6546

The copyright of this contribute is exhed by Hong Kong Calibration Ltd. It may set be reproduced except in felt



Certificate No. 12888

Page 2 of 4 Pages

Results:

1. SEL Accuracy

Part D. 11.02 (18.00)	LIUT Setti	ng			UUI Rea	
Level Range (dB)	Filter	Weight	Time Const.	Applied Value (dB)	Before adjust.	After adjust
40=100	ŌFF	L	Fast	94,00		94,1
iri nin skingson ir	ervohish	Lex	Fast		*95.0	94.1
		X	Slow		litte	94.1
		L _{rc}	Fast	er Pathalage (1811-1811) - en ennement et 1811 en en 18	and the same	24.1
60 - 120	OFF	15	Fast	94.00		94.1
of the second se		Lea	Fast	STATE OF STA	<i>а</i> ту-	94.0
	á Si Á	94 	Slow			94.0
	ii e	\mathbf{L}_{PC}	Inst		8 07	94.0
60 - 120	OFF	\mathbf{I}_{P}	Fast	114:00	aroseni gyru	114.0
		Lia	Easi		.: *****!	113.9
			Slow		: 44)	113.9
		L_{PC}	Fast			113.9

IEC 651 Type I Spec, ; \pm 0.7 dB Uncertainty : \pm 0.2 dB

Level Stability: 0.1 dB

IEC 651 Type I Spec : ± 0.3 dB

Uncertainty : ± 0.01 dB



Certificate No. 12888

Page 3 of 4 Pages

3. Linearity

3.1 Level Linearity

ng Variation IEC 651 Type 1 Spec.
are I is presentatives specific print of the a relationer
(dB) (Primary Indicator Range)
-0.1 ± 0.7 dB
Ref.):
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
÷0.1
#0.3

Uncertainty: ± 0.1 dB

3.2 Differential level linearity

UUT Range	Applied	UUT Reading		
(dB)	Value (dB)	(dB)	Variation (dB)	IEC 651 Type 1 Spec.
120	84.0	84.0	0.0	± 0.4 dB
	94.0	94.0 (Ref.)	——	
	95.0	95.0	0.0	± 0.2 dB

Uncertainty: ±0.1 dB

4. Frequency Weighting

A weighting

Frequency	Attenuation (dB)	IEC 651 Type I Spec.
31.5 Hz	-39.0	- 39.4 dB, ± 1.5 dB
63 Hz	-25.9	- 26.2 dB, ±1.5 dB
125 liz	-15.9	- 16.1 dB. ± 1 dB
250 Hz	-8.4	- 8.6 dB, ±1 dB
500 Hz	-3.0	- 3.2 dB, ±1 dB
l kHz	0.0 (Ref)	$0 dB, \pm 1 dB$
2 kHz	The state of the s	+ 1.2 dB, ±1 dB
4 kHz	+0.8	$+ 1.0 \text{ dB}, \pm 1 \text{ dB}$
8 kHz	-13	-1.1 dB, $+1.5 dB = -3 dB$
I6 kHz	-7.1	- 6.6 dB, + 3 dB∞

Uncertainty: ± 0.1 dB



Calibration Certificate

Certificate No. 12888

Page 4 of 4 Pages

5. Time Averaging

Constitution of the last	Applied Burst duty Factor	Applied Leg Value (dB)	UUT Reading (dB)	IEC 804 Type 1 Spec.
Market State	continuous	40,0	40.0	
edate my cy	V 1 0	40.0	39.9	± 0.5 dB
N observer	1/10	40.0	39.6	
Address of the last		mane closed in the Anna Comment	39 .	± 1.0 dB
en water work	1/10	40.0	39,4	L : MACCAPA Dilanima

Uncertainty: ± 0.1 dB


Remark: 1. UUT: Unit-Under-Test

2. The uncertainty claimed is for a confidence probability of not less than 95%.

3. Atmospheric Pressure: 1 004 hPa.

4. *Out of Specification

----- END -----



Calibration Certificate				
Certificate No.	12889	11.14	Page	e 1 of 2 Pages
Customer:	Lam Geotechnics Limited			Access to the second se
Address :	11/F., Centre Point, 181-185	Gloucester Road, V	Nanchai, Hong Kor	ng
Order No.:			Date of receip	
Item Tested				
Description :	Sound Level Calibrator			
Manufacturer :	Rion			
Model :	NC-73		Serial No.	: 10465798
Test Conditi	ons			
Date of Test:	26-May-11		Supply Volta	ge : **
Ambient Temp			Relative Humidity : (50 ± 25) %	
Test Specifi	cations			
Calibration che	CK. /Procedure: F21, Z02.			:
	is thocomes as theres.			and the second s
Test Result	***************************************	na diamakan kankalan kankan kanka ''	<u></u>	The state of the s
		1960 FRE 64.5 (2)	8. 8.	
	within the manufacturer's spo	whether a control of the control of	istment,	
The results are	shown in the attached page(\$).		
Main Test equi	hmant-ricad:		+4 ,≠	
Equipment No.	1.24Vs, 1.11.48 v. N	Cert No		Traceable to
S014	Spectrum Analyzer	03926		NIM-PRC & SCL-HKSAR
S024	Sound Level Calibrator	04062		NIM-PRC & SCL-HKSAR
S041	Universal Counter	04461		SCL-HKSAR

The values given in this Calibration Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environmental changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Hong Kong Calibration Ltd. shall not be liable for any loss or damage resulting from the use of the equipment.

04462

The test equipment used for calibration are traceable to International System of Units (SI). The test results apply to the above Unit-Under-Test only

Calibrated by : P. F. Wong

Sound Level Meter

Approved by:

SCL-HKSAR

This Circlecate is issued by: Hong Kong Calibration Ltd.

S206

Date: 26-May-11

Unit 88, 2017. Well Forg Industrial Cores. No. 58-76. Ta Chorn Ping Street, Kwai Chung, NT, Hang Kong. Tel: 2425 8801 Fax: 2425 8646

The copyright of this certificate is owned by Hood Kong Calibration Ltd., it may exit be reproduced except in full



Development is inflational and product one grown of white means of

Calibration Certificate

Certificate No. 12889 Page 2 of 2 Page

Results:

1. Level Accuracy (at I kHz)

File Committee C			
	Francis Dr. 11 de 11 de Marcard Lochasteiri	State Service Communication of the service and the service of the	
		[2] 康 · 撰 · 唐 · · · · · · · · · · · · · · · ·	
Continued a stangent of the second part of the second seco			
- 10		A seed and A Seed order of the Assessment Set of the Assessment of	and the contract of the contra
	and the second of the contraction of the second of the sec	E-12 - F T SEE F	
			Andrew to the state of the stat

Uncertainty::±0.2 dB

2. Frequency Accuracy

. B. Carlot and M. Carlottin and Market and Company of the Company			
The state of the s			
		and the second	-4 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	The second secon		- Committee of the comm
		4	- Committee of the comm
	7 (37)	T.	
	nonte	1.2	
	71 902 1	17	30
	0.994 K	1z	4
	0.994 ki	L.	
<u>I KIZ</u>	0.994 ki	lz i	### ### X 100000000000000000000000000000
	0.994 ki	Manager and the contract of th	in the second control of

Uncertainty: ±0.1%

3. Level Stability: 0.0 dB Uncertainty::±0.01 dB

4. Total Harmonic Distortion 1 < 0.5 %

Mfr's Spec a ≤ 3 %

Uncertainty: $\pm 2.3\%$ of reading

Remark : L. UUF : Unit-Under-Test

- 2. The uncertainty claimed is for a confidence probability of not less than 95%.
- 3. The above measured values are the mean of 3 measurement.
- 4. Atmospheric Pressure: 1 004 hPa
- 5. *Out of Specification



Certificate No. 13813

1 of 4 Pages Page

Customer: Lam Geotechnics Limited

Address: 11/F., Centre Point, 181-185 Gloucester Road, Wanchai, Hong Kong

Order No.: Q11569 Date of receipt

7-Jul-11

Item Tested

Description: Sound Level Meter

Manufacturer: B&K

Model : 2250 Serial No.

: 2722310

Test Conditions

Date of Test: 8-Jul-11

 $(23 \pm 3)^{\circ}C$

Supply Voltage : -

Relative Humidity: (50 ± 25) %

Ambient Temperature:

Test Specifications

Calibration check.

Ref. Document/Procedure: Z01.

Test Results

All results were within the IEC 651 Type 1, IEC 804 Type 1 & IEC 1260 Class 1 specification.

The results are shown in the attached page(s),

Main Test equipment used:

Equipment No. Description

Cert. No.

Traceable to

S017A

Multi-Function Generator

07279

SCL-HKSAR

S024

Sound Level Calibrator

04062

NIM-PRC & SCL-HKSAR

The values given in this Calibration Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environmental changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Hong Kong Calibration Ltd. shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to International System of Units (SI). The test results apply to the above Unit-Under-Test only

Calibrated by

P. F. Wong

This Certificate is issued by:

Hong Kong Calibration Ltd.

Date: 8-Jul-11

Unit 8B, 24/F., Well Fung Industrial Centre, No. 58-76, Ta Chuen Ping Street, Kwai Chung, NT, Hong Kong. Tel: 2425 8801 Fax: 2425 8646

The copyright of this certificate is owned by Hong Kong Calibration Ltd.. It may not be reproduced except in full.



Certificate No. 13813

Page 2 of 4 Pages

Results:

1. SPL

	UUT :	Setting			
Range	Freq. Wgt.	Time Const.	Center Freq.	Applied Value (dB)	UUT Reading (dB)
20 - 140	A (SPL)	Fast		94.0	93.8
		Slow			93.8
	C (SPL)	Fast		94.0	93.9
Ī	A (SPL)	Fast		114.0	113.7
		Slow			113.7
	C (SPL)	Fast		114.0	113.7
		1/1 - Oct/Fast	1 kHz	94.0	93.8
				114.0	113.7
	200 Tab	1/3 - Oct/Fast	1 kHz	94.0	93.8
		La deserva		114.0	113.7

IEC 651 Type 1 Spec. : ± 0.7 dB

Uncertainty: ± 0.2 dB

2. Level Stability: 0.0 dB

IEC 651 Type 1 Spec. : \pm 0.3 dB

Uncertainty: $\pm 0.01 \text{ dB}$

3. Linearity

Differential level linearity

UUT R		Applied			
(dB)	Value (dB)	UUT Rdg (dB)	Variation (dB)	IEC 651 Type 1 Spec.
12	0	84.0	83.8	0.0	± 0.4 dB
	:	94.0	93.8 (Ref.)		
		95.0	94.8	0.0	± 0.2 dB

Uncertainty: ± 0.1 dB



Certificate No. 13813

Page 3 of 4 Pages

4. Frequency Weighting

A weighting

Frequency	Attenuation (dB)	IEC 651 Type 1 Spec.
31.5 Hz	-39.9	- 39.4 dB, ± 1.5 dB
63 Hz	-26.6	- 26.2 dB, ± 1.5 dB
125 Hz	-16.5	- 16.1 dB, ±1 dB
250 Hz	-9.0	- 8.6 dB, ± 1 dB
500 Hz	-3.5	- 3.2 dB, ±1 dB
1 kHz	0.0 (Ref)	0 dB, ± 1 dB
2 kHz	+1.4	+ 1.2 dB, ±1 dB
4 kHz	+1.2	+ 1.0 dB, ± 1 dB
8 kHz	-1.2	- 1.1 dB, +1.5 dB ~ -3 dB
16 kHz	-5.8	- 6.6 dB, +3 dB ~ - ∞

Uncertainty: ± 0.1 dB

5. Time Averaging

Applied Burst duty Factor	Applied Leq Value (dB)	UUT Reading (dB)	IEC 804 Type 1 Spec.
continuous	40.0		
1/10	40.0	40.0	± 0.5 dB
$1/10^2$	40.0	39.9	
$1/10^3$	40.0	40.0	± 1.0 dB
1/104	40.0	40.0	

Uncertainty: ± 0.1 dB



Certificate No. 13813

Page 4 of 4 Pages

6. Filter Characteristics

6.1 1/1 – Octave Filter

Frequency	Attenuation (dB)	IEC 1260 Class 1 Spec. (dB)
125 Hz	-64.2	<- 61
250 Hz	-44.9	<- 42
500 Hz	-21.0	<- 17.5
707 Hz	-3.8	- 2~- 5
1 kHz (Ref)	AND SEP	
1.414 kHz	-3.5	- 2~- 5
2 kHz	-20.8	<- 17.5
4 kHz	-55.9	<- 42
8 kHz	-85.7	<- 61

Uncertainty: ± 0.25 dB

6.2 1/3 – Octave Filter

Frequency	Attenuation (dB)	IEC 1260 Class 1 Spec.(dB)
326 Hz	-63.6	<- 61
530 Hz	-47.9	<- 42
772 Hz	-23.5	<- 17.5
891 Hz	-3.7	+ 0.3 ~ - 5.0
1 kHz (Ref)		
1.122 kHz	-3.6	+ 0.3 ~ - 5.0
1.296 kHz	-23.4	< - 17.5
1.887 kHz	-48.1	<- 42
3.070 kHz	-69.8	<- 61

Uncertainty: ± 0.25 dB

Remarks: 1. UUT: Unit-Under-Test

2. The uncertainty claimed is for a confidence probability of not less than 95%.

3. Atmospheric pressure: 1 000 hPa.

----- END -----



Certificate No. 13784

Page 1 of 4 Pages

Customer: Lam Geotechnics Limited

Address: 11/F., Centre Point, 181-185 Gloucester Road, Wanchai, Hong Kong

Order No.: Q11569

Date of receipt

6-Jul-11

Item Tested

Description : Sound Level Meter

Manufacturer: B&K

Model : 2250

Serial No.

: 2722311

Test Conditions

Date of Test: 6-Jul-11

Supply Voltage ; --

Ambient Temperature:

(23 ± 3)°C

Relative Humidity: (50 ± 25) %

Test Specifications

Calibration check.

Ref. Document/Procedure: Z01.

Test Results

All results were within the IEC 651 Type 1, IEC 804 Type 1 & IEC 1260 Class 1 specification. The results are shown in the attached page(s).

Main Test equipment used:

Equipment No. Description

Cert. No.

Traceable to

S017

Multi-Function Generator

C101623

SCL-HKSAR

S024

Sound Level Calibrator

04062

NIM-PRC & SCL-HKSAR

The values given in this Calibration Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environmental changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Hong Kong Calibration Ltd. shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to International System of Units (St). The test results apply to the above Unit-Under-Test only

Calibrated by

D F Mana

Approved by

Dorothy Chauk

This Certificate is issued by:

Hong Kong Calibration Ltd.

Date:

6-Jul-11

Unif 88, 24/F., Well Fung Industrial Centre, No. 58-76, Ta Chuen Ping Street, Kwai Chung, NT, Hong Kong. Tet: 2425 8801 Fax; 2425 8646

The copyright of this certificate is owned by Hong Kong Calibration Ltd., it may not be reproduced except in full.



Certificate No. 13784 Page 2 of 4 Pages

Results:

1. SPL

	UUT Setting		Massell Disease Laboratoria		
Range	Freq. Wgt.	Time Const.	Center Freq.	Applied Value (dB)	UUT Reading (dB)
20 - 140	A (SPL)	Fast		94.0	93.9
		Slow			93.9
***************************************	C (SPL)	Fast		94.0	93.9
	A (SPL)	Fast		114.0	113.8
		Slow	The state of the s		113.8
	C (SPL)	Fast	-	114.0	113.8
		1/1 - Oct/Fast	1 kHz	94.0	93.8
				114.0	113.7
		1/3 – Oct/Fast	1 kHz	94.0	93.7
				114.0	113.6

IEC 651 Type 1 Spec. : \pm 0.7 dB

Uncertainty: ± 0.1 dB

2. Level Stability: 0.0 dB

IEC 651 Type 1 Spec. : \pm 0.3 dB

Uncertainty: $\pm 0.01 \text{ dB}$

3. Linearity

Differential level linearity

UUT Range	Applied			
(dB)	Value (dB)	UUT Rdg (dB)	Variation (dB)	IEC 651 Type 1 Spec.
20~140	.84,0	83.9	0.0	± 0.4 dB
	94.0	93.9 (Ref.)		
	95.0	95.0	+0.1	$\pm0.2~\mathrm{dB}$

Uncertainty: $\pm 0.1 \text{ dB}$



Certificate No. 13784

Page 3 of 4 Pages

4. Frequency Weighting

A weighting

Frequency	Attenuation (dB)	IEC 651 Type 1 Spec.
31.5 Hz	-39.8	- 39.4 dB, ± 1.5 dB
63 Hz	-26.5	- 26.2 dB, ± 1.5 dB
125 Hz	-16,5	- 16.1 dB, ± 1 dB
250 Hz	-9.0	- 8.6 dB, ± 1 dB
500 Hz	-3.5	- 3.2 dB, ± 1 dB
1 kHz	0.0 (Ref)	$0 \text{ dB}, \pm 1 \text{ dB}$
2 kHz	+1.1	+ 1.2 dB, ±1 dB
4 kHz	+1.1	+ 1.0 dB, ±1 dB
8 kHz	-1.3	- 1.1 dB, + 1.5 dB ~ -3 dB
16 kHz	-5.9	- 6.6 dB, + 3 dB ~ - ∞

Uncertainty: ± 0.1 dB

5. Time Averaging

Applied Burst duty Factor	Applied Leq Value (dB)	UUT Reading (dB)	IEC 804 Type 1 Spec.
continuous	40.0		<u></u>
1/10	40.0	40.1	± 0.5 dB
1/10 ²	40.0	40.0	A. I
$1/10^3$	40.0	40.0	± 1.0 dB
1/104	40.0	40.0	

Uncertainty: $\pm 0.1 \text{ dB}$

0.1



Certificate No. 13784

Page 4 of 4 Pages

6. Filter Characteristics

6.1 1/1 – Octave Filter

Frequency	Attenuation (dB)	IEC 1260 Class 1 Spec. (dB)
125 Hz	-64.2	<- 61
250 Hz	-44.9	<- 42
500 Hz	-21,1	<- 17.5
707 Hz	-3.8	- 2~- 5
1 kHz (Ref)		
1.414 kHz	-3.6	- 2~- 5
2 kHz	-20.9	<- 17.5
4 kHz	-56.0	<- 42
8 kHz	-86.0	<- 61

Uncertainty: ± 0.25 dB

6.2 1/3 – Octave Filter

Frequency	Attenuation (dB)	IEC 1260 Class 1 Spec.(dB)
326 Hz	-64.9	<- 61
530 Hz	-48.1	< - 42
772 Hz	-23.6	< - 17.5
891 Hz	-3.9	+ 0.3 ~ - 5.0
1 kHz (Ref)		** <u>**</u>
1.122 kHz	-3.9	+ 0.3 ~ - 5.0
1.296 kHz	-23.7	<- 17.5
1.887 kHz	-48.8	< - 42
3.070 kHz	-70.4	<- 61

Uncertainty: ± 0.25 dB

Remarks: 1. UUT: Unit-Under-Test

2. The uncertainty claimed is for a confidence probability of not less than 95%.

3. Atmospheric pressure: 996 hPa.

----- END -----



ALS Technichem (HK) Pty Ltd

REPORT OF EQUIPMENT PERFORMANCE CHECK/CALIBRATION

CONTACT:

MR MANSON YEUNG

CLIENT:

LAM GEOTECHNICS LIMITED

ADDRESS:

11/F., CENTRE POINT,

181-185 GLOUCESTER ROAD.

WAN CHAI, HONG KONG

PROJECT:

WORK ORDER:

HK1205547

LABORATORY:

HONG KONG

DATE RECEIVED:

28/02/2012

DATE OF ISSUE:

05/03/2012

COMMENTS

It is certified that the item under calibration/checking has been calibrated/checked by corresponding calibrated equipment in the laboratory.

Maximum Tolerance and calibration frequency stated in the report, unless otherwise stated, the internal aceptance criteria of ALS will be followed.

Scope of Test:

Dissolved Oxygen, pH, Salinity and Temperature

Description:

YSI Pro Plus multimeter

Brand Name:

YSI

Model No.:

YSI Professional Plus

Serial No.:

11H100476

Equipment No.:

Date of Calibration: 05 March, 2012

NOTES

This is the Final Report and supersedes any preliminary report with this batch number. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release.

ISSUING LABORATORY: HONG KONG

Address

ALS Technichem (HK) Pty Ltd

11/F Chung Shun Knitting Centre

1-3 Wing Yip Street

Kwai Chung HONG KONG Phone:

852-2610 1044

Fax:

852-2610 2021

Email:

hongkong@alsglobal.com

Godfrey Mr Chan Kwok Fai. Laboratory Manager - Hong Kong

This report may not be reproduced except with prior written approval from ALS Technichem (HK) Pty Ltd.

Page 1 of 2

ADDRESS 11/F, Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, N.T., Hong Kong PHONE +852 2610 1044 FAX +852 2610 2021 ALS TECHNICHEM (HK) PTY LTD Part of the ALS Laboratory Group A Campbell Brothers Limited Company

REPORT OF EQUIPMENT PERFORMANCE CHECK/CALIBRATION

Work Order: Date of Issue: HK1205547

Client:

05/03/2012

LAM GEOTECHNICS LIMITED



Description:

YSI Pro Plus multimeter

Brand Name:

Model No.:

YSI Professional Plus

Serial No.:

11H100476

Equipment No.:

Date of Calibration:

05 March, 2012

Date of next Calibration:

05 June, 2012

Parameters:

Dissolved Oxygen

Method Ref: APHA (21st edition), 45000: G

Expected Reading (mg/L)	Displayed Reading (mg/L)	Tolerance (mg/L)
6.72	6.65	-0.07
7.29	7.20	-0.09
8.75	8.64	-0.11
	Tolerance Limit (±mg/L)	0.20

pH Value

Method Ref: APHA (21st edition), 4500H:B

Freehous Rent / R. Fr. (2250 cultion), 1000 mb				
Expected Reading (pH Unit)	Displayed Reading (pH Unit)	Tolerance (pH unit)		
4.0	3.99	-0.01		
7.0	7.01	0.01		
10.0	9.98	-0.02		
	Tolerance Limit (±unit)	0.20		

Salinity

Method Ref: APHA (21st edition), 2520B

710th ou 110th 7th 110 (220t outlierly), 22222		
Expected Reading (ppt)	Displayed Reading (ppt)	Tolerance (%)
10.0	9.94	-0.6
20.0	20.01	0.1
30.0	29.93	-0.2
	Tolerance Limit (±%)	10.0

Temperature

Method Ref: Section 6 of International Accreditation New Zealand Technical

Guide No. 3 Second edition March 2008: Working Thermometer Calibration Procedure.

Expected Reading (°C)	Displayed Reading (°C)	Tolerance (°C)
12.0	11.5	-0.5
22.0	21.3	-0.7
31.0	30.3	-0.7
	Tolerance Limit (°C)	2.0

Mr Chan Kwok Fai, Godfrey

Laboratory Manager - Hong Kong



ALS Technichem (HK) Pty Ltd

REPORT OF EQUIPMENT PERFORMANCE CHECK/CALIBRATION

CONTACT:

MS CHERRY MAK

CLIENT:

LAM GEOTECHNICS LIMITED

ADDRESS:

11/F., CENTRE POINT, 181-185 GLOUCESTER ROAD.

WAN CHAI, HONG KONG

PROIECT:

WORK ORDER:

HK1204240

LABORATORY:

HONG KONG 13/02/2012

DATE RECEIVED: DATE OF ISSUE:

17/02/2012

COMMENTS

It is certified that the item under calibration/checking has been calibrated/checked by corresponding calibrated equipment in the laboratory.

Maximum Tolerance and calibration frequency stated in the report, unless otherwise stated, the internal aceptance criteria of ALS will be followed.

Scope of Test:

Turbidity

Description:

Turbidimeter

Brand Name:

HACH

Model No.: Serial No.:

2100P 000032935

Equipment No.:

Date of Calibration: 16 February, 2012

NOTES

This is the Final Report and supersedes any preliminary report with this batch number. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release.

ISSUING LABORATORY: HONG KONG

Address

ALS Technichem (HK) Pty Ltd

Phone:

852-2610 1044

11/F Chung Shun Knitting Centre

Fax:

852-2610 2021

1-3 Wing Yip Street

Email:

hongkong@alsglobal.com

Kwai Chung HONG KONG

Mr Chan Kwok Pai, Godfrey

Laboratory Manager - Hong Kong

This report may not be reproduced except with prior written approval from ALS Technichem (HK) Pty Ltd.

ADDRESS 11/F, Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, N.T., Hong Kong PHONE +852 2610 1044 FAX +852 2610 2021 ALS TECHNICHEM (HK) PTY LTD Part of the ALS Laboratory Group A Campbell Brothers Limited Company

Page 1 of 2

REPORT OF EQUIPMENT PERFORMANCE CHECK/CALIBRATION

Work Order: Date of Issue: HK1204240

17/02/2012

Client:

LAM GEOTECHNICS LIMITED



Description:

Turbidimeter

000032935

Brand Name:

HACH

Model No.:

2100P

Serial No.: Equipment No.:

Date of Calibration:

16 February, 2012

Date of next Calibration:

16 May, 2012

Parameters:

Turbidity

Method Ref: APHA 21st Ed. 2130B

Expected Reading (NTU)	Displayed Reading (NTU)	Tolerance (%)			
0	0.34				
4	4.30	7.5			
40	42.6	6.5			
80	84.9	6.1			
400	415	3.8			
800	857	7.1			
	Tolerance Limit (±%)	10.0			

Mr Chan Kwok Fai, Godfrey Laboratory Manager - Hong Kong



TISCH ENVIROMENTAL; INC.
145 SOUTH MIAML AVE.
VILLAGE OF CLEVES, OH 45002
513.467.9000
877.263.7610 TOLL FREE
513.467.9009 FAX
WWW.TISCH-ENV.COM

AIR POLLUTION MONITORING EQUIPMENT

ORIFICE TRANSFER STANDARD CERTIFICATION WORKSHEET TE-5025A

Date - Ju Operator	ıl 11, 2011 Tisch	Rootsmeter Orifice I.I		438320 0005	Ta (K) - Pa (mm) -	298 - 749,3
PLATE OR Run #	VOLUME START (m3)	VOLUME STOP (m3)	DIFF VOLUME (m3)	DIFF TIME (min)	METER DIFF Hg (mm)	ORFICE DIFF H2O (in.)
1 2 3 4 5	AN AN AN AN	NA NA NA NA	1.00 1.00 1.00 1.00 1.00	1.3710 0.9730 0.8690 0.8300 0.6860	3.2 6.4 7.9 8.8 12.8	2,.00 4,.00 5,00 5,50 8,.00

DATA TABULATION

Vatd	(x axis) Qstd	(y axis)		Va	(x axis) Qa	(y axis)
0.9817 0.9775 0.9754 0.9743 0.9690	0.7160 1.0046 1.1225 1.1739 1.4126	1.4042 1.9859 2.2203 2.3286 2.8084		0.9957 0.9915 0.9894 0.9882 0.9829	0.7263 1.0190 1.1385 1.1907 1.4328	0.8919 1.2613 1.4101 1.4790 1.7837
Ostd slop intercept coefficie	i (b) = ent (r) =	2.01593 -0.03978 0.99999 Pa/760)(298/	ra)]	Qa slop intercep coeffici y axis =	t (b) =	1.26234 -0.02526 0.99999

CALCULATIONS

Vstd = Diff. Vol[(Pa-Diff. Hg)/760](298/Ta)
Qstd = Vstd/Time

Va = Diff Vol [(Pa-Diff Hg)/Pa] Qa = Va/Time


For subsequent flow rate calculations:

Qstd = $1/m\{ [SQRT (H20 (Pa/760) (298/Ta))] - b \}$ Qa = $1/m\{ [SQRT H20 (Ta/Pa)] - b \}$



Tisch Enviromental, Inc. 145 South Miami Ave. Village of Cleves, OH 45002 513.467,9000 877.263.7610 toll free 513.467.9009 fax www.tisch-env.com

AIR POLLUTION MONITORING EQUIPMENT



* y-axis equations:

Ostd series:

$$\sqrt{A H \left(\frac{Pa}{Pstd}\right) \left(\frac{Tstd}{Ta}\right)}$$

Qa series:

 $\sqrt{(\Delta H (Ta / Pa))}$

40005



Location		CIVIAGA				Calbratio	on Date	•	17-160-12
Equipment no.		EL380				on Due Dat	:	17-Apr-12	
CALIBRATION OF CON	ITINUOUS	S FLOW R	ECORDER						
	T		Α	mbient Co	ndition		_		
Temperature, T _a		288		Kelvin	Pressure, P	a		1018	mmHg
			Orifice Tra	nsfer Stan	dard Informa	ation			
Equipment No.		EL086		Slope, m _c	2.0159	93 I	ntercept, bo	;	-0.03978
Last Calibration Date		11-Jul-1	1		(Hxi	P _a / 1013	3.3 x 298	/ T _a)	1/2
Next Calibration Date		11-Jul-12	2		=	$m_c \times C$	$Q_{std} + b_c$		
				-1:1	- f DOD				
				alibration		.	FI		10
Calibration		nometer R			std	Continuo			IC
Point	Н(inches of v	water)		/ min.)	Record	der, W	(W(P _a /10	013.3x298/T _a) ^{1/2} /35.31)
	(up)	(down)	(difference)	X-	axis	(CF	M)		Y-axis
1	6.1	6.1	12.2	1.7	7863	5	7		58.1155
2	4.9	4.9	9.8	1.6	6030	50)		50.9785
3	3.6	3.6	7.2	1.3	3768	42	2		42.8219
4	2.4	2.4	4.8	1.1	1278	33	3		33.6458
5	1.5	1.5	3.0	0.8	3957	20	ô		26.5088
By Linear Regression of	Y on X						•		
	Slope, m	=	35.6	554	Into	ercept, b =	-6	5.0031	
Correlation Co	oefficient*	=	0.99	93					
Calibration	Accepted	=	Yes/	\0 **					
* if Correlation Coefficier	nt < 0.990,	check and	l recalibration	n again.					
** Delete as appropriate.									
D .									
Remarks :									
		Sam Lam				Checked	l by		Cherry Mak
Calibrated by							. Jy	· —	•
Date :	1	7-Feb-12				Date			17-Feb-12



Location :		CMA5a			Calbration Date : 17-A				
Equipment no.		EL380				17-Jun-12			
CALIBRATION OF CON	ITINILIOLI	S EL OW D	FCORDER						
CALIBRATION OF CON	TINOOUS	S FLOW R		mbient Co	ndition				
Temperature, T _a		298			Pressure, P	a		1015	mmHg
			- W =						
		F1 000			dard Informa				0.00070
Equipment No.		EL086		Slope, m _c	2.0159		Intercept, b		-0.03978
Last Calibration Date	Calibration Date 11-Jul-11			-			13.3 x 298) "2
Next Calibration Date		11-Jul-1	2		=	m_c	$Q_{std} + b_{c}$;	
			C	Calibration	of RSP				
Calibration	Mar	nometer R	eading	Q _{std} Continuous Flow					IC
Point	Н (inches of	water)	(m³/min.) Recorder,			Recorder, W		/1013.3x298/T _a) ^{1/2} /35.31)
	(up)	(down)	(difference)	X-	axis	(CFM)		Y-axis
1	6.1	6.1	12.2	1.	7538		57		57.0478
2	4.9	4.9	9.8	1.5	5739		52		52.0436
3	3.7	3.7	7.4	1.3	3703		45		45.0377
4	2.4	2.4	4.8	1.	1074		35		35.0293
5	1.5	1.5	3.0	0.8	3796		27		27.0226
By Linear Regression of	Y on X								
	Slope, m	=	34.9	050	Inte	ercept, b	= -	3.432	1
Correlation Co	oefficient*	=	0.99	989					
Calibration	Accepted	=	Yes/	No**					
* if Correlation Coefficien	nt < 0.990,	check and	d recalibratio	n again.					
** Delete as appropriate.									
Remarks :									
Calibrated by		Sam Lam				Chec	ked by	:	Derek Lo
Date	. 17-Apr-12					Date		:	17-Apr-12
								_	



Location :		CMA4a				Calbra	ation Date	:	17-Feb-12
Equipment no.		EL390				Calbra	ation Due Da	1:	17-Apr-12
CALIBRATION OF CON	ITINUOUS	S FLOW R	ECORDER						
			Δ	mbient Co	ndition				
Temperature, T _a		288	3	Kelvin	Pressure, P	a		1018	mmHg
			Orifice Tra	nsfer Stan	dard Informa	ation			
Equipment No.		EL086		Slope, m _c	2.0159	93	Intercept, b	С	-0.03978
Last Calibration Date		11-Jul-1	1		(HxF	P _a / 10	13.3 x 298	/ T _a) 1/2
Next Calibration Date		11-Jul-1	2		$= m_c \times Q_{stc}$;	
			C	alibration	of RSP				
Calibration	Mar	nometer R	eading	C	l _{std}	Contin	uous Flow		IC
Point	Н (inches of	water)	(m ³	n ³ / min.) Recorder, W			Recorder, W (W(P _a /10	
	(up)	(down)	(difference)	X-	axis	(CFM)		Y-axis
1	5.9	5.9	11.8	1.	7571		59		60.1546
2	4.9	4.9	9.8	1.0	6030		52		53.0176
3	3.5	3.5	7.0	1.3	3578		45		45.8806
4	2.3	2.3	4.6	1.	1045		35		35.6849
5	1.4	1.4	2.8	0.8	3660		29		29.5675
By Linear Regression of	Y on X								
	Slope, m	=	34.2	898	Into	ercept, b	= -	-1.007	ô
Correlation Co	oefficient*	=	0.99	968					
Calibration	Accepted	=	Yes/	No**					
* if Correlation Coefficier	nt < 0.990.	check and	d recalibratio	n again.					
** Delete as appropriate.									
Remarks :									
Calibrated by	S	Sam Lam				Check	red by	:	Cherry Mak
Date : 17-Feb-12				Date		:_	17-Feb-12		



Location		CIVIA4a				Calbrat	ion Date	•	17-Apr-12
Equipment no. :		EL390				Calbrati	ion Due Dat	:	17-Jun-12
CALIBRATION OF CON	ITINUOUS	S FLOW RI	ECORDER						
			Α	mbient Co	ndition		<u> </u>		
Temperature, T _a		528		Kelvin	Pressure, P	a		1015	mmHg
			Orifice Tra	nsfer Stan	dard Inform	ation			
Equipment No.		EL086		Slope, m _c	2.015	93	Intercept, b	С	-0.03978
Last Calibration Date		11-Jul-1	1	•	(HxI	P _a / 101.	3.3 x 298	/T _a)	1/2
Next Calibration Date		11-Jul-12	2		=	$m_c x$	$Q_{std} + b_c$		
			C	alibration	of RSP				
Calibration	Mar	nometer Re		Ī	std	Continu	ous Flow		IC
Point		inches of v			/ min.)		der, W	(W(P ₃ /1	013.3x298/T _a) ^{1/2} /35.31)
	(up)	(down)	(difference)		axis		FM)	, , ,	Y-axis
1	6.0	6.0	12.0		3118	,	60		45.1135
2	4.9	4.9	9.8	1.1	1873	5	53		39.8502
3	3.6	3.6	7.2	1.0)205	4	14		33.0832
4	2.4	2.4	4.8	0.8	3369	3	35		26.3162
5	1.4	1.4	2.8	0.6	6438	2	27		20.3011
By Linear Regression of	Y on X								
	Slope, m	=	37.3	022	Int	ercept, b =	: -	4.3719	
Correlation Co	pefficient*	=	0.99	982					
Calibration	Accepted	=	Yes/l	\\o **					
if Correlation Coefficien	nt < 0.990,	check and	l recalibratio	n again.					
** Delete as appropriate.									
Domarka :									
Remarks :									
	Ģ	Sam Lam				Checke	d by		Derek Lo
Calibrated by		7-Apr-12	<u> </u>			Date	 ,	. —	17-Apr-12
Date	'	. /\pi-12				Date		·	17 /\pi-12



Location :		CMA3a				17-Feb-12			
Equipment no.		EL888				17-Apr-12			
								_	
CALIBRATION OF CON	ITINUOUS	S FLOW R	FCORDER						
OALIBRATION OF CON		71 E G W K		mbient Co	ondition				
Temperature, T _a		288		Kelvin	Pressure, P	a		1018	mmHg
			Orifice Tra	nsfer Stan	dard Informa	ation			
Equipment No.		EL086		Slope, m _c	2.0159	93	Intercept, b	С	-0.03978
Last Calibration Date		11-Jul-1	1		(HxF	P _a / 10	13.3 x 298	/T _a) 1/2
Next Calibration Date							$Q_{std} + b_{d}$		•
			C	alibration	of RSP				
Calibration	Man	ometer R	eading	C) _{std}	Contin	uous Flow		IC
Point	H (i	inches of	water)	(m ³	(m³ / min.) Recorder			(W(P _a	/1013.3x298/T _a) ^{1/2} /35.31)
	(up)	(down)	(difference)	X-	axis	(CFM)		Y-axis
1	5.8	5.8	11.6	1.	7423		46		46.9002
2	4.6	4.6	9.2	1.5	5538		41		41.8023
3	3.6	3.6	7.2	1.3	3768		34		34.6654
4	2.3	2.3	4.6	1.	1045		25		25.4892
5	1.5	1.5	3.0	0.8	8957		15		15.2935
By Linear Regression of	Y on X								
	Slope, m	=	37.1	881	Inte	ercept, b	= -	16.801	6
Correlation Co	oefficient*	=	0.99	962					
Calibration	Accepted	=	Yes/l	\\ 0 **					
* if Correlation Coefficier	nt < 0.990.	check and	l recalibratio	n again.					
** Delete as appropriate.									
Remarks :									
Calibrated by	S	Sam Lam				Check	red by	:_	Cherry Mak
Date : 17-Feb-12					Date		: _	17-Feb-12	



Location		CIVIASa				Calbrat	ion Date	•	17-Apr-12
Equipment no.		EL888				Calbrat	ion Due Dat	:	17-Jun-12
CALIBRATION OF CON	ITINUOUS	S FLOW R	ECORDER						
	ī		Α	mbient Co	ndition		T		
Temperature, T _a		298		Kelvin	Pressure, P	a		1015	mmHg
			Orifice Tra	nsfer Stan	dard Informa	ation			
Equipment No.		EL086		Slope, m _c	2.015	93	Intercept, bo	;	-0.03978
Last Calibration Date		11-Jul-1	1		(Hxl	P _a / 101.	3.3 x 298	/T _a)	1/2
Next Calibration Date		11-Jul-12	2		=	$m_c x$	$Q_{std} + b_c$		
			C	Calibration	of RSP				
Calibration	Mar	nometer R	eading	C	std	Continu	ous Flow		IC
Point	Н(inches of	water)	(m ³	/ min.)	Recor	der, W	(W(P _a /10)13.3x298/T _a) ^{1/2} /35.31)
	(up)	(down)	(difference)		axis	(C	FM)		Y-axis
1	5.8	5.8	11.6	1.7	7106	2	17		47.0394
2	4.6	4.6	9.2	1.5	5256	2	11		41.0344
3	3.7	3.7	7.4	1.0	3703	3	35		35.0293
4	2.4	2.4	4.8	1.1	1074	2	24		24.0201
5	1.5	1.5	3.0	0.8	3796	1	14		14.0117
By Linear Regression of	Y on X								
	Slope, m	=	40.1	015	Inte	ercept, b =	= -2	0.6552	
Correlation Co	oefficient*	=	0.99	985					
Calibration	Accepted	=	Yes/	No**					
* if Correlation Coefficier	nt < 0.990,	, check and	l recalibratio	n again.					
** Delete as appropriate.									
Remarks :									
Calibrated by	5	Sam Lam				Checke	d by	:	Derek Lo
Calibrated by . Date	1	7-Apr-12				Date		:	17-Apr-12
Date									



Location :		CMA2a				Calbration Date : 17-Feb-				
Equipment no.		EL449				Calbra	ation Due Dat	: -	17-Apr-12	
								_		
CALIBRATION OF CON	ITINUOUS	SFLOWR	ECORDER							
OALIBRATION OF CON	1111000	71 E 0 W K		mbient Co	ndition					
Temperature, T _a		288	3	Kelvin	Pressure, P	a		1018	mmHg	
			Orifice Tra	nsfer Stan	dard Informa	ation				
Equipment No.		EL086		Slope, m _c	2.0159	93	Intercept, b	С	-0.03978	
Last Calibration Date		11-Jul-1	1		(HxF	P _a / 10	13.3 x 298	/T _a) 1/2	
Next Calibration Date							$Q_{std} + b_{d}$			
			C	alibration	of RSP					
Calibration	Mar	ometer R	eading	C	std	Contin	uous Flow		IC	
Point	Н (inches of	water)	(m ³	(m³ / min.) Recorder,			(W(P _s	/1013.3x298/T _a) ^{1/2} /35.31)	
	(up)	(down)	(difference)	X-	axis	(CFM)		Y-axis	
1	6.3	6.3	12.6	1.8	3150		52		53.0176	
2	5.2	5.2	10.4	1.0	6507		45		45.8806	
3	4.0	4.0	8.0	1.4	4502		38		38.7436	
4	2.6	2.6	5.2	1.	1730		28		28.5479	
5	1.6	1.6	3.2	0.9	9245		16		16.3131	
By Linear Regression of	Y on X									
	Slope, m	=	40.2	228	Inte	ercept, b	= -	19.919	96	
Correlation Co	oefficient*	=	0.99	982						
Calibration	Accepted	=	Yes/l	No**						
* if Correlation Coefficier	nt < 0.990.	check and	d recalibratio	n again.						
	,			J						
** Delete as appropriate.										
Remarks :										
Calibrated by		Sam Lam				Check	red by	:	Cherry Mak	
Date : 17-Feb-12					Date		: _	17-Feb-12		



Location :		CMA2a				Calbr	ation Date	:	17-Apr-12
Equipment no.		EL449				Calbr	ation Due Dat	: _	17-Jun-12
							_		
	TINUIQUE	S EL OW D							
CALIBRATION OF CON	ITINUOUS	S FLOW R							
				mbient Co					
Temperature, T _a		298		Kelvin	Pressure, P	a		1015	mmHg
			Orifice Tra	nsfer Stan	dard Informa	ation			
Equipment No.		EL086		Slope, m _c	2.0159	93	Intercept, b	С	-0.03978
Last Calibration Date		11-Jul-1	1		(HxF	P _a / 10	13.3 x 298	/ T _e	a) ^{1/2}
Next Calibration Date		11-Jul-1	2		=	m_c	$(Q_{std} + b_c)$:	
			C	alibration	of RSP				
Calibration	Mar	nometer R		l	2 _{std}	Contin	uous Flow		IC
Point	H (i	inches of	water)		(m ³ / min.) Recorde			(W(P	_a /1013.3x298/T _a) ^{1/2} /35.31)
	(up)	(down)	(difference)		axis	(CFM)	Ì	Y-axis
1	6.2	6.2	12.4	1.	7680		52		52.0436
2	5.1	5.1	10.2	1.0	6053		44		44.0369
3	4.0	4.0	8.0	1.4	4239		37		37.0310
4	2.5	2.5	5.0	1.	1299		26		26.0218
5	1.5	1.5	3.0	0.8	8796		14		14.0117
By Linear Regression of	Y on X								
	Slope, m	=	41.6	997	Inte	ercept, b	= -2	22.13	86
Correlation Co	pefficient*	=	0.99	988					
Calibration	Accepted	=	Yes/l	No**					
* if Correlation Coefficien	nt < 0.990,	check and	l recalibratio	n again.					
** Delete as appropriate.									
Remarks :									
: Calibrated by	S	Sam Lam				Checl	ked by	:	Derek Lo
Date	1	7-Apr-12	<u> </u>			Date		: -	17-Apr-12



Calibration Data for High Volume Sampler (TSP Sampler)

Location :		CMA1b				Calbra	ation Date	:	17-Feb-12	
Equipment no.		EL452				Calbra	ation Due Dat	:	17-Apr-12	
CALIBRATION OF CON	ITINUOUS	SFLOWR	ECORDER							
OALIBRATION OF CON		71 E 0 W K		mbient Co	ndition					
Temperature, T _a		288	3	Kelvin	Pressure, P	a		1018	mmHg	
			Orifice Tra	nsfer Stan	dard Informa	ation				
Equipment No.		EL086		Slope, m _c	2.0159	93	Intercept, b	С	-0.03978	
Last Calibration Date		11-Jul-1	1		(HxF	P _a / 10	13.3 x 298	/ T a) 1/2	
Next Calibration Date		11-Jul-1	2				$Q_{std} + b_{d}$			
			C	alibration	of RSP					
Calibration	Mar	ometer R	eading	C	l _{std}	Contin	uous Flow		IC	
Point	Н (inches of	water)	(m ³	/ min.)	Rec	order, W	(W(P _a /	/1013.3x298/T _a) ^{1/2} /35.31)	
	(up)	(down)	(difference)	x-	axis	(CFM)		Y-axis	
1	6.1	6.1	12.2	1.	7863		61		62.1937	
2	5.0	5.0	10.0	1.0	6191		54		55.0567	
3	3.8	3.8	7.6	1.4	1140		46		46.9002	
4	2.5	2.5	5.0	1.	1506		36		36.7045	
5	1.6	1.6	3.2	0.9	9245		25		25.4892	
By Linear Regression of	Y on X									
	Slope, m	=	41.8	759	Inte	ercept, b	=	12.473	3	
Correlation Co	pefficient*	=	0.99	990						
Calibration	Accepted	=	Yes/l	Ne**						
* if Correlation Coefficier	nt < 0.990,	check and	d recalibratio	n again.						
				· ·						
** Delete as appropriate.										
Remarks :										
Calibrated by		Sam Lam				Check	red by	:	Cherry Mak	
Date :	1	7-Feb-12				Date		:	17-Feb-12	



Calibration Data for High Volume Sampler (TSP Sampler)

Location :		CMA6a				Calbra	ation Date	:	17-Feb-12	
Equipment no.		EL448				Calbra	ation Due Dat	:	17-Apr-12	
CALIBRATION OF CON	ITINUOUS	SFLOWR	FCORDER							
OALIBRATION OF CON		71 E G W K		mbient Co	ondition					
Temperature, T _a		288		Kelvin	Pressure, P	a		1018	mmHg	
			Orifice Tra	nsfer Stan	dard Informa	ation				
Equipment No.		EL086		Slope, m _c	2.0159	93	Intercept, b	c	-0.03978	
Last Calibration Date		11-Jul-1	1		(HxF	P _a / 10	13.3 x 298	/ T _a) 1/2	
Next Calibration Date		11-Jul-1	2				$Q_{std} + b_{d}$			
			C	alibration	of RSP					
Calibration	Mar	ometer R	eading	C) _{std}	Contin	uous Flow		IC	
Point	Н (і	inches of	water)	(m ³	/ min.)	Rec	order, W	(W(P _a /	/1013.3x298/T _a) ^{1/2} /35.31)	
	(up)	(down)	(difference)	x-	axis	(CFM)		Y-axis	
1	6.1	6.1	12.2	1.	7863		58		59.1350	
2	4.7	4.7	9.4	1.5	5704		52		53.0176	
3	3.7	3.7	7.4	1.3	3955		44		44.8610	
4	2.4	2.4	4.8	1.	1278		36		36.7045	
5	1.5	1.5	3.0	0.8	8957		28		28.5479	
By Linear Regression of	Y on X									
	Slope, m	=	34.7	550	Inte	ercept, b	= -	2.6445	5	
Correlation Co	oefficient*	=	0.99	981						
Calibration	Accepted	=	Yes/l	Ne**						
* if Correlation Coefficier	nt < 0.990	check and	l recalibratio	n again.						
ii Gorrolandii Goomolo			. roodiiordiio	aga						
** Delete as appropriate.										
Remarks :										
Calibrated by		Sam Lam				Check	red by	:	Cherry Mak	
Date	1	7-Feb-12				Date		: _	17-Feb-12	



Calibration Data for High Volume Sampler (TSP Sampler)

Location :		CMA6a				Calbra	ation Date	:	17-Apr-12
Equipment no. :		EL448				Calbra	ation Due Dat	:	17-Jun-12
CALIBRATION OF CON	TIMUOUS	S EL OW B	ECORDER						
CALIBRATION OF CON	TINUOUS	S FLOW K		mbient Co	ndition				
Temperature, T _a		298			Pressure, P		Т	1015	mmHg
		200		11011111		a		1010	9
			Orifice Tra	nsfer Stan	dard Informa	ation			
Equipment No.		EL086		Slope, m _c	2.0159	93	Intercept, b	С	-0.03978
Last Calibration Date		11-Jul-1	1		(HxF	P _a / 10	13.3 x 298	/ T a) 1/2
Next Calibration Date		11-Jul-1	2		=	m _c x	$Q_{std} + b_c$		
			C	alibration	of RSP				
Calibration	Mar	ometer R	eading	C	Q _{std}	Contin	uous Flow		IC
Point	H (i	inches of	water)	(m ³	/ min.)	Rec	order, W	(W(P _a /	1013.3x298/T _a) ^{1/2} /35.31)
	(up)	(down)	(difference)	x-	axis	((CFM)		Y-axis
1	6.1	6.1	12.2	1.	7538		59		59.0495
2	4.8	4.8	9.6	1.5	5580		51		51.0428
3	3.9	3.9	7.8	1	4063		44		44.0369
4	2.5	2.5	5.0	1.	1299		35		35.0293
5	1.5	1.5	3.0	0.	8796		25		25.0210
By Linear Regression of	Y on X								
	Slope, m	=	38.4	474	Inte	ercept, b	= -	8.8956	3
Correlation Co	pefficient*	=	0.99	987					
Calibration	Accepted	=	Yes/l	Ne**					
if Correlation Coefficien	it < 0.990,	check and	l recalibratio	n again.					
** Delete as appropriate.									
Remarks :									
		Sam Lam				Check	ed by		Derek Lo
Calibrated by		7-Apr-12				Date	 y	· —	17-Apr-12
Date	'	. /\pi-12				Date		٠	17 /\pi-12

Appendix 5.1

Monitoring Schedules for Reporting Month and Coming Reporting Month

Contract No. HK/2011/07

Wan Chai Development Phase II and Central-Wan Chai Bypass Sampling, Field Measurement and Testing Works (Stage2)

Tentative Environmental Monitoring Schedule April 2012

Sunday	Monda	у	Tuesday	/	Wednes	sday	Thurs	day	Frida	/	Saturda	ау
25-Mar		26-Mar		27-Mar		28-Mar		29-Mar		30-Mar		31-Mar
	1hr TSP x 3		Noise Monitoring						24hr TSP		1hr TSP x 3	
					Impact WQM				Impact WQM		Impact WQM	
					Mid-ebb:	15:16			Mid-ebb:	17:25		
					Mid-flood:	22:33					Mid-flood:	6:11
1-Apr		2-Apr		3-Apr		4-Apr		5-Apr		6-Apr		7-Apr
	Noise Monitoring		24hr TSP				1hr TSP x 3					
	Impact WQM						Impact WQM				Impact WQM	
	Mid-flood:	14:03					Mid-ebb:	11:14			Mid-ebb:	12:36
	Mid-ebb:	21:12					Mid-flood:	17:23			Mid-flood:	19:06
8-Apr		9-Apr		10-Apr		11-Apr	Wild-flood.	12-Apr		13-Apr	Wild-IIOOd.	14-Apr
	24hr TSP	U 1 (PI			1hr TSP x 3	117451		12 / (p)	Noise Monitoring	10 7 (5)		117451
			Impact WQM				Impact WQM				Impact WQM	
			Mid-flood:	8:12			Mid-flood:	9:37			Mid-flood:	11:51
			Mid-ebb:	14:51			Mid-ebb:	16:55			Mid-ebb:	19:26
15-Apr		16-Apr		17-Apr		18-Apr		19-Apr		20-Apr		21-Apr
	24hr TSP		1hr TSP x 3						24hr TSP		1hr TSP x 3	
			Noise Monitoring						Noise Monitoring		24hr TSP (CMA6a)	
			24hr TSP(CMA3a)						(M4b, M5b, M6)			
	Impact WQM				Impact WQM				Impact WQM			
	Mid-flood:	14:57			Mid-ebb:	10:56						
					Mid-flood:	16:49			Mid-flood:	18:16		
22-Apr		23-Apr		24-Apr		25-Apr		26-Apr		27-Apr		28-Apr
			Noise Monitoring						1hr TSP x 3			
			24hr TSP (CMA3a)				24 hr TSP					
	Impact WOM				Import MOM				Impact WOM			
	Impact WQM Mid-ebb:	12:20			Impact WQM Mid-ebb:	14.00			Impact WQM			
		13:30				14:06			Mid flood:	22.24		
	Mid-flood:	20:09			Mid-flood:	21:32			Mid-flood:	23:31		

Updated date: 3/5/2012

Contract No. HK/2011/07 Wan Chai Development Phase II and Central-Wan Chai Bypass Sampling, Field Measurement and Testing Works (Stage2)

Tentative Environmental Monitoring Schedule May 2012

Sunday	Monday	/	Tuesda	ıy	Wedneso	lay	Thursd	ay	Frida	ny	Satu	rday
29-Арі	Noise Monitoring 24hr TSP(CMA1b)	30-Apr		1-May	24hr TSP	2-May	1hr TSP x 3	3-May		4-May		5-May
	Impact WQM Mid-ebb:	19:17	Impact WQM Mid-flood:	2:38	Impact WQM Mid-flood: Mid-ebb:	15:09 21:27			Impact WQM Mid-ebb: Mid-flood:	10:47 17:14		
6-May		7-May	24hr TSP Noise Monitoring	8-May	1hr TSP x 3	9-May		10-May		11-May	24hr TSP	12-May
	Impact WQM Mid-ebb: Mid-flood:	13:01 19:58			Impact WQM Mid-ebb: Mid-flood:	14:41 21:52			Impact WQM Mid-ebb: Mid-flood:	16:33 23:58		
13-May	24hr TSP	14-May	1hr TSP x 3	15-May	Noise Monitoring	16-May		17-May		18-May	24hr TSP	19-May
	Impact WQM Mid-ebb:	19:44	Impact WQM Mid-flood:	2:45			Impact WQM Mid-ebb: Mid-flood:	10:30 16:39			Impact WQM Mid-ebb: Mid-flood:	11:36 18:09
20-May	1hr TSP x 3	21-May	Noise Monitoring	22-May		23-May		24-May	24hr TSP	25-May	1hr TSP x 3	26-May
	Impact WQM Mid-ebb: Mid-flood:	12:36 19:25			Impact WQM Mid-ebb: Mid-flood:	13:33 20:40			Impact WQM Mid-ebb: Mid-flood:	14:31 22:11		
27-Ma)		28-May		29-May		30-May		31-May		1-Jun		2-Jun

Updated date: 3/5/2012

Remarks (Water)

- 1. Cut-off date is at the 27th of each reporting month.
- 2. Actual monitoring will subject to change due to any safety concern or adverse weather condition.
- 3. Water Quality Monitoring Stations corresponding to active contracts are sub-divided below:
- Contract HY/2009/11: WSD9, WSD10, WSD15, WSD17, C8, C9 (completed on 6 Feb 2012)
- Contract HY/2009/15: C6 and C7 (Commenced on 9 Nov 2010)
- Contract HK/2009/01: WSD7, WSD19, WSD20, C1, C2, C3, C4e, C4w (Commenced on 8 July 2010); Contract HK/2010/06 share station C2 from 23 Mar 2011
- Contract HK/2009/02: WSD21, C5e, C5w (Commenced on 8 July 2010)
 - WSD9 and WSD17 (Commenced on 8 Feb 2012)
- Contract HY/2009/19: C8 and C9 (Commenced on 28 Jan 2012)
- 4. Due to the enforcement of Amber Rainstorm Warning, the ebb tide water monitorings on 16, 20 and 27 April 2012 were cancelled

Remarks (Air)

- 1. Cut-off date is at the 27th of each reporting month.
- 2. Actual monitoring will subject to change due to any safety concern or adverse weather condition.
- 3. Air Quality Monitoring Stations corresponding to active contracts are sub-divided below:
- Contract HK/2009/01: CMA5a(Commenced and reported in Apr 2011)
- Contract HK/2009/02: CMA4a (Commenced and reported in Feb 2011)
- Contract HY/2009/17: CMA1b and CMA2a (Commenced on 17 Jun 2010)
- Contract HY/2009/19: CMA1b and CMA2a (Commenced on 17 Jun 2010, To be reported in Monthly report on 11 Aug 2010) and CMA2a (Commenced on 12 May 2010, To be reported in Monthly report on 11 Aug 2010) and CMA2a (Commenced on 12 May 2010, To be reported in Monthly report on 2011. To the changing of land ownership at Oil Street Community Liaison Centre from Contractor to FEHD, the air quality monitoring at CMA1b was suspended on 18 September 2011. To installation of HVS at temporary FEHD depot was obtained from the premises owner on early November 2011 and TSP monitoring at CMA1b was resumed on 14 November 2011.
- Contract HY/2009/15: CMA3a (Commenced and reported on 15 Mar 2011)

Remarks (Noise)

- 1. Cut-off date is at the 27th of each reporting month.
- 2. Actual monitoring will subject to change due to any safety concern or adverse weather condition.
- 3. Noise Quality Monitoring Stations corresponding to active contracts are sub-divided below:
- Contract HK/2009/01 and HK/2009/02: M1a (Commenced on 30 Mar 2010, To be reported in Monthly report on 6 July 2010)
- Contract HY/2009/19: M4b, M5b (Commenced on 23 Mar 2010 when dredging work starts), M6(Commenced on 10 May 2010) and M3a (Commenced on 10 May 2010, To be reported in Monthly report or
- Contract HY/2009/15: M2b(Commenced and reported on 10 Nov 2010) and M3a (Commenced on 10 May 2010, To be reported in Monthly report on 10 Nov 2010)
- 4. Day time noise will be monitored for Leg(30min) during the period between 07:00 and 19:00 for active contract(s).

Updated date: 30/4/2012

Appendix 5.2

Noise Monitoring Results and Graphical Presentations



Noise Monitoring Result

Day Time (0700 - 1900hrs on normal weekdays)

Location: M1a - Harbour Road Sports Centre

			Measure	ement Noi	se Level	Baseline Level	Construction Noise Level	Limit Level
Date	Time	Weather	Leq	L10	L90	Leq	Leq	Leq
						Unit: dB(A), (30-min)	
02/04/12	11:29	Cloudy	72.0	75.0	66.0	72	72	75
13/04/12	11:23	Sunny	73.0	75.5	68.0	72	65	75
17/04/12	15:55	Cloudy	73.0	75.2	69.3	72	65	75
24/04/12	08:00	Fine	72.5	75.2	67.7	72	61	75

Location: M2b - Noon-day gun area

			Measure	ement Noi	se Level	Baseline Level	Construction Noise Level	Limit Level
Date	Time	Weather	Leq	L10	L90	Leq	Leq	Leq
						Unit: dB(A), (3	30-min)	
02/04/12	9:13	Cloudy	70.7	72.0	68.5	68	68	75
13/04/12	15:33	Fine	70.7	72.5	68.0	68	68	75
17/04/12	16:43	Cloudy	69.1	70.7	66.9	68	64	75
24/04/12	08:55	Fine	68.9	70.7	66.6	68	63	75

Location: M3a - Tung Lo Wan Fire Station

			Measure	ement Noi	se Level	Baseline Level	Construction Noise Level	Limit Level
Date	Time	Weather	Leq	L10	L90	Leq	Leq	Leq
						Unit: dB(A), (3	30-min)	
02/04/12	10:50	Cloudy	67.6	69.5	65.0	69	68	75
13/04/12	16:37	Fine	67.7	69.5	64.0	69	68	75
17/04/12	17:30	Cloudy	68.9	69.1	66.8	69	52	75
24/04/12	09:37	Fine	69.1	71.4	65.5	69	57	75

Location: M4b - Victoria Centre


			Measure	ement Noi	se Level	Baseline Noise Level	Construction Noise Level	Limit Level
Date	Time	Weather	Leq	L10	L90	Leq	Leq	Leq
						Unit: dB(A), (30min)	
02/04/12	11:43	Cloudy	70.6	72.0	68.0	67	68	75
13/04/12	14:55	Sunny	69.2	70.5	67.6	67	65	75
20/04/12	15:17	Cloudy	67.7	68.9	66.3	67	57	75
24/04/12	10:26	Fine	69.6	71.3	67.7	67	66	75

Location: M5b - City Garden

			Measur	ement Noi	se Level	Baseline Level	Construction Noise Level	Limit Level
Date	Time	Weather	Leq	L10	L90	Leq	Leq	Leq
						Unit: dB(A), (30min)	
02/04/12	13:39	Cloudy	73.1	74.5	70.5	68	71	75
13/04/12	17:33	Fine	73.8	75.0	71.5	68	72	75
20/04/12	09:50	Cloudy	71.1	73.2	68.0	68	68	75
24/04/12	11:11	Fine	69.7	70.7	67.4	68	65	75


Location: M6 - HK Baptist Church Henrietta Secondary School

			Measure	ement Noi	se Level	Baseline Level	Construction Noise Level	Limit Level
Date	Time	Weather	Leq	L10	L90	Leq	Leq	Leq
						Unit: dB(A), (3	30-min)	
02/04/12	14:56	Cloudy	74.0	75.0	72.0	71	71	65
13/04/12	18:10	Fine	72.8	74.0	70.5	71	69	70
20/04/12	17:21	Cloudy	72.7	74.4	69.5	71	68	70
24/04/12	15:06	Fine	72.9	74.4	71.1	71	69	70







Graphic Presentation of Noise Monitoring Result Day Time (0700 - 1900hrs on normal weekdays)






Graphic Presentation of Noise Monitoring Result Day Time (0700 - 1900hrs on normal weekdays)







Appendix 5.3

Air Quality Monitoring Results and Graphical Presentations, and odour Patrol Results



Location: CMA1b - Oil St Community Liaison Centre

Report on 24-hour TSP monitoring Action Level (μ g/m3) - 176.7 Limit Level (μ g/m3) - 260

Date	Sampling	Weather	Filter	Filter Weight,	g	Elapse Tim	ie, hr	Sampling	Flo	w Rate, m³/	min	Total	TSP Level,
	Time	Condition	paper no.	Initial	Final	Initial	Final	Time, hr	Initial, Q _{si}	Final, Q _{sf}	Average	Volume, m ³	μg/m³
30-Mar-12	8:00	Cloudy	002364	2.8171	3.0519	744.17	768.18	24.01	1.01	1.13	1.07	1542	152
3-Apr-12	8:00	Cloudy	002508	2.7763	3.0530	771.18	795.17	23.99	1.22	1.22	1.22	1754	158
9-Apr-12	8:00	Fine	002545	2.7364	2.8212	798.17	822.17	24.00	1.08	1.01	1.04	1501	56
16-Apr-12	8:00	Rainy	002613	2.7639	2.8950	825.17	849.17	24.00	1.21	1.17	1.19	1717	76
20-Apr-12	8:00	Rainy	002670	2.7760	2.8975	852.17	876.73	24.56	1.08	0.99	1.03	1522	80

Report on 1-hour TSP monitoring Action Level (μ g/m3) - 320.1 Limit Level (μ g/m3) - 500

Date	Sampling	Weather	Filter	Filter Weight,	g	Elapse Tim	e, hr	Sampling	Flo	w Rate, m ³ /	min	Total	TSP Level,
	Time	Condition	paper no.	Initial	Final	Initial	Final	Time, hr	Initial, Q _{si}	Final, Q _{sf}	Average	Volume, m ³	μg/m³
31-Mar-12	9:00	Cloudy	002519	2.7884	2.7975	768.18	769.18	1.00	1.22	1.22	1.22	73	124
31-Mar-12	10:00	Cloudy	002517	2.7599	2.7683	769.18	770.18	1.00	1.22	1.22	1.22	73	115
31-Mar-12	13:00	Cloudy	002510	2.7077	2.7165	770.18	771.18	1.00	1.22	1.22	1.22	73	120
5-Apr-12	9:40	Cloudy	002551	2.7537	2.7646	795.17	796.17	1.00	1.20	1.17	1.18	71	153
5-Apr-12	10:45	Cloudy	002549	2.7334	2.7475	796.17	797.17	1.00	1.17	1.17	1.17	70	201
5-Apr-12	13:00	Cloudy	002547	2.7691	2.7826	797.17	798.17	1.00	1.17	1.17	1.17	70	192
11-Apr-12	8:40	Sunny	002622	2.7762	2.7888	822.17	823.17	1.00	1.16	1.21	1.19	71	177
11-Apr-12	9:45	Sunny	002619	2.7647	2.7717	823.17	824.17	1.00	1.14	1.16	1.15	69	101
11-Apr-12	10:52	Sunny	002616	2.7521	2.7611	824.17	825.17	1.00	1.19	1.19	1.19	71	126
17-Apr-12	8:25	Rainy	002643	2.7710	2.7884	849.17	850.17	1.00	0.94	1.03	0.99	59	293
17-Apr-12	13:27	Rainy	002403	2.7882	2.8039	850.17	851.17	1.00	1.20	1.17	1.18	71	221
17-Apr-12	15:00	Rainy	002376	2.7828	2.7910	851.17	852.17	1.00	1.17	1.17	1.17	70	117
21-Apr-12	8:37	Cloudy	002668	2.7557	2.7748	876.73	877.73	1.00	1.06	1.08	1.07	64	298
21-Apr-12	9:48	Cloudy	002777	2.8037	2.8218	877.73	878.73	1.00	1.22	1.24	1.23	74	246
21-Apr-12	10:50	Cloudy	002776	2.8087	2.8237	878.73	879.73	1.00	1.19	1.24	1.22	73	206
27-Apr-12	8:54	Cloudy	002774	2.8185	2.8412	879.73	880.73	1.00	1.19	1.24	1.22	73	311
27-Apr-12	9:58	Cloudy	002602	2.7476	2.7680	880.73	881.73	1.00	1.19	1.19	1.19	72	285
27-Apr-12	11:00	Cloudy	002495	2.7339	2.7533	881.73	882.73	1.00	1.10	1.10	1.10	66	294



Location: CMA2a - Causeway Bay Community Centre

Report on 24-hour TSP monitoring Action Level (µg/m3) - 169.5 Limit Level (µg/m3) - 260

Date	Sampling	Weather	Filter paper	Filter Weigh	nt, g	Elapse Time	e, hr	Sampling	Flo	w Rate, m³/ı	min	Total	TSP Level,
	Time	Condition	no.	Initial	Final	Initial	Final	Time, hr	Initial, Q _{si}	Final, Q _{sf}	Average	Volume, m ³	μg/m³
30-Mar-12	8:00	Cloudy	002365	2.7816	3.0365	10521.90	10545.90	24.00	1.43	1.46	1.44	2079	123
3-Apr-12	8:00	Cloudy	002509	2.7369	3.0358	10548.90	10572.90	24.00	1.45	1.46	1.45	2094	143
9-Apr-12	8:00	Fine	002544	2.7467	2.8561	10576.31	10600.31	24.00	1.43	1.33	1.38	1984	55
16-Apr-12	8:00	Rainy	002614	2.7653	2.9141	10603.31	10627.31	24.00	1.45	1.45	1.45	2089	71
20-Apr-12	8:00	Cloudy	002669	2.7506	2.9139	10630.31	10654.31	24.00	1.45	1.36	1.41	2027	81
26-Apr-12	8:00	Cloudy	002578	2.7666	3.0111	10657.32	10681.32	24.00	1.38	1.41	1.40	2010	122

Report on 1-hour TSP monitoring Action Level (µg/m3) - 323.4 Limit Level (µg/m3) - 500

Date	Sampling	Weather	Filter paper	Filter Weigh	nt, g	Elapse Time	e, hr	Sampling	Flo	w Rate, m³/ı	min	Total	TSP Level,
	Time	Condition	no.	Initial	Final	Initial	Final	Time, hr	Initial, Q _{si}	Final, Q _{sf}	Average	Volume, m ³	μg/m³
31-Mar-12	8:50	Cloudy	002520	2.7510	2.7608	10545.90	10546.90	1.00	1.46	1.46	1.46	87	112
31-Mar-12	9:58	Cloudy	002518	2.7646	2.7741	10546.90	10547.90	1.00	1.46	1.46	1.46	87	109
31-Mar-12	11:00	Cloudy	002516	2.7696	2.7784	10547.90	10548.90	1.00	1.46	1.46	1.46	87	101
5-Apr-12	10:00	Cloudy	002550	2.7447	2.7644	10573.31	10574.74	1.43	1.41	1.41	1.41	121	163
5-Apr-12	11:02	Cloudy	002548	2.7608	2.7776	10574.31	10575.31	1.00	1.36	1.36	1.36	81	206
5-Apr-12	13:00	Cloudy	002546	2.7417	2.7570	10575.31	10576.31	1.00	1.38	1.38	1.38	83	185
11-Apr-12	8:20	Sunny	002623	2.7806	2.7936	10600.31	10601.31	1.00	1.40	1.40	1.40	84	155
11-Apr-12	9:25	Sunny	002620	2.7731	2.7877	10601.31	10602.31	1.00	1.44	1.44	1.44	87	168
11-Apr-12	10:32	Sunny	002617	2.7758	2.7852	10602.31	10603.31	1.00	1.44	1.49	1.47	88	107
17-Apr-12	13:53	Rainy	002592	2.7589	2.7847	10627.31	10628.31	1.00	1.45	1.41	1.43	86	301
17-Apr-12	15:11	Rainy	002593	2.7435	2.7596	10628.31	10629.31	1.00	1.41	1.41	1.41	84	191
17-Apr-12	16:26	Rainy	002671	2.7826	2.7976	10629.31	10630.31	1.00	1.45	1.45	1.45	87	172
21-Apr-12	8:20	Cloudy	002779	2.7974	2.8180	10654.31	10655.31	1.00	1.45	1.41	1.43	86	240
21-Apr-12	9:37	Cloudy	002778	2.8059	2.8267	10655.31	10656.31	1.00	1.59	1.31	1.45	87	239
21-Apr-12	10:55	Cloudy	002775	2.8010	2.8247	10656.31	10657.31	1.00	1.45	1.45	1.45	87	272
27-Apr-12	8:45	Rainy	002601	2.7486	2.7702	10681.32	10682.32	1.00	1.41	1.41	1.41	85	256
27-Apr-12	9:47	Rainy	002603	2.7648	2.7861	10682.32	10683.32	1.00	1.45	1.41	1.43	86	248
27-Apr-12	10:50	Rainy	002485	2.7452	2.7669	10683.32	10684.32	1.00	1.43	1.43	1.43	86	253



Location: CMA3a - CWB PRE Site Office Area

Report on 24-hour TSP monitoring Action Level (µg/m3) - 171 Limit Level (µg/m3) - 260

Date	Sampling	Weather	Filter paper	Filter Weigh	ıt, g	Elapse Time	e, hr	Sampling	Flo	w Rate, m³/ı	min	Total	TSP Level,
	Time	Condition	no.	Initial	Final	Initial	Final	Time, hr	Initial, Q _{si}	Final, Q _{sf}	Average	Volume, m ³	μg/m³
30-Mar-12	8:00	Cloudy	002394	2.8078	3.1420	11167.79	11191.79	24.00	1.67	1.70	1.69	2427	138
3-Apr-12	8:00	Cloudy	002500	2.7420	3.1002	11194.79	11218.78	23.99	1.64	1.65	1.64	2367	151
9-Apr-12	8:00	Fine	002468	2.7211	2.8394	11221.79	11245.79	24.00	1.64	1.61	1.63	2340	51
17-Apr-12	8:00	Rainy	002649	2.7680	2.9995	11251.80	11275.80	24.00	1.64	1.49	1.57	2255	103
24-Apr-12	14:30	Rainy	002604	2.7454	2.8811	11327.95	11351.95	24.00	1.56	1.56	1.56	2249	60
26-Apr-12	8:00	Cloudy	002577	2.7576	3.0756	11351.95	11375.95	24.00	1.62	1.62	1.62	2330	136

* Due to lack of electricity supply, the 24 hr-TSPs were rescheduled from 16 and 20 April 2012 to 17 and 24 April 2012

Report on 1-hour TSP monitoring Action Level (µg/m3) - 311.3 Limit Level (µg/m3) - 500

Date	Sampling	Weather		Filter Weigh	nt, g	Elapse Time	e, hr	Sampling	Flo	w Rate, m ³ /ı	min	Total	TSP Level,
	Time	Condition	no.	Initial	Final	Initial	Final	Time, hr	Initial, Q _{si}	Final, Q _{sf}	Average	Volume, m ³	μg/m³
31-Mar-12	9:00	Cloudy	002505	2.7330	2.7460	11191.79	11192.79	1.00	1.44	1.44	1.44	86	150
31-Mar-12	10:05	Cloudy	002504	2.7372	2.7461	11192.79	11193.79	1.00	1.57	1.57	1.57	94	94
31-Mar-12	13:00	Cloudy	002503	2.7528	2.7616	11193.79	11194.79	1.00	1.62	1.62	1.62	97	90
5-Apr-12	14:15	Cloudy	002470	2.7408	2.7556	11218.78	11219.78	1.00	1.54	1.59	1.57	94	158
5-Apr-12	15:19	Cloudy	002465	2.6969	2.7108	11219.78	11220.78	1.00	1.59	1.59	1.59	95	146
5-Apr-12	16:25	Cloudy	002466	2.7170	2.7294	11220.78	11221.78	1.00	1.44	1.44	1.44	86	144
11-Apr-12	13:00	Suuny	02555	2.7374	2.7474	11245.79	11246.79	1.00	1.58	1.61	1.59	96	105
11-Apr-12	14:09	Suuny	002610	2.7463	2.7524	11246.79	11247.79	1.00	1.61	1.61	1.61	96	63
11-Apr-12	15:40	Suuny	002608	2.7582	2.7657	11247.79	11248.79	1.00	1.56	1.53	1.54	93	81
17-Apr-12	13:00	Rainy	002573	2.7640	2.7919	11248.79	11249.80	1.01	1.59	1.59	1.59	97	289
17-Apr-12	14:08	Rainy	002648	2.7590	2.7801	11249.80	11250.80	1.00	1.62	1.64	1.63	98	216
17-Apr-12	17:03	Rainy	002647	2.7662	2.7804	11250.80	11251.80	1.00	1.54	1.54	1.54	92	154
21-Apr-12	13:00	Cloudy	002693	2.7671	2.7922	11294.42	11295.42	1.00	1.62	1.62	1.62	97	259
21-Apr-12	14:23	Cloudy	002684	2.7729	2.8020	11295.42	11296.42	1.00	1.57	1.57	1.57	94	309
21-Apr-12	16:41	Cloudy	002683	2.7868	2.8102	11296.42	11297.42	1.00	1.57	1.62	1.59	96	245
27-Apr-12	9:27	Rainy	002687	2.7718	2.7995	11375.96	11376.96	1.00	1.55	1.52	1.54	92	301
27-Apr-12	11:08	Rainy	002691	2.7640	2.7895	11376.96	11377.96	1.00	1.52	1.52	1.52	91	279
27-Apr-12	13:00	Rainv	002713	2.7797	2.8040	11377.96	11378.96	1.00	1.52	1.52	1.52	91	266



Location: CMA4a - SPCA

 $\begin{array}{ccc} \text{Report on 24-hour TSP monitoring} \\ \text{Action Level } (\mu g/m3) - & 171.2 \\ \text{Limit Level } (\mu g/m3) - & 260 \end{array}$

Date	Sampling	Weather	Filter paper	Filter Weigh	nt, g	Elapse Time	e, hr	Sampling	Flo	w Rate, m³/ı	min	Total	TSP Level,
	Time	Condition	no.	Initial	Final	Initial	Final	Time, hr	Initial, Q _{si}	Final, $Q_{\rm sf}$	Average	Volume, m ³	μg/m³
30-Mar-12	8:00	Cloudy	002429	2.7348	2.9972	14740.42	14764.42	24.00	1.15	1.16	1.16	1665	158
3-Apr-12	8:00	Cloudy	002499	2.7271	2.9937	14767.45	14791.45	24.00	1.15	1.16	1.15	1662	160
9-Apr-12	8:00	Fine	002467	2.7250	2.7885	14797.10	14821.10	24.00	1.12	1.12	1.12	1613	39
16-Apr-12	8:00	Rainy	002572	2.7777	2.9217	14824.10	14848.10	24.00	1.15	1.21	1.18	1696	85
20-Apr-12	8:00	Rainy	002646	2.7592	2.8622	14851.10	14875.10	24.00	1.15	1.15	1.15	1654	62
26-Apr-12	8:00	Cloudy	002682	2.7852	2.9998	14878.10	14902.10	24.00	1.15	1.15	1.15	1653	130

Report on 1-hour TSP monitoring
Action Level (µg/m3) - 312.5
Limit Level (µg/m3) - 500

Date	Sampling	Weather	Filter paper	Filter Weigh	t, g	Elapse Time	e, hr	Sampling	Flo	w Rate, m³/ı	min	Total	TSP Level,
	Time	Condition	no.	Initial	Final	Initial	Final	Time, hr	Initial, Q _{si}	Final, Q _{sf}	Average	Volume, m ³	μg/m³
31-Mar-12	9:30	Cloudy	002496	2.7450	2.7515	14764.42	14765.45	1.03	0.93	0.88	0.90	56	116
31-Mar-12	10:35	Cloudy	002502	2.7468	2.7529	14765.45	14766.45	1.00	0.88	0.93	0.90	54	112
31-Mar-12	13:00	Cloudy	002501	2.7323	2.7349	14766.45	14767.45	1.00	0.99	0.88	0.93	56	46
5-Apr-12	14:00	Cloudy	002464	2.7449	2.7570	14794.10	14795.10	1.00	1.15	1.15	1.15	69	175
5-Apr-12	15:03	Cloudy	002469	2.7065	2.7129	14795.10	14796.10	1.00	1.15	1.15	1.15	69	92
5-Apr-12	16:07	Cloudy	002443	2.7164	2.7224	14796.10	14797.10	1.00	0.98	0.98	0.98	59	102
11-Apr-12	13:00	Sunny	002556	2.7614	2.7708	14821.10	14822.10	1.00	1.12	1.14	1.13	68	139
11-Apr-12	14:16	Sunny	002611	2.7556	2.7602	14822.10	14823.10	1.00	1.12	1.09	1.10	66	70
11-Apr-12	15:35	Sunny	002609	2.7567	2.7617	14823.10	14824.10	1.00	1.09	1.03	1.06	64	79
17-Apr-12	13:00	Rainy	002652	2.7902	2.7993	14848.10	14849.10	1.00	1.15	1.15	1.15	69	131
17-Apr-12	14:02	Rainy	002651	2.7789	2.7862	14849.10	14850.10	1.00	1.10	1.10	1.10	66	111
17-Apr-12	15:10	Rainy	002650	2.7777	2.7855	14850.10	14851.10	1.00	1.15	1.15	1.15	69	113
21-Apr-12	14:10	Cloudy	002692	2.7618	2.7804	14875.10	14876.10	1.00	1.15	1.15	1.15	69	270
21-Apr-12	15:12	Cloudy	002723	2.8109	2.8305	14876.10	14877.10	1.00	1.15	1.15	1.15	69	284
21-Apr-12	16:23	Cloudy	002694	2.7686	2.7828	14877.10	14878.10	1.00	1.07	1.10	1.08	65	218
27-Apr-12	8:42	Rainy	002686	2.7745	2.7956	14902.10	14903.10	1.00	1.18	1.15	1.16	70	302
27-Apr-12	9:44	Rainy	002688	2.7571	2.7758	14903.10	14904.10	1.00	1.18	1.18	1.18	71	265
27-Apr-12	10:48	Rainy	002689	2.7658	2.7832	14904.10	14905.10	1.00	1.18	1.18	1.18	71	247



Location: CMA5a - Children Garden opposite to Pedestrian Plaza

 $\begin{array}{ccc} \text{Report on 24-hour TSP monitoring} \\ \text{Action Level } (\mu\text{g/m3}) - & 181 \\ \text{Limit Level } (\mu\text{g/m3}) - & 260 \\ \end{array}$

Date	Sampling	Weather	Filter paper	Filter Weigh	ıt, g	Elapse Time	e, hr	Sampling	Flo	w Rate, m³/ı	min	Total	TSP Level,
	Time	Condition	no.	Initial	Final	Initial	Final	Time, hr	Initial, Q _{si}	Final, Q _{sf}	Average	Volume, m ³	μg/m³
30-Mar-12	8:00	Cloudy	002397	2.8179	3.0870	15737.43	15761.43	24.00	1.22	1.23	1.22	1764	153
3-Apr-12	8:00	Cloudy	002513	2.7488	3.0384	15764.53	15788.53	24.00	1.25	1.25	1.25	1800	161
9-Apr-12	8:00	Fine	002626	2.7767	2.8627	15791.52	15815.52	24.00	1.25	1.24	1.24	1792	48
16-Apr-12	8:00	Rainy	002575	2.7550	2.7967	15802.44	15826.44	24.00	1.24	1.25	1.25	1794	23
20-Apr-12	8:00	Rainy	002660	2.8061	2.9125	15829.44	15853.44	24.00	1.03	1.09	1.06	1529	70
26-Apr-12	8:00	Cloudy	002661	2.7884	3.1176	15856.47	15880.47	24.00	1.47	1.48	1.48	2125	155

Report on 1-hour TSP monitoring Action Level (µg/m3) - 332 Limit Level (µg/m3) - 500

Date	Sampling	Weather	Filter paper	Filter Weigh	nt, g	Elapse Time	e, hr	Sampling	Flo	w Rate, m³/ı	min	Total	TSP Level,
	Time	Condition	no.	Initial	Final	Initial	Final	Time, hr	Initial, Q _{si}	Final, Q _{sf}	Average	Volume, m ³	μg/m³
31-Mar-12	9:31	Cloudy	002483	2.7170	2.7295	15761.53	15762.53	1.00	1.23	1.20	1.21	73	172
31-Mar-12	13:23	Cloudy	002481	2.7272	2.7400	15762.53	15763.53	1.00	1.23	1.23	1.23	74	174
31-Mar-12	15:00	Cloudy	002515	2.7038	2.7156	15763.53	15764.53	1.00	1.25	1.25	1.25	75	157
5-Apr-12	8:57	Cloudy	002629	2.7874	2.7989	15788.52	15789.52	1.00	1.22	1.22	1.22	73	157
5-Apr-12	10:18	Cloudy	002628	2.8051	2.8149	15789.52	15790.52	1.00	1.20	1.20	1.20	72	137
5-Apr-12	13:00	Cloudy	002627	2.7962	2.8089	15790.52	15791.52	1.00	1.20	1.22	1.21	73	175
11-Apr-12	10:32	Sunny	002560	2.7401	2.7491	15815.52	15816.52	1.00	1.19	1.21	1.20	72	125
11-Apr-12	11:35	Sunny	002561	2.7524	2.7617	15816.52	15817.52	1.00	1.19	1.19	1.19	71	131
11-Apr-12	13:00	Sunny	002571	2.7572	2.7628	15817.52	15818.52	1.00	1.19	1.21	1.20	72	78
17-Apr-12	13:00	Rainy	002402	2.7806	2.8042	15826.44	15827.44	1.00	1.20	1.20	1.20	72	329
17-Apr-12	14:00	Rainy	002657	2.7955	2.8095	15827.44	15828.44	1.00	1.22	1.22	1.22	73	191
17-Apr-12	15:11	Rainy	002656	2.7966	2.8122	15828.44	15829.44	1.00	1.20	1.20	1.20	72	217
21-Apr-12	9:01	Cloudy	002595	2.7434	2.7609	15853.44	15854.44	1.00	1.20	1.20	1.20	72	243
21-Apr-12	10:08	Cloudy	002597	2.7667	2.7826	15854.44	15855.44	1.00	1.06	1.06	1.06	64	249
21-Apr-12	13:00	Cloudy	002598	2.7690	2.7889	15855.47	15856.47	1.00	1.09	1.04	1.06	64	312
27-Apr-12	9:00	Rainy	002803	2.7425	2.7674	15880.47	15881.47	1.00	1.48	1.48	1.48	89	281
27-Apr-12	10:00	Rainy	002804	2.7373	2.7638	15881.47	15882.47	1.00	1.48	1.48	1.48	89	299
27-Apr-12	11:00	Rainy	002802	2.7395	2.7633	15882.47	15883.47	1.00	1.48	1.48	1.48	89	268



Location: CMA6a - WD2 PRE Office

 $\begin{array}{ccc} \text{Report on 24-hour TSP monitoring} \\ \text{Action Level -} & 187.3 & \mu\text{g/m3} \\ \text{Limit Level -} & 260 & \mu\text{g/m3} \end{array}$

Date	Sampling	Weather	Filter paper	Filter Weigh	ıt, g	Elapse Time	e, hr	Sampling	Flo	w Rate, m³/ı	min	Total	TSP Level,
	Time	Condition	no.	Initial	Final	Initial	Final	Time, hr	Initial, Q _{si}	Final, Q _{sf}	Average	Volume, m ³	μg/m³
30-Mar-12	8:00	Cloudy	002399	2.8060	3.0523	14022.75	14046.78	24.03	1.24	1.24	1.24	1792	137
3-Apr-12	8:00	Cloudy	002512	2.7380	3.0218	14049.76	14073.75	23.99	1.24	1.24	1.24	1786	159
9-Apr-12	8:00	Fine	002479	2.7455	2.7939	14076.76	14100.76	24.00	0.91	0.90	0.90	1302	37
16-Apr-12	8:00	Rainy	002574	2.7541	2.8558	14103.76	14127.75	23.99	1.09	1.13	1.11	1601	64
21-Apr-12	14:35	Cloudy	002600	2.7486	3.0178	14157.77	14181.77	24.00	1.28	1.21	1.24	1790	150
26-Apr-12	8:00	Cloudy	002752	2.7457	2.9357	14181.77	14205.77	24.00	1.28	1.28	1.28	1843	103


^{*} Due to lack of electricity supply, the 24 hr-TSP was rescheduled from 20 April 2012 to 21 April 2012


Report on 1-hour TSP monitoring Action Level - 300.1 μ g/m³ Limit Level - 500 μ g/m3


Date	Sampling	Weather	Filter paper	Filter Weigh	nt, g	Elapse Time	e, hr	Sampling	Flo	w Rate, m ³ /	min	Total	TSP Level,
	Time	Condition	no.	Initial	Final	Initial	Final	Time, hr	Initial, Q _{si}	Final, Q _{sf}	Average	Volume, m ³	μg/m³
31-Mar-12	8:15	Cloudy	002484	2.7425	2.7475	14046.78	14047.78	1.00	1.05	1.05	1.05	63	79
31-Mar-12	9:31	Cloudy	002482	2.7179	2.7226	14047.78	14048.79	1.01	1.05	1.08	1.06	64	73
31-Mar-12	13:00	Cloudy	002511	2.7175	2.7214	14048.79	14049.79	1.00	1.19	1.19	1.19	71	55
5-Apr-12	8:50	Cloudy	002630	2.7910	2.8005	14073.75	14074.75	1.00	1.07	1.07	1.07	64	147
5-Apr-12	10:00	Cloudy	002625	2.7923	2.8023	14074.75	14075.75	1.00	0.96	0.96	0.96	58	173
5-Apr-12	11:00	Cloudy	002624	2.7746	2.7856	14075.75	14076.76	1.01	1.18	1.18	1.18	72	153
11-Apr-12	10:00	Sunny	002559	2.7534	2.7584	14100.76	14101.76	1.00	0.96	0.96	0.96	58	87
11-Apr-12	11:01	Sunny	002478	2.7083	2.7141	14101.76	14102.76	1.00	0.91	0.91	0.91	54	107
11-Apr-12	13:00	Sunny	002570	2.7463	2.7523	14102.76	14103.76	1.00	1.05	1.02	1.03	62	97
17-Apr-12	13:00	Rainy	002401	2.8070	2.8167	14127.75	14128.75	1.00	0.85	0.85	0.85	51	190
17-Apr-12	14:15	Rainy	002654	2.7892	2.7924	14128.75	14129.75	1.00	0.69	0.69	0.69	41	78
17-Apr-12	15:18	Rainy	002653	2.7817	2.7875	14129.75	14130.75	1.00	0.85	0.85	0.85	51	113
21-Apr-12	8:50	Cloudy	002594	2.7507	2.7643	14154.75	14155.75	1.00	1.23	1.23	1.23	74	184
21-Apr-12	9:56	Cloudy	002596	2.7445	2.7586	14155.75	14156.75	1.00	0.93	0.93	0.93	56	252
21-Apr-12	13:00	Cloudy	002599	2.7341	2.7461	14156.75	14157.75	1.00	0.98	0.98	0.98	59	204
27-Apr-12	8:53	Cloudy	002810	2.7542	2.7734	14205.77	14206.77	1.00	1.33	1.33	1.33	80	240
27-Apr-12	10:00	Cloudy	002809	2.7221	2.7384	14206.77	14207.77	1.00	1.23	1.23	1.23	74	220
27-Apr-12	11.00	Cloudy	002807	2 7443	2 7610	14207 77	14208.77	1 00	1 33	1.33	1.33	80	209



Graphic Presentation of 1 hour TSP Result












Graphic Presentation of 1 hour TSP Result












Graphic Presentation of 24 hour TSP Result










50 0

Date

11/11/11 17/11/11 23/11/11 29/11/11 05/12/11 11/12/11




09/02/12 15/02/12 21/02/12

03/02/12

04/03/12 10/03/12

27/02/12

22/03/12 28/03/12




17/12/11

23/12/11

29/12/11

04/01/12 10/01/12 16/01/12 22/01/12 28/01/12



Appendix 5.4

Water Quality Monitoring Results and Graphical Presentations



Water Monitoring Result at WSD9 - Tai Wan Mid-Flood Tide

Date	Time	Weater Condition	Samplin	g Depth	Wat	er Temp	erature		рН			Salini	ty	D	O Satur	ation		DO mg/L			Turbid NTU		Suspende	
		Condition	n	n	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	alue	Average	Value	Average
28/3/2012	20:50	Cloudy	Middle	2.0	19.86	19.86	19.86	7.94	7.94	7.94	31.58	31.58	31.58	80.5	80.6	80.4	6.09	6.10	6.09	3.44	4.15	3.70	6	5.00
20/3/2012	20:51	Cloudy	Middle	2.0	19.85	19.85	19.00	7.94	7.94	7.54	31.57	31.57	31.30	80.3	80.2	00.4	6.08	6.07	0.09	3.63	3.56	3.70	4	3.00
31/3/2012	2:38	Cloudy	Middle	2.0	20.29	20.29	20.31	7.83	7.83	7.82	31.14	31.14	31.14	75.4	75.3	75.2	5.67	5.67	5.66	2.57	2.66	2.62	3	3.00
0110/2012	2:39	Cloudy	Middle	2.0	20.32	20.32	20.01	7.81	7.81	7.02	31.13	31.13	01.14	75.1	75.1	70.2	5.65	5.65	0.00	2.63	2.60	2.02	3	0.00
2/4/2012	11:05	Cloudy	Middle	2.5	20.20	20.20	20.25	8.17	8.17	8.17	32.45	32.45	32.45	90.2	89.3	90.0	6.75	6.63	6.71	2.14	2.32	2.17	2	2.50
27-17-20-12	11:07	Cloudy	Middle	2.5	20.30	20.30	20.20	8.16	8.16	0.17	32.45	32.45	02.40	90.0	90.5	00.0	6.72	6.75	0.7 1	2.20	2.03	2.17	3	2.00
5/4/2012	17:17	Rainy	Middle	2.5	20.10	20.10	20.10	8.16	8.16	8.16	29.75	29.75	29.75	89.6	87.9	88.9	6.82	6.69	6.77	4.42	4.55	4.48	5	5.00
3/4/2012	17:19	rtainy	Middle	2.5	20.10	20.10	20.10	8.16	8.16	0.10	29.75	29.75	25.75	89.8	88.3	00.5	6.84	6.72	0.77	4.53	4.41	4.40	5	3.00
7/4/2012	20:00	Cloudy	Middle	2.5	19.66	19.66	19.66	7.97	7.97	7.96	31.69	31.69	31.66	83.6	83.4	83.5	6.34	6.32	6.33	4.58	4.89	4.80	4	4.50
77472012	20:01	Oloudy	Middle	2.5	19.66	19.66	15.00	7.95	7.95	7.50	31.63	31.63	31.00	83.5	83.3	00.0	6.33	6.31	0.55	4.75	4.98	4.00	5	4.50
10/4/2012	10:50	Cloudy	Middle	2.5	21.30	21.30	21.25	8.21	8.21	8.22	32.50	32.50	32.50	88.9	89.3	89.3	6.51	6.54	6.54	2.47	2.55	2.47	6	5.00
10/4/2012	10:53	Cloudy	Middle	2.5	21.20	21.20	21.23	8.22	8.22	0.22	32.49	32.49	32.30	89.5	89.6	09.5	6.55	6.56	0.54	2.45	2.40	2.47	4	3.00
12/4/2012	9:04	Fine	Middle	2.5	22.80	22.80	22.85	8.13	8.13	8.13	32.13	32.13	32.13	85.6	84.4	85.3	6.11	6.03	6.09	1.98	2.08	1.96	5	4.50
12/4/2012	9:06	TING	Middle	2.5	22.90	22.90	22.00	8.13	8.13	0.10	32.13	32.13	32.13	86.2	84.8	00.0	6.15	6.05	0.00	1.99	1.80	1.50	4	4.50
14/4/2012	9:12	Fine	Middle	2.5	23.10	23.10	23.15	8.17	8.17	8.17	32.36	32.36	32.37	90.0	89.6	90.1	6.38	6.35	6.38	1.04	0.95	0.99	3	3.50
14/4/2012	9:14	TING	Middle	2.5	23.20	23.20	20.10	8.17	8.17	0.17	32.37	32.37	32.01	90.1	90.5	30.1	6.38	6.41	0.50	0.97	0.99	0.55	4	3.50
16/4/2012	15:47	Cloudy	Middle	2.5	24.10	24.10	24.20	8.17	8.17	8.17	32.31	32.31	32.31	89.0	88.6	89.0	6.21	6.17	6.20	2.72	2.79	2.60	6	6.00
10/4/2012	15:49	Oloudy	Middle	2.5	24.30	24.30	24.20	8.17	8.17	0.17	32.30	32.30	32.01	89.8	88.4	05.0	6.27	6.15	0.20	2.46	2.42	2.00	6	0.00
18/4/2012	19:00	Cloudy	Middle	2.5	21.70	21.70	21.75	8.26	8.26	8.25	33.30	33.30	33.29	85.8	86.1	86.1	6.21	6.24	6.24	2.69	2.66	2.68	6	6.50
10/4/2012	19:03	Oloudy	Middle	2.5	21.80	21.80	21.73	8.24	8.24	0.25	33.28	33.28	33.23	85.9	86.5	00.1	6.22	6.27	0.24	2.68	2.67	2.00	7	0.50
20/4/2012	17:20	Cloudy	Middle	2.5	22.00	22.00	22.00	8.16	8.16	8.17	31.56	31.56	31.57	77.3	78.0	78.2	5.63	5.68	5.69	1.52	1.64	1.51	3	3.00
20/4/2012	17:23	Oloudy	Middle	2.5	22.00	22.00	22.00	8.17	8.17	0.17	31.57	31.57	31.07	78.2	79.1	70.2	5.70	5.76	3.03	1.41	1.45	1.01	3	3.00
23/4/2012	19:10	Cloudy	Middle	2.0	23.76	23.76	23.76	7.76	7.76	7.76	31.43	31.43	31.43	96.2	96.1	96.1	6.79	6.79	6.79	3.58	3.00	3.18	6	6.00
23/4/2012	19:11	Cloudy	Middle	2.0	23.76	23.77	23.70	7.76	7.76	7.70	31.42	31.42	31.43	96.1	96.1	90.1	6.79	6.79	0.79	2.91	3.21	3.10	6	0.00
25/4/2012	19:48	Cloudy	Middle	2.0	24.23	24.23	24.23	7.61	7.61	7.61	30.49	30.49	30.50	96.3	96.3	96.3	6.67	6.67	6.67	1.87	2.12	2.09	10	10.50
2017/2012	19:49	Oloudy	Middle	2.0	24.23	24.23	27.23	7.61	7.61	7.01	30.50	30.50	30.30	96.3	96.3	30.3	6.67	6.67	0.01	2.22	2.15	2.03	11	10.50
27/4/2012	21:38	Cloudy	Middle	2.0	22.75	22.75	22.75	8.10	8.10	8.10	31.60	31.60	31.60	90.2	90.2	90.2	6.48	6.48	6.48	2.19	2.16	2.32	4	5.00
2117/2012	21:39	Oloudy	Middle	2.0	22.75	22.75	22.13	8.10	8.10	0.10	31.60	31.60	31.00	90.2	90.2	30.2	6.47	6.47	0.70	2.13	2.78	2.02	6	3.00



Water Monitoring Result at WSD17 - Quarry Bay Mid-Flood Tide

Date	Time	Weater	Samplin	g Depth	Wat	er Temp	erature		рН			Salini	ty	D	O Satur	ation		DO			Turbid			ed Solids
Date		Condition	n	n	Va	lue °C	Average	Va	lue -	Average	Va	ppt lue	Average	Va	ilue %	Average	Va	mg/L lue	Average	Va	NTU ilue	Average	mç Value	g/L Average
28/3/2012	0:15	Olevestee	Middle	2.5	18.76	18.76	18.77	8.29	8.29	8.27	32.00	32.00	32.00	96.3	96.3	96.5	7.41	7.41	7.43	5.68	6.10	5.04	5	5.50
26/3/2012	0:16	Cloudy	Middle	2.5	18.77	18.77	10.77	8.24	8.24	0.21	32.00	32.01	32.00	96.3	97.2	90.5	7.41	7.48	7.43	5.49	5.28	5.64	6	5.50
0.1/0/0010	7:11	01 1	Middle	2.5	19.45	19.53	10.50	8.17	8.17	0.40	31.45	31.45	04.45	83.9	83.2	20.5	6.37	6.32	0.04	3.07	3.19	0.40	3	0.50
31/3/2012	7:12	Cloudy	Middle	2.5	19.68	19.67	19.58	8.15	8.15	8.16	31.45	31.45	31.45	83.6	83.1	83.5	6.36	6.31	6.34	3.17	3.10	3.13	4	3.50
0/4/0040	11:40	Olavidi	Middle	3.0	20.00	20.00	00.05	8.18	8.18	0.40	31.63	32.63	20.00	94.6	93.9	00.0	7.09	7.03	7.04	6.66	6.96	0.00	7	7.00
2/4/2012	11:42	Cloudy	Middle	3.0	20.10	20.10	20.05	8.18	8.18	8.18	32.64	32.64	32.39	94.3	92.9	93.9	7.06	6.96	7.04	6.28	6.85	6.69	7	7.00
5/4/0040	18:32	D :	Middle	2.5	20.00	20.00	00.00	8.23	8.23	2.00	32.54	32.54	20.54	93.7	92.6	20.0	7.02	6.95	0.00	4.06	4.08	4.00	13	10.50
5/4/2012	18:33	Rainy	Middle	2.5	20.00	20.00	20.00	8.23	8.23	8.23	32.54	32.54	32.54	93.3	91.8	92.9	7.00	6.88	6.96	4.15	4.01	4.08	12	12.50
7/4/0040	18:21	01 1	Middle	2.5	19.43	19.43	10.15	7.83	7.83	7.00	31.86	31.86	04.07	83.2	83.0	20.0	6.33	6.31	0.04	8.57	8.45	0.40	13	40.00
7/4/2012	18:22	Cloudy	Middle	2.5	19.47	19.47	19.45	7.83	7.83	7.83	31.87	31.87	31.87	82.7	82.8	82.9	6.29	6.30	6.31	8.47	8.10	8.40	11	12.00
	10:30		Middle	2.0	21.20	21.20		8.25	8.25		32.90	32.90		91.5	91.6		6.69	6.70		7.58	7.11		13	
10/4/2012	10:33	Cloudy	Middle	2.0	21.30	21.30	21.25	8.26	8.26	8.26	32.91	32.91	32.91	92.2	92.3	91.9	6.74	6.75	6.72	7.13	7.09	7.23	12	12.50
40/4/0040	11:25	F:	Middle	2.5	22.70	22.70	00.00	8.23	8.23	2.00	32.59	32.59	20.00	88.3	88.8	20.7	6.29	6.32	0.00	2.04	2.09	0.04	5	4.50
12/4/2012	11:27	Fine	Middle	2.5	22.90	22.90	22.80	8.22	8.22	8.23	32.60	32.60	32.60	89.3	88.4	88.7	6.35	6.30	6.32	1.99	2.03	2.04	4	4.50
44/4/0040	10:33	Ein-	Middle	3.5	23.30	23.30	00.05	8.18	8.18	0.40	32.11	32.11	20.44	92.2	91.1	04.0	6.53	6.45	0.54	1.53	1.63	4.40	5	5.50
14/4/2012	10:35	Fine	Middle	3.5	23.40	23.40	23.35	8.18	8.18	8.18	32.11	32.11	32.11	92.7	91.6	91.9	6.56	6.48	6.51	1.32	1.49	1.49	6	5.50
40/4/0040	14:42	Olavidi	Middle	2.5	24.20	24.20	04.00	8.24	8.24	0.04	32.31	32.31	20.04	94.1	92.4	00.0	6.56	6.44	0.40	1.34	1.47	4.44	4	4.50
16/4/2012	14:44	Cloudy	Middle	2.5	24.20	24.20	24.20	8.23	8.23	8.24	32.31	32.31	32.31	93.7	92.6	93.2	6.52	6.44	6.49	1.45	1.38	1.41	5	4.50
40/4/0040	18:08	Olavidi	Middle	2.0	22.00	22.00	00.00	8.41	8.41	0.40	33.65	33.65	22.00	91.1	91.2	04.0	6.56	6.57	0.50	4.27	4.42	4.04	11	44.00
18/4/2012	18:12	Cloudy	Middle	2.0	22.00	22.00	22.00	8.42	8.42	8.42	33.66	33.66	33.66	91.6	91.4	91.3	6.59	6.58	6.58	4.30	4.26	4.31	11	11.00
00/4/0040	15:55	Olavidi	Middle	2.0	22.00	22.00	00.05	8.16	8.16	0.47	31.96	31.96	04.07	81.6	81.9	04.0	5.94	5.96	F 00	1.47	1.46	4.47	4	0.50
20/4/2012	15:58	Cloudy	Middle	2.0	22.10	22.10	22.05	8.17	8.17	8.17	31.97	31.97	31.97	82.2	82.0	81.9	5.98	5.97	5.96	1.50	1.43	1.47	3	3.50
00/4/0040	21:38	01 1	Middle	2.5	23.08	23.08	00.07	7.76	7.76		32.44	32.44	00.11	97.9	97.6	07.0	6.96	6.94	0.04	3.39	3.74	0.07	8	0.00
23/4/2012	21:39	Cloudy	Middle	2.5	23.06	23.06	23.07	7.77	7.77	7.77	32.44	32.44	32.44	97.6	97.4	97.6	6.94	6.93	6.94	3.12	3.24	3.37	8	8.00
05/4/2010	22:25	Olar I	Middle	2.5	23.74	23.75	00.75	7.69	7.69	7.00	31.86	31.86	04.00	93.2	93.2	00.0	6.32	6.32	0.00	1.48	1.32	4.00	6	0.50
25/4/2012	22:26	Cloudy	Middle	2.5	23.76	23.76	23.75	7.69	7.69	7.69	31.86	31.86	31.86	93.2	93.2	93.2	6.32	6.32	6.32	1.21	1.27	1.32	7	6.50
07/4/0040	0:36	Olavata	Middle	2.5	22.67	22.67	00.00	8.15	8.15	0.45	31.44	31.44	24.44	88.3	88.3	00.0	6.35	6.35	0.04	1.82	1.65	4.70	4	4.50
27/4/2012	0:37	Cloudy	Middle	2.5	22.68	22.68	22.68	8.15	8.15	8.15	31.44	31.44	31.44	88.0	88.0	88.2	6.33	6.33	6.34	1.78	1.79	1.76	5	4.50



Water Monitoring Result at C9 - Provident Centre Mid-Flood Tide

Date	Time	Weater Condition	Samplin	g Depth	Wat	er Temp	erature		рН			Salini	ty	D	O Satur	ation		DO ma/L			Turbid NTU		Suspende	
		Condition	n	n	Va	lue	Average	Va	lue -	Average	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	lue	Average		Average
28/3/2012	23:50	Cloudy	Middle	2.0	18.81	18.81	18.82	7.85	7.85	7.85	31.23	31.23	31.23	81.5	81.5	81.9	6.30	6.30	6.33	6.32	6.79	6.41	5	5.00
20/3/2012	23:51	Oloudy	Middle	2.0	18.82	18.82	10.02	7.85	7.85	7.00	31.23	31.23	31.23	83.2	81.2	01.5	6.43	6.27	0.55	6.53	5.98	0.41	5	3.00
31/3/2012	6:54	Cloudy	Middle	2.0	20.64	20.65	20.61	7.98	7.98	7.98	31.42	31.42	31.44	83.2	83.0	83.2	6.21	6.20	6.21	5.83	5.98	6.06	5	5.50
01/0/2012	6:55	Cloudy	Middle	2.0	20.58	20.58	20.01	7.97	7.97	7.00	31.45	31.45	01.44	83.4	83.0	00.E	6.23	6.20	0.21	6.20	6.22	0.00	6	0.00
2/4/2012	15:03	Cloudy	Middle	2.0	20.60	20.60	20.65	8.12	8.12	8.12	32.22	32.22	32.22	80.3	79.7	80.2	5.96	5.85	5.92	7.54	7.57	7.62	6	6.50
EI-HZUIZ	15:05	Cloudy	Middle	2.0	20.70	20.70	20.00	8.12	8.12	0.12	32.22	32.22	OL.LL	80.7	79.9	00.2	5.99	5.86	0.02	7.77	7.60	7.02	7	0.00
5/4/2012	15:50	Rainy	Middle	3.0	19.60	19.60	19.60	7.87	7.87	7.87	30.84	30.84	30.84	70.5	70.5	69.8	5.38	5.38	5.33	9.22	8.63	8.49	10	11.00
01412012	15:52	runy	Middle	3.0	19.60	19.60	10.00	7.87	7.87	7.07	30.84	30.84	00.04	69.0	69.0	00.0	5.27	5.27	0.00	8.13	7.99	0.40	12	11.00
7/4/2012	17:55	Cloudy	Middle	2.0	19.50	19.50	19.50	7.79	7.79	7.79	31.46	31.46	31.46	93.7	93.5	93.5	7.14	7.13	7.13	11.50	11.40	11.15	10	11.00
17-112012	17:56	Cloudy	Middle	2.0	19.50	19.50	10.00	7.79	7.79	7.70	31.46	31.45	01.40	93.2	93.5	00.0	7.10	7.13	7.10	10.90	10.80	11.10	12	11.00
10/4/2012	10:12	Cloudy	Middle	2.0	20.80	20.80	20.75	8.18	8.18	8.19	32.36	32.36	32.37	83.8	84.0	84.1	6.17	6.18	6.19	6.64	6.60	6.52	13	13.50
10/4/2012	10:15	Oloudy	Middle	2.0	20.70	20.70	20.73	8.19	8.19	0.13	32.37	32.37	32.01	84.2	84.3	04.1	6.19	6.20	0.13	6.33	6.50	0.52	14	15.50
12/4/2012	11:37	Fine	Middle	3.0	21.40	21.40	21.40	7.87	7.87	7.87	30.88	30.88	30.88	74.4	74.4	73.9	5.48	5.48	5.45	6.18	6.05	6.14	10	11.00
121-1/2012	11:39	1 1110	Middle	3.0	21.40	21.40	21.40	7.87	7.87	7.07	30.88	30.88	00.00	73.7	73.1	70.0	5.44	5.38	0.40	6.23	6.11	0.14	12	11.00
14/4/2012	13:13	Fine	Middle	2.0	24.30	24.30	24.35	8.12	8.12	8.12	31.37	31.37	31.37	85.5	84.2	84.9	5.98	5.89	5.93	3.20	3.03	3.18	5	5.50
	13:15		Middle	2.0	24.40	24.40	21.00	8.12	8.12	0.12	31.37	31.37	01.01	85.4	84.5	01.0	5.96	5.89	0.00	3.43	3.05	0.10	6	0.00
16/4/2012	14:23	Cloudy	Middle	2.0	24.30	24.30	24.35	8.10	8.10	8.10	31.47	31.47	31.47	76.8	76.0	76.7	5.36	5.31	5.35	3.40	3.56	3.46	6	6.00
	14:24	,	Middle	2.0	24.40	24.40		8.10	8.10		31.47	31.47	•	77.5	76.4		5.41	5.33		3.50	3.39		6	
18/4/2012	17:43	Cloudy	Middle	2.0	22.20	22.20	22.15	8.20	8.20	8.21	32.99	32.99	32.99	90.4	90.3	90.2	6.49	6.48	6.48	4.48	4.24	4.15	7	7.00
	17:46	,	Middle	2.0	22.10	22.10		8.21	8.21		32.98	32.98		90.1	89.9		6.47	6.46		3.94	3.93		7	
20/4/2012	15:25	Cloudy	Middle	2.0	22.20	22.20	22.20	7.79	7.78	7.79	30.21	30.21	30.21	70.1	70.1	71.3	5.14	5.14	5.23	9.43	9.73	9.45	15	15.50
	15:27	,	Middle	2.0	22.20	22.20		7.79	7.78		30.21	30.21		72.5	72.5		5.31	5.31		9.22	9.40		16	
23/4/2012	21:17	Cloudy	Middle	2.0	23.36	23.36	23.36	7.63	7.63	7.63	31.74	31.74	31.74	97.7	97.9	97.9	6.90	6.92	6.92	8.33	7.96	8.17	15	15.50
	21:18	,	Middle	2.0	23.36	23.36		7.63	7.63		31.74	31.74		98.0	98.0		6.92	6.92		8.16	8.22		16	
25/4/2012	22:06	Cloudy	Middle	2.0	24.39	24.39	24.40	7.58	7.58	7.59	30.04	30.04	30.04	97.5	97.5	97.5	6.84	6.85	6.84	4.11	4.03	3.89	7	7.50
	22:07	,	Middle	2.0	24.41	24.41		7.59	7.60		30.04	30.04		97.5	97.5		6.84	6.84		3.73	3.70		8	
27/4/2012	0:15	Cloudy	Middle	2.0	22.75	22.75	22.73	8.08	8.08	8.08	30.96	30.96	30.97	97.5	97.4	97.3	7.03	7.03	7.02	4.01	3.88	3.98	7	7.00
	0:16		Middle	2.0	22.72	22.71		8.08	8.08		30.97	30.97		97.2	97.2		7.01	7.01		3.89	4.14	2.30	7	



Water Monitoring Result at C8 - City Garden Mid-Flood Tide

Date	Time	Weater Condition	Samplin	g Depth	Wat	er Temp	erature		рН			Salini ppt	ty	D	O Satur	ation		DO mg/L			Turbid NTU		Suspende	
		Condition	n	n	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	alue	Average	Value	Average
28/3/2012	23:40	Cloudy	Middle	2.0	19.33	19.33	19.36	7.90	7.90	7.90	31.42	31.42	31.41	81.9	81.1	81.3	6.26	6.20	6.22	4.79	5.12	4.99	8	8.00
20/3/2012	23:41	Cloudy	Middle	2.0	19.38	19.38	19.50	7.89	7.89	7.90	31.40	31.40	31.41	81.1	81.2	01.5	6.20	6.21	0.22	5.05	4.99	4.99	8	0.00
31/3/2012	6:32	Cloudy	Middle	2.0	19.74	19.78	19.79	7.79	7.79	7.79	31.44	31.44	31.43	80.0	80.4	80.2	6.05	6.11	6.08	4.78	4.30	4.40	7	7.50
011012012	6:33	Cloudy	Middle	2.0	19.81	19.81	10.70	7.79	7.79	7.70	31.41	31.41	01.40	80.0	80.4	00.2	6.05	6.10	0.00	4.42	4.11	4.40	8	7.00
2/4/2012	14:45	Cloudy	Middle	2.0	20.50	20.50	20.60	8.13	8.13	8.13	32.18	32.18	32.19	83.4	82.3	82.8	6.19	6.11	6.14	8.13	7.92	8.09	10	9.00
27-17-20-12	14:46	Cloudy	Middle	2.0	20.70	20.70	20.00	8.12	8.12	0.10	32.19	32.19	02.10	83.3	82.3	02.0	6.18	6.09	0.14	8.28	8.04	0.00	8	0.00
5/4/2012	16:05	Rainy	Middle	2.0	19.70	19.70	19.70	8.07	8.07	8.06	30.52	30.52	30.52	68.3	68.3	68.1	5.22	5.22	5.20	11.00	11.50	11.10	13	13.00
0/4/2012	16:07	runy	Middle	2.0	19.70	19.70	10.70	8.04	8.04	0.00	30.52	30.52	00.02	67.9	67.9	00.1	5.18	5.18	0.20	10.90	11.00	11.10	13	10.00
7/4/2012	17:43	Cloudy	Middle	1.5	19.54	19.54	19.54	7.85	7.85	7.85	31.48	31.48	31.48	93.3	93.0	93.1	7.10	7.08	7.09	7.80	7.75	7.57	12	11.50
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	17:44	oloudy	Middle	1.5	19.54	19.54		7.85	7.85	7.00	31.48	31.48	01.10	92.8	93.1	30.1	7.07	7.09	7.00	7.48	7.24	7.101	11	11.00
10/4/2012	10:05	Cloudy	Middle	2.0	20.80	20.80	20.85	8.16	8.16	8.16	32.23	32.23	32.23	82.8	83.0	82.9	6.10	6.12	6.11	4.85	4.99	4.76	10	9.50
10/4/2012	10:08	Cloudy	Middle	2.0	20.90	20.90	20.00	8.15	8.15	0.10	32.22	32.22	02.20	83.1	82.7	02.0	6.13	6.10	0.11	4.56	4.65	4.70	9	0.00
12/4/2012	11:32	Fine	Middle	2.0	21.60	21.60	21.60	8.01	8.01	8.01	30.77	30.77	30.77	72.5	72.2	72.5	5.32	5.30	5.32	5.55	5.47	5.48	5	6.00
12/ 1/20 12	11:34	0	Middle	2.0	21.60	21.60	21.00	8.01	8.01	0.01	30.77	30.77	00	72.7	72.4	72.0	5.33	5.31	0.02	5.43	5.46	0.10	7	0.00
14/4/2012	12:55	Fine	Middle	2.0	24.10	24.10	24.20	8.08	8.08	8.08	31.28	31.28	31.28	77.4	77.8	77.9	5.41	5.44	5.44	3.24	3.09	3.09	5	4.50
	12:56		Middle	2.0	24.30	24.30		8.08	8.08		31.27	31.27		78.6	77.8		5.48	5.43		3.06	2.97		4	
16/4/2012	14:07	Cloudy	Middle	2.0	24.40	24.40	24.50	8.10	8.10	8.10	30.53	30.53	30.53	80.6	79.8	80.3	5.64	5.58	5.61	4.40	4.87	4.71	8	7.00
	14:08	,	Middle	2.0	24.60	24.60		8.10	8.10		30.53	30.53		80.7	80.0		5.64	5.58		4.67	4.89		6	
18/4/2012	17:35	Cloudy	Middle	2.0	22.30	22.30	22.25	8.18	8.18	8.18	32.92	32.92	32.93	75.4	75.8	75.9	5.41	5.44	5.44	3.92	3.69	3.75	8	8.00
	17:36		Middle	2.0	22.20	22.20		8.17	8.17		32.93	32.93		75.9	76.3		5.45	5.47		3.76	3.62		8	<u> </u>
20/4/2012	15:30	Cloudy	Middle	2.0	22.10	22.10	22.10	7.76	7.76	7.76	30.23	30.23	30.23	73.0	73.0	71.8	5.35	5.35	5.23	7.15	7.04	7.08	18	11.50
	15:31	,	Middle	2.0	22.10	22.10		7.76	7.76		30.23	30.23		70.5	70.5		5.11	5.11		7.01	7.10		5	
23/4/2012	21:08	Cloudy	Middle	2.0	23.27	23.29	23.32	7.61	7.61	7.61	31.35	31.35	31.35	97.0	96.8	96.9	6.81	6.80	6.81	6.76	6.94	6.75	12	12.50
	21:09	,	Middle	2.0	23.36	23.36		7.61	7.61		31.35	31.35		97.0	96.9		6.81	6.81		6.82	6.47		13	
25/4/2012	21:55	Cloudy	Middle	2.0	24.13	24.13	24.14	7.50	7.50	7.50	30.02	30.02	30.02	96.3	96.0	95.9	6.79	6.78	6.77	4.94	4.57	4.61	9	8.50
	21:56	,	Middle	2.0	24.14	24.14		7.50	7.50		30.02	30.02		95.7	95.5		6.76	6.75		4.40	4.52		8	
27/4/2012	0:02	Cloudy	Middle	2.0	22.85	22.85	22.85	8.27	8.27	8.27	28.70	28.70	28.70	88.5	88.5	88.4	6.42	6.42	6.42	2.92	3.25	3.04	6	5.50
	0:03		Middle	2.0	22.85	22.85		8.27	8.27		28.70	28.70		88.4	88.3		6.42	6.40		2.95	3.05		5	



Water Monitoring Result at C7 - Windsor House Mid-Flood Tide

Date	Time	Weater Condition	Samplin	g Depth	Wat	er Temp	erature		pН			Salini	ty	D	O Satur	ation		DO			Turbid NTU		Suspend	
		Condition	n	n	Va	lue	Average	Va	lue	Average	Va	ppt lue	Average	Va	% lue	Average	Va	mg/L lue	Average	Va	lue	Average	mç Value	Average
28/3/2012	23:12	Cloudy	Middle	1.5	19.11	19.11	19.11	7.87	7.87	7.87	30.55	30.55	30.55	83.2	82.0	82.6	6.42	6.33	6.37	3.41	3.36	3.40	3	3.50
20/3/2012	23:13	Cloudy	Middle	1.5	19.11	19.11	19.11	7.87	7.87	7.07	30.55	30.55	30.55	82.6	82.6	02.0	6.37	6.37	0.57	3.27	3.55	3.40	4	3.50
31/3/2012	6:04	Cloudy	Middle	1.5	19.69	16.69	19.03	7.56	7.56	7.55	29.95	29.95	29.95	64.3	63.6	63.5	4.93	4.88	4.87	1.89	1.76	1.83	<2	<2
31/3/2012	6:05	Cloudy	Middle	1.5	19.87	19.87	19.03	7.54	7.54	7.55	29.95	29.95	29.93	63.0	63.0	03.3	4.83	4.83	4.07	1.81	1.85	1.03	<2	-2
2/4/2012	14:17	Cloudy	Middle	1.5	21.30	21.30	21.35	7.95	7.95	7.95	31.53	31.53	31.52	67.0	65.7	67.0	4.93	4.84	4.93	7.62	7.55	7.61	<2	<2
2/4/2012	14:19	Oloudy	Middle	1.5	21.40	21.40	21.00	7.95	7.95	7.55	31.51	31.51	31.32	67.3	67.9	07.0	4.95	4.99	4.55	7.57	7.70	7.01	<2	
5/4/2012	16:29	Rainy	Middle	1.5	20.10	20.10	20.10	7.75	7.75	7.75	26.87	26.87	26.87	44.2	44.2	43.5	3.41	3.41	3.37	20.60	20.10	20.25	10	10.00
3/4/2012	16:31	rainy	Middle	1.5	20.10	20.10	20.10	7.74	7.74	1.13	26.87	26.87	20.07	42.8	42.8	40.0	3.32	3.32	0.07	20.30	20.00	20.23	10	10.00
7/4/2012	17:11	Cloudy	Middle	1.5	19.60	19.60	19.60	7.78	7.78	7.78	30.87	30.87	30.87	81.9	81.9	81.9	6.25	6.25	6.25	4.96	4.90	4.86	4	3.50
11412012	17:12	Oloudy	Middle	1.5	19.60	19.60	15.00	7.78	7.78	7.70	30.87	30.87	30.07	81.8	81.8	01.5	6.25	6.25	0.23	4.73	4.86	4.00	3	3.50
10/4/2012	9:50	Cloudy	Middle	1.5	21.90	21.90	21.85	8.18	8.18	8.18	31.37	31.37	31.38	69.3	68.6	68.5	5.11	5.02	5.02	1.13	1.14	1.10	3	3.00
10/4/2012	9:55	Oloudy	Middle	1.5	21.80	21.80	21.00	8.17	8.17	0.10	31.38	31.38	31.50	68.2	67.8	00.5	4.98	4.95	5.02	1.04	1.07	1.10	3	3.00
12/4/2012	11:20	Fine	Middle	1.5	22.40	22.40	22.45	7.73	7.73	7.74	29.59	29.59	29.59	49.3	48.8	49.1	3.59	3.55	3.57	3.72	3.83	3.77	<2	<2
12/4/2012	11:21	1 1110	Middle	1.5	22.50	22.50	22.40	7.74	7.74	1.1-4	29.59	29.59	20.00	49.5	48.7	40.1	3.60	3.55	0.07	3.76	3.77	0.11	<2	
14/4/2012	12:42	Fine	Middle	1.5	24.60	24.60	24.65	7.94	7.94	7.94	30.07	30.07	30.07	53.7	53.3	53.5	3.76	3.72	3.74	1.03	0.90	0.98	6	6.00
	12:43		Middle	1.5	24.70	24.70	2 1.00	7.94	7.94	7.0.	30.06	30.06	00.01	54.1	52.8	00.0	3.78	3.69	· · ·	1.03	0.95	0.00	6	0.00
16/4/2012	13:53	Cloudy	Middle	1.5	25.40	25.40	25.40	7.94	7.94	7.94	30.37	30.37	30.37	56.6	55.7	56.4	3.91	3.84	3.89	1.12	1.08	1.09	2	2.00
	13:54	,	Middle	1.5	25.40	25.40		7.94	7.94		30.37	30.37		56.9	56.5		3.92	3.89		1.14	1.02		2	
18/4/2012	17:00	Cloudy	Middle	1.5	22.50	22.50	22.45	8.09	8.09	8.08	32.15	32.15	32.16	61.9	63.1	63.5	4.42	4.54	4.60	1.08	1.02	1.04	4	4.50
	17:03	,	Middle	1.5	22.40	22.40		8.07	8.07		32.16	32.16		64.1	64.8		4.74	4.68		1.00	1.04		5	
20/4/2012	15:40	Cloudy	Middle	1.5	22.00	22.00	22.00	7.71	7.71	7.71	24.09	24.09	24.09	72.7	72.7	73.2	5.53	5.53	5.58	4.74	4.66	4.78	6	5.50
	15:42	,	Middle	1.5	22.00	22.00		7.71	7.71		24.09	24.09		73.7	73.7		5.63	5.63		4.94	4.77		5	
23/4/2012	20:44	Cloudy	Middle	1.5	23.30	23.30	23.33	7.69	7.69	7.69	30.28	30.28	30.28	83.9	83.3	81.9	6.01	5.97	5.87	2.04	1.83	1.84	<2	<2
	20:45	Í	Middle	1.5	23.35	23.35		7.68	7.68		30.27	30.27		80.2	80.2		5.74	5.74		1.65	1.84		<2	
25/4/2012	21:31	Cloudy	Middle	1.5	24.32	24.32	24.32	7.54	7.54	7.54	29.00	29.00	29.00	75.1	74.7	74.5	5.32	5.30	5.28	1.64	1.36	1.24	9	9.50
	21:32		Middle	1.5	24.32	24.32		7.54	7.54		29.00	28.99		74.4	73.9		5.27	5.24		0.99	0.96		10	
27/4/2012	23:35	Cloudy	Middle	1.5	22.70	22.70	22.70	7.88	7.88	7.88	26.93	26.93	26.93	64.4	64.4	64.2	4.75	4.75	4.74	2.00	1.97	1.95	5	4.50
	23:36	,	Middle	1.5	22.70	22.70		7.88	7.88		26.93	26.93		64.0	64.0	-	4.73	4.73		1.89	1.92		4	



Water Monitoring Result at C1 - HKCEC Extension Mid-Flood Tide

Date	Time	Weater Condition	Samplin	g Depth	Wat	er Temp	erature		рН			Salini	ty	D	O Satur	ation		DO mg/L			Turbid NTU		Suspende	
		Condition	n	n	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	alue	Average	Value	Average
28/3/2012	21:40	Cloudy	Middle	1.5	19.70	19.70	19.65	8.01	8.01	8.01	31.80	31.80	31.75	95.0	94.6	94.1	7.28	7.24	7.21	4.41	4.07	4.36	3	3.00
20/3/2012	21:42	Cloudy	Middle	1.5	19.60	19.60	19.03	8.01	8.01	0.01	31.70	31.70	31.73	93.8	93.1	94.1	7.18	7.13	7.21	4.45	4.52	4.50	3	3.00
31/3/2012	10:23	Cloudy	Middle	2.5	20.30	20.30	20.30	7.83	7.83	7.83	30.85	30.85	30.85	60.5	60.5	60.4	4.35	4.35	4.33	3.44	3.39	3.46	4	4.50
0110/2012	10:25	Cloudy	Middle	2.5	20.30	20.30	20.00	7.83	7.83	7.00	30.85	30.85	00.00	60.3	60.3	00.4	4.31	4.31	4.00	3.49	3.51	0.40	5	4.00
2/4/2012	11:56	Cloudy	Middle	2.0	20.00	20.00	20.00	7.85	7.85	7.85	30.90	30.90	30.90	59.1	59.1	58.4	4.30	4.30	4.28	5.96	5.69	5.59	6	7.00
27-172012	11:58	Cloudy	Middle	2.0	20.00	20.00	20.00	7.85	7.85	7.00	30.90	30.90	00.00	57.7	57.7	00.4	4.26	4.26	4.20	5.40	5.30	0.00	8	7.00
5/4/2012	18:30	Rainy	Middle	2.0	20.00	20.00	20.00	7.80	7.80	7.80	30.48	30.48	30.48	58.0	58.0	56.8	4.40	4.40	4.31	3.55	3.80	3.54	4	4.00
0/4/2012	18:32	ramy	Middle	2.0	20.00	20.00	20.00	7.80	7.80	7.00	30.48	30.48	00.40	55.5	55.5	00.0	4.22	4.22	4.01	3.26	3.54	0.04	4	4.00
7/4/2012	15:50	Cloudy	Middle	2.5	19.40	19.40	19.35	7.82	7.82	7.82	30.76	30.76	30.78	71.0	71.0	69.8	5.45	5.45	5.36	4.89	4.80	4.80	9	8.00
77 11 20 12	15:52	o.ouu,	Middle	2.5	19.30	19.30	10.00	7.81	7.81	7.02	30.79	30.79	00.10	68.6	68.6	00.0	5.27	5.27	0.00	4.77	4.72	1.00	7	0.00
10/4/2012	11:08	Cloudy	Middle	2.0	22.10	22.10	22.15	7.88	7.88	7.88	30.80	30.80	30.75	76.3	79.6	76.5	5.61	5.82	5.60	8.04	7.45	7.64	7	7.00
101-112012	11:10	Cloudy	Middle	2.0	22.20	22.20	22.10	7.88	7.88	7.00	30.70	30.70	00.70	75.6	74.5	70.0	5.53	5.45	0.00	7.20	7.88	7.04	7	7.00
12/4/2012	10:35	Fine	Middle	2.0	22.10	22.10	22.10	7.83	7.83	7.83	30.44	30.44	30.44	73.8	73.8	74.1	5.38	5.38	5.42	4.11	3.79	4.08	3	3.00
127 1120 12	10:37	10	Middle	2.0	22.10	22.10	22.10	7.83	7.83	7.00	30.44	30.44	00	75.0	73.8	,	5.46	5.46	02	4.10	4.31		3	0.00
14/4/2012	13:35	Fine	Middle	2.0	24.30	24.30	24.30	7.91	7.91	7.91	30.24	30.24	30.24	73.5	73.5	73.3	5.16	5.16	5.13	4.36	4.14	4.14	5	5.50
	13:37	10	Middle	2.0	24.30	24.30	2 1.00	7.91	7.91	7.01	30.24	30.24	00.2	73.0	73.0	7 0.0	5.10	5.10	0.10	4.09	3.97		6	0.00
16/4/2012	15:30	Cloudy	Middle	2.0	24.00	24.00	24.00	7.69	7.69	7.69	30.05	30.05	30.05	72.0	71.9	72.1	5.10	5.09	5.10	2.43	2.69	2.39	4	4.00
	15:22		Middle	2.0	24.00	24.00		7.69	7.69		30.04	30.04		72.2	72.1		5.11	5.10		2.21	2.24		4	
18/4/2012	16:43	Cloudy	Middle	2.5	22.20	22.20	22.20	7.82	7.82	7.82	31.37	31.37	31.37	73.5	73.6	73.7	5.34	5.35	5.35	4.05	3.72	3.78	6	6.00
	16:46		Middle	2.5	22.20	22.20		7.82	7.82		31.37	31.37		74.1	73.4		5.38	5.33		3.62	3.74		6	
20/4/2012	17:00	Cloudy	Middle	2.0	22.40	22.40	22.40	7.77	7.77	7.77	27.25	27.25	27.25	72.7	72.7	72.6	5.30	5.30	5.28	3.46	3.46	3.45	3	3.00
	17:02	,	Middle	2.0	22.40	22.40		7.77	7.77		27.25	27.25		72.1	72.7		5.25	5.25		3.43	3.45		3	
23/4/2012	17:13	Cloudy	Middle	1.5	24.00	24.00	24.10	7.76	7.76	7.75	30.29	30.29	30.29	76.3	76.3	77.0	5.39	5.39	5.43	3.54	3.30	3.43	6	7.00
	17:15		Middle	1.5	24.20	24.20		7.74	7.74		30.29	30.29		77.6	77.6		5.47	5.47		3.43	3.43		8	
25/4/2012	19:10	Cloudy	Middle	2.0	24.20	24.20	24.15	7.78	7.78	7.78	28.25	28.25	28.24	74.2	74.2	76.5	5.28	5.28	5.44	4.31	4.50	4.36	6	5.50
	19:12		Middle	2.0	24.10	24.10	0	7.78	7.78		28.23	28.23		78.7	78.7	. 5.0	5.60	5.60		4.28	4.33	50	5	
27/4/2012	23:30	Cloudy	Middle	2.0	23.20	23.20	23.20	7.76	7.76	7.76	26.94	26.94	26.94	51.0	51.2	51.3	3.76	3.77	3.78	3.72	3.60	3.69	16	16.00
	23:32		Middle	2.0	23.20	23.20		7.76	7.76	•	26.94	26.94		51.6	51.4	2 7.0	3.80	3.79		3.66	3.77	2.30	16	1.5.00



Water Monitoring Result at C2 - TH / APA / SOC Mid-Flood Tide

Date	Time	Weater Condition	Samplin	g Depth	Wat	er Temp	erature		рН			Salini	ty	D	O Satur	ation		DO mg/L			Turbid NTU		Suspende	
		Condition	n	n	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	ilue	Average	Va	lue	Average	Va	alue	Average	Value	Average
28/3/2012	22:35	Claudy	Middle	1.5	19.20	19.20	19.20	8.17	8.17	8.17	31.70	31.70	31.80	94.3	93.5	93.4	7.27	7.21	7.04	3.22	3.06	3.27	4	3.50
20/3/2012	22:37	Cloudy	Middle	1.5	19.20	19.20	19.20	8.16	8.16	0.17	31.90	31.90	31.00	93.0	92.7	93.4	7.18	7.16	7.21	3.34	3.47	3.27	3	3.50
31/3/2012	10:11	Cloudy	Middle	1.5	19.70	19.70	19.70	8.12	8.12	8.11	30.80	30.80	30.80	70.1	70.1	70.1	4.98	4.98	4.98	3.76	4.04	3.60	3	3.50
31/3/2012	10:13	Cloudy	Middle	1.5	19.70	19.70	19.70	8.10	8.10	0.11	30.80	30.80	30.00	70.0	70.0	70.1	4.98	4.98	4.90	3.25	3.34	3.00	4	3.50
2/4/2012	11:35	Cloudy	Middle	1.5	20.30	20.30	20.35	7.77	7.77	7.77	30.81	30.81	30.81	66.7	66.7	67.1	4.92	4.92	4.83	3.00	2.84	2.82	4	3.00
2/4/2012	11:37	Oloudy	Middle	1.5	20.40	20.40	20.00	7.77	7.77	7.77	30.81	30.81	30.01	67.4	67.4	07.1	4.74	4.74	4.00	2.74	2.70	2.02	2	3.00
5/4/2012	17:45	Rainy	Middle	2.5	20.00	20.00	20.00	7.90	7.90	7.90	29.60	29.60	29.60	58.3	58.3	57.0	4.45	4.45	4.35	12.60	13.20	12.90	4	3.50
3/4/2012	17:47	rainy	Middle	2.5	20.00	20.00	20.00	7.90	7.90	7.50	29.60	29.60	25.00	55.6	55.6	37.0	4.26	4.25	4.55	13.20	12.60	12.50	3	3.50
7/4/2012	17:30	Cloudy	Middle	2.0	19.50	19.50	19.50	7.84	7.84	7.84	30.70	30.70	30.70	66.0	66.0	64.0	4.98	4.98	4.87	3.77	3.86	3.73	4	3.50
77472012	17:32	Cloudy	Middle	2.0	19.50	19.50	19.50	7.83	7.83	7.04	30.70	30.70	30.70	62.0	62.0	04.0	4.76	4.76	4.07	3.53	3.74	3.73	3	3.50
10/4/2012	8:58	Cloudy	Middle	1.5	20.80	20.80	20.80	7.73	7.73	7.73	30.50	30.50	30.50	74.4	73.9	74.2	5.60	5.55	5.57	3.52	3.91	3.82	5	4.50
10/4/2012	9:00	Cloudy	Middle	1.5	20.80	20.80	20.00	7.72	7.72	7.73	30.50	30.50	30.30	74.1	74.2	74.2	5.56	5.57	3.37	4.12	3.72	3.02	4	4.50
12/4/2012	9:20	Fine	Middle	1.0	21.50	21.50	21.55	7.73	7.73	7.74	29.89	29.89	29.89	75.1	74.2	74.5	5.55	5.50	5.51	4.71	4.65	4.74	3	3.00
12/4/2012	9:21	TING	Middle	1.0	21.60	21.60	21.00	7.75	7.75	7.74	29.88	29.88	23.03	74.4	74.1	74.5	5.51	5.48	3.51	4.79	4.82	4.14	3	3.00
14/4/2012	13:22	Fine	Middle	2.0	24.00	24.00	24.00	7.80	7.80	7.80	30.06	30.06	30.06	82.4	82.4	82.4	5.82	5.82	5.82	3.06	3.32	3.25	7	6.50
14/4/2012	13:24	TINC	Middle	2.0	24.00	24.00	24.00	7.80	7.80	7.00	30.06	30.06	30.00	82.3	82.3	02.4	5.81	5.81	3.02	3.27	3.33	3.23	6	0.50
16/4/2012	14:51	Cloudy	Middle	1.5	25.30	25.30	25.30	7.64	7.64	7.64	30.03	30.03	30.04	81.1	84.1	83.4	5.72	5.84	5.81	2.19	2.17	2.14	3	3.50
10/4/2012	14:53	Cloudy	Middle	1.5	25.30	25.30	20.00	7.63	7.63	7.04	30.04	30.04	00.04	84.4	83.8	00.4	5.86	5.81	0.01	2.14	2.06	2.14	4	0.00
18/4/2012	15:05	Cloudy	Middle	1.0	22.00	22.00	22.05	7.86	7.86	7.86	31.35	31.35	31.35	70.5	70.4	70.5	5.12	5.12	5.13	2.71	2.84	2.74	4	4.00
10/4/2012	15:07	Cloudy	Middle	1.0	22.10	22.10	22.00	7.85	7.85	7.00	31.35	31.35	01.00	70.5	70.7	70.0	5.12	5.14	0.10	2.88	2.54	2.74	4	4.00
20/4/2012	17:30	Cloudy	Middle	1.5	22.20	22.20	22.20	7.76	7.76	7.76	30.46	30.46	30.46	67.2	67.3	65.7	4.87	4.87	4.76	5.61	5.09	5.39	4	5.00
201412012	17:32	Cloudy	Middle	1.5	22.20	22.20	ZZ.ZO	7.76	7.76	7.70	30.46	30.46	00.40	64.1	64.1	00.7	4.65	4.65	4.70	5.66	5.18	0.00	6	0.00
23/4/2012	17:05	Cloudy	Middle	1.0	24.00	24.00	24.00	7.74	7.74	7.74	30.62	30.62	30.63	80.2	80.2	80.2	5.66	5.66	5.66	4.53	4.64	4.60	10	9.50
20/ 1/20 12	17:07	oloudy	Middle	1.0	24.00	24.00	2 1.00	7.74	7.74		30.63	30.63	00.00	80.2	80.2	30.2	5.66	5.66	0.00	4.57	4.64		9	0.00
25/4/2012	18:52	Cloudy	Middle	1.0	24.80	24.80	24.80	7.71	7.71	7.72	29.39	29.39	29.39	75.6	75.6	72.9	5.30	5.20	5.28	6.09	5.97	6.06	8	7.00
252012	18:54	J.5000y	Middle	1.0	24.80	24.80	200	7.72	7.72	2	29.39	29.39	20.00	70.2	70.2	. 2.0	5.31	5.31	5.20	6.17	6.01	3.30	6	
27/4/2012	23:50	Cloudy	Middle	1.5	22.80	22.80	22.75	7.78	7.78	7.79	28.90	28.90	28.90	80.8	80.6	80.7	5.89	5.88	5.88	4.00	4.01	4.04	11	10.50
2	23:52	J.Judy	Middle	1.5	22.70	22.70		7.79	7.79		28.90	28.90	20.00	80.3	80.9	33.7	5.85	5.89	0.50	4.04	4.12	5-	10	. 5.55



Water Monitoring Result at C3 - HKCEC Phase I Mid-Flood Tide

Date	Time	Weater	Samplin	g Depth	Wat	er Temp	erature		рН			Salini	ty	D	O Satur	ation		DO			Turbid			ed Solids
Date		Condition	n	n	Va	°C ilue	Average	Va	- lue	Average	Va	ppt lue	Average	Va	% ilue	Average	Va	mg/L lue	Average	Va	NTU llue	Average	mç Value	g/L Average
28/3/2012	22:17	Claudy	Middle	2.0	19.00	19.00	19.00	8.10	8.10	8.10	31.50	31.50	31.55	78.4	76.3	76.1	6.07	5.91	5.89	2.62	2.79	2.68	2	2.50
26/3/2012	22:19	Cloudy	Middle	2.0	19.00	19.00	19.00	8.10	8.10	0.10	31.60	31.60	31.33	75.1	74.5	70.1	5.81	5.76	5.69	2.66	2.63	2.00	3	2.50
04/0/0040	11:30	Olavedia	Middle	4.0	19.10	19.10	40.40	7.95	7.95	7.94	30.45	30.45	30.45	51.8	51.8	54.0	3.30	3.30	3.44	3.81	3.41	3.43	<2	<2
31/3/2012	11:32	Cloudy	Middle	4.0	19.10	19.10	19.10	7.93	7.93	7.94	30.45	30.45	30.45	50.2	50.2	51.0	3.57	3.57	3.44	3.22	3.26	3.43	<2	<2
2/4/2012	14:00	Claudy	Middle	2.0	19.70	19.70	19.70	7.83	7.83	7.83	30.68	30.68	30.68	45.0	45.0	48.2	4.07	4.07	4.05	4.49	4.19	4.32	5	4.50
2/4/2012	14:02	Cloudy	Middle	2.0	19.70	19.70	19.70	7.83	7.83	7.03	30.68	30.68	30.00	51.4	51.4	40.2	4.02	4.02	4.05	4.30	4.29	4.32	4	4.50
5/4/2012	18:22	Dainy	Middle	2.5	20.50	20.50	20.50	7.69	7.69	7.69	27.05	27.05	27.05	43.5	43.5	40.0	3.52	3.52	3.85	10.40	11.60	14.22	4	4.00
5/4/2012	18:24	Rainy	Middle	2.5	20.50	20.50	20.50	7.69	7.69	7.69	27.05	27.05	27.05	54.2	54.2	48.9	4.17	4.17	3.85	11.70	11.60	11.33	4	4.00
7/4/2012	17:17	Claudy	Middle	2.5	19.00	19.00	19.00	7.62	7.62	7.62	29.96	29.96	29.87	53.5	53.5	F0.7	4.15	4.15	4.09	2.23	2.30	2.30	2	2.00
7/4/2012	17:19	Cloudy	Middle	2.5	19.00	19.00	19.00	7.62	7.62	7.02	29.96	29.60	29.07	51.9	51.9	52.7	4.03	4.03	4.09	2.37	2.30	2.30	2	2.00
40/4/0040	9:47	Olavedia	Middle	3.0	20.80	20.80	00.00	7.69	7.69	7.00	29.50	29.50	00.45	56.7	57.3	<i></i>	4.28	4.32	4.05	2.82	2.77	0.74	3	2.00
10/4/2012	9:49	Cloudy	Middle	3.0	20.80	20.80	20.80	7.68	7.68	7.69	29.40	29.40	29.45	58.1	58.6	57.7	4.37	4.41	4.35	2.66	2.57	2.71	3	3.00
12/4/2012	9:52	Fine	Middle	2.5	21.60	21.60	24.60	7.72	7.72	7.72	30.18	30.18	30.18	60.5	60.5	60.3	4.47	4.47	4.46	4.08	3.68	4.07	7	7.00
12/4/2012	9:54	rine	Middle	2.5	21.60	21.60	21.60	7.72	7.72	1.12	30.18	30.18	30.16	60.1	60.1	00.3	4.44	4.44	4.46	4.29	4.22	4.07	7	7.00
14/4/2012	14:35	Fine	Middle	2.5	23.20	23.20	22.20	7.73	7.73	7 70	30.12	30.12	20.42	76.3	76.3	75.0	5.47	5.47	F 40	2.56	2.51	2.52	4	5.00
14/4/2012	14:37	Fine	Middle	2.5	23.20	23.20	23.20	7.73	7.73	7.73	30.12	30.12	30.12	74.3	74.3	75.3	5.33	5.33	5.40	2.50	2.54	2.53	6	5.00
16/4/2012	17:07	Cloudy	Middle	3.0	23.80	23.80	23.80	7.70	7.70	7.70	30.26	30.26	30.27	62.4	65.8	64.4	4.44	4.63	4.56	3.03	3.07	3.01	4	3.50
16/4/2012	17:09	Cloudy	Middle	3.0	23.80	23.80	23.60	7.69	7.69	7.70	30.27	30.27	30.27	65.3	64.0	04.4	4.62	4.55	4.50	2.92	3.01	3.01	3	3.50
10/4/2012	15:40	Claudy	Middle	2.5	22.40	22.40	22.20	7.79	7.79	7.70	31.48	31.48	24.40	56.3	56.5	FC C	4.08	4.10	4.40	2.74	2.51	2.56	4	4.00
18/4/2012	15:42	Cloudy	Middle	2.5	22.20	22.20	22.30	7.79	7.79	7.79	31.47	31.47	31.48	56.9	56.6	56.6	4.13	4.10	4.10	2.41	2.59	2.56	4	4.00
20/4/2042	17:27	Cloudy	Middle	2.5	22.70	22.70	22.70	7.72	7.72	7.72	28.89	28.89	28.89	70.9	70.9	72.1	5.34	5.34	5.38	6.15	6.29	6.34	7	7.50
20/4/2012	17:29	Cloudy	Middle	2.5	22.70	22.70	22.70	7.72	7.72	1.12	28.89	28.89	20.09	73.3	73.3	72.1	5.41	5.41	5.56	6.41	6.49	0.34	8	7.50
00/4/0040	18:25	Olavedia	Middle	2.0	24.00	24.00	04.00	7.65	7.65	7.00	30.43	30.43	20.40	74.9	74.9	75.5	5.30	5.30	F 0F	7.86	7.83	7.40	14	45.50
23/4/2012	18:27	Cloudy	Middle	2.0	24.00	24.00	24.00	7.66	7.66	7.66	30.43	30.43	30.43	76.1	76.1	75.5	5.39	5.39	5.35	7.69	6.58	7.49	17	15.50
25/4/2042	21:31	Claudia	Middle	2.5	25.00	25.00	25.00	7.62	7.62	7.60	29.00	29.00	20.01	75.6	75.6	70.0	5.30	5.30	F 44	4.59	4.67	4.60	8	0.00
25/4/2012	21:33	Cloudy	Middle	2.5	25.00	25.00	25.00	7.62	7.62	7.62	29.01	29.01	29.01	70.2	70.2	72.9	4.91	4.91	5.11	4.69	4.77	4.68	8	8.00
27/4/2242	21:30	Clayedia	Middle	3.0	23.20	23.20	22.05	7.65	7.65	7.00	29.86	29.86	20.07	52.3	53.6	F2 0	3.77	3.87	2.00	3.62	3.67	2.05	10	10.00
27/4/2012	21:32	Cloudy	Middle	3.0	23.30	23.30	23.25	7.66	7.66	7.66	29.88	29.88	29.87	54.5	55.2	53.9	3.93	3.98	3.89	3.61	3.69	3.65	10	10.00



Water Monitoring Result at C4e - WCT / GEC Mid-Flood Tide

Date	Time	Weater Condition	Samplin	g Depth	Wat	er Temp	erature		рН			Salini	ty	D	O Satur	ation		DO mg/L			Turbid NTU		Suspende	
		Condition	n	n	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	alue	Average	Value	Average
28/3/2012	22:06	Claudy	Middle	1.0	19.10	19.10	10.10	8.13	8.13	8.13	31.30	31.30	24.20	84.5	83.8	02.2	6.53	6.48	6.43	7.08	7.33	7.05	6	6.50
20/3/2012	22:08	Cloudy	Middle	1.0	19.10	19.10	19.10	8.13	8.13	0.13	31.30	31.30	31.30	82.6	81.8	83.2	6.39	6.32	0.43	7.71	7.28	7.35	7	0.50
31/3/2012	11:00	Cloudy	Middle	1.5	20.80	20.80	20.80	7.85	7.85	7.85	30.43	30.43	30.44	45.6	45.6	45.5	3.40	3.40	3.38	5.96	5.84	5.78	8	8.50
31/3/2012	11:02	Cloudy	Middle	1.5	20.80	20.80	20.00	7.85	7.85	7.05	30.45	30.45	30.44	45.3	45.3	43.3	3.36	3.36	3.30	5.77	5.56	3.76	9	0.50
2/4/2012	13:15	Cloudy	Middle	2.0	20.20	20.20	20.20	8.04	8.04	8.03	30.66	30.66	30.67	46.2	46.2	46.0	3.44	3.44	3.44	5.88	5.76	5.82	6	5.00
2/4/2012	13:17	Oloudy	Middle	2.0	20.20	20.20	20.20	8.01	8.01	0.00	30.67	30.67	30.07	45.7	45.7	40.0	3.43	3.43	5.44	5.72	5.91	3.02	4	3.00
5/4/2012	18:05	Rainy	Middle	1.5	20.50	20.50	20.50	7.73	7.73	7.73	27.88	27.88	27.88	52.2	52.2	58.5	4.29	4.29	4.63	9.91	9.49	9.64	6	5.50
3/4/2012	18:07	ixality	Middle	1.5	20.50	20.50	20.50	7.73	7.73	7.73	27.88	27.88	27.00	64.8	64.8	30.3	4.97	4.97	4.03	9.30	9.85	9.04	5	3.30
7/4/2012	17:00	Cloudy	Middle	2.0	19.10	19.10	19.10	7.85	7.85	7.84	30.46	30.46	30.47	55.4	55.4	52.4	4.28	4.28	4.05	4.10	4.05	4.06	2	2.50
7/4/2012	17:02	Cloudy	Middle	2.0	19.10	19.10	19.10	7.82	7.82	7.04	30.47	30.47	30.47	49.4	49.4	32.4	3.81	3.81	4.05	3.96	4.11	4.00	3	2.50
10/4/2012	9:18	Cloudy	Middle	1.5	21.10	21.10	21.15	7.69	7.69	7.69	29.90	29.90	29.95	60.7	61.3	61.4	4.52	4.57	4.57	2.41	2.42	2.44	<2	<2
10/4/2012	9:20	Cloudy	Middle	1.5	21.20	21.20	21.15	7.68	7.68	7.09	30.00	30.00	29.95	61.4	62.0	61.4	4.57	4.61	4.57	2.50	2.44	2.44	<2	<2
12/4/2012	9:40	Fine	Middle	2.0	22.00	22.00	22.05	7.70	7.70	7.70	30.18	30.18	30.17	60.3	60.2	60.5	4.39	4.38	4.39	3.40	3.41	3.56	2	3.00
12/4/2012	9:42	rille	Middle	2.0	22.10	22.10	22.05	7.70	7.70	7.70	30.16	30.16	30.17	59.6	61.9	60.5	4.33	4.46	4.39	3.54	3.87	3.30	4	3.00
14/4/2012	14:20	Fine	Middle	1.5	23.50	23.50	23.50	7.79	7.79	7.79	30.23	30.23	30.23	77.1	77.1	77.3	5.49	5.49	5.51	2.23	2.27	2.30	5	4.00
14/4/2012	14:22	TITIE	Middle	1.5	23.50	23.50	23.30	7.79	7.79	7.79	30.23	30.23	30.23	77.4	77.4	11.5	5.53	5.53	3.31	2.29	2.41	2.50	3	4.00
16/4/2012	16:40	Cloudy	Middle	2.0	23.80	23.80	23.80	7.69	7.69	7.69	30.24	30.24	30.24	66.3	66.8	66.8	4.70	4.74	4.74	2.25	2.28	2.26	3	3.00
10/4/2012	16:42	Cloudy	Middle	2.0	23.80	23.80	23.00	7.68	7.68	7.09	30.23	30.23	30.24	66.8	67.4	00.0	4.73	4.79	4.74	2.21	2.31	2.20	3	3.00
18/4/2012	15:20	Cloudy	Middle	1.5	22.60	22.60	22.55	7.81	7.81	7.81	31.48	31.48	31.48	56.5	57.3	57.2	4.09	4.13	4.13	2.84	2.75	2.81	4	3.50
10/4/2012	15:22	Cloudy	Middle	1.5	22.50	22.50	22.55	7.81	7.81	7.01	31.48	31.48	31.40	57.2	57.6	31.2	4.13	4.16	4.13	2.79	2.84	2.01	3	3.50
20/4/2012	17:20	Cloudy	Middle	1.5	22.80	22.80	22.80	7.71	7.71	7.71	28.70	28.70	28.70	65.4	65.4	66.0	4.78	4.78	4.82	4.94	5.28	5.12	8	7.00
20/4/2012	17:22	Cloudy	Middle	1.5	22.80	22.80	22.00	7.71	7.71	7.71	28.70	28.70	20.70	66.6	66.6	00.0	4.86	4.86	4.02	5.00	5.25	J.12	6	7.00
23/4/2012	18:12	Cloudy	Middle	1.5	24.00	24.00	24.00	7.65	7.65	7.65	30.34	30.34	30.34	71.3	71.3	72.6	5.27	5.27	5.23	3.78	3.70	3.67	9	8.00
23/4/2012	18:14	Cloudy	Middle	1.5	24.00	24.00	24.00	7.65	7.65	7.00	30.34	30.34	30.34	73.9	73.9	12.0	5.19	5.19	5.25	3.55	3.66	3.07	7	0.00
25/4/2012	21:10	Cloudy	Middle	1.5	25.00	25.00	25.05	7.67	7.61	7.64	28.79	28.79	28.79	75.6	75.6	72.9	5.30	5.30	5.11	3.49	3.47	3.54	6	5.50
Z0/4/ZU1Z	21:12	Cloudy	Middle	1.5	25.10	25.10	20.00	7.67	7.61	7.04	28.79	28.79	20.79	70.2	70.2	12.9	4.91	4.91	υ. I I	3.70	3.51	3.34	5	J.JU
27/4/2012	22:00	Cloudy	Middle	2.0	23.20	23.20	23.20	7.72	7.72	7.73	28.58	28.58	28.59	52.1	53.1	53.2	3.78	3.82	3 94	5.41	5.32	5.45	11	10.00
2114/2012	22:02	Cloudy	Middle	2.0	23.20	23.20	23.20	7.73	7.73	1.13	28.59	28.59	20.39	52.3	55.1	33.2	3.78	3.97	3.84	5.65	5.41	J.45	9	10.00



Water Monitoring Result at C4w - WCT / GEC Mid-Flood Tide

Date	Time	Weater	Samplin	g Depth	Wat	er Temp	erature		рН			Salini	ty	D	O Satur	ation		DO			Turbid		Suspende	
Date		Condition	n	n	Va	°C lue	Average	Va	- lue	Average	Va	ppt lue	Average	Va	ilue	Average	Va	mg/L lue	Average	Va	NTU ilue	Average	mg Value	g/L Average
	22:12		Middle	1.0	19.00	19.00		8.07	8.07		31.60	31.60		86.2	85.0		6.68	6.65		1.63	1.65		4	
28/3/2012	22:14	Cloudy	Middle	1.0	19.00	19.00	19.00	8.07	8.07	8.07	31.60	31.60	31.60	82.7	80.6	83.6	6.64	6.23	6.55	1.64	1.29	1.55	3	3.50
31/3/2012	11:15	Cloudy	Middle	1.5	19.40	19.40	19.40	7.70	7.70	7.70	30.44	30.44	30.44	45.1	45.1	44.9	3.28	3.28	3.28	7.77	7.55	7.54	5	- 5.50
011012012	11:17	Cloudy	Middle	1.5	19.40	19.40	10.40	7.70	7.70	7.70	30.44	30.44	00.44	44.7	44.7	44.0	3.28	3.28	0.20	7.67	7.15	7.04	6	0.00
2/4/2012	13:44	Cloudy	Middle	2.0	19.70	19.70	19.70	7.72	7.72	7.72	30.51	30.51	30.51	38.4	38.4	39.1	3.10	3.10	3.13	1.25	1.42	1.35	<2	<2
2/4/2012	13:46	Cloudy	Middle	2.0	19.70	19.70	19.70	7.72	7.72	1.12	30.51	30.51	30.51	39.8	39.8	39.1	3.10	3.20	3.13	1.32	1.41	1.33	<2	
5/4/2012	18:15	Rainy	Middle	1.5	20.30	20.30	20.30	7.66	7.66	7.66	23.54	23.54	23.54	63.5	63.5	62.5	5.23	5.23	5.20	5.58	5.38	5.33	2	2.50
5/4/2012	18:17	Railly	Middle	1.5	20.30	20.30	20.30	7.66	7.66	7.00	23.54	23.54	23.34	61.5	61.5	02.5	5.16	5.16	5.20	5.32	5.05	5.55	3	2.50
7/4/2012	17:05	Cloudy	Middle	2.0	19.00	19.00	19.00	7.70	7.70	7.70	30.51	30.51	30.51	46.6	46.6	45.9	3.61	3.61	3.56	2.10	1.95	2.00	3	3.00
7/4/2012	17:07	Cloudy	Middle	2.0	19.00	19.00	19.00	7.69	7.69	7.70	30.51	30.51	30.51	45.2	45.2	45.9	3.50	3.50	3.50	1.88	2.07	2.00	3	3.00
10/4/2012	9:24	Cloudy	Middle	1.5	20.70	20.70	20.70	7.66	7.66	7.66	29.50	29.50	29.55	55.3	56.4	56.6	4.18	4.26	4.27	1.88	1.93	1.88	<2	- <2
10/4/2012	5:26	Cloudy	Middle	1.5	20.70	20.70	20.70	7.65	7.65	7.00	29.60	29.60	29.55	56.9	57.9	30.0	4.28	4.35	4.21	1.82	1.88	1.00	<2	
12/4/2012	9:45	Fine	Middle	1.5	21.90	21.90	21.90	7.60	7.60	7.60	30.12	30.12	30.12	57.4	57.4	58.1	4.22	4.22	4.27	2.51	1.78	1.91	<2	<2
12/4/2012	9:47	TINC	Middle	1.5	21.90	21.90	21.30	7.60	7.60	7.00	30.12	30.12	30.12	58.7	58.7	30.1	4.31	4.31	4.21	1.72	1.64	1.01	<2	-2
14/4/2012	14:25	Fine	Middle	1.5	23.40	23.40	23.40	7.66	7.66	7.66	30.17	30.17	30.17	70.8	70.8	71.2	5.06	5.06	5.09	1.37	1.73	1.59	3	2.50
14/4/2012	14:27	TINC	Middle	1.5	23.40	23.40	20.40	7.66	7.66	7.00	30.17	30.17	30.17	71.6	71.6	71.2	5.11	5.11	5.05	1.45	1.79	1.00	2	2.50
16/4/2012	17:00	Cloudy	Middle	2.0	23.80	23.80	23.80	7.59	7.59	7.60	30.20	30.20	30.21	58.2	59.6	59.9	4.11	4.21	4.23	2.28	2.45	2.37	5	5.00
10/4/2012	17:02	Cloudy	Middle	2.0	23.80	23.80	20.00	7.60	7.60	7.00	30.21	30.21	00.21	60.1	61.5	00.0	4.25	4.34	4.20	2.31	2.42	2.01	5	0.00
18/4/2012	15:28	Cloudy	Middle	1.5	22.10	22.10	22.05	7.68	7.68	7.68	31.22	31.22	31.22	41.5	41.3	41.5	3.02	3.01	3.02	1.85	1.86	1.79	3	2.50
10/4/2012	15:30	Oloudy	Middle	1.5	22.00	22.00	22.00	7.68	7.68	7.00	31.22	31.22	31.22	41.6	41.6	41.5	3.03	3.03	5.02	1.74	1.69	1.75	2	2.50
20/4/2012	17:10	Cloudy	Middle	1.5	22.60	22.60	22.60	7.58	7.58	7.59	27.02	27.02	27.02	77.1	77.1	74.9	6.06	6.06	5.75	2.58	2.47	2.49	<2	<2
201412012	17:12	Cloudy	Middle	1.5	22.60	22.60	22.00	7.59	7.59	7.00	27.02	27.02	27.02	72.6	72.6	74.0	5.44	5.44	0.70	2.43	2.49	2.40	<2	
23/4/2012	18:20	Cloudy	Middle	1.5	23.60	23.60	23.65	7.62	7.62	7.62	29.33	29.33	29.33	68.1	68.1	69.6	4.84	4.84	5.06	1.43	1.57	1.42	5	5.50
2014/2012	18:22	Oloudy	Middle	1.5	23.70	23.70	20.00	7.61	7.61	7.02	29.33	29.33	25.55	71.0	71.0	03.0	5.27	5.27	5.00	1.36	1.32	1.42	6	3.50
25/4/2012	21:15	Cloudy	Middle	1.5	24.80	24.80	24.80	7.60	7.60	7.60	29.00	29.00	29.01	72.4	72.4	71.3	5.12	5.12	5.02	3.11	3.27	3.18	11	11.50
2014/2012	21:14	Cloudy	Middle	1.5	24.80	24.80	24.00	7.60	7.60	7.00	29.01	29.01	29.01	70.2	70.2	71.5	4.91	4.91	3.02	3.15	3.17	3.10	12	11.50
27/4/2012	21:13	Cloudy	Middle	2.0	23.10	23.10	23.10	7.42	7.42	7.43	29.43	29.43	29.44	46.5	47.7	47.7	3.37	3.46	3.46	1.71	1.62	1.68	4	4.00
21/7/2012	21:15	Cloddy	Middle	2.0	23.10	23.10	20.10	7.43	7.43	7.40	29.44	29.44	20.44	47.8	48.9	71.1	3.47	3.55	0.40	1.68	1.69	1.00	4	7.00



Water Monitoring Result at C5e - Sun Hung Kai Centre Mid-Flood Tide

Date	Time	Weater Condition	Samplin	g Depth	Wat	er Temp	erature		рН			Salini	ty	D	O Satur	ation		DO mg/L			Turbid NTU		Suspende	
		Condition	n	n	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	ilue	Average	Va	lue	Average	Va	alue	Average	Value	Average
00/0/0040	22:39	0	Middle	1.0	19.36	19.37	40.00	7.71	7.71		31.30	31.30	24.00	75.3	74.5	75.4	5.75	5.70		5.81	6.09	2.00	6	0.00
28/3/2012	22:40	Cloudy	Middle	1.0	19.39	19.39	19.38	7.71	7.71	7.71	31.30	31.30	31.30	76.4	74.1	75.1	5.84	5.66	5.74	6.09	6.02	6.00	6	6.00
31/3/2012	5:31	Cloudy	Middle	1.5	19.76	19.76	19.77	7.66	7.66	7.66	31.29	31.29	31,29	70.8	70.8	70.7	5.37	5.37	5.36	3.60	3.78	3.67	6	6.00
31/3/2012	5:32	Oloudy	Middle	1.5	19.77	19.77	10.77	7.66	7.66	7.00	31.29	31.29	31.23	70.5	70.5	70.7	5.35	5.34	3.30	3.66	3.64	5.07	6	0.00
2/4/2012	12:40	Cloudy	Middle	1.5	20.90	20.90	20.90	7.85	7.85	7.85	30.75	30.75	30.75	56.5	56.5	55.8	4.03	4.03	4.01	4.26	4.00	4.09	3	3.50
2/4/2012	12:42	Cloudy	Middle	1.5	20.90	20.90	20.90	7.85	7.85	7.05	30.75	30.75	30.73	55.0	55.0	33.0	3.98	3.98	4.01	3.91	4.18	4.09	4	3.30
5/4/2012	17:45	Rainy	Middle	1.5	20.80	20.80	20.80	7.89	7.89	7.89	28.69	28.69	28.69	47.8	47.8	47.2	3.61	3.61	3.57	4.19	4.32	4.28	2	2.50
3/4/2012	17:47	rainy	Middle	1.5	20.80	20.80	20.00	7.89	7.89	7.05	28.69	28.69	20.03	46.6	46.6	47.2	3.52	3.52	0.01	4.49	4.11	4.20	3	2.50
7/4/2012	16:30	Cloudy	Middle	1.5	19.40	19.40	19.35	7.81	7.81	7.81	29.84	29.84	29.85	52.0	52.0	50.5	4.02	4.02	3.90	4.01	4.48	4.23	4	4.00
17472012	16:32	Cloudy	Middle	1.5	19.30	19.30	19.55	7.81	7.81	7.01	29.86	29.86	29.03	48.9	48.9	30.3	3.77	3.77	3.90	4.32	4.11	4.23	4	4.00
10/4/2012	10:46	Cloudy	Middle	2.0	22.80	22.80	22.80	7.85	7.85	7.84	30.40	30.40	30.35	71.1	73.2	72.0	5.14	5.28	5.20	4.19	4.89	4.41	4	5.00
10/4/2012	10:48	Cloudy	Middle	2.0	22.80	22.80	22.00	7.83	7.83	7.04	30.30	30.30	30.33	71.9	71.6	72.0	5.19	5.17	3.20	4.06	4.51	4.41	6	3.00
12/4/2012	10:13	Fine	Middle	2.0	22.40	22.40	22.40	7.76	7.76	7.76	30.28	30.28	30.28	67.3	67.3	67.5	4.86	4.86	4.88	3.96	4.02	3.96	3	3.50
12/4/2012	10:15	TING	Middle	2.0	22.40	22.40	22.40	7.76	7.76	7.70	30.28	30.28	30.20	67.7	67.7	07.0	4.89	4.89	4.00	3.87	3.99	0.50	4	0.50
14/4/2012	12:03	Fine	Middle	1.5	23.70	23.70	23.80	8.06	8.06	8.06	31.58	31.58	31.58	79.5	78.2	79.0	5.60	5.50	5.56	2.28	2.09	2.10	8	7.50
14/4/2012	12:04	TING	Middle	1.5	23.90	23.90	20.00	8.06	8.06	0.00	31.57	31.57	31.50	80.0	78.3	75.0	5.62	5.50	3.30	1.99	2.02	2.10	7	7.50
16/4/2012	16:13	Cloudy	Middle	1.5	24.00	24.00	24.05	7.87	7.87	7.87	30.49	30.49	30.50	67.8	68.4	68.5	4.79	4.83	4.84	3.86	3.21	3.60	7	6.50
10/4/2012	16:15	Cloudy	Middle	1.5	24.10	24.10	24.00	7.86	7.86	7.07	30.50	30.50	00.00	68.8	68.9	00.0	4.86	4.86	1.01	3.54	3.77	0.00	6	0.00
18/4/2012	16:20	Cloudy	Middle	1.0	22.80	22.80	22.80	7.84	7.84	7.84	31.53	31.53	31.54	61.6	61.8	61.5	4.42	4.44	4.41	4.22	3.82	4.05	9	9.00
10/4/2012	16:22	Oloudy	Middle	1.0	22.80	22.80	22.00	7.83	7.83	7.04	31.54	31.54	31.54	61.3	61.1	01.0	4.40	4.38	7.71	4.03	4.11	4.00	9	3.00
20/4/2012	16:10	Cloudy	Middle	1.5	22.40	22.40	22.40	7.61	7.61	7.61	28.85	28.85	28.85	73.0	73.0	73.4	5.35	5.35	5.38	6.56	6.84	6.71	6	6.00
20/4/2012	16:12	Oloudy	Middle	1.5	22.40	22.40	22.40	7.61	7.61	7.01	28.85	28.85	20.00	73.7	73.7	75.4	5.41	5.41	3.30	6.71	6.74	0.71	6	0.00
23/4/2012	17:53	Cloudy	Middle	1.0	23.50	23.50	23.50	7.67	7.67	7.68	30.23	30.23	30.23	76.3	76.3	75.1	5.39	5.39	5.29	3.47	3.66	3.56	18	19.00
25/4/2012	17:55	Oloudy	Middle	1.0	23.50	23.50	20.00	7.68	7.68	7.00	30.23	30.23	30.23	73.9	73.9	75.1	5.19	5.19	5.25	3.49	3.61	0.50	20	15.00
25/4/2012	20:43	Cloudy	Middle	1.5	24.50	24.50	24.50	8.02	8.02	8.02	28.94	28.94	28.94	78.7	78.7	75.6	5.60	5.60	5.36	14.50	15.00	14.55	24	24.50
201712012	20:45	Oloudy	Middle	1.5	24.50	24.50	24.50	8.02	8.02	0.02	28.94	28.94	20.04	72.4	72.4	75.0	5.12	5.12	J.50	15.00	13.70	17.00	25	24.50
27/4/2012	22:50	Cloudy	Middle	2.0	24.10	24.10	24.10	7.65	7.65	7.66	29.50	29.50	29.51	65.4	64.9	65.2	4.66	4.62	4.65	4.18	4.58	4.41	4	4.50
211712012	22:52	Oloudy	Middle	2.0	24.10	24.10	24.10	7.66	7.66	7.00	29.51	29.51	20.01	64.7	65.8	00.2	4.62	4.68	7.00	4.22	4.67	7.71	5	4.50



Water Monitoring Result at C5w - Sun Hung Kai Centre Mid-Flood Tide

Date	Time	Weater	Samplin	g Depth	Wat	er Temp	erature		рН			Salini	ty	D	O Satur	ation		DO			Turbid		Suspende	
Date		Condition	n	n	Va	°C lue	Average	Va	- lue	Average	Va	ppt lue	Average	Va	ilue	Average	Va	mg/L lue	Average	Va	NTU alue	Average	mg Value	g/L Average
00/0/0040	22:43	Olavida	Middle	1.0	19.09	19.09	40.40	7.71	7.71	7.74	31.48	31.48	04.40	77.0	77.3	77.7	5.91	5.94	F 00	6.36	6.21	0.40	9	0.00
28/3/2012	22:44	Cloudy	Middle	1.0	19.10	19.10	19.10	7.70	7.70	7.71	31.48	31.48	31.48	78.4	77.9	77.7	6.02	5.98	5.96	6.49	6.54	6.40	7	8.00
04/0/0040	5:36	Olavidi	Middle	1.5	19.53	19.53	40.70	7.63	7.63	7.00	31.44	31.44	24.00	72.3	72.5	70.0	5.50	5.51	F F0	4.66	4.50	4.40	5	5.00
31/3/2012	5:37	Cloudy	Middle	1.5	19.99	19.98	19.76	7.62	7.62	7.63	31.16	31.16	31.30	73.2	73.1	72.8	5.56	5.55	5.53	4.35	4.10	4.40	5	5.00
0/4/0040	12:47	Olavidi	Middle	1.5	21.00	21.00	04.00	8.04	8.04	0.00	30.61	30.61	20.04	60.7	60.7	50.0	4.25	4.25	4.00	2.04	2.33	0.40	<2	0.00
2/4/2012	12:49	Cloudy	Middle	1.5	21.00	21.00	21.00	8.01	8.01	8.03	30.61	30.61	30.61	59.1	59.1	59.9	4.18	4.18	4.22	2.04	2.06	2.12	2	2.00
5/4/0040	17:50	D :	Middle	1.5	21.00	21.00	04.00	7.84	7.84	704	28.87	28.87	00.07	51.0	51.0	40.0	3.83	4.83	0.00	5.68	5.76	5.40	8	7.00
5/4/2012	17:52	Rainy	Middle	1.5	21.00	21.00	21.00	7.84	7.84	7.84	28.87	28.87	28.87	48.7	48.7	49.9	3.63	3.63	3.98	5.21	5.08	5.43	6	7.00
7/4/0040	16:35	01 1	Middle	1.5	19.40	19.40	40.05	7.86	7.86	7.04	30.43	30.43	00.40	54.5	54.5	50.0	4.19	4.19	0.04	4.17	4.12	4.00	7	7.50
7/4/2012	16:37	Cloudy	Middle	1.5	19.30	19.30	19.35	7.82	7.82	7.84	30.43	30.43	30.43	47.2	47.2	50.9	3.63	3.63	3.91	3.91	4.15	4.09	8	7.50
40/4/0040	10:53	01 1	Middle	2.0	22.30	22.30	00.05	7.78	7.78	7.70	30.40	30.40	22.25	70.1	70.7	20.0	5.12	5.16	5.40	3.83	3.62	0.77	4	5.00
10/4/2012	10:55	Cloudy	Middle	2.0	22.20	22.20	22.25	7.77	7.77	7.78	30.30	30.30	30.35	69.4	69.4	69.9	5.07	5.06	5.10	4.10	3.52	3.77	6	5.00
40/4/0040	10:20	F:	Middle	2.0	22.70	22.70	00.70	7.74	7.74		30.28	30.28	22.22	75.5	75.5	75.0	5.41	5.41	5.40	3.28	3.33	0.04	3	0.50
12/4/2012	10:22	Fine	Middle	2.0	22.70	22.70	22.70	7.74	7.74	7.74	30.28	30.28	30.28	76.0	76.0	75.8	5.45	5.45	5.43	3.35	3.41	3.34	4	3.50
44/4/0040	11:55	Ein-	Middle	1.5	23.80	23.80	00.05	8.05	8.05	0.05	31.62	31.62	24.00	77.4	77.1	77.0	5.48	5.43	F 44	2.47	2.51	0.45	5	5.50
14/4/2012	11:56	Fine	Middle	1.5	23.90	23.90	23.85	8.05	8.05	8.05	31.61	31.61	31.62	77.9	76.2	77.2	5.50	5.35	5.44	2.44	2.39	2.45	6	5.50
40/4/0040	16:23	Olavidi	Middle	1.5	23.50	23.50	00.50	7.71	7.71	7.70	30.61	30.61	20.00	67.6	67.7	00.4	4.76	4.77	4.00	4.20	4.30	4.05	6	0.50
16/4/2012	16:25	Cloudy	Middle	1.5	23.50	23.50	23.50	7.72	7.72	7.72	30.59	30.59	30.60	68.6	68.5	68.1	4.84	4.82	4.80	4.26	4.22	4.25	7	6.50
40/4/0040	16:12	Olavidi	Middle	1.0	23.30	23.30	00.05	7.85	7.85	7.00	31.37	31.37	04.07	60.4	59.7	00.0	4.31	4.26	4.00	5.17	5.35	4.07	13	40.50
18/4/2012	16:14	Cloudy	Middle	1.0	23.20	23.20	23.25	7.86	7.86	7.86	31.37	31.37	31.37	60.5	59.5	60.0	4.31	4.24	4.28	4.42	4.93	4.97	12	12.50
20/4/2012	16:13	Claudy	Middle	1.5	22.30	22.30	22.30	7.78	7.78	7.78	29.21	29.21	29.21	71.4	71.4	71.6	5.24	5.24	5.26	6.24	6.27	6.38	18	22.50
20/4/2012	16:15	Cloudy	Middle	1.5	22.30	22.30	22.30	7.78	7.78	7.70	29.21	29.21	29.21	71.8	71.8	71.0	5.28	5.28	5.20	6.52	6.47	0.36	27	22.50
22/4/2042	17:50	Claudy	Middle	1.0	23.50	23.50	00 55	7.66	7.66	7.66	30.17	30.17	20.40	77.6	77.6	77.6	5.47	5.47	E 47	3.51	3.44	2.46	7	6.50
23/4/2012	17:52	Cloudy	Middle	1.0	23.60	23.60	23.55	7.66	7.66	7.66	30.21	30.21	30.19	77.6	77.6	77.6	5.47	5.47	5.47	3.47	3.40	3.46	6	6.50
05/4/0040	20:46	Olavata	Middle	1.5	24.60	24.60	04.00	8.03	8.03	0.00	28.95	28.95	00.05	74.2	74.2	74.0	5.28	5.28	F 00	12.90	13.70	40.40	6	0.00
25/4/2012	20:47	Cloudy	Middle	1.5	24.60	24.60	24.60	8.03	8.03	8.03	28.95	28.95	28.95	75.6	75.6	74.9	5.30	5.30	5.29	13.60	13.50	<u>13.43</u>	6	6.00
07/4/0040	22:56	Olavata	Middle	2.0	24.20	24.20	04.00	7.70	7.70	7.70	29.60	29.60	00.57	66.1	65.9	05.0	4.72	4.70	4.00	4.60	4.11	4.04	4	4.00
27/4/2012	22:58	Cloudy	Middle	2.0	24.20	24.20	24.20	7.69	7.69	7.70	29.59	29.50	29.57	65.8	65.2	65.8	4.68	4.66	4.69	4.28	4.26	4.31	4	4.00



Water Monitoring Result at WSD21 - Wan Chai Mid-Flood Tide

Date	Time	Weater Condition	Samplin	g Depth	Wat	er Temp	erature		рН			Salini	ty	D	O Satur	ation		DO mg/L			Turbid NTU		Suspende	
		Condition	n	n	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	alue	Average	Value	Average
28/3/2012	21:54	Claudy	Middle	1.0	19.20	19.20	19.20	8.14	8.14	8.14	31.80	31.80	31.80	90.0	89.2	88.8	6.93	6.87	6.84	5.56	5.99	5.58	15	15.50
20/3/2012	21:56	Cloudy	Middle	1.0	19.20	19.20	19.20	8.14	8.14	0.14	31.80	31.80	31.00	88.4	87.5	00.0	6.82	6.75	0.04	5.31	5.47	5.56	16	15.50
31/3/2012	10:45	Cloudy	Middle	2.0	20.70	20.70	20.70	8.02	8.02	8.02	30.81	30.81	30.81	51.1	51.1	51.1	3.79	3.79	3.77	6.36	6.19	6.26	4	4.50
31/3/2012	10:47	Cloudy	Middle	2.0	20.70	20.70	20.70	8.02	8.02	0.02	30.81	30.81	30.01	51.0	51.0	31.1	3.75	3.75	3.77	6.19	6.31	0.20	5	4.50
2/4/2012	12:16	Cloudy	Middle	2.0	20.10	20.10	20.15	8.00	8.00	7.99	30.81	30.81	30.81	52.4	52.4	52.3	3.80	3.80	3.78	5.24	5.20	5.28	4	5.00
2/4/2012	12:18	Oloudy	Middle	2.0	20.20	20.20	20.13	7.98	7.98	7.55	30.81	30.81	30.01	52.1	52.1	32.0	3.75	3.75	3.70	5.47	5.19	3.20	6	3.00
5/4/2012	17:25	Rainy	Middle	2.0	20.40	20.40	20.40	7.88	7.88	7.88	32.07	32.07	31.07	44.5	44.5	43.8	3.37	3.37	3.31	5.54	5.59	5.55	4	5.00
3/4/2012	17:27	Railly	Middle	2.0	20.40	20.40	20.40	7.88	7.88	7.00	30.07	30.07	31.07	43.1	43.1	43.0	3.25	3.25	3.31	5.53	5.53	3.33	6	3.00
7/4/2012	16:17	Cloudy	Middle	1.5	19.30	19.30	19.30	7.78	7.78	7.78	30.72	30.72	30.72	50.1	50.1	49.3	3.85	3.85	3.79	6.17	6.34	6.16	18	17.00
77472012	16:19	Oloudy	Middle	1.5	19.30	19.30	10.00	7.77	7.77	7.70	30.71	30.71	30.72	48.4	48.4	40.0	3.72	3.72	5.75	5.98	6.14	0.10	16	17.00
10/4/2012	10:11	Cloudy	Middle	2.0	21.20	21.20	21.20	7.83	7.83	7.84	30.50	30.50	30.45	77.9	77.8	76.6	5.81	5.80	5.71	11.60	11.10	10.90	6	7.00
10/4/2012	10:13	Oloudy	Middle	2.0	21.20	21.20	21.20	7.84	7.84	7.04	30.40	30.40	30.43	75.2	75.4	70.0	5.60	5.62	5.71	10.60	10.30	10.50	8	7.00
12/4/2012	10:07	Fine	Middle	2.0	21.80	21.80	21.80	7.76	7.76	7.76	30.34	30.34	30.34	64.4	64.4	64.7	4.73	4.73	4.76	4.61	4.63	4.53	4	4.00
12/4/2012	10:09	1 1110	Middle	2.0	21.80	21.80	21.00	7.76	7.76	7.70	30.34	30.34	00.04	65.0	65.0	04.1	4.78	4.78	4.70	4.48	4.39	4.00	4	4.00
14/4/2012	14:00	Fine	Middle	2.0	23.70	23.70	23.70	7.85	7.85	7.83	30.59	30.59	30.59	73.4	73.4	73.1	5.20	5.20	5.18	5.26	5.46	5.29	7	7.00
1 11 11 20 12	14:02	10	Middle	2.0	23.70	23.70	200	7.85	7.75	7.00	30.59	30.59	00.00	72.7	72.7	70	5.15	5.15	0.10	5.21	5.23	0.20	7	1.00
16/4/2012	15:50	Cloudy	Middle	1.5	24.50	24.50	24.50	7.68	7.68	7.68	30.29	30.29	30.29	72.8	72.2	73.2	5.11	5.07	5.14	3.77	3.69	3.71	6	6.00
	15:52	,	Middle	1.5	24.50	24.50		7.67	7.67		30.28	30.28		73.7	74.2		5.17	5.22		3.70	3.66		6	
18/4/2012	15:58	Cloudy	Middle	1.5	22.70	22.70	22.70	7.89	7.89	7.89	31.57	31.57	31.57	64.0	64.2	64.2	4.60	4.61	4.62	5.82	6.00	5.93	6	5.50
	16:00	,	Middle	1.5	22.70	22.70		7.89	7.89		31.57	31.57		64.2	64.4		4.62	4.63		5.93	5.96		5	
20/4/2012	16:17	Cloudy	Middle	1.5	22.60	22.60	22.60	7.72	7.72	7.72	29.77	29.77	29.77	72.5	72.5	72.7	5.28	5.28	5.30	3.98	3.96	4.02	4	5.00
	16:19	,	Middle	1.5	22.60	22.60		7.72	7.72		29.77	29.77		72.9	72.9		5.31	5.31		4.12	4.03		6	
23/4/2012	17:45	Cloudy	Middle	1.0	24.30	24.30	24.30	7.67	7.67	7.67	30.51	30.51	30.51	75.6	75.6	74.8	5.34	5.34	5.27	3.65	3.67	3.58	6	7.00
	17:47	,	Middle	1.0	24.30	24.30		7.67	7.67		30.50	30.50		73.9	73.9		5.19	5.19		3.51	3.47		8	
25/4/2012	20:25	Cloudy	Middle	2.0	24.60	24.60	24.60	7.82	7.82	7.82	29.05	29.05	29.05	72.4	72.4	72.1	5.12	5.12	5.08	7.43	7.23	7.24	17	16.00
	20:27	,	Middle	2.0	24.60	24.60		7.82	7.82		29.05	29.05		71.7	71.7		5.04	5.04		7.09	7.21		15	
27/4/2012	22:39	Cloudy	Middle	1.5	22.70	22.70	22.70	7.75	7.75	7.75	30.17	30.17	30.18	70.7	73.3	72.0	5.12	5.30	5.22	12.10	13.30	12.95	16	16.00
	22:41	,	Middle	1.5	22.70	22.70		7.75	7.75		30.18	30.18		71.6	72.2	-	5.18	5.26	-	13.20	13.20		16	



Water Monitoring Result at WSD19 - Sheung Wan Mid-Flood Tide

Date	Time	Weater	Samplin	g Depth	Wat	er Temp	erature		рН			Salini	ty	D	O Satur	ation		DO			Turbid			led Solids
Date		Condition	n	n	Va	lue °C	Average	Va	lue -	Average	Va	ppt lue	Average	Va	ilue %	Average	Va	mg/L ilue	Average	Va	NTU ilue	Average	mç Value	g/L Average
28/3/2012	1:16	Olavisti	Middle	2.0	18.93	18.95	18.96	7.98	7.98	7.98	31.36	31.36	31.37	75.7	75.6	74.9	5.82	5.81	5.75	4.60	4.56	4.50	5	6.00
26/3/2012	1:17	Cloudy	Middle	2.0	18.98	18.99	10.90	7.98	7.98	7.90	31.38	31.38	31.37	73.9	74.2	74.9	5.68	5.70	5.75	4.44	4.64	4.56	7	6.00
04/0/0040	5:10	0	Middle	2.0	20.05	20.05	00.00	7.83	7.83	7.00	31.38	31.38	24.42	71.1	71.2	74.4	5.37	5.38	5.07	3.49	3.46	0.00	5	4.50
31/3/2012	5:11	Cloudy	Middle	2.0	19.95	19.93	20.00	7.80	7.80	7.82	31.45	31.45	31.42	71.1	71.1	71.1	5.37	5.37	5.37	3.16	3.19	3.33	4	4.50
0/4/0040	16:07	Olavedia	Middle	2.0	20.80	20.80	00.05	8.10	8.10	0.40	32.20	32.20	20.04	85.9	86.5	00.4	6.36	6.40	0.00	6.75	7.04	0.00	4	4.00
2/4/2012	16:09	Cloudy	Middle	2.0	20.90	20.90	20.85	8.10	8.10	8.10	32.21	32.21	32.21	87.9	85.3	86.4	6.49	6.30	6.39	7.08	6.70	6.89	4	4.00
5/4/0040	15:40	Б.	Middle	2.5	20.30	20.30	00.05	8.16	8.16	0.45	31.98	31.98	04.00	90.4	89.5	20.0	6.76	6.70	0.70	3.17	3.14	0.40	7	7.00
5/4/2012	15:42	Rainy	Middle	2.5	20.40	20.40	20.35	8.14	8.14	8.15	31.99	31.99	31.99	90.2	89.1	89.8	6.74	6.66	6.72	3.10	3.11	3.13	7	7.00
7/4/0040	16:10	01 1	Middle	1.5	19.70	19.70	10.70	7.96	7.96	7.00	31.39	31.39	04.00	87.3	87.3	27.0	6.63	6.64	0.00	7.69	7.86	7.70	5	5.50
7/4/2012	16:11	Cloudy	Middle	1.5	19.69	19.69	19.70	7.96	7.96	7.96	31.39	31.40	31.39	87.1	87.0	87.2	6.62	6.61	6.63	7.98	7.39	7.73	6	5.50
	9:05		Middle	2.5	20.90	20.90		8.10	8.10		31.90	31.90		86.8	87.0		6.44	6.46		5.90	5.74		7	
10/4/2012	9:08	Cloudy	Middle	2.5	20.80	20.80	20.85	8.11	8.11	8.11	31.92	31.92	31.91	87.2	87.3	87.1	6.48	6.49	6.47	5.15	4.97	5.44	6	6.50
	12:03		Middle	2.0	22.90	22.90		8.12	8.12		31.92	31.92		84.6	83.5		6.04	5.95		5.52	5.61		9	
12/4/2012	12:05	Fine	Middle	2.0	23.10	23.10	23.00	8.12	8.12	8.12	31.93	31.93	31.93	85.3	84.3	84.4	6.06	5.99	6.01	5.43	5.38	5.49	8	8.50
44440040	11:32	-	Middle	2.0	23.30	23.30	00.05	8.25	8.25	0.05	30.85	30.85	22.25	86.6	87.1	22.2	6.18	6.20	0.40	5.25	5.44	5.44	11	44.50
14/4/2012	11:34	Fine	Middle	2.0	23.40	23.40	23.35	8.24	8.24	8.25	30.85	30.85	30.85	87.4	85.9	86.8	6.22	6.11	6.18	5.04	4.83	5.14	12	11.50
40/4/0040	12:30	Olavedia	Middle	2.0	24.60	24.60	04.05	8.19	8.19	0.40	30.70	30.70	20.00	89.0	89.3	00.5	6.13	6.15	0.40	3.47	3.75	0.00	4	4.00
16/4/2012	12:32	Cloudy	Middle	2.0	24.70	24.70	24.65	8.18	8.18	8.19	30.68	30.68	30.69	89.8	89.9	89.5	6.18	6.19	6.16	3.00	3.21	3.36	4	4.00
40/4/0040	15:15	01 1	Middle	2.0	22.40	22.40	00.05	8.22	8.22	2.00	32.22	32.22	20.00	73.3	72.5	74.0	5.27	5.21	5.40	1.51	1.29	4.04	4	4.00
18/4/2012	15:18	Cloudy	Middle	2.0	22.30	22.30	22.35	8.23	8.23	8.23	32.23	32.23	32.23	70.2	68.6	71.2	5.05	4.93	5.12	1.20	1.24	1.31	4	4.00
00/4/0040	19:35	Olavedia	Middle	2.0	22.10	22.10	00.45	8.15	8.15	0.40	31.76	31.76	04.77	81.5	81.8	04.0	5.91	5.94	5.05	2.61	2.65	0.50	4	4.50
20/4/2012	19:38	Cloudy	Middle	2.0	22.20	22.20	22.15	8.16	8.16	8.16	31.77	31.77	31.77	81.9	82.4	81.9	5.95	5.99	5.95	2.51	2.45	2.56	5	4.50
00/4/0040	23:00	01 1	Middle	2.0	23.25	23.22	00.00	7.73	7.73	7.70	31.31	31.31	24.24	83.9	84.0	20.0	5.98	5.99	5.07	6.06	5.96	5.05	12	40.00
23/4/2012	23:01	Cloudy	Middle	2.0	23.21	23.21	23.22	7.71	7.71	7.72	31.31	31.32	31.31	83.5	83.6	83.8	5.95	5.96	5.97	5.84	5.92	5.95	12	12.00
05/4/0040	23:42	Olar I	Middle	2.0	23.99	23.99	00.00	7.65	7.65	7.05	30.05	30.05	20.27	82.9	82.8	00.0	5.87	5.86	F.00	4.42	4.58	4.5.	11	40.00
25/4/2012	23:43	Cloudy	Middle	2.0	23.96	23.96	23.98	7.64	7.64	7.65	30.08	30.08	30.07	82.7	82.7	82.8	5.86	5.86	5.86	4.69	4.46	4.54	9	10.00
07/4/0040	1:45	Olavida	Middle	2.0	22.71	22.71	00.74	8.11	8.11	0.44	31.28	31.28	24.00	72.8	72.8	70.0	5.24	5.24	5.04	3.40	3.31	0.00	4	4.50
27/4/2012	1:46	Cloudy	Middle	2.0	22.70	22.70	22.71	8.11	8.11	8.11	31.28	31.28	31.28	72.7	72.7	72.8	5.24	5.24	5.24	3.52	3.33	3.39	5	4.50



Water Monitoring Result at WSD20 - Kennedy Town Mid-Flood Tide

Date	Time	Weater Condition	Samplin	g Depth	Wat	er Temp	erature		рН			Salini	ty	D	O Satur	ation		DO mg/L			Turbid NTU		Suspend	
		Condition	n	n	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	alue	Average	Value	Average
28/3/2012	1:02	Cloudy	Middle	2.0	18.78	18.78	18.81	8.21	8.21	8.21	31.48	31.48	31.48	90.3	90.3	88.9	6.95	6.95	6.85	5.95	6.03	5.93	7	6.50
20/3/2012	1:03	Oloudy	Middle	2.0	18.83	18.83	10.01	8.20	8.20	0.21	31.48	31.48	31.40	87.8	87.3	00.5	6.78	6.73	0.00	5.66	6.06	3.33	6	0.50
31/3/2012	4:46	Cloudy	Middle	2.0	19.78	19.78	19.83	8.04	8.04	8.03	31.33	31.33	31.32	81.0	80.9	80.8	6.14	6.14	6.13	3.36	3.07	3.16	<2	<2
0	4:47		Middle	2.0	19.88	19.87		8.01	8.01		31.30	31.30		80.5	80.7		6.10	6.12		3.19	3.00		<2	_
2/4/2012	15:42	Cloudy	Middle	1.5	20.50	20.50	20.60	8.20	8.20	8.20	32.34	32.34	32.34	93.5	91.9	93.0	6.95	6.82	6.91	2.99	2.90	3.08	4	3.50
	15:43	,	Middle	1.5	20.70	20.70		8.20	8.20		32.34	32.34		93.8	92.9		6.96	6.90		3.24	3.18		3	
5/4/2012	14:20	Rainy	Middle	1.5	20.80	20.80	20.80	8.25	8.25	8.25	32.17	32.17	32.17	89.7	89.9	89.5	6.63	6.65	6.62	3.59	3.31	3.25	8	7.00
	14:22	Í	Middle	1.5	20.80	20.80		8.24	8.24		32.17	32.17		87.9	90.6		6.50	6.70		2.97	3.13		6	<u> </u>
7/4/2012	16:35	Cloudy	Middle	1.5	19.58	19.58	19.58	8.00	8.00	8.00	31.25	31.25	31.25	88.1	88.1	88.1	6.71	6.71	6.71	4.72	4.19	4.30	5	5.00
	16:36		Middle	1.5	19.58	19.58		8.00	8.00		31.25	31.25		88.0	88.0		6.71	6.70		4.25	4.02		5	
10/4/2012	8:55	Cloudy	Middle	2.0	20.70	20.70	20.70	8.09	8.09	8.09	31.80	31.80	31.80	83.7	83.7	84.6	6.27	6.27	6.31	8.69	8.75	8.87	13	13.50
	8:58		Middle	2.0	20.70	20.70		8.09	8.09		31.80	31.80		85.5	85.5		6.35	6.35		9.18	8.84		14	
12/4/2012	11:50	Fine	Middle	1.5	22.90	22.90	23.00	8.22	8.22	8.22	30.88	30.88	30.88	93.4	92.3	92.7	6.70	6.62	6.64	2.02	2.06	2.03	4	4.00
	11:52		Middle	1.5	23.10	23.10		8.22	8.22		30.88	30.88		92.9	92.3		6.65	6.60		2.02	2.01		4	
14/4/2012	11:16	Fine	Middle	1.5	23.20	23.20	23.25	8.21	8.21	8.21	29.97	29.97	29.97	96.6	95.6	96.0	6.94	6.86	6.89	2.35	2.43	2.25	4	4.00
	11:18		Middle	1.5	23.30	23.30		8.21	8.21		29.97	29.97		96.8	95.1		6.94	6.82		2.20	2.02		4	
16/4/2012	11:55	Cloudy	Middle	1.5	24.50	24.50	24.55	8.25	8.25	8.24	30.16	30.16	30.15	97.9	97.8	97.5	6.83	6.82	6.80	1.89	1.69	1.77	<2	<2
	11:57		Middle	1.5	24.60	24.60		8.23	8.23		30.14	30.14		97.2	97.0		6.77	6.76		1.57	1.91		<2	
18/4/2012	14:55	Cloudy	Middle	2.0	22.50	22.50	22.45	8.21	8.21	8.21	31.96	31.96	31.97	73.3	71.3	70.7	5.27	5.13	5.08	1.94	1.54	1.76	4	4.50
	14:58		Middle Middle	2.0	22.40	22.40		8.20 8.22	8.20 8.22		31.97	31.97		70.0	68.3		5.03	4.89 6.29		1.73	1.82 2.25		5 4	
20/4/2012	19:10	Cloudy	Middle	2.0	22.10	22.10	22.15	8.23	8.23	8.23	30.23	30.23	30.23	85.0 86.0	85.9 86.1	85.8	6.22	6.31	6.28	2.22	2.25	2.24	6	5.00
	22:42		Middle	2.0	23.54	23.54		7.78	7.78		30.25	30.25		87.6	87.4		6.25	6.23		5.00	5.21		7	
23/4/2012	22:42	Cloudy	Middle	2.0	23.57	23.57	23.56	7.78	7.78	7.78	30.25	30.25	30.25	87.4	87.2	87.4	6.23	6.22	6.23	5.30	5.11	5.16	5	6.00
	23:30		Middle	2.0	23.84	23.84		7.68	7.68		29.07	29.07		89.1	89.0		6.36	6.35		3.29	3.21		6	
25/4/2012	23:31	Cloudy	Middle	2.0	23.86	23.86	23.85	7.68	7.67	7.68	29.07	29.07	29.07	89.0	89.0	89.0	6.36	6.35	6.36	3.14	3.08	3.18	6	6.00
	1:28		Middle	2.0	22.79	22.79		8.19	8.19		30.25	30.25		73.4	73.4		5.31	5.31		3.40	2.98		5	
27/4/2012	1:29	Cloudy	Middle	2.0	22.79	22.79	22.79	8.19	8.19	8.19	30.25	30.25	30.25	73.4	73.4	73.4	5.31	5.31	5.31	2.81	3.01	3.05	6	5.50

Remarks: Single underline denotes exceedance over Action Level Double underline denotes exceedance over Limit Level



Water Monitoring Result at WSD7 - Kowloon South Mid-Flood Tide

Date	Time	Weater Condition	Samplin	g Depth	Wat	er Temp	erature		рН			Salini	ty	D	O Satur	ation		DO mg/L			Turbid NTU		Suspende	
		Condition	n	n	Va	lue	Average	Va	lue	Average	Va	ppt lue	Average	Va	ilue	Average	Va	lue	Average	Va	alue	Average	mg Value	Average
28/3/2012	21:50	Claudy	Middle	2.0	18.93	18.93	10.05	8.16	8.16	8.15	31.44	31.44	31.43	94.4	94.4	94.2	7.24	7.24	7.22	4.90	4.55	4.80	5	5.50
20/3/2012	21:51	Cloudy	Middle	2.0	18.97	18.97	18.95	8.14	8.14	0.15	31.41	31.41	31.43	94.1	93.9	94.2	7.21	7.20	1.22	4.67	5.08	4.00	6	5.50
31/3/2012	3:30	Cloudy	Middle	1.5	19.60	19.60	19.68	7.85	7.85	7.85	31.45	31.45	31.45	80.3	80.3	80.2	6.09	6.09	6.08	4.82	4.52	4.61	6	5.00
31/3/2012	3:31	Cloudy	Middle	1.5	19.75	19.75	19.00	7.84	7.84	7.05	31.45	31.45	31.43	80.0	80.0	00.2	6.07	6.07	0.00	4.55	4.53	4.01	4	3.00
2/4/2012	12:45	Cloudy	Middle	1.5	20.70	20.70	20.80	8.10	8.10	8.10	32.21	32.21	32.21	89.3	88.6	88.8	6.62	6.56	6.57	6.61	6.69	6.61	6	5.00
2/4/2012	12:46	Oloudy	Middle	1.5	20.90	20.90	20.00	8.10	8.10	0.10	32.21	32.21	JZ.Z 1	89.4	87.8	00.0	6.60	6.48	0.57	6.52	6.60	0.01	4	3.00
5/4/2012	16:10	Rainy	Middle	1.5	20.30	20.30	20.30	8.10	8.10	8.10	32.09	32.09	32.09	85.6	84.6	85.4	6.41	6.33	6.39	3.01	3.20	2.96	8	7.50
3/4/2012	16:12	rainy	Middle	1.5	20.30	20.30	20.00	8.10	8.10	0.10	32.09	32.09	32.03	85.9	85.3	00.4	6.43	6.38	0.55	2.82	2.81	2.50	7	7.50
7/4/2012	20:59	Cloudy	Middle	2.0	19.85	19.85	19.87	7.86	7.86	7.85	31.51	31.51	31.56	90.4	88.8	89.3	6.84	6.72	6.76	4.48	4.66	4.46	7	7.00
77472012	21:00	Oloudy	Middle	2.0	19.88	19.88	13.07	7.84	7.84	7.05	31.61	31.61	01.50	88.9	88.9	00.0	6.73	6.73	0.70	4.34	4.37	4.40	7	7.00
10/4/2012	11:15	Cloudy	Middle	1.5	21.90	21.90	21.85	8.11	8.11	8.11	32.00	32.00	32.01	82.2	82.6	82.0	5.93	6.14	5.96	3.55	3.57	3.58	5	5.50
10/4/2012	11:18	Oloudy	Middle	1.5	21.80	21.80	21.00	8.10	8.10	0.11	32.01	32.01	32.01	81.6	81.7	02.0	5.89	5.89	3.30	3.51	3.67	3.30	6	3.50
12/4/2012	7:53	Fine	Middle	1.5	22.30	22.30	22.35	7.97	7.97	7.98	31.45	31.45	31.45	81.1	80.2	80.9	5.87	5.80	5.85	2.01	2.08	1.93	3	3.00
121-112012	7:54	Tille	Middle	1.5	22.40	22.40	22.00	7.99	7.99	7.00	31.45	31.45	01.40	81.6	80.5	00.0	5.90	5.82	0.00	1.78	1.84	1.00	3	0.00
14/4/2012	18:15	Fine	Middle	1.5	23.10	23.10	23.15	7.94	7.94	7.96	31.23	31.23	31.24	78.6	77.2	78.1	5.61	5.51	5.57	2.75	2.78	2.84	6	6.00
1 11 11 20 12	18:16	0	Middle	1.5	23.20	23.20	20.10	7.97	7.97	7.00	31.24	31.24	02.	78.7	77.7	7 0	5.61	5.54	0.07	3.01	2.82	2.0.	6	0.00
16/4/2012	16:30	Cloudy	Middle	1.5	24.30	24.30	24.35	8.12	8.12	8.12	31.10	31.10	31.10	82.6	81.1	82.2	5.77	5.71	5.76	1.24	1.18	1.26	5	4.50
	16:32	,	Middle	1.5	24.40	24.40		8.12	8.12		31.10	31.10		83.1	81.8		5.83	5.72		1.23	1.40		4	
18/4/2012	19:58	Cloudy	Middle	1.5	22.20	22.20	22.25	8.25	8.25	8.25	32.76	32.76	32.76	81.2	82.4	81.8	5.86	5.93	5.90	3.73	3.92	3.88	7	7.50
	20:00	,	Middle	1.5	22.30	22.30		8.24	8.24		32.75	32.75		82.0	81.7		5.91	5.88		3.96	3.90		8	
20/4/2012	18:30	Cloudy	Middle	1.5	22.20	22.20	22.25	8.13	8.13	8.13	31.70	31.70	31.71	79.7	80.1	80.1	5.78	5.81	5.81	2.94	2.93	2.97	6	5.00
	18:33	,	Middle	1.5	22.30	22.30		8.12	8.12		31.71	31.71		80.2	80.3		5.82	5.83		3.09	2.91		4	
23/4/2012	19:52	Cloudy	Middle	1.5	23.39	23.40	23.42	7.71	7.71	7.71	30.64	30.64	30.63	93.6	93.5	93.4	6.67	6.66	6.66	4.12	3.80	3.93	8	7.00
-	19:53		Middle	1.5	23.43	23.44		7.71	7.71		30.64	30.61		93.3	93.3		6.65	6.64		3.84	3.97		6	
25/4/2012	20:41	Cloudy	Middle	1.5	24.10	24.10	24.11	7.59	7.59	7.59	28.61	28.62	28.61	93.1	93.1	93.0	6.63	6.63	6.62	4.50	3.90	4.10	11	11.00
	20:42		Middle	1.5	24.12	24.12		7.58	7.58		28.61	28.61		93.0	92.9		6.62	6.61		3.85	4.13		11	
27/4/2012	22:22	Cloudy	Middle	1.5	22.83	22.83	22.83	8.04	8.04	8.04	30.85	30.85	30.85	79.6	79.6	79.6	5.73	5.73	5.73	4.97	5.19	5.15	9	8.50
	22:23	,	Middle	1.5	22.83	22.83		8.04	8.04		30.85	30.85		79.6	79.6		5.73	5.73		5.20	5.24		8	

Remarks: Single underline denotes exceedance over Action Level Double underline denotes exceedance over Limit Level



Water Monitoring Result at WSD9 - Tai Wan Mid-Ebb Tide

Date	Time	Weater	Samplin	g Depth	Wat	er Temp	erature		рН			Salini	ty	D	O Satur	ation		DO			Turbid NTU		Suspende	
		Condition	n	n	Va	lue	Average	Va	lue	Average	Va	ppt alue	Average	Va	lue	Average	Va	mg/L lue	Average	Va	ilue	Average	Mg Value	
28/3/2012	15:57	Fine	Middle	2.0	19.40	19.40	19.45	8.23	8.23	8.23	32.34	32.34	32.34	97.6	98.7	97.5	7.39	7.47	7.37	2.66	2.57	2.58	4	3.50
20/3/2012	15:59	Tille	Middle	2.0	19.50	19.50	10.40	8.23	8.23	0.23	32.33	32.33	32.04	96.2	97.3	37.3	7.27	7.35	1.51	2.66	2.43	2.50	3	3.30
30/3/2012	17:35	Cloudy	Middle	2.5	20.40	20.40	20.35	8.17	8.17	8.17	32.18	32.18	32.19	95.7	95.5	95.5	7.11	7.09	7.09	2.68	2.60	2.57	4	4.50
	17:38	,	Middle	2.5	20.30	20.30		8.16	8.16		32.19	32.19		95.6	95.1		7.10	7.06		2.46	2.52		5	
2/4/2012	19:45	Fine	Middle	2.0	19.93	19.93	19.93	8.01	8.01	8.01	31.74	31.74	31.74	75.6	75.6	75.1	5.70	5.70	5.67	1.61	1.51	1.49	3	3.00
2, 1, 20, 12	19:47	10	Middle	2.0	19.93	19.93		8.01	8.01	0.01	31.74	31.74	0	74.5	74.6	7 0	5.63	5.63	0.07	1.38	1.44	0	3	0.00
5/4/2012	9:56	Cloudy	Middle	3.0	20.20	20.20	20.30	8.24	8.24	8.24	32.67	32.67	32.68	93.8	92.4	93.3	6.99	6.88	6.95	3.32	3.36	3.41	2	3.00
0, 1,2012	9:58	cloudy	Middle	3.0	20.40	20.40	20.00	8.24	8.24	0.2 .	32.68	32.68	02.00	94.1	92.8	00.0	7.00	6.91	0.00	3.40	3.54	0.11	4	0.00
7/4/2012	10:30	Cloudy	Middle	2.0	19.07	19.07	19.07	7.98	7.98	7.97	31.73	31.73	31.75	93.2	93.2	92.1	7.15	7.15	7.07	3.24	3.28	3.28	4	4.50
77 11 20 12	10:31	cloudy	Middle	2.0	19.07	19.07		7.96	7.96	1.01	31.76	31.76	00	91.0	91.0	02	6.98	6.98		3.14	3.44	0.20	5	
10/4/2012	17:55	Sunny	Middle	2.0	21.30	21.30	21.30	8.16	8.16	8.16	32.21	32.21	32.21	84.0	84.0	83.2	6.16	6.16	6.10	2.03	1.74	1.95	4	3.50
	17:58	Jan.,	Middle	2.0	21.30	21.30		8.16	8.16		32.21	32.21		82.3	82.3		6.03	6.03		1.92	2.10		3	
12/4/2012	16:30	Fine	Middle	2.5	23.00	23.00	23.00	8.17	8.17	8.17	32.20	32.20	32.21	89.9	89.0	89.4	6.37	6.30	6.33	1.99	1.88	1.72	4	3.50
	16:32		Middle	2.5	23.00	23.00		8.17	8.17		32.22	32.22		89.7	89.1		6.34	6.30		1.53	1.47		3	
14/4/2012	18:04	Cloudy	Middle	2.0	23.88	23.84	23.85	7.77	7.77	7.77	31.55	31.55	31.55	94.2	94.2	94.2	6.42	9.42	7.17	2.13	2.45	2.21	3	3.50
	18:05	·	Middle	2.0	23.84	23.84		7.76	7.76		31.55	31.55		94.2	94.2		6.42	6.42		2.12	2.15		4	
16/4/2012	-	Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	-		Middle	-	-	-		-	-		-	-		-	-		-	-		-	-		-	
18/4/2012	9:35	Cloudy	Middle	2.0	21.80	21.80	21.80	8.25	8.25	8.25	33.38	33.38	33.39	87.2	87.6	87.6	6.30	6.33	6.33	1.91	1.78	1.83	5	4.50
	9:37		Middle	2.0	21.80	21.80		8.25	8.25		33.39	33.39		87.9	87.5		6.35	6.33		1.76	1.88		4	
20/4/2012	-	Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	-		Middle	-	-	-		-	-		-	-		-	-		-	-		-	-		-	
23/4/2012	12:30	Cloudy	Middle	2.5	23.70	23.70	23.70	8.19	8.19	8.19	32.35	32.35	32.35	81.1	81.0	81.2	5.70	5.69	5.70	1.32	1.34	1.33	4	5.50
	12:32		Middle	2.5	23.70	23.70		8.19	8.19		32.35	32.35		81.3	81.4		5.71	5.71		1.35	1.30		7	
25/4/2012	11:10	Fine	Middle	2.0	24.00	24.00	24.05	8.18	8.18	8.18	32.19	32.19	32.19	82.8	82.2	82.5	5.79	5.74	5.76	1.80	1.79	1.77	7	6.50
	11:12		Middle	2.0	24.10	24.10		8.18	8.18		32.19	32.19		82.4	82.6		5.75	5.77		1.61	1.87		6	
27/4/2012	-	- Amber Rainstorm	Middle Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!



Water Monitoring Result at WSD17 - Quarry Bay Mid-Ebb Tide

Date	Time	Weater Condition	Samplin	ng Depth	Wat	er Temp	erature		рН			Salini	ty	D	O Satur	ation		DO			Turbid NTU		Suspende	
		Condition	r	n	Va	lue	Average	Va	ılue	Average	Va	ppt ilue	Average	Va	lue	Average	Va	mg/L lue	Average	Va	lue	Average	Mg Value	Average
28/3/2012	14:45	Fine	Middle	2	19.20	19.20	19.25	8.26	8.26	8.26	32.38	32.38	32.38	94.6	95.6	94.9	7.18	7.25	7.20	4.69	4.10	4.23	3	4.00
20/3/2012	14:47	Tille	Middle	2	19.30	19.30	13.23	8.25	8.25	0.20	32.38	32.38	32.30	95.0	94.5	54.5	7.20	7.15	7.20	4.08	4.03	4.25	5	4.00
30/3/2012	16:11	Cloudy	Middle	2	20.30	20.30	20.25	8.19	8.19	8.19	32.28	32.28	32.28	90.5	92.3	91.8	6.74	6.87	6.82	4.15	3.90	4.09	3	3.00
	16:14	2.223,	Middle	2	20.20	20.20		8.18	8.18		32.27	32.27		92.2	92.1		6.82	6.85		4.09	4.23		3	
2/4/2012	23:27	Fine	Middle	2	19.78	19.80	19.82	8.00	8.00	8.00	31.82	31.82	31.81	82.8	82.8	82.2	6.27	6.27	6.22	3.10	2.90	2.89	4	4.50
	23:28		Middle	2	19.84	19.84		8.00	8.00		31.80	31.80		81.7	81.5		6.18	6.16		2.80	2.74		5	
5/4/2012	11:57	Cloudy	Middle	3	20.60	20.60	20.65	8.20	8.20	8.20	32.46	32.46	32.46	88.7	87.0	88.0	6.57	6.45	6.52	2.99	3.05	2.99	5	4.50
	11:59	,	Middle	3	20.70	20.70		8.20	8.20		32.46	32.46		88.9	87.3		6.59	6.47		2.92	3.01		4	
7/4/2012	13:10	Cloudy	Middle	2	19.48	19.48	19.49	7.65	7.65	7.65	31.81	31.81	31.81	90.4	90.4	90.2	6.88	6.88	6.86	4.41	4.41	4.06	5	5.50
	13:11	,	Middle	2	19.50	19.50		7.65	7.65		31.81	31.81		90.0	90.0		6.84	6.84		3.73	3.67		6	
10/4/2012	17:20	Sunny	Middle	2	21.30	21.30	21.30	8.21	8.21	8.21	32.06	32.06	32.06	83.3	83.3	80.7	6.11	6.11	5.92	2.69	2.92	2.75	7	6.50
	17:23	,	Middle	2	21.30	21.30		8.21	8.21		32.06	32.06		78.1	78.1		5.73	5.73		2.73	2.65		6	
12/4/2012	15:00	Fine	Middle	2	23.20	23.20	23.25	8.28	8.28	8.27	32.42	32.42	32.41	90.8	91.5	91.1	6.41	6.46	6.42	2.98	2.89	3.05	4	4.00
	15:02		Middle	2	23.30	23.30		8.26	8.26		32.40	32.40		90.9	91.1		6.39	6.40		3.31	3.02		4	
14/4/2012	21:06	Cloudy	Middle	2	23.34	23.37	23.43	7.56	7.56	7.58	31.44	31.44	31.43	87.3	87.2	87.0	6.20	6.18	6.17	2.29	2.08	2.37	5	4.00
	21:07		Middle	2	23.50	23.50		7.60	7.60		31.41	31.41		86.7	86.7		6.15	6.15		2.54	2.55		3	
16/4/2012	-	Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	-		Middle	-	-	-		-	-		-	-		-	-		-	-		-	-		-	
18/4/2012	10:55	Cloudy	Middle	2	22.20	22.20	22.20	8.25	8.25	8.25	33.33	33.33	33.33	82.8	83.0	82.8	5.95	5.96	5.95	2.86	3.12	2.77	5	5.50
	10:57		Middle	2	22.20	22.20		8.25	8.25		33.33	33.33		82.3	82.9		5.91	5.96		2.66	2.44		6	
20/4/2012	-	Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	-		Middle	-	-	-		-	-		-	-		-	-		-	-		-	-		-	
23/4/2012	11:24	Cloudy	Middle	2	23.50	23.50	23.55	8.26	8.26	8.25	32.52	32.52	32.53	83.8	83.5	83.6	5.89	5.87	5.86	2.55	2.30	2.31	6	7.00
	11:26		Middle	2	23.60	23.60		8.24	8.24		32.53	32.53		83.6	83.3		5.86	5.83		2.36	2.03		8	
25/4/2012	12:25	Fine	Middle	2	24.20	24.20	24.25	8.17	8.17	8.17	31.62	31.62	31.62	76.8	77.0	77.0	5.36	5.38	5.37	2.60	2.20	2.27	6	5.50
	12:27		Middle	2	24.30	24.30		8.17	8.17		31.62	31.62		77.1	76.9		5.38	5.36		2.07	2.20		5	
27/4/2012		Amber Rainstorm	Middle Middle	-	_	-	#DIV/0!	-	-	#DIV/0!	-	_	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	_	-	#DIV/0!	-	#DIV/0!
	_		wiidule	_	_	_		-	_		_	_		_	_		-	-		-	_		-	

Remarks: Single underline denotes exceedance over Action Level Double underline denotes exceedance over Limit Level



Water Monitoring Result at C9 - Provident Centre Mid-Ebb Tide

Date	Time	Weater	Samplin	ng Depth	Wat	er Temp	erature		рН			Salini	ty	D	O Satur	ation		DO			Turbid NTU		Suspende	
		Condition	r	n	Va	lue	Average	Va	lue -	Average	Va	ppt alue	Average	Va	lue	Average	Va	mg/L lue	Average	Va	lue	Average	Mg Value	Average
28/3/2012	14:20	Fine	Middle	2	19.60	19.60	19.65	8.18	8.18	8.18	32.27	32.27	32.28	92.1	92.3	92.4	6.96	6.98	6.99	5.69	5.58	5.64	6	7.00
20/3/2012	14:23	Tille	Middle	2	19.70	19.70	15.05	8.17	8.17	0.10	32.28	32.28	32.20	92.8	92.2	32.4	7.05	6.96	0.55	5.57	5.73	3.04	8	7.00
30/3/2012	15:50	Cloudy	Middle	2	20.10	20.10	20.15	8.09	8.09	8.09	32.06	32.06	32.07	85.7	85.6	86.0	6.38	6.37	6.40	5.77	6.15	5.52	4	3.50
	15:53	,	Middle	2	20.20	20.20		8.08	8.08		32.07	32.07		86.3	86.5		6.42	6.43		5.11	5.05		3	
2/4/2012	22:44	Fine	Middle	2	19.97	19.97	19.98	7.85	7.85	7.84	31.51	31.51	31.52	73.4	73.0	72.8	5.54	5.51	5.50	3.08	2.96	3.05	5	5.00
	22:46		Middle	2	19.98	19.98		7.83	7.83		31.53	31.52		72.2	72.7		5.45	5.49		3.31	2.83		5	
5/4/2012	13:00	Cloudy	Middle	3	19.60	19.60	19.60	8.03	8.03	8.03	31.00	31.00	31.00	74.5	74.5	74.4	5.68	5.68	5.68	6.31	6.54	6.25	6	6.00
	13:02	,	Middle	3	19.60	19.60		8.02	8.02		31.00	31.00		74.3	74.3		5.67	5.67		6.04	6.11		6	
7/4/2012	12:50	Cloudy	Middle	2	19.51	19.52	19.52	7.58	7.58	7.58	31.62	31.62	31.62	92.4	93.1	92.5	7.04	7.14	7.08	5.78	5.54	5.52	7	7.50
	12:51	,	Middle	2	19.52	19.52		7.58	7.58		31.62	31.62		93.0	91.6		7.14	6.98		5.31	5.44		8	
10/4/2012	16:35	Sunny	Middle	2	22.40	22.40	22.35	8.26	8.26	8.26	32.04	32.04	32.04	86.4	86.1	86.7	6.20	6.18	6.22	4.66	4.88	4.59	7	7.50
	16:38	·	Middle	2	22.30	22.30		8.25	8.25		32.03	32.03		87.3	86.8		6.26	6.23		4.40	4.43		8	
12/4/2012	14:58	Fine	Middle	3	23.40	23.40	23.40	7.89	7.89	7.89	30.70	30.70	30.70	79.0	77.4	78.3	5.61	5.50	5.56	5.17	5.30	5.31	6	5.50
	15:00		Middle	3	23.40	23.40		7.89	7.89		30.70	30.70		78.7	78.0		5.59	5.54		5.61	5.17		5	
14/4/2012	20:36	Cloudy	Middle	2	24.01	24.01	24.01	7.41	7.41	7.41	30.54	30.54	30.54	94.8	94.7	94.8	6.69	6.69	6.69	4.12	3.94	4.13	6	6.50
	20:37		Middle	2	24.01	24.00		7.41	7.41		30.54	30.54		94.8	94.7		6.70	6.69		4.34	4.11		7	
16/4/2012	-	Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	-		Middle	-	-	-		-	-		-	-		-	-		-	-		-	-		-	
18/4/2012	13:15	Cloudy	Middle	2	22.30	22.30	22.35	8.21	8.21	8.21	33.03	33.03	33.04	84.2	84.5	84.5	6.04	6.06	6.06	3.18	3.47	3.36	5	5.50
	13:17		Middle	2	22.40	22.40		8.21	8.21		33.04	33.04		84.5	84.6		6.06	6.07		3.51	3.27		6	
20/4/2012	-	Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	-		Middle	-	-	-		-	-		-	-		-	-		-	-		-	-		-	
23/4/2012	14:15	Cloudy	Middle	3	22.80	22.80	22.80	7.84	7.84	7.84	30.68	30.68	30.68	64.6	64.6	64.6	4.66	4.66	4.66	4.76	4.87	4.73	14	13.50
	14:17		Middle	3	22.80	22.80		7.84	7.84		30.68	30.68		64.5	64.5		4.65	4.65		4.50	4.77		13	
25/4/2012	14:30	Fine	Middle	2	24.70	24.70	24.75	8.17	8.17	8.17	30.27	30.27	30.27	84.4	83.9	84.3	5.89	5.85	5.88	5.10	5.13	5.32	11	11.00
	14:32		Middle	2	24.80	24.80		8.17	8.17		30.26	30.26		84.3	84.5		5.87	5.89		5.44	5.61		11	
27/4/2012	-	Amber Rainstorm	Middle Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!



Water Monitoring Result at C8 - City Garden Mid-Ebb Tide

Date	Time	Weater Condition	Samplin	ng Depth	Wat	er Temp	erature		рН			Salini ppt	ty	D	O Satur	ation		DO mg/L			Turbid NTU		Suspend	
		Condition	r	n	Va		Average	Va	lue	Average	Va	alue	Average	Va	,,,	Average	Va	ue IIIg/L	Average	Va		Average		Average
28/3/2012	14:05	Fine	Middle	2	19.90	1.90	15.35	8.12	8.12	8.12	31.74	31.74	31.74	88.4	88.5	88.5	6.61	6.62	6.62	6.64	7.01	6.96	6	5.00
20/3/2012	14:08	Tille	Middle	2	19.80	19.80	15.55	8.12	8.12	0.12	31.73	31.73	31.74	88.6	88.3	00.5	6.63	6.60	0.02	7.06	7.12	0.90	4	3.00
30/3/2012	15:37	Cloudy	Middle	2	20.60	20.60	20.55	8.03	8.03	8.03	31.58	31.58	31.59	81.7	82.0	82.1	6.08	6.10	6.11	6.27	6.32	6.33	3	3.00
00/0/2012	15:40	o.odd,	Middle	2	20.50	20.50	20.00	8.02	8.02	0.00	31.59	31.59	01.00	82.2	82.6	02	6.11	6.14	0	6.14	6.59	0.00	3	0.00
2/4/2012	23:08	Fine	Middle	2	20.11	20.11	20.11	8.03	8.03	8.02	31.69	31.69	31.67	82.3	82.1	82.1	6.19	6.17	6.18	3.59	3.38	3.44	6	6.50
2, 1, 20, 12	23:09	0	Middle	2	20.11	20.11	20	8.01	8.01	0.02	31.64	31.64	01.01	82.1	82.0	02	6.17	6.17	0.10	3.35	3.42	0	7	0.00
5/4/2012	12:50	Cloudy	Middle	2	19.60	19.60	19.60	8.03	8.03	8.03	31.01	31.01	31.01	72.5	72.5	72.3	5.52	5.52	5.51	5.73	5.79	5.78	6	6.50
07 1120 12	12:52	o.oda,	Middle	2	19.60	19.60	10.00	8.02	8.02	0.00	31.01	31.01	01.01	72.1	72.1	. 2.0	5.49	5.49	0.01	5.88	5.70	0.10	7	0.00
7/4/2012	12:35	Cloudy	Middle	2	19.60	19.60	19.62	7.56	7.56	7.56	30.96	30.96	30.96	91.3	91.3	91.3	6.97	6.97	6.96	7.16	6.96	7.00	6	6.00
	12:36	5.525,	Middle	2	19.64	19.64		7.56	7.56		30.95	30.95		91.4	91.1		6.97	6.94		6.80	7.09		6	
10/4/2012	16:05	Sunny	Middle	2	21.80	21.80	21.90	8.27	8.27	8.28	31.82	31.82	31.83	82.3	83.1	83.5	5.95	6.00	6.03	5.97	6.23	5.80	11	10.50
	16:08	Jan,	Middle	2	22.00	22.00		8.28	8.28		31.83	31.83		84.1	84.3		6.07	6.09		5.53	5.47		10	
12/4/2012	15:05	Fine	Middle	3	22.20	22.20	22.20	7.94	7.94	7.94	30.62	30.62	30.62	79.6	79.0	79.4	5.77	5.74	5.76	5.61	5.66	5.61	6	5.50
	15:07		Middle	3	22.20	22.20		7.94	7.94		30.62	30.62		79.7	79.4		5.77	5.75		5.52	5.65		5	
14/4/2012	20:24	Cloudy	Middle	2	23.62	23.62	23.61	7.49	7.49	7.49	30.58	30.58	30.58	98.3	98.2	98.2	6.98	6.98	6.97	4.26	4.29	4.22	7	7.00
	20:25	,	Middle	2	23.60	23.60		7.49	7.49	-	30.57	30.57		98.1	98.0		6.96	6.96		4.32	4.02		7	
16/4/2012	-	Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	-		Middle	-	-	-		-	-		-	-		-	-		-	-		-	-		-	
18/4/2012	13:06	Cloudy	Middle	2	22.40	22.40	22.45	8.20	8.20	8.20	32.78	32.78	32.78	74.0	74.7	64.3	5.31	5.35	5.33	3.83	3.61	3.51	5	5.50
	13:08	,	Middle	2	22.50	22.50		8.19	8.19		32.78	32.78		74.4	34.2		5.33	5.32		3.27	3.32		6	
20/4/2012	-	Amber Rainstorm-	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	-		Middle	-	-	-		-	-		-	-		-	-		-	-		-	-		-	
23/4/2012	14:10	Cloudy	Middle	2	22.70	22.70	22.70	8.00	8.00	7.98	30.70	30.70	30.70	64.2	64.2	63.1	4.63	4.63	4.64	5.09	5.17	5.09	11	10.00
-	14:12	,	Middle	2	22.70	22.70		7.96	7.96		30.70	30.70		62.0	62.0		4.48	4.80		5.05	5.03		9	
25/4/2012	14:19	Fine	Middle	2	25.10	25.10	25.20	7.98	7.98	7.98	28.41	28.41	28.41	72.2	72.4	72.5	5.04	5.06	5.06	7.80	7.98	7.85	12	11.50
	14:21		Middle	2	25.30	25.30		7.98	7.98		28.41	28.41		72.6	72.7		5.07	5.07		7.92	7.70		11	
27/4/2012	-	Amber Rainstorm-	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	-		Middle	-	-	-		-	-		-	-		-	-	-	-	-		-	-		-	



Water Monitoring Result at C7 - Windsor House Mid-Ebb Tide

Date	Time	Weater	Samplin	g Depth	Wat	er Temp	erature		рН			Salini	ty	D	O Satur	ation		DO			Turbid NTU		Suspende	
		Condition	r	n	Va	llue	Average	Va	lue -	Average	Va	ppt ilue	Average	Va	lue	Average	Va	mg/L lue	Average	Va		Average	Value	Average
28/3/2012	13:40	Fine	Middle	2	19.60	19.60	19.55	8.07	8.07	8.06	31.59	31.59	31.60	80.4	80.3	80.7	6.09	6.08	6.11	2.22	2.29	2.13	3	2.50
20/3/2012	13:43	Tillo	Middle	2	19.50	19.50	10.00	8.05	8.05	0.00	31.60	31.60	31.00	80.7	81.5	00.7	6.11	6.17	0.11	1.99	2.01	2.10	2	2.50
30/3/2012	15:10	Cloudy	Middle	2	20.50	20.50	20.55	7.99	7.99	7.99	31.49	31.49	31.49	76.4	77.5	76.9	5.69	5.77	5.72	2.73	2.59	2.62	<2	<2
	15:13	,	Middle	2	20.60	20.60		7.98	7.98		31.48	31.48		76.7	76.8		5.71	5.72		2.45	2.72		<2	
2/4/2012	22:31	Fine	Middle	2	20.18	20.18	20.33	7.87	7.87	7.85	30.22	30.22	30.23	76.0	75.7	75.7	5.73	5.71	5.71	2.48	1.99	2.03	3	2.50
	22:33		Middle	2	20.48	20.48		7.82	7.82		30.23	30.23		75.5	75.5		5.69	5.69		1.83	1.82		2	
5/4/2012	12:40	Cloudy	Middle	2	20.30	20.30	20.30	7.92	7.92	7.92	29.72	29.72	29.72	60.6	60.6	61.1	4.61	4.61	4.64	4.96	4.89	4.85	2	2.50
	12:42	,	Middle	2	20.30	20.30		7.91	7.91		29.72	29.72		61.5	61.5		4.67	4.67		4.80	4.75		3	
7/4/2012	12:10	Cloudy	Middle	2	19.80	19.80	19.80	7.85	7.85	7.83	30.44	30.44	30.44	91.6	91.7	91.7	6.98	6.99	6.99	3.68	3.63	3.59	7	6.50
	12:11	,	Middle	2	19.80	19.80		7.80	7.80		30.44	30.44		91.7	91.6	-	6.99	6.98		3.61	3.44		6	
10/4/2012	15:45	Sunny	Middle	2	22.10	22.10	22.15	8.16	8.16	8.17	31.34	31.34	31.35	66.0	65.9	66.3	4.76	4.75	4.78	2.26	1.99	2.01	8	7.50
	15:48		Middle	2	22.20	22.20		8.17	8.17		31.35	31.35		66.2	67.1		4.78	4.83		1.86	1.91		7	
12/4/2012	15:25	Fine	Middle	2	24.20	24.20	24.20	7.82	7.82	7.82	29.47	29.47	29.47	70.9	70.7	70.8	5.00	4.99	4.99	3.05	3.15	3.07	3	3.50
-	15:27	-	Middle	2	24.20	24.20		7.82	7.82		29.47	29.47		71.1	70.5		5.01	4.97		2.99	3.10		4	
14/4/2012	19:58	Cloudy	Middle	1	23.91	23.91	23.91	7.59	7.59	7.59	29.47	29.48	29.48	81.3	81.5	81.5	5.81	5.83	5.82	2.17	2.24	2.17	<2	<2
	19:59	,	Middle	1	23.91	23.91		7.59	7.59		29.48	29.48		81.5	81.5		5.83	5.82		2.08	2.17		<2	
16/4/2012	-	Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	-		Middle	-	-	-		-	-		-	-		-	-		-	-		-	-		-	<u> </u>
18/4/2012	12:55	Cloudy	Middle	2	22.70	22.70	22.75	8.13	8.13	8.13	31.51	31.51	31.51	71.7	71.8	71.8	5.15	5.15	5.15	2.13	2.04	2.08	3	3.50
	12:57		Middle	2	22.80	22.80		8.12	8.12		31.51	31.51		72.0	71.7		5.16	5.14		2.03	2.12		4	<u> </u>
20/4/2012	-	Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	-		Middle	-	-	-		-	-		-	-		-	-		-	-		-	-		-	<u> </u>
23/4/2012	13:55	Cloudy	Middle	1	25.00	25.00	25.05	7.72	7.72	7.73	29.79	29.79	29.80	60.8	60.8	60.8	4.28	4.28	4.28	5.14	5.13	5.11	4	4.00
	13:57	-	Middle	1	25.10	25.10		7.73	7.73		29.80	29.80		60.9	60.5		4.29	4.26		5.06	5.11		4	<u> </u>
25/4/2012	13:45	Fine	Middle	2	25.00	25.00	25.05	8.03	8.03	8.03	29.00	29.00	29.00	60.7	60.4	60.4	4.18	4.16	4.16	1.77	1.97	1.88	5	4.50
	13:47		Middle	2	25.10	25.10		8.03	8.03		29.00	29.00		60.2	60.2		4.15	4.14		1.88	1.89		4	<u> </u>
27/4/2012	-	Amber Rainstorm	Middle Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!



Water Monitoring Result at C1 - HKCEC Mid-Ebb Tide

Date	Time	Weater Condition	Samplin	ng Depth	Wat	er Temp	erature		рН			Salini	ty	D	O Satur	ation		DO			Turbid NTU	ity	Suspende	
- 3.00		Condition	r	n	Va	lue	Average	Va	lue	Average	Va	ppt alue	Average	Va	ilue	Average	Va	mg/L lue	Average	Va	lue	Average	mg Value	Average
28/3/2012	13:20	Fine	Middle	2.0	19.60	19.60	19.55	8.11	8.11	8.11	31.50	31.50	31.50	91.1	90.4	90.1	6.98	6.92	6.90	4.24	4.06	4.20	5	5.00
20/0/2012	13:22	0	Middle	2.0	19.60	19.40	10.00	8.11	8.11	0	31.50	31.50	01.00	89.8	89.2	00.1	6.87	6.81	0.00	4.37	4.11	20	5	0.00
30/3/2012	15:11	Cloudy	Middle	2.5	19.50	19.50	19.55	7.84	7.84	7.84	30.30	30.30	30.35	73.5	72.3	72.2	5.57	5.51	5.48	3.99	3.59	3.72	5	4.50
	15:13	-	Middle	2.5	19.60	19.60		7.83	7.83		30.40	30.40		72.3	70.5		5.49	5.35		3.75	3.56		4	
2/4/2012	19:15	Fine	Middle	2.5	19.70	19.70	19.75	7.85	7.85	7.85	30.99	30.99	30.97	48.2	48.2	48.1	3.61	3.61	3.61	4.12	4.65	4.45	7	6.50
27 172012	19:17	0	Middle	2.5	19.80	19.80	10.10	7.85	7.85	7.00	30.94	30.94	00.01	47.9	47.9		3.60	3.60	0.01	4.56	4.48	0	6	0.00
5/4/2012	11:30	Cloudy	Middle	2.5	20.10	20.10	20.10	7.91	7.91	7.91	31.07	31.07	31.08	60.1	60.1	59.4	4.54	4.54	4.48	5.44	5.42	5.38	5	5.00
	11:32	ř	Middle	2.5	20.10	20.10		7.90	7.90		31.08	31.08		58.6	58.6		4.42	4.42		5.32	5.32		5	
7/4/2012	11:45	Cloudy	Middle	2.5	19.30	19.30	19.30	7.83	7.83	7.83	31.07	31.07	31.09	59.9	59.9	59.3	4.59	4.59	4.55	5.25	5.02	5.19	6	6.50
	11:47	,	Middle	2.5	19.30	19.30		7.82	7.82		31.10	31.10		58.7	58.7		4.50	4.50		5.45	5.03		7	
10/4/2012	15:54	Sunny	Middle	1.0	22.10	22.10	22.10	7.90	7.90	7.91	30.40	30.40	30.35	80.2	86.6	84.5	5.91	6.37	6.21	7.95	8.76	8.12	5	4.50
10/ 1/20 12	15:56	ou,	Middle	1.0	22.10	22.10	22.10	7.91	7.91	7.0.	30.30	30.30	00.00	86.3	84.7	0 1.0	6.34	6.20	0.21	7.85	7.91	0.12	4	
12/4/2012	16:17	Fine	Middle	2.0	24.20	24.20	24.20	7.81	7.81	7.81	26.30	26.30	26.30	74.5	74.5	72.5	5.49	5.49	5.33	4.55	4.49	4.41	4	3.50
	16:19		Middle	2.0	24.20	24.20		7.81	7.81		26.30	26.30		70.4	70.4		5.17	5.17		4.31	4.27		3	
14/4/2012	16:41	Cloudy	Middle	2.5	23.70	23.70	23.70	7.82	7.82	7.82	30.25	30.25	30.25	84.0	84.0	83.4	5.96	5.96	5.92	3.11	3.28	3.30	4	5.00
	16:43	,	Middle	2.5	23.70	23.70		7.82	7.82		30.25	30.25		82.7	82.7		5.87	5.87		3.35	3.44		6	
16/4/2012	-	Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	-		Middle	-	-	-		-	-		-	-		-	-		-	-		-	-		-	
18/4/2012	12:25	Cloudy	Middle	2.0	22.20	22.20	22.25	7.75	7.75	7.76	31.37	31.37	31.38	77.4	78.1	78.2	5.62	5.67	5.68	2.55	2.45	2.53	6	5.00
	12:28	ř	Middle	2.0	22.30	22.30		7.76	7.76		31.38	31.38		78.5	78.9		5.70	5.73		2.51	2.60		4	
20/4/2012	-	Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	-		Middle	-	-	-		-	-		-	-		-	-		-	-		-	-		-	
23/4/2012	12:45	Cloudy	Middle	2.0	23.60	23.60	23.63	7.77	7.77	7.77	30.61	30.61	30.61	74.5	74.5	75.2	5.31	5.31	5.35	3.10	3.21	3.19	8	7.50
	12:47	,	Middle	2.0	23.70	23.60		7.77	7.77		30.61	30.61		75.8	75.8		5.39	5.39		3.17	3.27		7	
25/4/2012	12:31	Fine	Middle	2.0	24.10	24.10	24.10	7.81	7.81	7.81	30.45	30.45	30.45	80.5	80.5	79.9	5.70	5.70	5.67	5.74	5.65	5.73	9	8.50
	12:33		Middle	2.0	24.10	24.10		7.81	7.81		30.45	30.45		79.3	79.3		5.63	5.63		5.71	5.80		8	
27/4/2012	-	Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	-		Middle	-	-	-		-	-		-	-		-	-		-	-		-	-		-	

Remarks: Single underline denotes exceedance over Action Level Double underline denotes exceedance over Limit Level



Water Monitoring Result at C2 - TH / APA / SOC Mid-Ebb Tide

Date	Time	Weater	Samplin	ıg Depth	Wat	er Temp	erature		рН			Salini	у	D	O Satur	ation		DO			Turbid NTU		Suspende	
		Condition	n	n	Va	lue	Average	Va	lue -	Average	Va	ppt alue	Average	Va	lue %	Average	Va	mg/L lue	Average	Va	lue	Average	mg Value	
28/3/2012	13:10	Fine	Middle	1.5	19.90	19.90	19.90	8.05	8.05	8.05	31.50	31.50	31.50	92.4	91.8	91.4	7.04	6.96	6.94	3.76	3.74	3.69	2	3.00
25/5/2012	13:12	Tillo	Middle	1.5	19.90	19.90	10.00	8.05	8.05	0.00	31.50	31.50	01.00	91.0	90.5	01.4	6.89	6.86	0.04	3.75	3.51	0.00	4	0.00
30/3/2012	14:58	Cloudy	Middle	1.5	20.00	20.00	20.05	8.02	8.02	8.02	30.50	30.50	29.95	72.2	70.7	71.2	5.45	5.34	5.39	3.82	4.07	3.91	6	5.50
	15:00	,	Middle	1.5	20.10	20.10		8.02	8.02		29.40	29.40		70.0	71.7		5.29	5.46		3.93	3.81		5	
2/4/2012	19:00	Fine	Middle	2.0	20.10	20.10	20.10	7.90	7.90	7.90	31.00	31.00	31.00	51.0	51.0	50.6	3.75	3.75	3.74	3.95	3.77	3.74	3	3.50
	19:02		Middle	2.0	20.10	20.10		7.90	7.90		31.00	31.00		50.2	50.2		3.73	3.73		3.82	3.43		4	
5/4/2012	10:22	Cloudy	Middle	1.5	20.20	20.20	20.15	7.66	7.66	7.66	30.97	30.97	30.98	71.9	71.9	72.7	5.59	5.59	5.52	3.10	3.28	3.18	3	4.00
	10:24	,	Middle	1.5	20.10	20.10		7.66	7.66		30.98	30.98		73.4	73.4		5.44	5.44		3.23	3.09		5	
7/4/2012	11:30	Cloudy	Middle	2.0	19.60	19.60	19.60	7.53	7.53	7.55	30.63	30.63	30.64	57.1	57.1	54.6	4.36	4.36	4.17	2.37	2.41	2.46	2	2.50
	11:32	,	Middle	2.0	19.60	19.60		7.57	7.57		30.65	30.65		52.0	52.0		3.97	3.97		2.25	2.79		3	
10/4/2012	17:15	Sunny	Middle	1.0	22.00	22.00	22.05	7.83	7.83	7.83	30.60	30.60	28.10	77.5	79.7	78.8	5.70	5.85	5.78	5.91	6.23	6.04	7	7.50
	17:17	J,	Middle	1.0	22.10	22.10		7.82	7.82		30.60	20.60		79.4	78.5		5.82	5.75		6.04	5.99		8	
12/4/2012	17:32	Fine	Middle	1.0	22.30	22.30	22.30	7.84	7.84	7.84	30.39	30.39	30.39	75.1	75.1	75.7	5.63	5.63	5.60	3.72	3.75	3.80	4	3.50
	17:34		Middle	1.0	22.30	22.30		7.84	7.84		30.39	30.39		76.2	76.2		5.56	5.56		3.81	3.91		3	
14/4/2012	16:30	Cloudy	Middle	2.0	23.70	23.70	23.70	7.73	7.73	7.73	30.49	30.49	30.49	77.6	77.6	77.8	5.49	5.49	5.51	2.52	2.87	2.65	4	4.00
	16:32	,	Middle	2.0	23.70	23.70		7.73	7.73		30.49	30.49		78.0	78.0		5.52	5.52		2.66	2.53		4	
16/4/2012	-	Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	-		Middle	-	-	-		-	-		-	-		-	-		-	-		-	-		-	
18/4/2012	10:40	Cloudy	Middle	1.0	21.90	21.90	21.95	7.70	7.70	7.71	31.70	31.70	31.71	71.5	72.3	72.7	5.21	5.23	5.29	3.16	3.13	3.22	6	5.00
	10:43		Middle	1.0	22.00	22.00		7.71	7.71		31.71	31.71		73.0	73.9		5.33	5.39		3.28	3.30		4	
20/4/2012	-	Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	-		Middle	-	-	-		-	-		-	-		-	-		-	-		-	-		-	
23/4/2012	11:40	Cloudy	Middle	1.5	23.30	23.30	23.35	7.77	7.77	7.77	30.93	30.93	30.93	71.5	71.5	72.4	5.10	5.10	5.16	4.02	4.19	4.10	8	7.00
	11:42		Middle	1.5	23.40	23.40		7.76	7.76		30.93	30.93		73.2	73.2		5.21	5.21		4.17	4.01		6	
25/4/2012	11:30	Fine	Middle	1.5	24.20	24.20	24.20	7.72	7.72	7.72	29.71	29.71	29.71	70.9	70.9	72.4	5.01	5.01	5.11	2.07	2.21	2.11	5	6.00
	11:32		Middle	1.5	24.20	24.20		7.72	7.72		29.71	29.71		73.8	73.8		5.20	5.20		2.01	2.13		7	
27/4/2012	-	- Amber Rainstorm	Middle Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!



Water Monitoring Result at C3 - HKCEC Phase I Mid-Ebb Tide

Date	Time	Weater	Samplin	g Depth	Wat	er Temp	erature		рН			Salini	ty	D	O Satur	ation		DO			Turbidi NTU		Suspende	
		Condition	r	n	Va	lue	Average	Va	lue -	Average	Va	ppt alue	Average	Va	lue %	Average	Va	mg/L lue	Average	Va	alue	Average	Mg Value	
28/3/2012	15:02	Fine	Middle	2.0	18.70	18.70	18.70	8.16	8.16	8.16	31.70	31.70	31.70	89.0	88.0	87.4	6.93	6.83	6.79	2.65	2.78	2.76	5	4.50
26/3/2012	15:04	rine	Middle	2.0	18.70	18.70	16.70	8.16	8.16	0.10	31.70	31.70	31.70	87.1	85.3	67.4	6.77	6.62	0.79	2.98	2.61	2.70	4	4.50
30/3/2012	17:31	Cloudy	Middle	2.0	20.10	20.10	20.10	7.92	7.92	7.93	30.50	30.50	30.50	65.4	66.0	65.6	4.97	5.01	4.98	4.43	4.54	4.50	4	4.00
00/0/2012	17:33	Cloudy	Middle	2.0	20.10	20.10	20.10	7.93	7.93	7.00	30.50	30.50	00.00	65.4	65.6	00.0	4.96	4.98	4.00	4.81	4.22	4.00	4	4.00
2/4/2012	20:07	Fine	Middle	3.0	19.80	19.80	19.80	7.80	7.80	7.80	30.60	30.60	30.60	51.2	51.2	51.0	3.43	3.43	3.43	4.87	4.47	4.69	2	2.00
2, 1, 2, 1, 2	20:09	0	Middle	3.0	19.80	19.80	10.00	7.80	7.80	7.00	30.60	30.60	00.00	50.7	50.7	00	3.43	3.43	0.10	4.65	4.77		2	2.00
5/4/2012	10:50	Cloudy	Middle	2.5	19.90	19.90	19.90	7.72	7.72	7.72	30.59	30.59	30.59	51.7	51.7	47.1	3.73	3.73	3.44	2.14	2.17	2.15	3	3.00
	10:52	,	Middle	2.5	19.90	19.90		7.71	7.71		30.59	30.59		42.5	42.5		3.15	3.15		2.11	2.16		3	
7/4/2012	12:55	Cloudy	Middle	3.0	18.90	18.90	18.75	7.69	7.69	7.67	30.08	30.08	30.09	52.9	52.9	51.8	4.13	4.13	4.05	2.35	2.04	2.11	<2	<2
	12:57	,	Middle	3.0	18.60	18.60		7.65	7.65		30.09	30.09		50.6	50.6		3.96	3.96		1.90	2.14		<2	
10/4/2012	16:34	Sunny	Middle	2.5	21.50	21.50	21.50	7.79	7.79	7.79	30.40	30.40	30.40	62.8	62.7	63.0	4.65	4.64	4.66	3.91	4.01	4.02	2	2.00
	16:36		Middle	2.5	21.50	21.50		7.78	7.78		30.40	30.40		63.1	63.2		4.67	4.67		4.05	4.11		2	
12/4/2012	17:20	Fine	Middle	2.0	22.20	22.20	22.20	7.74	7.74	7.74	30.44	30.44	30.44	70.4	70.4	71.4	5.13	5.13	5.20	2.82	2.79	2.82	<2	<2
	17:22		Middle	2.0	22.20	22.20		7.74	7.74		30.44	30.44		72.3	72.3		5.27	5.27		2.99	2.67		<2	
14/4/2012	18:20	Cloudy	Middle	2.5	23.10	23.10	23.10	7.75	7.75	7.75	30.12	30.12	30.12	70.9	70.9	71.4	5.10	5.10	5.13	3.34	3.16	3.24	3	3.00
	18:22		Middle	2.5	23.10	23.10		7.75	7.75		30.12	30.12		71.8	71.8		5.16	5.16		3.18	3.27		3	
16/4/2012	-	Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	-		Middle	-	-	-		-	-		-	-		-	-		-	-		-	-		-	
18/4/2012	11:25	Cloudy	Middle	2.5	22.20	22.20	22.20	7.83	7.83	7.84	31.42	31.42	31.43	61.1	61.4	61.7	4.44	4.47	4.49	2.74	3.18	2.97	4	3.50
	11:28		Middle	2.5	22.20	22.20		7.84	7.84		31.43	31.43		61.8	62.3		4.50	4.53		2.95	2.99		3	
20/4/2012	-	Amber Rainstorm	Middle Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	12:10		Middle	2.5	23.70	23.70		7.71	7 71		30.53	30.53		01.1	81.1			5.73		2.21	2.22			
23/4/2012	12:12	Cloudy	Middle	2.5	23.70	23.70	23.70	7.72	7.71	7.72	30.54	30.54	30.54	81.1	81.8	81.5	5.73	5.79	5.76	2.19	2.22	2.17	5	4.50
	11:55		Middle	2.5	24.60	24.60		7.76	7.76		29.69	29.69		66.3	66.3		4.65	4.65		3.52	3.67		8	
25/4/2012	11:57	Fine	Middle	2.5	24.50	24.50	24.55	7.76	7.76	7.76	29.69	29.69	29.69	67.9	67.9	67.1	4.79	4.79	4.72	3.41	3.53	3.53	9	8.50
	-		Middle	-	-	-		-	-		-	-	<u> </u>	-	-		-	-		-	-		-	\vdash
27/4/2012	-	Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	_	#DIV/0!	-	-	#DIV/0!	-	_	#DIV/0!	-	_	#DIV/0!	-	#DIV/0!



Water Monitoring Result at C4e - WCT / GEC Mid-Ebb Tide

Date	Time	Weater Condition	Samplin	g Depth	Wat	er Temp	erature		рН			Salini	ty	D	O Satur	ation		DO			Turbid NTU		Suspende	
		Condition	n	n	Va	lue	Average	Va	lue	Average	Va	ppt alue	Average	Va	lue	Average	Va	mg/L lue	Average	Va	lue	Average	Mg Value	Average
28/3/2012	14:50	Fine	Middle	1.5	19.30	19.30	19.30	8.15	8.15	8.15	32.60	31.60	102.95	91.1	90.3	89.7	7.01	6.96	6.91	3.98	3.88	3.98	5	4.00
20/0/2012	14:52	Tillo	Middle	1.5	19.30	19.30	10.00	8.15	8.15	0.10	31.60	316.00	102.00	89.1	88.3	00.1	6.86	6.81	0.01	4.01	4.05	0.00	3	4.00
30/3/2012	16:52	Cloudy	Middle	1.5	20.10	20.10	20.15	7.71	7.71	7.71	30.40	30.40	30.35	71.2	64.0	65.8	5.43	4.87	5.00	5.64	5.47	5.35	5	5.50
	16:54		Middle	1.5	20.20	20.20		7.71	7.71		30.30	30.30		63.4	64.6		4.81	4.90		5.14	5.16		6	
2/4/2012	19:50	Fine	Middle	2.0	19.70	19.70	19.70	7.85	7.85	7.85	30.45	30.45	30.45	50.1	50.1	50.1	3.43	3.43	3.42	6.06	6.13	6.13	8	7.50
	19:52	-	Middle	2.0	19.70	19.70		7.85	7.85		30.45	30.45		50.1	50.1		3.40	3.40		6.15	6.17		7	
5/4/2012	10:40	Cloudy	Middle	2.0	20.10	20.10	20.10	7.77	7.77	7.77	30.62	30.62	30.62	54.1	54.1	53.9	3.97	3.97	3.87	2.83	2.95	2.82	3	2.50
	10:42		Middle	2.0	20.10	20.10		7.77	7.77		30.62	30.62		53.6	53.6		3.76	3.76		2.76	2.74		2	
7/4/2012	12:40	Cloudy	Middle	2.0	19.10	19.10	19.10	7.84	7.84	7.83	30.65	30.65	30.66	50.0	50.0	49.3	3.86	3.86	3.80	2.67	2.73	2.71	5	5.00
	12:42	-	Middle	2.0	19.10	19.10		7.82	7.82		30.67	30.67		48.5	48.5		3.74	3.74		2.73	2.70		5	
10/4/2012	16:15	Sunny	Middle	1.0	22.10	22.10	22.15	7.87	7.87	7.86	30.10	30.10	30.10	71.9	70.2	71.2	5.28	5.15	5.22	4.08	4.18	4.35	2	2.50
	16:17		Middle	1.0	22.20	22.20		7.85	7.85		30.10	30.10		71.5	71.3		5.24	5.22		4.48	4.64		3	
12/4/2012	17:08	Fine	Middle	1.5	22.50	22.50	22.50	7.80	7.80	7.80	30.29	30.29	30.29	75.6	75.6	74.2	5.48	5.48	5.37	3.07	3.19	3.14	3	2.50
	17:10		Middle	1.5	22.50	22.50		7.80	7.80		30.29	30.29		72.7	72.7		5.26	5.26		3.27	3.01		2	
14/4/2012	17:55	Cloudy	Middle	2.0	23.30	23.30	23.30	7.72	7.72	7.72	30.27	30.27	30.27	70.1	70.1	70.8	5.01	5.01	5.06	2.67	2.98	2.86	6	5.00
	17:57		Middle	2.0	23.30	23.30		7.72	7.72		30.27	30.27		71.4	71.4		5.11	5.11		2.88	2.91		4	
16/4/2012	-	Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	-		Middle	-	-	-		-	-		-	-		-	-		-	-		-	-		-	
18/4/2012	11:00	Cloudy	Middle	1.0	22.30	22.30	22.35	7.87	7.87	7.87	31.54	31.54	31.54	67.4	67.7	68.2	4.89	4.91	4.94	1.98	2.00	1.95	4	3.00
	11:03		Middle	1.0	22.40	22.40		7.86	7.86		31.53	31.53		68.1	69.5		4.94	5.03		1.86	1.94		2	
20/4/2012	-	Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!		#DIV/0!
	11.55		Middle	- 4.5	- 22.50	- 22.50		7.66	7.00		-	26.40		70.2	70.0			- 5.02					-	
23/4/2012	11:55	Cloudy	Middle	1.5	23.50	23.50	23.55	7.66	7.66	7.67	26.40	26.40	27.16	70.2	70.2	70.7	5.03	5.03	5.05	2.33	2.51	2.32	6	5.00
	11:57		Middle Middle	1.5	23.60	23.60		7.68	7.68		29.66	29.66	<u> </u>	71.1	71.1	<u> </u>	5.07	5.07		3.21	3.62		8	
25/4/2012	11:45	Fine	Middle	1.5	24.30	24.30	24.30	7.72	7.72	7.72	29.65	29.65	29.66	72.9	72.9	72.8	5.15	5.11	5.13	3.33	3.47	3.41	9	8.50
	11.47		Middle	-	24.50	-		1.12	1.12		29.03	23.03		12.5	-		5.15	5.15		5.55	5.41		-	
27/4/2012		Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!		-	#DIV/0!		_	#DIV/0!	-	_	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!



Water Monitoring Result at C4w - WCT / GEC Mid-Ebb Tide

Date	Time	Weater Condition	Samplin	g Depth	Wat	er Temp	erature		рН			Salini	ty	D	O Satur	ation		DO mg/l			Turbid NTU		Suspende	
		Condition	n	n	Va	lue	Average	Va	lue	Average	Va	ppt alue	Average	Va	lue	Average	Va	mg/L lue	Average	Va	ilue	Average	Mg Value	
28/3/2012	14:55	Fine	Middle	1.5	18.80	18.80	18.80	8.14	8.14	8.14	31.70	31.70	31.70	87.9	87.2	86.6	6.81	6.76	6.71	1.89	1.80	1.81	3	3.00
20/3/2012	14:57	Tille	Middle	1.5	18.80	18.80	10.00	8.14	8.14	0.14	31.70	31.70	31.70	86.2	85.2	00.0	6.68	6.60	0.71	1.84	1.69	1.01	3	3.00
30/3/2012	17:03	Cloudy	Middle	1.5	19.90	19.90	19.85	7.64	7.64	7.64	30.40	30.40	30.35	67.8	60.4	61.7	5.18	4.61	4.70	2.17	2.28	2.20	4	4.00
00/0/2012	17:05	Cicacy	Middle	1.5	19.80	19.80	10.00	7.64	7.64		30.30	30.30	00.00	59.6	58.9	0	4.54	4.48	0	2.16	2.18	2.20	4	
2/4/2012	20:00	Fine	Middle	2.0	19.70	19.70	19.70	7.81	7.81	7.81	30.43	30.43	30.43	46.7	46.7	46.5	3.36	3.36	3.37	3.31	3.15	3.14	<2	<2
2, 1, 20, 12	20:02	10	Middle	2.0	19.70	19.70	10.70	7.81	7.81	1.01	30.43	30.43	00.10	46.3	46.3	10.0	3.38	3.38	0.01	3.01	3.09	0.11	<2	
5/4/2012	10:44	Cloudy	Middle	1.0	20.10	20.10	20.10	7.75	7.75	7.74	30.42	30.42	30.44	28.8	28.8	31.8	2.62	2.62	2.60	1.77	1.91	1.75	<2	<2
0/ 1/2012	10:46	cloudy	Middle	1.0	20.10	20.10	20.10	7.72	7.72		30.45	30.45	00.11	34.8	34.8	01.0	2.58	2.58		1.67	1.63	0	<2	
7/4/2012	12:47	Cloudy	Middle	2.0	19.00	19.00	18.95	7.80	7.80	7.80	30.90	30.90	30.91	56.2	56.2	52.7	4.35	4.35	4.08	3.74	3.91	3.62	6	5.50
	12:49	5.55.5,	Middle	2.0	18.90	18.90		7.80	7.80		30.91	30.91		49.2	49.2		3.81	3.81		3.37	3.47	***-	5	
10/4/2012	16:52	Sunny	Middle	1.0	21.20	21.20	21.20	7.87	7.87	7.87	30.30	30.30	30.25	58.7	58.8	59.1	4.36	4.37	4.39	1.36	1.45	1.44	2	2.50
10/ 1/20 12	16:54	ou,	Middle	1.0	21.20	21.20	21.20	7.86	7.86	1.01	30.20	30.20	00.20	59.3	59.4	00	4.40	4.41		1.46	1.49		3	2.00
12/4/2012	17:13	Fine	Middle	1.5	22.20	22.20	22.20	7.70	7.70	7.53	30.24	30.24	30.24	75.7	75.7	75.5	5.59	5.89	5.62	0.93	0.91	0.94	<2	<2
	17:15		Middle	1.5	22.20	22.20		7.70	7.00		30.24	30.24		75.2	75.2		5.50	5.50		0.91	0.99		<2	
14/4/2012	18:05	Cloudy	Middle	2.0	23.20	23.20	23.20	7.67	7.67	7.67	30.19	30.19	30.19	72.1	72.1	71.1	5.14	5.14	5.08	2.37	2.62	2.32	5	4.00
	18:07	5.55.5,	Middle	2.0	23.20	23.20		7.67	7.67		30.19	30.19		70.1	70.1		5.01	5.01		2.10	2.19		3	
16/4/2012	-	Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	-		Middle	-	-	-		-	-		-	-		-	-		-	-		-	-		-	
18/4/2012	11:15	Cloudy	Middle	1.5	22.00	22.00	22.05	7.71	7.71	7.72	31.07	31.07	31.08	50.3	51.3	51.4	3.67	5.75	4.26	1.01	1.17	1.07	3	3.00
	11:18	·	Middle	1.5	22.10	22.10		7.72	7.72		31.08	31.08		51.8	52.1		3.79	3.81		1.04	1.05		3	
20/4/2012	-	Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	-		Middle	-	-	-		-	-		-	-		-	-		-	-		-	-		-	<u> </u>
23/4/2012	12:00	Cloudy	Middle	1.5	23.30	23.30	23.35	7.62	7.62	7.63	28.15	28.15	28.98	72.3	72.3	72.4	5.17	5.17	5.18	1.00	1.06	1.08	3	3.00
	12:02		Middle	1.5	23.40	23.40		7.63	7.63		29.80	29.80		72.5	72.5		5.18	5.18		1.12	1.12		3	<u> </u>
25/4/2012	11:50	Fine	Middle	1.5	24.20	24.20	24.20	7.67	7.67	7.67	29.10	29.10	29.10	68.9	68.9	68.8	4.87	4.87	4.86	1.39	1.49	1.42	8	8.50
	11:52		Middle	1.5	24.20	24.20		7.67	7.67		29.10	29.10		68.6	68.6		4.84	4.84		1.37	1.41		9	
27/4/2012	-	- Amber Rainstorm	Middle Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!



Water Monitoring Result at C5e - Sun Hung Kai Centre Mid-Ebb Tide

Date	Time	Weater Condition	Samplin	g Depth	Wat	er Temp	erature		pН			Salinit	у	D	O Satur	ation		DO mg/L			Turbid NTU		Suspende	
		Condition	r	n	Va	lue	Average	Va	lue	Average	Va	llue	Average	Va	lue	Average	Va	lue	Average	Va	lue	Average	Value	Average
28/3/2012	12:06	Fine	Middle	1.5	19.50	19.50	19.50	8.09	8.09	8.09	32.06	32.06	32.06	80.2	8.08	80.2	6.10	6.14	6.10	3.38	2.93	3.09	2	3.00
20/0/2012	12:07	10	Middle	1.5	19.50	19.50		8.09	8.09	0.00	32.05	32.05	02.00	80.4	79.5	00.2	6.11	6.04	0.10	3.02	3.03	0.00	4	0.00
30/3/2012	13:15	Cloudy	Middle	1.5	21.10	21.10	21.15	8.21	8.21	8.21	32.10	32.10	32.15	76.1	76.7	76.3	5.59	5.63	5.59	3.56	3.22	3.29	3	3.50
	13:18	,	Middle	1.5	21.20	21.20		8.20	8.20	_	32.20	32.20		75.9	76.3		5.56	5.58		3.18	3.19		4	
2/4/2012	21:21	Fine	Middle	1.0	20.89	20.89	20.88	8.07	8.07	8.07	31.31	31.31	31.30	81.4	81.0	80.7	6.06	6.02	6.01	1.38	1.21	1.16	5	4.50
	21:23		Middle	1.0	20.87	20.87		8.06	8.06		31.29	31.29		80.2	80.2		5.97	5.97		1.15	0.88		4	
5/4/2012	11:05	Cloudy	Middle	1.0	20.40	20.40	20.40	7.85	7.85	7.82	30.71	30.71	30.71	53.4	53.4	48.7	3.70	3.70	3.48	2.57	2.66	2.66	3	3.50
	11:07		Middle	1.0	20.40	20.40		7.79	7.79		30.71	30.71		43.9	43.9		3.26	3.26		2.71	2.69		4	
7/4/2012	12:13	Cloudy	Middle	1.5	19.50	19.50	19.50	7.98	7.98	7.98	30.17	30.17	30.18	46.6	46.6	47.2	3.58	3.58	3.63	4.80	4.91	4.86	6	6.50
	12:15		Middle	1.5	19.50	19.50		7.98	7.98		30.18	30.18		47.7	47.7		3.67	3.67		4.90	4.83		7	
10/4/2012	14:50	Sunny	Middle	1.5	23.70	23.70	23.75	8.29	8.29	8.30	31.48	31.48	31.49	78.7	78.1	78.0	5.52	5.48	5.47	1.61	1.64	1.49	3	2.50
	14:53	Jan.,	Middle	1.5	23.80	23.80		8.30	8.30		31.49	31.49		78.0	77.1		5.47	5.40		1.68	1.03		2	
12/4/2012	16:48	Fine	Middle	1.5	23.00	23.00	23.00	7.85	7.85	7.85	30.10	30.10	30.10	71.1	71.1	72.5	5.11	5.11	5.20	2.58	2.64	2.64	4	5.00
	16:50	-	Middle	1.5	23.00	23.00		7.85	7.85		30.10	30.10		73.8	73.8		5.29	5.29		2.64	2.71	-	6	
14/4/2012	17:22	Cloudy	Middle	1.5	23.90	23.90	23.90	7.81	7.81	7.81	30.28	30.28	30.28	76.7	76.7	76.2	5.44	5.44	5.40	2.18	2.49	2.41	4	4.00
	17:24	,	Middle	1.5	23.90	23.90		7.81	7.81		30.28	30.28		75.6	75.6		5.36	5.36		2.60	2.37		4	
16/4/2012	-	Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	-		Middle	-	-	-		-	-		-	-		-	-		-	-		-	-		-	
18/4/2012	12:02	Cloudy	Middle	1.0	22.20	22.20	22.25	7.90	7.90	7.91	31.60	31.60	31.61	66.0	66.5	66.8	4.79	4.82	4.85	3.67	3.94	3.84	2	2.50
	12:05	•	Middle	1.0	22.30	22.30		7.91	7.91		31.61	31.61		67.0	67.8		4.86	4.92		3.78	3.96		3	<u> </u>
20/4/2012	-	Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	-		Middle	-	-	-		-	-		-	-		-	-		-	-		-	-		-	
23/4/2012	12:26	Cloudy	Middle	1.5	23.60	23.60	23.65	7.73	7.73	7.73	30.68	30.68	30.68	72.7	72.7	73.0	5.15	5.15	5.18	2.99	3.03	3.04	5	5.50
	12:28	•	Middle	1.5	23.70	23.70		7.73	7.74		30.68	30.68		73.3	73.3		5.20	5.20		3.14	3.01		6	<u> </u>
25/4/2012	12:13	Fine	Middle	1.0	24.50	24.50	24.45	7.77	7.77	7.74	29.86	29.86	29.86	74.7	74.7	75.4	5.24	5.14	5.26	6.64	6.61	6.63	9	8.50
	12:15		Middle	1.0	24.40	24.40		7.76	7.66		29.86	29.86		76.0	76.0		5.33	5.33		6.77	6.50		8	<u> </u>
27/4/2012	-	Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	-		Middle	-	-	-		-	-		-	-		-	-		-	-		-	-		-	1



Water Monitoring Result at C5w - Sun Hung Kai Centre Mid-Ebb Tide

Date	Time	Weater Condition	Samplin	g Depth	Wat	er Temp	erature		рН			Salinit	ty	D	O Satur	ation		DO			Turbid NTU		Suspende	
		Condition	n	n	Va	llue	Average	Va	lue	Average	Va	ppt lue	Average	Va	ilue	Average	Va	mg/L lue	Average	Va	lue	Average	Value	
28/3/2012	12:00	Fine	Middle	1.5	19.80	19.80	19.85	8.08	8.08	8.08	32.11	32.11	32.11	80.7	82.2	82.0	6.23	6.19	6.22	3.60	3.51	3.57	4	4.50
20/3/2012	12:01	Tille	Middle	1.5	19.90	19.90	10.00	8.07	8.07	0.00	32.10	32.10	32.11	83.0	82.2	02.0	6.25	6.20	0.22	3.61	3.55	3.37	5	4.50
30/3/2012	13:21	Cloudy	Middle	1.5	20.10	20.10	20.15	8.15	8.15	8.15	32.00	32.00	32.05	73.3	73.8	73.4	5.50	5.54	5.51	5.98	6.07	5.83	4	5.00
	13:23	,	Middle	1.5	20.20	20.20		8.14	8.14		32.10	32.10		73.7	72.8		5.52	5.46		5.75	5.51		6	
2/4/2012	21:29	Fine	Middle	1.0	20.37	20.37	20.41	7.89	7.88	7.88	31.35	31.35	31.35	72.8	72.9	72.7	5.46	5.46	5.45	2.06	1.85	1.84	6	5.50
27-7/2012	21:31	1 1110	Middle	1.0	20.44	20.44	20.41	7.88	7.88	7.00	31.34	31.34	01.00	72.9	72.3	72	5.46	5.42	0.40	1.78	1.67	1.04	5	0.00
5/4/2012	11:10	Cloudy	Middle	1.0	20.40	20.40	20.40	7.84	7.84	7.83	30.74	30.74	30.74	49.9	49.9	49.2	3.76	3.76	3.71	4.49	4.11	4.31	2	2.00
	11:12	,	Middle	1.0	20.40	20.40		7.81	7.81		30.74	30.74		48.5	48.5		3.65	3.65		4.50	4.14		2	
7/4/2012	12:20	Cloudy	Middle	1.5	19.50	19.50	19.50	7.85	7.85	7.85	29.69	29.69	29.71	47.5	47.5	47.6	3.66	3.66	3.67	4.31	4.61	4.39	8	7.50
77 1120 12	12:22	Cicacy	Middle	1.5	19.50	19.50	10.00	7.85	7.85	7.00	29.73	29.73	20.7	47.7	47.7		3.67	3.67	0.01	4.29	4.35		7	1.00
10/4/2012	14:55	Sunny	Middle	1.0	22.00	22.00	22.00	8.02	8.02	8.02	31.73	31.73	31.74	59.5	59.9	60.2	4.20	4.31	4.31	7.03	6.41	6.47	8	8.50
10/ 11/20 12	14:58	Gainiy	Middle	1.0	22.00	22.00	22.00	8.01	8.01	0.02	31.74	31.74	0	60.3	60.9	00.2	4.34	4.39		6.33	6.12	0	9	0.00
12/4/2012	16:53	Fine	Middle	1.5	23.00	23.00	23.00	7.77	7.77	7.76	30.04	30.04	30.04	77.0	77.0	75.4	5.58	5.58	5.43	2.51	2.61	2.56	3	2.50
	16:55		Middle	1.5	23.00	23.00		7.75	7.75		30.04	30.04		73.8	73.8		5.28	5.28		2.77	2.33		2	
14/4/2012	17:26	Cloudy	Middle	1.5	23.90	23.90	23.90	7.91	7.91	7.91	30.17	30.17	30.17	81.7	81.7	81.6	5.79	5.79	5.78	2.88	2.86	2.85	3	3.50
	17:28	ŕ	Middle	1.5	23.90	23.90		7.91	7.91		30.17	30.17		81.4	81.4		5.77	5.77		2.75	2.91		4	
16/4/2012	-	Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	-		Middle	-	-	-		-	-		-	-		-	-		-	-		-	-		-	
18/4/2012	12:08	Cloudy	Middle	1.0	22.00	22.00	22.05	7.67	7.67	7.68	31.32	31.32	31.33	44.7	45.9	46.5	3.27	3.34	3.39	1.34	1.36	1.38	4	3.00
	12:10		Middle	1.0	22.10	22.10		7.68	7.68		31.33	31.33		47.3	48.0		3.45	3.50		1.44	1.39		2	
20/4/2012	-	Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	-		Middle	-	-	-		-	-		-	-		-	-		-	-		-	-		-	
23/4/2012	12:33	Cloudy	Middle	1.5	23.80	23.80	23.80	7.67	7.67	7.67	30.71	30.71	30.71	70.7	70.7	71.6	5.04	5.04	5.08	1.48	1.53	1.50	5	4.00
	12:35		Middle	1.5	23.80	23.80		7.67	7.67		30.71	30.71		72.4	72.4		5.12	5.12		1.57	1.40		3	
25/4/2012	12:17	Fine	Middle	1.0	24.40	24.40	24.40	7.77	7.77	7.77	29.81	29.81	29.81	70.9	70.9	70.9	5.01	5.01	5.01	6.72	6.60	6.69	13	14.00
	12:19		Middle	1.0	24.40	24.40		7.77	7.77		29.81	29.81		70.9	70.9		5.01	5.01		6.77	6.66	1	15	
27/4/2012	-	- Amber Rainstorm	Middle Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!



Water Monitoring Result at WSD 21 - Wan Chai Mid-Ebb Tide

Date	Time	Weater Condition	Samplin	g Depth	Wat	er Temp °C	erature		рН			Salini	ty	D	O Satur	ation		DO mg/L			Turbidi NTU		Suspend	led Solids
		Condition	n	n	Va		Average	Va	lue -	Average	Va	ppt ilue	Average	Va	ilue	Average	Va	lue	Average	Va		Average		Average
28/3/2012	13:36	Fine	Middle	1.0	19.40	19.40	19.40	8.18	8.19	8.18	31.70	31.70	31.70	90.8	90.5	90.2	6.95	6.92	6.90	6.05	5.95	5.97	4	3.50
	13:38	Tille	Middle	1.0	19.40	19.40	10.40	8.18	8.18	0.10	31.70	31.70	01.70	89.9	89.7	00.2	6.87	6.86	0.00	5.80	6.07	0.07	3	0.00
30/3/2012	16:41	Cloudy	Middle	1.5	19.90	19.90	19.85	7.97	7.97	7.98	30.60	30.60	30.55	70.7	71.1	69.5	5.33	5.37	5.25	7.74	7.57	7.65	6	6.00
	16:43	o.oda,	Middle	1.5	19.80	19.80	10.00	7.98	7.98	7.00	30.50	30.50	00.00	69.5	66.8	00.0	5.24	5.04	0.20	7.61	7.66	1.00	6	0.00
2/4/2012	19:35	Fine	Middle	2.0	19.90	19.90	19.90	7.82	7.82	7.82	30.84	30.84	30.84	53.6	53.6	53.3	3.92	3.92	3.93	7.23	7.05	7.23	5	5.00
	19:37	0	Middle	2.0	19.90	19.90	10.00	7.81	7.81	7.02	30.84	30.84	00.0	52.9	52.9	00.0	3.93	3.93	0.00	7.35	7.27	1.20	5	0.00
5/4/2012	11:00	Cloudy	Middle	2.0	20.10	20.10	20.10	7.87	7.87	7.84	30.82	30.82	30.82	56.5	56.5	52.8	4.13	4.13	3.89	5.70	5.59	5.66	5	5.00
	11:02	Oloddy	Middle	2.0	20.10	20.10	20.10	7.81	7.81	7.04	30.82	30.82	00.02	49.0	49.0	02.0	3.65	3.65	0.00	5.78	5.58	0.00	5	0.00
7/4/2012	12:05	Cloudy	Middle	2.0	19.30	19.30	19.30	7.81	7.81	7.81	30.90	30.90	30.90	59.0	59.0	55.7	4.53	4.53	4.28	4.61	4.56	4.69	9	8.50
	12:07	Oloddy	Middle	2.0	19.30	19.30	10.00	7.81	7.81	7.01	30.90	30.90	00.00	52.4	52.4	00.1	4.02	4.02	4.20	4.65	4.92	4.00	8	0.00
10/4/2012	15:24	Sunny	Middle	1.0	22.10	22.10	22.15	7.90	7.90	7.91	30.60	30.60	30.55	75.1	74.7	74.2	5.46	5.43	5.39	5.46	5.47	5.67	3	3.50
	15:26	Guilly	Middle	1.0	22.20	22.20	22.10	7.91	7.91	7.01	30.50	30.50	00.00	73.8	73.2	74.2	5.36	5.31	0.00	6.17	5.57	0.07	4	0.00
12/4/2012	16:40	Fine	Middle	1.5	22.10	22.10	22.10	7.69	7.69	7.69	39.72	39.72	34.72	78.0	78.0	76.6	5.69	5.96	5.64	2.96	2.82	2.86	4	4.00
	16:42	Tille	Middle	1.5	22.10	22.10	22.10	7.69	7.69	7.00	29.72	29.72	04.72	75.1	75.1	70.0	5.46	5.46	0.04	2.79	2.87	2.00	4	4.00
14/4/2012	17:05	Cloudy	Middle	2.0	23.50	23.50	23.50	7.78	7.78	7.78	30.50	30.50	30.50	72.1	72.1	72.8	5.14	5.14	5.19	4.41	4.58	4.50	6	6.50
	17:07	o.oda)	Middle	2.0	23.50	23.50	20.00	7.78	7.78		30.50	30.50	00.00	73.5	73.5	. 2.0	5.23	5.23	0.10	4.49	4.51	1.00	7	0.00
16/4/2012	-	Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	-		Middle	-	-	-		-	-		-	-		-	-		-	-		-	-		-	
18/4/2012	11:50	Cloudy	Middle	2.0	22.10	22.10	22.15	7.76	7.76	7.77	31.33	31.33	31.33	60.2	60.7	61.4	4.39	4.43	4.48	2.94	3.20	2.95	6	5.50
	11:53	5.525,	Middle	2.0	22.20	22.20		7.77	7.77		31.32	31.32		61.9	62.6		4.52	4.57		2.82	2.84		5	
20/4/2012	-	Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	-		Middle	-	-	-	_	-	-		-	-		-	-		-	-		-	-	_	-	
23/4/2012	12:20	Cloudy	Middle	1.5	23.60	23.60	23.60	7.73	7.73	7.73	30.75	30.75	30.75	72.3	72.3	72.3	5.13	5.13	5.13	2.74	2.79	2.70	6	6.50
	12:22	,	Middle	1.5	23.60	23.60		7.73	7.73		30.75	30.75		72.2	72.2		5.12	5.12		2.81	2.47		7	
25/4/2012	12:05	Fine	Middle	1.5	25.10	25.10	25.05	7.74	7.74	7.74	29.86	29.86	29.86	72.1	72.1	71.9	5.00	5.00	4.99	5.88	5.71	5.84	9	10.00
	12:07	0	Middle	1.5	25.00	25.00		7.73	7.73		29.86	29.86		71.7	71.7		4.98	4.98	50	5.91	5.86	2.3.	11	
27/4/2012	-	Amber Rainstorm-	Middle Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!



Water Monitoring Result at WSD19 - Sheung Wan Mid-Ebb Tide

Date	Time	Weater	Samplin	g Depth	Wat	er Temp	erature		рН			Salini	ty	D	O Satur	ation		DO			Turbid NTU		Suspende	
		Condition	r	n	Va	lue	Average	Va	lue -	Average	Va	ppt alue	Average	Va	lue %	Average	Va	mg/L lue	Average	Va	lue	Average	Value	Average
28/3/2012	11:34	Fine	Middle	2.0	19.60	19.60	19.70	8.07	8.07	8.07	32.08	32.08	32.09	86.1	84.9	85.7	6.50	6.41	6.47	4.69	5.02	4.74	4	4.00
20/3/2012	11:36	Tille	Middle	2.0	19.80	19.80	15.70	8.07	8.07	0.07	32.09	32.09	32.03	86.3	85.5	00.7	6.51	6.46	0.47	4.56	4.69	7.17	4	4.00
30/3/2012	14:15	Cloudy	Middle	1.5	20.20	20.20	20.15	8.02	8.02	8.03	32.06	32.06	32.07	83.3	83.0	83.2	6.23	6.20	6.22	4.35	4.37	4.26	4	4.50
00/0/2012	14:18	Cicacy	Middle	1.5	20.10	20.10	20.10	8.03	8.03	0.00	32.07	32.07	02.01	83.1	83.2	00.2	6.21	6.22	0.22	4.20	4.11	1.20	5	
2/4/2012	0:33	Fine	Middle	1.5	20.11	20.11	20.11	7.82	7.82	7.82	31.64	31.64	31.64	80.5	80.2	80.1	6.06	6.04	6.03	2.87	2.45	2.48	8	8.00
27-7/2012	0:34	Tine	Middle	1.5	20.11	20.11	20.11	7.82	7.82	7.02	31.64	31.64	01.04	80.0	79.5	00.1	6.02	5.99	0.00	2.31	2.27	2.40	8	0.00
5/4/2012	12:50	Cloudy	Middle	2.0	21.00	21.00	21.00	8.17	8.17	8.17	32.26	32.26	32.26	94.4	93.5	93.8	6.91	6.85	6.87	4.54	4.40	4.36	6	6.50
0/4/2012	12:52	Cloudy	Middle	2.0	21.00	21.00	21.00	8.17	8.17	0.17	32.25	32.25	02.20	94.2	92.9	00.0	6.90	6.80	0.07	4.28	4.22	4.00	7	0.00
7/4/2012	14:40	Cloudy	Middle	1.5	19.44	19.44	19.44	7.82	7.82	7.82	31.36	31.36	31.36	84.9	84.9	84.9	6.48	6.48	6.48	8.10	7.79	8.05	5	5.00
77.02012	14:41	Cloudy	Middle	1.5	19.44	19.44		7.82	7.82	7.02	31.35	31.35	01.00	84.9	84.9	0 1.0	6.48	6.48	0.10	8.51	7.79	0.00	5	0.00
10/4/2012	13:35	Sunny	Middle	2.0	21.50	21.50	21.55	8.19	8.19	8.19	32.07	32.07	32.08	88.0	86.8	86.6	6.41	6.31	6.30	8.27	8.25	8.26	22	21.00
10/4/2012	13:38	Curry	Middle	2.0	21.60	21.60	21.00	8.18	8.18	0.10	32.08	32.08	02.00	85.6	86.1	00.0	6.22	6.25	0.00	8.22	8.28	0.20	20	21.00
12/4/2012	14:00	Fine	Middle	2.0	22.90	22.90	22.85	8.15	8.15	8.15	31.58	31.58	31.58	77.0	76.4	76.5	5.49	5.43	5.45	2.66	2.43	2.49	5	5.50
12/ 11/20 12	14:02	0	Middle	2.0	22.80	22.80	22.00	8.15	8.15	0.10	31.57	31.57	01.00	76.6	76.1	7 0.0	5.45	5.41	0.10	2.46	2.39	2.10	6	0.00
14/4/2012	22:25	Cloudy	Middle	1.5	23.56	23.56	23.58	7.63	7.63	7.63	30.45	30.45	30.45	92.2	92.3	92.1	6.57	6.58	6.57	3.53	3.50	3.37	6	6.00
20 . 2	22:26	Cicacy	Middle	1.5	23.60	23.60	20.00	7.63	7.63	7.00	30.44	30.44	00.10	92.0	92.0	02	6.56	6.55	0.07	3.22	3.23	0.01	6	0.00
16/4/2012	-	Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	-		Middle	-	-	-		-	-		-	-		-	-		-	-		-	-		-	
18/4/2012	11:55	Cloudy	Middle	2.0	22.20	22.20	22.20	8.19	8.19	8.19	32.54	32.54	32.55	83.4	83.9	83.8	6.00	6.04	6.03	3.20	3.23	3.16	6	6.50
	11:57	,	Middle	2.0	22.20	22.20		8.19	8.19		32.55	32.55		83.6	84.1		6.02	6.06		3.13	3.08		7	
20/4/2012	-	Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	-		Middle	-	-	-		-	-		-	-		-	-		-	-		-	-		-	
23/4/2012	13:50	Cloudy	Middle	2.0	23.90	23.90	23.90	8.18	8.18	8.18	31.48	31.48	31.48	82.0	81.7	82.1	5.77	5.75	5.77	3.52	3.15	3.31	5	6.00
-	13:52	,	Middle	2.0	23.90	23.90		8.18	8.18	-	31.48	31.48		82.2	82.5		5.78	5.79		3.11	3.47		7	
25/4/2012	13:10	Fine	Middle	2.0	24.40	24.40	24.45	8.18	8.18	8.18	30.12	30.12	30.12	79.4	79.3	79.5	5.58	5.57	5.58	3.16	2.86	3.12	6	6.50
	13:12	-	Middle	2.0	24.50	24.50		8.18	8.18		30.11	30.11		79.3	79.9		5.57	5.61		3.28	3.18		7	
27/4/2012	-	Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	-		Middle	-	-	-		-	-		-	-		-	-		-	-		-	-		-	



Water Monitoring Result at WSD20 - Kennedy Town Mid-Ebb Tide

Date	Time	Weater	Samplin	g Depth	Wat	er Temp	erature		рН			Salini	ty	D	O Satur	ation		DO			Turbid		Suspende	
Julio		Condition	r	n	Va	lue	Average	Va	lue -	Average	Va	ppt llue	Average	Va	ilue	Average	Va	mg/L lue	Average	Va	NTU alue	Average	Value	
28/3/2012	11:19	Fine	Middle	1.5	19.60	19.60	19.60	8.20	8.20	0.20	32.39	32.39	32.40	98.6	98.3	98.0	7.42	7.39	7.37	5.01	5.02	4.04	6	6.00
20/3/2012	11:20	Fine	Middle	1.5	19.60	19.60	19.00	8.20	8.20	8.20	32.40	32.40	32.40	97.1	98.0	96.0	7.29	7.36	7.57	4.78	4.84	4.91	6	0.00
30/3/2012	14:00	Cloudy	Middle	1.5	19.80	19.80	19.75	8.23	8.23	8.23	32.27	32.27	32.28	96.9	97.0	96.9	7.30	7.31	7.30	4.29	3.76	3.71	6	6.00
30/3/2012	14:03	Cloudy	Middle	1.5	19.70	19.70	13.73	8.22	8.22	0.20	32.28	32.28	32.20	97.2	96.6	30.3	7.32	7.27	7.50	3.42	3.35	5.71	6	0.00
2/4/2012	0:17	Fine	Middle	1.5	19.92	19.92	19.91	8.01	8.01	8.01	31.65	31.65	31.65	83.1	83.1	82.9	6.28	6.28	6.27	2.16	2.08	2.03	4	3.50
21-112012	0:19	Tillo	Middle	1.5	19.89	19.89	10.01	8.01	8.01	0.01	31.65	31.65	01.00	82.9	82.4	02.0	6.27	6.23	0.21	1.97	1.91	2.00	3	0.00
5/4/2012	12:26	Cloudy	Middle	1.5	20.60	20.60	20.65	8.19	8.19	8.19	32.35	32.35	32.35	87.7	86.9	87.6	6.52	6.46	6.50	2.63	3.03	2.84	9	8.50
0/ 1/2012	12:27	cloudy	Middle	1.5	20.70	20.70	20.00	8.19	8.19	0.10	32.35	32.35	02.00	88.1	87.6	07.10	6.53	6.50	0.00	2.85	2.84	2.0 .	8	0.00
7/4/2012	14:16	Cloudy	Middle	1.5	19.94	19.94	19.69	7.88	7.88	7.88	31.94	31.94	31.94	95.9	95.8	95.9	7.17	7.16	7.16	5.94	5.93	6.06	8	8.50
	14:17	5.55.5,	Middle	1.5	19.44	19.44		7.88	7.88		31.94	31.94		96.0	95.7		7.17	7.15		6.12	6.25		9	
10/4/2012	13:15	Sunny	Middle	1.5	21.60	21.60	21.70	8.31	8.31	8.31	31.84	31.84	31.85	80.3	80.3	82.3	5.85	5.85	6.00	4.41	4.28	4.37	5	5.50
	13:18	J,	Middle	1.5	21.80	21.80		8.31	8.31		31.85	31.85		84.3	84.3		6.14	6.14		4.42	4.38		6	
12/4/2012	13:35	Fine	Middle	2.0	23.30	23.30	23.35	8.30	8.30	8.29	31.03	31.03	31.04	99.0	99.3	99.1	7.03	7.04	7.03	2.67	2.20	2.36	3	3.50
	13:37		Middle	2.0	23.40	23.40		8.28	8.28		31.04	31.04		98.8	99.2		7.00	7.03		2.37	2.21		4	
14/4/2012	22:04	Cloudy	Middle	1.5	24.17	24.18	24.18	7.80	7.80	7.80	29.91	29.90	29.90	95.1	95.1	95.1	6.72	6.72	6.72	3.26	3.77	3.31	5	6.00
	22:05	·	Middle	1.5	24.19	24.19		7.80	7.80		29.90	29.89		94.9	95.1		6.71	6.72		3.16	3.05		7	
16/4/2012	-	Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	-		Middle	-	-	-		-	-		-	-		-	-		-	-		-	-		-	
18/4/2012	11:30	Cloudy	Middle	1.5	22.40	22.40	22.45	8.25	8.25	8.25	32.52	32.52	32.52	84.3	84.8	84.5	6.05	6.09	6.07	2.45	2.26	2.37	6	5.50
	11:32		Middle	1.5	22.50	22.50		8.25	8.25		32.52	32.52		84.0	84.9		6.03	6.09		2.46	2.32		5	<u> </u>
20/4/2012	-	Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	-		Middle	-	-	-		-	-		-	-		-	-		-	-		-	-		-	<u> </u>
23/4/2012	10:41	Cloudy	Middle	1.5	23.50	23.50	23.55	8.26	8.26	8.26	31.30	31.30	31.31	90.9	90.8	91.2	6.44	6.44	6.47	2.42	2.19	2.31	7	6.50
	10:43		Middle	1.5	23.60	23.60		8.25	8.25		31.31	31.31		91.5	91.6		6.49	6.49		2.29	2.33		6	<u> </u>
25/4/2012	12:53	Fine	Middle	1.5	24.30	24.30	24.35	8.24	8.24	8.24	29.45	29.45	29.46	89.7	89.6	89.5	6.34	6.34	6.33	1.85	1.78	1.86	6	5.00
	12:55		Middle	1.5	24.40	24.40		8.24	8.24		29.46	29.46	<u> </u>	89.1	89.5		6.30	6.32		1.88	1.91		4	<u> </u>
27/4/2012	-	- Amber Rainstorm	Middle Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!





Water Monitoring Result at WSD7 - Kowloon South Mid-Ebb Tide


Date	Time	Weater Condition	Samplin	ng Depth	Wat	er Temp	erature		рН			Salini	ty	D	O Satur	ation		DO ma/L			Turbid NTU		Suspende	
		Condition	r	n	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	ılue	Average	Va		Average	Va	alue	Average	Value	Average
28/3/2012	16:21	Fine	Middle	1.5	19.30	19.30	19.35	8.10	8.10	8.10	32.14	32.14	32.14	88.3	88.2	88.2	6.72	6.71	6.71	4.56	4.17	4.22	5	5.00
20/0/2012	16:23	0	Middle	1.5	19.40	19.40	10.00	8.10	8.10	0.10	32.14	32.14	02	88.3	87.9	00.2	6.71	6.68	0.1 .	3.85	4.31		5	0.00
30/3/2012	18:00	Cloudy	Middle	1.5	19.80	19.80	19.85	8.05	8.05	8.06	32.05	32.05	32.06	87.3	87.7	87.8	6.56	6.60	6.60	4.19	3.85	4.37	3	3.00
	18:03	,	Middle	1.5	19.90	19.90		8.06	8.06		32.06	32.06		88.0	88.1		6.61	6.62		4.67	4.76		3	
2/4/2012	20:45	Fine	Middle	1.5	19.97	19.97	19.98	7.93	7.93	7.93	31.41	31.41	31.41	85.0	85.0	84.8	6.42	6.42	6.40	3.12	2.78	2.73	4	4.00
	20:47		Middle	1.5	19.98	19.98		7.93	7.93		31.41	31.41		84.5	84.5		6.38	6.37		2.56	2.45		4	
5/4/2012	8:53	Cloudy	Middle	1.5	20.80	20.80	20.85	8.02	8.02	8.02	32.41	32.41	32.41	83.5	82.1	83.3	6.17	6.06	6.15	2.02	1.79	1.92	4	3.50
J	8:55	,	Middle	1.5	20.90	20.90		8.02	8.02		32.41	32.41		84.5	83.0		6.23	6.14		1.92	1.94		3	
7/4/2012	11:16	Cloudy	Middle	1.5	19.65	19.65	19.66	7.91	7.91	7.91	31.39	31.39	31.39	97.8	97.6	97.0	7.43	7.42	7.37	3.86	4.16	3.92	3	3.50
	11:17	5.55.1,	Middle	1.5	19.66	19.66		7.90	7.90		31.39	31.39		96.3	96.2		7.31	7.31		3.78	3.87		4	
10/4/2012	12:49	Sunny	Middle	1.5	22.00	22.00	22.05	8.12	8.12	8.13	32.03	32.03	32.04	82.4	83.0	82.5	5.94	5.99	5.95	3.17	2.97	2.98	3	4.00
10/ 11/20 12	12:51	Jul., 1	Middle	1.5	22.10	22.10	22.00	8.13	8.13	0.10	32.05	32.05	02.0	82.2	82.4	02.0	5.92	5.95	0.00	2.90	2.89	2.00	5	
12/4/2012	17:35	Fine	Middle	1.5	23.20	23.20	23.20	8.13	8.13	8.13	31.35	31.35	31.36	84.0	83.2	84.0	5.95	5.90	5.95	2.22	2.84	2.50	3	3.50
	17:37		Middle	1.5	23.20	23.20		8.13	8.13		31.37	31.37		84.2	84.4		5.97	5.98		2.53	2.42		4	
14/4/2012	19:07	Cloudy	Middle	1.5	23.72	23.73	23.73	7.49	7.50	7.50	30.35	30.35	30.35	92.6	92.7	92.6	6.58	6.59	6.57	4.16	3.66	3.80	7	6.50
	19:08	,	Middle	1.5	23.73	23.74		7.51	7.51		30.35	30.34		92.4	92.5		6.56	6.56		3.75	3.63		6	
16/4/2012	-	Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	-		Middle	-	-	-		-	-		-	-		-	-		-	-		-	-		-	<u> </u>
18/4/2012	8:19	Cloudy	Middle	1.5	21.90	21.90	21.90	8.03	8.03	8.04	32.24	32.24	32.25	75.0	74.6	75.1	5.44	5.42	5.45	1.60	1.86	1.56	4	3.50
	8:21		Middle	1.5	21.90	21.90		8.04	8.04		32.26	32.26		75.1	75.6		5.46	5.48		1.37	1.42		3	<u> </u>
20/4/2012	-	Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	-		Middle	-	-	-		-	-		-	-		-	-		-	-		-	-		-	<u> </u>
23/4/2012	13:14	Cloudy	Middle	1.5	24.00	24.00	24.00	8.09	8.09	8.09	31.74	31.74	31.74	75.1	75.3	75.0	5.27	5.28	5.26	2.02	1.94	1.98	6	7.00
	13:16		Middle	1.5	24.00	24.00		8.09	8.09		31.74	31.74		74.4	75.2		5.22	5.27		2.04	1.90		8	<u> </u>
25/4/2012	10:00	Fine	Middle	1.5	24.90	24.90	24.95	8.06	8.06	8.06	29.96	29.96	29.97	79.3	79.6	79.2	5.55	5.56	5.54	1.60	1.80	1.76	6	5.50
	10:02		Middle	1.5	25.00	25.00		8.06	8.06		29.98	29.98		79.1	78.9		5.53	5.51		1.88	1.75		5	
27/4/2012	-	Amber Rainstorm	Middle	-	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	-	#DIV/0!	-	#DIV/0!
	-		Middle	-	-	-		-	-		-	-		-	-		-	-		-	-		-	1



Graphic Presentation of Water Quality Result of WSD9 - Tai Wan












Graphic Presentation of Water Quality Result of WSD17 - Quarry Bay












Graphic Presentation of Water Quality Result of C8 - City Garden












Graphic Presentation of Water Quality Result of C9 - Provident Centre












Graphic Presentation of Water Quality Result of WSD19 - Sheung Wan












Graphic Presentation of Water Quality Result of WSD20 - Kennedy Town












Graphic Presentation of Water Quality Result of WSD7 - Kowloon South












Graphic Presentation of Water Quality Result of C1 - HKCEC












Graphic Presentation of Water Quality Result of C2 - TH / APA / SOC












Graphic Presentation of Water Quality Result of C3 - WCT and GEC












Graphic Presentation of Water Quality Result of C4e - WCT and GEC (Eastern)












Graphic Presentation of Water Quality Result of C4w - WCT and GEC (Western)












Graphic Presentation of Water Quality Result of C5e - SHKC (Eastern)












Graphic Presentation of Water Quality Result of C5w - SHKC (Western)












Graphic Presentation of Water Quality Result of WSD21 - Wan Chai












Graphic Presentation of Water Quality Result of C7 - Windsor House









Water Monitoring Result at C6 - Excelsior Hotel Mid-Flood Tide

		ood Hue						I						I					
Date	Time	Weater Condition		g Depth	Wat	er Temp °C	erature		pH -			Salinit ppt	у	D	O Satur %	ation		DO mg/L	
			n	n I	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	lue	Average
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28/3/2012	23:23	Cloudy	Middle	1.5	19.19	19.21	19.2	8.18	8.18	8.2	30.93	30.93	30.9	95.5	95.2	95.4	7.34	7.32	7.33
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31/3/2012	6:12	Cloudy	Middle	1.5	20.07	20.07	20.1	7.72	7.72	7.7	30.31	30.31	30.3	70.1	70.0	70.1	5.32	5.32	5.32
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2/4/2012	14:05	Cloudy	Middle	1.5	19.50	19.50	19.5	8.01	8.01	8.0	31.58	31.58	31.6	49.9	53.0	51.5	3.73	4.06	3.90
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5/4/2012	16:30	Rainy	Middle	1.5	19.80	19.80	19.8	7.81	7.81	7.8	29.13	29.13	29.1	58.6	58.6	58.6	4.49	4.49	4.49
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7/4/2012	17:20	Cloudy	Middle	1.5	19.58	19.57	19.6	7.86	7.86	7.9	30.79	30.79	30.8	83.8	83.2	83.5	6.41	6.36	6.39
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10/4/2012	9:45	Cloudy	Middle	1.0	20.20	20.20	20.2	8.06	8.06	8.1	31.31	31.31	31.3	54.5	51.1	52.8	4.11	3.86	3.99
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11:13		Surface	1.0	21.30	21.30	21.3	7.81	7.81	7.8	29.99	29.99	30.0	53.4	53.4	53.4	3.98	3.98	3.98
12/4/2012	11:14	Sunny	Middle	2.0	21.20	21.20	21.2	7.82	7.82	7.8	30.00	30.00	30.0	53.7	53.7	53.7	4.00	4.00	4.00
	11:15		Bottom	3.0	21.20	21.20	21.2	7.82	7.82	7.8	30.05	30.50	30.3	53.2	53.2	53.2	3.97	3.97	3.97
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14/4/2012	12:29	Fine	Middle	1.5	22.30	22.30	22.3	8.08	8.08	8.1	31.25	31.25	31.3	47.1	46.1	46.6	3.42	3.35	3.39
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16/4/2012	13:45	Cloudy	Middle	1.5	22.80	22.80	22.8	8.18	8.18	8.2	31.03	31.03	31.0	70.1	70.2	70.2	5.00	5.01	5.01
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18/4/2012	16:51	Cloudy	Middle	1.5	22.30	22.30	22.3	8.24	8.24	8.2	32.27	32.27	32.3	57.2	57.1	57.2	4.12	4.11	4.12
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	_	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20/4/2012	15:45	Rainy	Middle	1.5	22.10	22.10	22.1	7.84	7.84	7.8	28.02	28.02	28.0	53.4	53.4	53.4	4.02	4.02	4.02
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23/4/2012	20:51	Cloudy	Middle	1.5	23.33	23.33	23.3	7.61	7.61	7.6	30.54	30.54	30.5	87.9	87.6	87.8	6.29	6.26	6.28
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	_	-	-	_	-	_	-	-	-	-	-	-
25/4/2012	21:39	Cloudy	Middle	1.5	24.37	24.36	24.4	7.49	7.48	7.5	28.95	28.94	28.9	84.0	83.1	83.6	5.93	5.89	5.91
,	-	,	Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	_		Surface	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	-
27/4/2012	23:45	Cloudy	Middle	1.5	22.77	22.77	22.8	7.98	7.98	8.0	26.69	26.69	26.7	72.0	71.7	71.9	5.30	5.28	5.29
21,7/2012	-	Cloudy	Bottom	-	-	-	-	7.90	7.90	-	20.09	20.09	-	-	-	71.9	-	5.20	5.29
			DUILUITI	-		_	-	_		-			-	_		-	-		-

Remarks: Single underline denotes exceedance over Action Level. Double underline denotes exceedance over Limit Level.



Water Monitoring Result at C7 - Windsor House Mid-Flood Tide

		ood ride																	
Date	Time	Weater Condition	Samplin		Wat	er Temp °C	erature		pH -			Salinit	ty	D	O Satur	ation		DO mg/L	
		Condition	n	n	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	lue	Average
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28/3/2012	23:12	Cloudy	Middle	1.5	19.11	19.11	19.1	7.87	7.87	7.9	30.55	30.55	30.6	83.2	82.0	82.6	6.42	6.33	6.38
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31/3/2012	6:04	Cloudy	Middle	1.5	19.69	19.69	19.7	7.56	7.56	7.6	29.95	29.95	30.0	64.3	63.6	64.0	4.93	4.88	4.91
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2/4/2012	14:17	Cloudy	Middle	1.5	21.10	21.10	21.1	7.95	7.95	8.0	31.51	31.51	31.5	65.5	65.0	65.3	4.83	4.79	4.81
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5/4/2012	16:29	Rainy	Middle	1.5	20.10	20.10	20.1	7.75	7.75	7.8	26.87	26.87	26.9	44.2	44.2	44.2	3.41	3.41	3.41
	-		Bottom	- I	- I	- I	-	- I	-	-	-	-	-	- I	-	-	-	- I	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7/4/2012	17:11	Cloudy	Middle	1.5	19.60	19.60	19.6	7.78	7.78	7.8	30.87	30.87	30.9	81.9	81.9	81.9	6.25	6.25	6.25
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10/4/2012	9:50	Cloudy	Middle	1.5	21.90	21.90	21.9	8.18	8.18	8.2	31.37	31.37	31.4	69.3	68.3	68.8	5.11	5.02	5.07
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12/4/2012	11:20	Sunny	Middle	1.5	22.50	22.50	22.5	7.72	7.72	7.7	29.58	29.58	29.6	48.7	48.7	48.7	3.55	3.55	3.55
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4.4/4/2042	10:40	Fina	Surface	-	-	-	-	7.04	7.04	- 70	-	-	-	-	- 50.4	-	- 445	-	- 440
14/4/2012	12:43	Fine	Middle	1.5	25.00	25.00	25.0	7.94	7.94	7.9	30.06	30.06	30.1	59.6	58.1	58.9	4.15	4.04	4.10
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40/4/0040	- 10.50	Oleverto	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
16/4/2012	13:52	Cloudy	Middle	1.5	25.20	25.20	25.2	7.94	7.94	7.9	30.37	30.37	30.4	54.5	54.9	54.7	3.77	3.80	3.79
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40/4/0040	-	Olevete	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	- 40	-	-
18/4/2012	17:00	Cloudy	Middle	1.5	22.50	22.50	22.5	8.09	8.09	8.1	32.15	32.15	32.2	61.9	63.1	62.5	4.42	4.54	4.48
	-		Bottom	_	-	-	-	-	-	-	-	-	-	-	-	-	-		-
20/4/2012	15:40	Rainy	Middle	1.5	22.00	22.00	22.0	7.71	7.71	7.7	24.09	24.09	24.1	72.7	72.7	72.7	5.53	5.53	5.53
20/7/2012	-	· conty	Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23/4/2012	20:44	Cloudy	Middle	1.5	23.30	23.30	23.3	7.69	7.69	7.7	30.28	30.28	30.3	83.9	83.3	83.6	6.01	5.97	5.99
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	_		Surface	-	_	_	-	_	-	-	-	-	-	-	-	-	-	_	-
25/4/2012	21:31	Cloudy	Middle	1.5	24.32	24.32	24.3	7.54	7.54	7.5	29.00	29.00	29.0	75.1	74.7	74.9	5.32	5.30	5.31
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	_	-	-	-	-	-	-	-	-	-	-	-	-
27/4/2012	23:35	Cloudy	Middle	1.5	22.70	22.70	22.7	7.88	7.88	7.9	26.93	26.93	26.9	64.4	64.4	64.4	4.75	4.75	4.75
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<u> </u>	<u> </u>	<u> </u>	<u> </u>	l	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>		<u> </u>	

Remarks:



Water Monitoring Result at Ex-WPCWA SE - South-eastern corners of ex-Public Cargo Works Area Mid-Flood Tide

		ood ride																	
Date	Time	Weater Condition	Samplin	g Depth	Wat	er Temp °C	erature		pH -			Salinit	ty	D	O Satur	ation		DO mg/L	
		Condition	n	n	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	ilue	Average
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28/3/2012	22:52	Cloudy	Middle	1.5	19.32	19.32	19.3	7.82	7.82	7.8	31.59	31.52	31.6	80.7	82.3	81.5	6.83	6.96	6.90
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31/3/2012	5:50	Cloudy	Middle	1.5	19.66	19.66	19.7	7.76	7.76	7.8	31.47	31.49	31.5	72.9	73.7	73.3	5.54	5.60	5.57
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16:32		Surface	1.0	19.60	19.60	19.6	8.06	8.06	8.1	32.17	32.17	32.2	67.4	66.0	66.7	5.11	5.01	5.06
2/4/2012	-	Cloudy	Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16:34		Bottom	3.0	19.50	19.50	19.5	8.05	8.05	8.1	32.18	32.18	32.2	65.4	64.7	65.1	4.97	4.92	4.95
	-		Surface	1.0	19.60	19.60	19.6	8.01	8.01	8.0	30.79	30.79	30.8	68.2	68.2	68.2	5.21	5.21	5.21
5/4/2012	16:40	Rainy	Middle	2.0	19.60	19.60	19.6	7.92	7.92	7.9	30.90	30.90	30.9	67.4	67.4	67.4	5.14	5.14	5.14
	-		Bottom	3.0	19.60	19.60	19.6	7.89	7.89	7.9	30.19	30.19	30.2	67.0	67.0	67.0	5.11	5.11	5.11
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7/4/2012	17:00	Cloudy	Middle	1.0	19.42	19.42	19.4	8.00	8.00	8.0	31.62	31.62	31.6	89.9	89.3	89.6	6.85	6.81	6.83
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10/4/2012	9:35	Cloudy	Middle	1.5	20.30	20.30	20.3	8.13	8.13	8.1	31.82	31.82	31.8	69.1	68.8	69.0	5.18	5.16	5.17
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11:01		Surface	1.0	21.30	21.30	21.3	8.00	8.00	8.0	30.11	30.11	30.1	78.6	78.6	78.6	5.85	5.86	5.86
12/4/2012	11:02	Sunny	Middle	2.0	21.30	21.30	21.3	7.99	7.99	8.0	30.13	30.13	30.1	78.1	78.1	78.1	5.81	5.81	5.81
	11:03		Bottom	3.0	21.10	21.10	21.1	7.97	7.97	8.0	30.19	30.19	30.2	76.0	76.0	76.0	5.66	5.66	5.66
44/4/0040	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-
14/4/2012	12:14	Fine	Middle	1.5	22.30	22.30	22.3	8.15	8.15	8.2	31.40	31.40	31.4	70.7	69.5	70.1	5.06	5.04	5.05
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40/4/0040	-	Olevete	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-
16/4/2012	13:30	Cloudy	Middle	1.5	22.00	22.00	22.0	8.25	8.25	8.3	31.67	31.67	31.7	70.2	70.0	70.1	5.04	5.02	5.03
	-		Bottom	-	-	-	-	-	<u> </u>	-		-	-	-	-	-	-		-
19/4/2012		Cloudy	Surface											70.4				- - 47	
18/4/2012	15:59	Cloudy	Middle Bottom	1.5	22.40	22.40	22.4	8.19	8.19	8.2	32.85	32.85	32.9	72.4	72.1	72.3	5.19	5.17	5.18
	-		Surface	_	_	_	- -	_	_	- -	-		-	_	_	_	_	_	-
20/4/2012	15:55	Rainy	Middle	1.5	22.10	22.10	22.1	7.90	7.90	7.9	29.85	29.85	29.9	65.6	65.6	65.6	4.82	4.82	4.82
_5, ,,2512	-	· comy	Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23/4/2012	20:33	Cloudy	Middle	1.5	23.22	23.22	23.2	7.71	7.71	7.7	31.08	31.08	31.1	94.4	93.7	94.1	6.74	6.70	6.72
	-		Bottom	-	-	-	-	_	_	-	-	-	-	-	-	-	_	-	-
	-		Surface	-	-	-	-	_	-	-	-	_	-	-	-	-	-	-	-
25/4/2012	21:18	Cloudy	Middle	1.0	24.24	24.24	24.2	7.58	7.57	7.6	29.25	29.25	29.3	95.1	95.1	95.1	6.75	6.75	6.75
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	<u> </u>	-	-	-	-	-	-	-	<u> </u>	-	-	-	-	-
27/4/2012	23:20	Cloudy	Middle	1.5	22.83	22.83	22.8	8.06	8.06	8.1	30.08	30.08	30.1	83.3	83.0	83.2	6.57	6.54	6.56
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<u> </u>	<u> </u>	l .	<u> </u>	1	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	1	1		<u> </u>	1	<u> </u>		1	<u> </u>



Water Monitoring Result at Ex-WPCWA SW - South-western corners of ex-Public Cargo Works Area Mid-Flood Tide

		ood ride																	
Date	Time	Weater Condition	Samplin	g Depth	Wat	er Temp °C	erature		pH -			Salinit	у	D	O Satur	ation		DO mg/L	
		Condition	n	n I	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	ilue	Average	Va	alue	Average
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28/3/2012	22:39	Cloudy	Middle	1.5	19.59	19.60	19.6	7.87	7.87	7.9	31.43	31.43	31.4	83.0	83.4	83.2	7.01	7.04	7.03
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
31/3/2012	5:44	Cloudy	Middle	1.5	20.11	20.11	20.1	7.78	7.78	7.8	31.33	31.33	31.3	74.6	74.3	74.5	5.63	5.61	5.62
	-		Bottom	-	-	-	-	-	-	-	-	-	1	-	-	-	•	-	-
	16:38		Surface	1.0	19.50	19.50	19.5	8.05	8.05	8.1	32.17	32.17	32.2	63.3	62.3	62.8	4.81	4.73	4.77
2/4/2012	-	Cloudy	Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16:39		Bottom	3.0	19.40	19.40	19.4	8.03	8.03	8.0	32.18	32.18	32.2	61.6	61.1	61.4	4.69	4.65	4.67
	16:45		Surface	1.0	19.70	19.70	19.7	7.84	7.84	7.8	30.31	30.31	30.3	70.1	70.1	70.1	5.37	5.37	5.37
5/4/2012	16:46	Rainy	Middle	2.0	19.70	19.70	19.7	7.83	7.83	7.8	30.61	30.61	30.6	67.8	67.8	67.8	5.16	5.16	5.16
	16:47		Bottom	3.0	19.60	19.60	19.6	7.82	7.82	7.8	30.90	30.90	30.9	62.8	62.8	62.8	4.79	4.79	4.79
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7/4/2012	16:54	Cloudy	Middle	1.0	19.43	19.43	19.4	8.02	8.02	8.0	31.63	31.63	31.6	90.1	90.1	90.1	6.87	6.87	6.87
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10/4/2012	9:38	Cloudy	Middle	1.5	20.10	20.10	20.1	8.10	8.10	8.1	31.88	31.88	31.9	66.0	65.1	65.6	4.96	4.89	4.93
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11:05		Surface	1.0	21.20	21.20	21.2	7.94	7.94	7.9	30.12	30.12	30.1	77.1	77.1	77.1	5.73	5.73	5.73
12/4/2012	11:06	Sunny	Middle	2.0	21.20	21.20	21.2	7.93	7.93	7.9	30.13	30.13	30.1	76.9	76.9	76.9	5.73	5.73	5.73
	11:07		Bottom	3.0	21.10	21.10	21.1	7.93	7.93	7.9	30.18	30.18	30.2	73.1	73.1	73.1	5.42	5.42	5.42
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14/4/2012	12:18	Fine	Middle	1.5	22.30	22.30	22.3	8.12	8.12	8.1	31.40	31.40	31.4	67.7	67.0	67.4	4.91	4.85	4.88
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16/4/2012	13:35	Cloudy	Middle	1.5	23.00	23.00	23.0	8.20	8.20	8.2	31.63	31.63	31.6	70.5	70.0	70.3	5.04	5.01	5.03
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18/4/2012	15:54	Cloudy	Middle	1.5	22.40	22.40	22.4	8.20	8.20	8.2	32.74	32.74	32.7	73.8	73.5	73.7	5.30	5.28	5.29
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	15:56		Surface	1.0	22.10	22.10	22.1	7.93	7.93	7.9	29.84	29.84	29.8	65.8	65.5	65.7	4.83	4.83	4.83
20/4/2012	15:57	Rainy	Middle	2.0	22.10	22.10	22.1	7.83	7.83	7.8	29.86	29.86	29.9	65.6	65.6	65.6	4.82	4.82	4.82
	15:58		Bottom	3.0	22.10	22.10	22.1	7.81	7.81	7.8	30.13	30.13	30.1	64.5	64.5	64.5	4.73	4.73	4.73
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23/4/2012	20:28	Cloudy	Middle	1.5	23.27	23.27	23.3	7.75	7.75	7.8	31.13	31.13	31.1	94.3	93.9	94.1	6.72	6.66	6.69
	-		Bottom	-	-	-	_	-	-	_	-	-	-	-	-	-	-	-	-
	-		Surface	-	_	-	-	_	-	-	-	_	-	-	-	-	-	-	-
25/4/2012	21:13	Cloudy	Middle	1.0	24.29	24.29	24.3	7.50	7.50	7.5	29.22	29.22	29.2	93.0	92.8	92.9	6.58	6.57	6.58
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	_	_	-	_	-	-	-	-	-	_	-	-	_	-	-
27/4/2012	23:15	Cloudy	Middle	1.5	22.79	22.79	22.8	8.06	8.06	8.1	30.10	30.10	30.1	78.3	78.2	78.3	5.67	5.66	5.67
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	_	-	-
	<u> </u>		23110111		<u> </u>	<u> </u>		<u> </u>						<u> </u>				<u> </u>	<u> </u>



Water Monitoring Result at C6 - Excelsior Hotel Mid-Ebb Tide

	Timo	Weater	Samplin	ıa Denth	\\/o+	er Temp	eraturo		۲U			Qalini:	tv	_	O Satur	ration		DO	
Date	Time	Weater Condition	Samplin	g Depth n		°C			рН -			Salinit ppt			%			mg/L	
					Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	lue	Average
28/3/2012	13:22	Fine	Surface Middle	2	18.60	18.60	18.6	8.14	8.14	8.1	31.71	31.71	31.7	73.7	74.7	74.2	5.71	5.80	5.76
	-		Bottom	-	_				-	-		_	-			-	_		-
	-		Surface	-	-	i	-	-	-	-	-	-	-	-	-	-	-	-	-
30/3/2012	14:59	Cloudy	Middle	2	19.30	19.20	19.3	8.06	8.06	8.1	31.71	31.71	31.7	57.0	55.8	56.4	4.36	4.28	4.32
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0/4/0040		Olava I	Surface	-	-	-	-	-	-	-	-	-	-	70.0	-	70.0	-		-
2/4/2012	22:25	Cloudy	Middle Bottom	1	20.60	20.59	20.6	8.08	8.08	8.1	31.05	31.05	31.1	79.9	79.6	79.8	5.98	5.97	5.98
	12:30		Surface	1	19.70	19.70	19.7	8.05	8.05	8.1	30.55	30.55	30.6	62.0	62.0	62.0	4.93	4.93	4.93
5/4/2012	12:31	Rainy	Middle	2	19.70	19.70	19.7	7.98	7.98	8.0	30.55	30.55	30.6	61.3	61.3	61.3	4.63	4.63	4.63
	12:32		Bottom	3	19.70	19.70	19.7	7.94	7.94	7.9	30.36	30.36	30.4	56.6	56.6	56.6	4.32	4.32	4.32
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7/4/2012	12:21	Cloudy	Middle	2	19.59	19.59	19.6	7.49	7.52	7.5	30.94	30.94	30.9	87.8	87.3	87.6	6.70	6.66	6.68
	-		Bottom	-	-	1	-	-	-	÷	-	-	=	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10/4/2012	15:35	Fine	Middle	2	20.40	20.40	20.4	8.05	8.05	8.1	31.53	31.53	31.5	71.0	71.0	71.0	5.41	5.41	5.41
	45.20		Bottom	-	-	- 24.20	- 24.2	7.00	7.00	-	- 20.40	-	- 20.0	- 50.7	- 50.7	- 50.7	- 2.00	- 2.00	- 2.02
12/4/2012	15:30	Fine	Surface Middle	2	21.30	21.30	21.3	7.88	7.88	7.9	30.16	30.16	30.2	52.7	52.7 53.1	52.7 53.1	3.92	3.92	3.92
.272012	15:32	1 1110	Bottom	3	21.30	21.30	21.3	7.88	7.88	7.9	30.17	30.15	30.2	50.4	50.4	50.4	3.74	3.74	3.74
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14/4/2012	20:06	Cloudy	Middle	1	23.26	23.29	23.3	7.58	7.58	7.6	29.82	29.82	29.8	88.3	88.2	88.3	6.33	6.32	6.33
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16/4/2012	-	Amber rainstorm	Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40/4/00:0	-	Olavez 2	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18/4/2012	12:49	Cloudy	Middle	2	22.30	22.30	22.3	8.22	8.22	8.2	32.32	32.32	32.3	51.4	50.7	51.1	3.71	3.66	3.69
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-
20/4/2012		Amber Rainstorm	Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13:45		Surface	1	22.90	22.90	22.9	7.87	7.87	7.9	30.32	30.32	30.3	50.6	50.6	50.6	3.66	3.66	3.66
23/4/2012	13:46	Cloudy	Middle	2	22.90	22.90	22.9	7.74	7.74	7.7	30.29	30.29	30.3	50.3	50.3	50.3	3.63	3.63	3.63
	13:47		Bottom	3	22.90	22.90	22.9	7.73	7.73	7.7	30.28	30.28	30.3	50.4	50.4	50.4	3.64	3.64	3.64
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25/4/2012	13:33	Fine	Middle	2	23.40	23.40	23.4	8.24	8.24	8.2	30.23	30.23	30.2	42.1	41.2	41.7	3.01	2.95	2.98
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27/4/2012	-	Amber Rainstorm	Surface Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21/4/2012		Annei Kainstofm	Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			טטווטווו		<u> </u>	_				-									

Remarks:

Water Monitoring Result at C7 - Windsor House Mid-Ebb Tide

Date	Time	Weater Condition	Samplin	g Depth	Wat	er Temp °C	erature		pH -			Salini ppt	ty	D	O Satur %	ation		DO mg/L
		Condition	n	n	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	lue
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28/3/2012	13:40	Fine	Middle	2	19.60	19.60	19.6	8.07	8.07	8.1	31.59	31.59	31.6	80.4	80.3	80.4	6.09	6.08
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	_		Surface	_	_	_	_	_	_	_	_	<u> </u>	-	_	_	_	_	_
30/3/2012		Claudy			00.50	00.50	00.5		7.00	0.0	04.40	04.40		70.4		77.0		
30/3/2012	15:10	Cloudy	Middle	2	20.50	20.50	20.5	7.99	7.99	8.0	31.49	31.49	31.5	76.4	77.5	77.0	5.69	5.77
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2/4/2012	22:31	Cloudy	Middle	2	20.18	20.18	20.2	7.87	7.87	7.9	30.22	30.22	30.2	76.0	75.7	75.9	5.73	5.71
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5/4/2012	12:40	Rainy	Middle	2	20.30	20.30	20.3	7.92	7.92	7.9	29.72	29.72	29.7	60.6	60.6	60.6	4.61	4.61
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	_	-	-	-	-	-	-	-
7/4/2012	12:10	Cloudy	Middle	2	19.80	19.80	19.8	7.85	7.85	7.9	30.44	30.44	30.4	91.6	91.7	91.7	6.98	6.99
	-	,	Bottom	_	_	-	-	-	-	-	_	_	-	-	-	-		-
																-		
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10/4/2012	15:45	Fine	Middle	2	22.10	22.10	22.1	8.16	8.16	8.2	31.34	31.34	31.3	66.0	65.9	66.0	4.76	4.75
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12/4/2012	15:25	Fine	Middle	2	24.20	24.20	24.2	7.82	7.82	7.8	29.47	29.47	29.5	70.7	70.7	70.7	4.99	4.99
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14/4/2012	19:58	Cloudy	Middle	1	23.91	23.91	23.9	7.59	7.59	7.6	29.47	29.48	29.5	81.3	81.5	81.4	5.81	5.83
	_		Bottom	_	_	_	_	_	_	_	_	_	-	_	_	_	-	_
	_		Surface	_			_	_	_	_	<u> </u>	l _	_	<u> </u>	<u> </u>	_	_	_
40/4/0040		A l i t																
16/4/2012	-	Amber rainstorm	Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18/4/2012	12:55	Cloudy	Middle	2	22.70	22.70	22.7	8.13	8.13	8.1	31.51	31.51	31.5	71.7	71.8	71.8	5.15	5.15
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20/4/2012	-	Amber Rainstorm	Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23/4/2012	13:55	Cloudy	Middle	1	25.00	25.00	25.0	7.72	7.72	7.7	29.79	29.79	29.8	60.8	60.8	60.8	4.28	4.28
_5, ,,_5,12	-	3.000,			25.00	25.00	-	-	-	-	29.19	29.19	29.0	-	-	- 00.0		
			Bottom															-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25/4/2012	13:45	Fine	Middle	2	25.00	25.00	25.0	8.03	8.03	8.0	29.00	29.00	29.0	60.7	60.4	60.6	4.18	4.16
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27/4/2012	-	Amber Rainstorm	Middle	1	-	-	-	-	-	ı	-	-	i	-	-	-	1	-
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<u> </u>	<u> </u>																	



Water Monitoring Result at Ex-WPCWA SE - South-eastern corners of ex-Public Cargo Works Area Mid-Ebb Tide

	Time	Weater	Samplin	g Depth	\/\/p+	er Temp	erature		pН			Salini	tv	ר	O Satur	ration		DO	
Date	1 11116	Condition	n	•		°C		.,	·-	Λ.,	.,	ppt			%		.,	mg/L	Ι Δ
	_		Surface	-	va -	lue -	Average -	Va -	lue -	Average	Va -	lue -	Average -	Va -	lue -	Average	Va -	lue -	Average
28/3/2012	13:12	Fine	Middle	1.5	18.50	18.50	18.5	8.10	8.10	8.1	32.13	32.13	32.1	72.2	72.5	72.4	5.59	5.62	5.61
	-		Bottom	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-		Surface	1.0	19.20	19.20	19.2	8.07	8.07	8.1	32.07	32.07	32.1	71.1	31.6	51.4	5.44	5.48	5.46
30/3/2012	14:40	Cloudy	Middle	2.0	19.10	19.10	19.1	8.09	8.09	8.1	32.07	32.06	32.1	70.0	69.4	69.7	5.35	5.31	5.33
	-		Bottom	3.0	19.10	19.10	19.1	7.94	7.93	7.9	32.03	32.03	32.0	64.9	64.5	64.7	4.97	4.93	4.95
0/4/0040	- 01.40	Ql ₂ l ₂	Surface	-	-	-	-	7.00	7.00	-	-	- 04.07	-	- 00.4	-		-	-	-
2/4/2012	21:46	Cloudy	Middle Bottom	1.0	19.81	19.81	19.8	7.96	7.96	8.0	31.34	31.37	31.4	80.4	80.6	80.5	6.12	6.13	6.13
	12:20		Surface	1.0	19.70	19.70	19.7	8.02	8.02	8.0	30.95	30.95	31.0	67.1	67.1	67.1	5.12	5.12	5.12
5/4/2012	12:21	Rainy	Middle	2.5	19.70	19.70	19.7	7.94	7.94	7.9	30.94	30.94	30.9	67.0	67.0	67.0	5.10	5.10	5.10
	12:22		Bottom	4.0	19.50	19.50	19.5	7.92	7.92	7.9	31.10	31.10	31.1	65.6	65.6	65.6	5.02	5.02	5.02
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7/4/2012	12:00	Cloudy	Middle	1.0	19.72	19.72	19.7	7.63	7.63	7.6	31.46	31.46	31.5	99.1	99.1	99.1	7.52	7.52	7.52
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10/4/2012	15:30	Fine	Middle	1.5	20.70	20.70	20.7	8.20	8.20	8.2	31.95	31.95	32.0	76.8	76.8	76.8	5.70	5.70	5.70
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	15:40		Surface	1.0	21.20	21.20	21.2	7.88	7.88	7.9	30.43	30.43	30.4	65.6	65.6	65.6	4.88	4.88	4.88
12/4/2012	15:41	Fine	Middle	2.0	21.10	21.10	21.1	7.89	7.89	7.9	30.43	30.43	30.4	66.6	66.6	66.6	4.96	4.96	4.96
	15:42		Bottom	3.0	21.00	21.00	21.0	7.88	7.88	7.9	30.53	30.53	30.5	62.9	62.9	62.9	4.70	4.70	4.70
14/4/2012	19:47	Cloudy	Middle	1.0	22.99	22.99	23.0	7.68	7.68	7.7	30.60	30.60	30.6	94.6	94.5	94.6	6.79	6.79	6.79
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16/4/2012	-	Amber rainstorm	Middle	i	-	-	-	1	-	i	1	1	i	1	-	-	-	-	-
	-		Bottom	i	-	-	-	-	-	-	-	-	i	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18/4/2012	12:22	Cloudy	Middle	1.5	22.20	22.20	22.2	8.38	8.38	8.4	32.98	32.98	33.0	67.4	67.8	67.6	4.83	4.88	4.86
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20/4/2012	-	Amber Rainstorm	Surface Middle	-	-	_	-	-	-	-	-	-	-	-	-	-	-		-
2014/2012	-	ATTIOGE INAUTISTUTITE	Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13:35		Surface	1.0	22.70	22.70	22.7	7.93	7.93	7.9	30.72	30.72	30.7	58.4	58.4	58.4	4.22	4.22	4.22
23/4/2012	13:36	Cloudy	Middle	2.5	22.70	22.70	22.7	7.81	7.81	7.8	30.75	30.75	30.8	58.1	58.1	58.1	4.20	4.20	4.20
	13:37		Bottom	4.0	22.60	22.60	22.6	7.78	7.78	7.8	30.65	30.65	30.7	58.0	58.0	58.0	4.20	4.20	4.20
	-		Surface	i	-	-	-	-	-	-	-	-	i	-	-	-	-	-	-
25/4/2012	14:45	Fine	Middle	1.5	23.70	23.70	23.7	8.12	8.12	8.1	30.37	30.37	30.4	63.2	63.9	63.6	4.50	4.55	4.53
	-		Bottom	-	-	-	-	-	-	-	-	-	ī	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27/4/2012	-	Amber Rainstorm	Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Remarks:





Water Monitoring Result at Ex-WPCWA SW - South-western corners of ex-Public Cargo Works Area Mid-Ebb Tide

	Time	Moster	Compli-	a Donth	10/54	or Tow-	oroturo		nЦ			المائد :	24	,	O 624	ration		DC	
Date	Time	Weater Condition	Samplin	ng Depth n		°C	erature		pH -			Salinit ppt			O Satur		.,	DO mg/L	
	_		Surface	_	Va	lue -	Average	Va	lue -	Average	Va	lue	Average	Va	lue -	Average	Va	lue -	Average
20/2/2042		Fine			10.70		10.7	0.40		0.4	20.47	20.47	20.0	70.4			6.07		
28/3/2012	13:17	Fine	Middle	1.5	18.70	18.70	18.7	8.13	8.13	8.1	32.17	32.17	32.2	78.4	77.8	78.1	6.07	6.02	6.05
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	1.0	19.20	19.20	19.2	8.01	8.01	8.0	32.10	32.09	32.1	68.6	68.1	68.4	5.25	5.21	5.23
30/3/2012	14:47	Cloudy	Middle	2.0	19.10	19.10	19.1	8.01	8.01	8.0	32.06	32.07	32.1	66.0	64.7	65.4	5.05	4.95	5.00
	-		Bottom	3.0	19.00	19.00	19.0	7.96	7.96	8.0	31.66	31.66	31.7	56.6	56.9	56.8	4.34	4.37	4.36
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2/4/2012	21:38	Cloudy	Middle	1.0	19.78	19.78	19.8	8.10	8.10	8.1	31.44	31.44	31.4	81.3	80.8	81.1	6.18	6.14	6.16
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12:25		Surface	1.0	19.70	19.70	19.7	7.83	7.83	7.8	30.93	30.93	30.9	64.7	64.7	64.7	4.93	4.93	4.93
5/4/2012	12:26	Rainy	Middle	2.0	19.70	19.70	19.7	7.84	7.84	7.8	30.87	30.97	30.9	66.6	66.6	66.6	5.08	5.08	5.08
	12:27		Bottom	3.0	19.50	19.50	19.5	7.87	7.87	7.9	31.14	31.14	31.1	65.9	65.9	65.9	5.04	5.04	5.04
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7/4/2012	11:54	Cloudy	Middle	1.0	19.61	19.61	19.6	7.79	7.79	7.8	31.47	31.47	31.5	94.5	94.3	94.4	7.17	7.15	7.16
	-		Bottom	-	_	_	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10/4/2012	15:25	Fine	Middle	1.5	20.60	20.60	20.6	8.19	8.19	8.2	32.07	32.07	32.1	76.2	76.2	76.2	5.65	5.65	5.65
			Bottom	-	-	-		-	-	-	-	-	-				-	-	-
							24.4					20.20	20.4	CO 2			0.44		
40/4/0040	15:44	F	Surface	1.0	21.40	21.40	21.4	7.88	7.88	7.9	30.36	30.36	30.4	69.3	69.3	69.3	8.14	5.14	6.64
12/4/2012	15:45	Fine	Middle	2.0	21.30	21.30	21.3	7.89	7.89	7.9	30.36	30.36	30.4	68.8	68.8	68.8	5.11	5.11	5.11
	15:46		Bottom	3.0	21.00	21.00	21.0	7.88	7.88	7.9	30.62	30.62	30.6	59.4	59.4	59.4	4.53	4.53	4.53
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14/4/2012	19:40	Cloudy	Middle	1.0	23.54	23.54	23.5	7.59	7.59	7.6	30.74	30.74	30.7	91.9	92.0	92.0	6.54	6.54	6.54
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16/4/2012	-	Amber rainstorm	Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18/4/2012	12:25	Cloudy	Middle	1.5	22.20	22.20	22.2	8.24	8.24	8.2	32.97	32.97	33.0	65.1	64.1	64.6	4.69	4.62	4.66
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20/4/2012	-	Amber Rainstorm	Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Bottom	-	_	_	-	-	-	-	-	-	-	-	-	-	-	-	-
	13:40		Surface	1.0	22.80	22.80	22.8	7.77	7.77	7.8	30.71	30.71	30.7	62.6	62.6	62.6	4.51	4.51	4.51
23/4/2012	13:41	Cloudy	Middle	2.0	22.80	22.80	22.8	7.76	7.76	7.8	30.75	30.75	30.8	57.5	57.5	57.5	4.15	4.15	4.15
_3, ,,_0,,_	13:42	3.000	Bottom	3.0	22.70	22.70	22.7	7.75	7.75	7.8	30.76	30.76	30.8	58.0	58.0	58.0	4.20	4.20	4.20
	13:42			3.0	-	-	-	7.75	7.75	7.8	30.76	30.76	30.8	- 58.0		58.0	4.20	4.20	4.20
05/4/0010		e	Surface												- 02.4				
25/4/2012	14:49	Fine	Middle	1.5	23.50	23.50	23.5	8.10	8.10	8.1	30.19	30.19	30.2	63.3	63.1	63.2	4.53	4.51	4.52
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27/4/2012	-	Amber Rainstorm	Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

am


Graphic Presentation of Enhanced Water Monitoring Results (DO) at C6 - Excelsior Hotel






am

Graphic Presentation of Enhanced Water Monitoring Results (DO) at C7 - Windsor House









Graphic Presentation of Enhanced Water Monitoring Results (DO) at Ex-WPCWA SW

- South-western corners of ex-Public Cargo Works Area









Graphic Presentation of Enhanced Water Monitoring Results (DO) at Ex-WPCWA SE

- South-eastern corners of ex-Public Cargo Works Area





Appendix 5.4a

Additional Dissolved Oxygen Monitoring Results

Location: Station A
Coordinate: 835468E, 815857N

Date	Time	Weater Condition	Samplin	•	Wat	er Temp	erature		pH -			Salinit	у	D	O Satur	ration		DO mg/L	
			n	n	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	lue	Average
	16:52		Surface	1.0	19.70	19.70	19.70	7.85	7.85	7.85	30.34	30.34	30.34	78.0	78.0	78.0	5.94	5.94	5.94
05-Apr-12	16:54	Rainy	Middle	6.5	19.70	19.70	19.70	7.87	7.87	7.87	30.87	30.87	30.87	76.4	76.4	76.4	5.83	5.83	5.83
	16:56		Bottom	12.0	19.70	19.70	19.70	7.88	7.88	7.88	30.87	30.87	30.87	73.4	73.4	73.4	5.60	5.60	5.60
	10:53		Surface	1.0	21.00	21.00	21.00	8.03	8.03	8.03	30.12	30.12	30.12	75.5	75.5	75.5	5.64	5.64	5.64
12-Apr-12	-	Sunny	Middle	1	-	-	-	1	-	-	-	-	1	ı	-	-	ı	-	i
	10:54		Bottom	4.0	21.00	21.00	21.00	7.96	7.96	7.96	30.27	30.27	30.27	72.9	72.9	72.9	5.45	5.45	5.45
	16:52		Surface	1.0	22.30	22.30	22.30	7.91	7.91	7.91	30.40	30.40	30.40	68.7	68.7	68.7	5.01	5.01	5.01
20-Apr-12	-	Cloudy	Middle	1	-	-	-	1	-	-	-	-	1	ı	-	-	ı	-	i
	16:53		Bottom	3.0	22.30	22.30	22.30	7.84	7.84	7.84	30.50	30.50	30.50	67.0	67.0	67.0	4.88	4.88	4.88
	-		Surface	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
23-Apr-12	17:30	Cloudy	Middle	1.5	23.30	23.30	23.30	7.74	7.74	7.74	30.61	30.61	30.61	69.2	69.2	69.2	4.96	4.96	4.96
	-		Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Location: Station B
Coordinate: 835572E, 815961N

Date	Time	Weater Condition	Samplin		Wat	er Temp	erature		pH -			Salinit	у	D	O Satur %	ation		DO mg/L	
			n	n	Va	llue	Average	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	lue	Average
	16:56		Surface	1.0	20.00	20.00	20.00	7.84	7.84	7.84	30.42	30.42	30.42	75.4	75.4	75.4	5.74	5.74	5.74
05-Apr-12	16:58	Rainy	Middle	5.5	19.70	19.70	19.70	7.85	7.85	7.85	30.96	30.96	30.96	74.2	74.2	74.2	5.66	5.66	5.66
	17:00		Bottom	10.0	19.60	19.60	19.60	7.86	7.86	7.86	30.82	30.82	30.82	69.5	69.5	69.5	5.30	5.30	5.30
	10:50		Surface	1.0	21.20	21.20	21.20	7.83	7.83	7.83	30.20	30.20	30.20	75.6	75.6	75.6	5.63	5.63	5.63
12-Apr-12	10:51	Sunny	Middle	5.0	21.10	21.10	21.10	7.83	7.83	7.83	30.39	30.39	30.39	74.2	74.2	74.2	5.52	5.52	5.52
	10:52		Bottom	9.0	21.00	21.00	21.00	7.84	7.84	7.84	30.76	30.76	30.76	72.2	72.2	72.2	5.39	5.39	5.39
	16:44		Surface	1.0	22.30	22.30	22.30	7.94	7.94	7.94	30.31	30.31	30.31	70.4	70.4	70.4	5.14	5.14	5.14
20-Apr-12	16:45	Cloudy	Middle	5.0	22.10	22.10	22.10	7.86	7.86	7.86	30.59	30.59	30.59	71.4	71.4	71.4	5.22	5.22	5.22
	16:46		Bottom	9.0	22.10	22.10	22.10	7.73	7.73	7.73	30.86	30.86	30.86	67.4	67.4	67.4	4.92	4.92	4.92
	17:23		Surface	1.0	22.80	22.80	22.80	7.76	7.76	7.76	30.28	30.28	30.28	73.6	73.6	73.6	5.32	5.32	5.32
23-Apr-12	17:24	Cloudy	Middle	5.5	22.70	22.70	22.70	7.79	7.79	7.79	30.51	30.51	30.51	70.2	70.2	70.2	5.08	5.08	5.08
	17:25		Bottom	10.0	22.70	22.70	22.70	7.76	7.76	7.76	30.38	30.38	30.38	71.0	71.0	71.0	5.14	5.14	5.14

Location: Station C
Coordinate: 835659E, 816271N

Date	Time	Weater Condition	Samplin		Wat	er Temp °C	erature		pH -			Salinit	у	D	O Satur %	ation		DO mg/L	
			n	n	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	lue	Average
	17:00		Surface	1.0	19.70	19.70	19.70	7.83	7.83	7.83	20.26	20.26	20.26	75.1	75.1	75.1	6.09	6.09	6.09
05-Apr-12	-	Rainy	Middle	1	-	-	-	1	-	i	-	1	1	ı	1	1	1	-	-
	17:04		Bottom	3.0	19.70	19.70	19.70	7.85	7.85	7.85	21.06	21.06	21.06	74.6	74.6	74.6	5.98	5.98	5.98
	10:45		Surface	1.0	21.10	21.10	21.10	7.85	7.85	7.85	30.17	30.17	30.17	76.6	76.1	76.4	5.71	5.71	5.71
12-Apr-12	10:46	Sunny	Middle	6.5	20.90	20.90	20.90	7.85	7.85	7.85	30.16	30.16	30.16	73.8	73.8	73.8	5.52	5.52	5.52
	10:47		Bottom	12.0	20.80	20.80	20.80	7.85	7.85	7.85	30.63	30.63	30.63	73.2	73.2	73.2	5.47	5.47	5.47
	16:39		Surface	1.0	22.30	22.30	22.30	7.85	7.85	7.85	30.34	30.34	30.34	67.4	67.4	67.4	4.91	4.91	4.91
20-Apr-12	16:40	Cloudy	Middle	6.5	22.10	22.10	22.10	7.97	7.97	7.97	30.87	30.87	30.87	66.2	66.2	66.2	4.83	4.83	4.83
	16:46		Bottom	12.0	22.10	22.10	22.10	7.93	7.93	7.93	31.17	31.17	31.17	66.6	66.6	66.6	4.86	4.86	4.86
	17:16		Surface	1.0	22.80	22.80	22.80	7.75	7.75	7.75	30.23	30.23	30.23	71.0	71.0	71.0	5.14	5.14	5.14
23-Apr-12	17:17	Cloudy	Middle	6.5	22.60	22.60	22.60	7.79	7.79	7.79	30.54	30.54	30.54	70.0	70.0	70.0	5.09	5.09	5.09
	17:18		Bottom	12.0	22.60	22.60	22.60	7.80	7.80	7.80	30.64	30.64	30.64	66.0	66.0	66.0	4.78	4.78	4.78

Location: Station A
Coordinate: 835468E, 815857N

Date	Time	Weater Condition		g Depth	Wat	er Temp °C	erature		pH -			Salini	ty	D	O Satur	ration		DO mg/L	-
			Г	n	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	lue	Average
	12:05		Surface	1.0	19.70	19.70	19.70	7.96	7.96	7.96	30.68	30.68	30.68	69.5	69.5	69.5	5.31	5.31	5.31
05-Apr-12	-	Cloudy	Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12:09		Bottom	4.0	19.60	19.60	19.60	7.90	7.90	7.90	30.99	30.99	30.99	70.1	70.1	70.1	5.34	5.34	5.34
	16:05		Surface	1.0	21.30	21.30	21.30	7.83	7.83	7.83	30.20	30.20	30.20	71.5	71.5	71.5	5.31	5.31	5.31
12-Apr-12	-	Fine	Middle	ı	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
	16:06		Bottom	4.0	21.30	21.30	21.30	7.82	7.82	7.82	30.39	30.39	30.39	68.9	68.9	68.9	5.11	5.11	5.11
	13:24		Surface	1.0	22.80	22.80	22.80	7.73	7.73	7.73	30.73	30.73	30.73	61.1	61.1	61.1	4.41	4.41	4.41
23-Apr-12	-	Cloudy	Middle	•	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13:25		Bottom	4.0	22.80	22.80	22.80	7.78	7.78	7.78	30.77	30.77	30.77	62.7	62.7	62.7	4.52	4.52	4.52

Location: Station B
Coordinate: 835572E, 815961N

Date	Time	Weater Condition	'	g Depth	Wat	er Temp °C	erature		pH -			Salini	ty	D	O Satur	ation		DO mg/L	-
			n	1	Va	lue	Average	Va	llue	Average	Va	lue	Average	Va	lue	Average	Va	alue	Average
	12:00		Surface	1.0	19.70	19.70	19.70	7.83	7.83	7.83	31.02	31.02	31.02	74.8	74.8	74.8	5.68	5.68	5.68
05-Apr-12	12:02	Cloudy	Middle	5.5	19.60	19.60	19.60	7.85	7.85	7.85	31.04	31.04	31.04	74.1	74.1	74.1	5.61	5.61	5.61
	12:04		Bottom	10.0	19.50	19.50	19.50	7.83	7.83	7.83	30.84	30.84	30.84	68.1	68.1	68.1	5.21	5.21	5.21
	16:00		Surface	1.0	21.40	21.40	21.40	7.85	7.85	7.85	30.45	30.45	30.45	75.9	75.9	75.9	5.62	5.62	5.62
12-Apr-12	16:01	Fine	Middle	6.5	21.30	21.30	21.30	7.85	7.85	7.85	30.46	30.46	30.46	74.7	74.7	74.7	5.47	5.47	5.47
	16:02		Bottom	10.0	21.10	21.10	21.10	7.85	7.85	7.85	30.53	30.53	30.53	73.1	73.1	73.1	5.44	5.44	5.44
	13:20		Surface	1.0	22.80	22.80	22.80	7.74	7.74	7.74	30.69	30.69	30.69	68.3	68.3	68.3	4.92	4.92	4.92
23-Apr-12	13:21	Cloudy	Middle	5.5	22.70	22.70	22.70	7.78	7.78	7.78	30.70	30.70	30.70	66.8	66.8	66.8	4.82	4.82	4.82
	13:22		Bottom	10.0	22.60	22.60	22.60	7.73	7.73	7.73	30.37	30.37	30.37	57.5	57.5	57.5	4.17	4.17	4.17

Location: Station C
Coordinate: 835659E, 816271N

Date Time Weater		Weater Condition	Sampling Depth		Water Temperature		pH -			Salinity ppt		DO Saturation		DO mg/L					
		Condition	m		Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	lue	Average	Va	alue	Average
	11:55		Surface	1.0	19.60	19.60	19.60	7.98	7.98	7.98	31.00	31.00	31.00	77.3	76.7	77.0	5.87	5.85	5.86
05-Apr-12	11:57	Cloudy	Middle	6.5	19.60	19.60	19.60	7.89	7.89	7.89	31.01	31.01	31.01	76.3	75.7	76.0	5.83	5.87	5.85
	11:59		Bottom	12.0	19.60	19.60	19.60	7.88	7.88	7.88	31.01	31.01	31.01	67.8	66.4	67.1	5.17	5.04	5.11
	15:53		Surface	1.0	21.10	21.10	21.10	7.89	7.89	7.89	30.44	30.44	30.44	78.2	78.2	78.2	5.83	5.83	5.83
12-Apr-12	15:54	Fine	Middle	7.0	21.00	21.00	21.00	7.90	7.90	7.90	30.49	30.49	30.49	75.5	75.5	75.5	5.63	5.63	5.63
	15:55		Bottom	13.0	21.10	21.10	21.10	7.87	7.87	7.87	30.51	30.51	30.51	72.8	72.8	72.8	5.42	5.42	5.42
	13:15		Surface	1.0	22.70	22.70	22.70	7.85	7.85	7.85	30.71	30.71	30.71	72.5	72.5	72.5	5.25	5.25	5.25
23-Apr-12	13:16	Cloudy	Middle	7.0	22.60	22.60	22.60	7.91	7.91	7.91	30.78	30.78	30.78	77.7	77.7	77.7	5.64	5.64	5.64
	13:17		Bottom	13.0	22.50	22.50	22.50	7.90	7.90	7.90	30.73	30.73	30.73	72.6	72.6	72.6	5.26	5.26	5.26

Appendix 5.5

Real-time Noise Monitoring Results and Graphical Presentations

Real-time Noise Data RT	N1 (FEHD Hong Kong Transport S	Section Whitefield Depot)			
Normal Day 07:00-19:00	2/4/2012 13:31 67.6	12/4/2012 8:31 68.8	17/4/2012 15:31 65.0	23/4/2012 10:31 64.4	27/4/2012 17:31 64.9
28/3/2012 7:01 65.5	2/4/2012 14:01 66.8	12/4/2012 9:01 68.4	17/4/2012 16:01 64.8	23/4/2012 11:01 63.9	27/4/2012 18:01 64.3
28/3/2012 7:31 66.2	2/4/2012 14:31 66.2	12/4/2012 9:31 69.3	17/4/2012 16:31 65.1	23/4/2012 11:31 63.8	27/4/2012 18:31 63.8
28/3/2012 8:01 65.9 28/3/2012 8:31 68.6	2/4/2012 15:01 65.9 2/4/2012 15:31 65.5	12/4/2012 10:01 69.5	17/4/2012 17:01 64.7	23/4/2012 12:01 64.8 23/4/2012 12:31 65.2	Normal Day 19:00-23:00,
28/3/2012 8:31 68.6 28/3/2012 9:01 69.3	2/4/2012 16:01 66.5	12/4/2012 10:31 68.6 12/4/2012 11:01 69.3	17/4/2012 17:31 64.4 17/4/2012 18:01 65.0	23/4/2012 12:31 65.2 23/4/2012 13:01 65.5	Sunday & Holiday 07:00-23:00
28/3/2012 9:31 69.7	2/4/2012 16:31 68.7	12/4/2012 11:31 67.8	17/4/2012 18:31 63.4	23/4/2012 13:31 65.2	28/3/2012 19:01 63.9
28/3/2012 10:01 69.5	2/4/2012 17:01 66.9	12/4/2012 12:01 65.6	18/4/2012 7:01 65.2	23/4/2012 14:01 65.1	28/3/2012 19:06 61.5
28/3/2012 10:31 69.1	2/4/2012 17:31 65.7	12/4/2012 12:31 65.0	18/4/2012 7:31 65.7	23/4/2012 14:31 64.8	28/3/2012 19:11 63.2
28/3/2012 11:01 69.3	2/4/2012 18:01 63.5	12/4/2012 13:01 68.4	18/4/2012 8:01 66.6	23/4/2012 15:01 65.0	28/3/2012 19:16 63.9
28/3/2012 11:31 67.5	2/4/2012 18:31 64.3	12/4/2012 13:31 68.3	18/4/2012 8:31 69.6	23/4/2012 15:31 64.7	28/3/2012 19:21 64.7
28/3/2012 12:01 65.2	3/4/2012 7:01 65.6	12/4/2012 14:01 67.2	18/4/2012 9:01 68.2	23/4/2012 16:01 64.9	28/3/2012 19:26 65.4
28/3/2012 12:31 64.9	3/4/2012 7:31 66.0	12/4/2012 14:31 65.4	18/4/2012 9:31 69.6	23/4/2012 16:31 65.5	28/3/2012 19:31 65.2
28/3/2012 13:01 67.8	3/4/2012 8:01 66.4	12/4/2012 15:01 65.5	18/4/2012 10:01 69.5	23/4/2012 17:01 65.2	28/3/2012 19:36 66.5
28/3/2012 13:31 68.2	3/4/2012 8:31 68.8	12/4/2012 15:31 65.3	18/4/2012 10:31 68.3	23/4/2012 17:31 65.2	28/3/2012 19:41 64.9
28/3/2012 14:01 67.1	3/4/2012 9:01 67.8	12/4/2012 16:01 66.5	18/4/2012 11:01 69.2	23/4/2012 18:01 64.5	28/3/2012 19:46 65.0
28/3/2012 14:31 66.1	3/4/2012 9:31 68.9	12/4/2012 16:31 68.1	18/4/2012 11:31 67.6	23/4/2012 18:31 64.3	28/3/2012 19:51 65.0
28/3/2012 15:01 65.9	3/4/2012 10:01 69.4	12/4/2012 17:01 67.2	18/4/2012 12:01 65.4	24/4/2012 7:01 62.6	28/3/2012 19:56 65.5
28/3/2012 15:31 65.5	3/4/2012 10:31 69.0	12/4/2012 17:31 66.0	18/4/2012 12:31 64.9	24/4/2012 7:31 63.3	28/3/2012 20:01 65.4
28/3/2012 16:01 66.9	3/4/2012 11:01 69.2	12/4/2012 18:01 63.9	18/4/2012 13:01 68.6	24/4/2012 8:01 63.2	28/3/2012 20:06 63.8
28/3/2012 16:31 67.7	3/4/2012 11:31 67.8	12/4/2012 18:31 64.3	18/4/2012 13:31 68.0	24/4/2012 8:31 63.8	28/3/2012 20:11 63.8
28/3/2012 17:01 67.0	3/4/2012 12:01 65.2	13/4/2012 7:01 65.0	18/4/2012 14:01 67.0	24/4/2012 9:01 64.3	28/3/2012 20:16 65.3
28/3/2012 17:31 64.9	3/4/2012 12:31 64.5	13/4/2012 7:31 65.8	18/4/2012 14:31 66.0	24/4/2012 9:31 65.0	28/3/2012 20:21 64.3
28/3/2012 18:01 63.9	3/4/2012 13:01 68.3	13/4/2012 8:01 66.1	18/4/2012 15:01 65.5	24/4/2012 10:01 64.6	28/3/2012 20:26 64.9
28/3/2012 18:31 64.2	3/4/2012 13:31 68.2	13/4/2012 8:31 68.2	18/4/2012 15:31 65.7	24/4/2012 10:31 64.9	28/3/2012 20:31 64.5
29/3/2012 7:01 65.2	3/4/2012 14:01 67.0	13/4/2012 9:01 68.7	18/4/2012 16:01 66.6	24/4/2012 11:01 64.5	28/3/2012 20:36 64.9
29/3/2012 7:31 66.0	3/4/2012 14:31 66.4	13/4/2012 9:31 69.4	18/4/2012 16:31 68.0	24/4/2012 11:31 64.1	28/3/2012 20:41 63.8
29/3/2012 8:01 66.2	3/4/2012 15:01 65.8	13/4/2012 10:01 69.3	18/4/2012 17:01 67.7	24/4/2012 12:01 64.1	28/3/2012 20:46 63.5
29/3/2012 8:31 68.8	3/4/2012 15:31 64.9	13/4/2012 10:31 69.0	18/4/2012 17:31 66.2	24/4/2012 12:31 64.3	28/3/2012 20:51 64.5
29/3/2012 9:01 68.3	3/4/2012 16:01 66.3	13/4/2012 11:01 68.7	18/4/2012 18:01 63.5	24/4/2012 13:01 64.3	28/3/2012 20:56 65.6
29/3/2012 9:31 68.9	3/4/2012 16:31 68.4	13/4/2012 11:31 67.1	18/4/2012 18:31 63.6	24/4/2012 13:31 64.2	28/3/2012 21:01 64.2
29/3/2012 10:01 70.2	3/4/2012 17:01 67.1	13/4/2012 12:01 65.3	19/4/2012 7:01 65.0	24/4/2012 14:01 64.2	28/3/2012 21:06 63.2
29/3/2012 10:31 68.4	3/4/2012 17:31 65.7	13/4/2012 12:31 65.1	19/4/2012 7:31 66.0	24/4/2012 14:31 64.5	28/3/2012 21:11 64.3
29/3/2012 11:01 69.2	3/4/2012 18:01 63.9	13/4/2012 13:01 67.5	19/4/2012 8:01 64.4	24/4/2012 15:01 64.2	28/3/2012 21:16 64.9
29/3/2012 11:31 67.5	3/4/2012 18:31 64.3	13/4/2012 13:31 68.3	19/4/2012 8:31 65.4	24/4/2012 15:31 64.0	28/3/2012 21:21 64.3
29/3/2012 12:01 65.3	5/4/2012 7:01 65.9	13/4/2012 14:01 67.3	19/4/2012 9:01 65.4	24/4/2012 16:01 64.1	28/3/2012 21:26 63.6
29/3/2012 12:31 65.2	5/4/2012 7:31 65.7	13/4/2012 14:31 65.7	19/4/2012 9:31 66.3	24/4/2012 16:31 63.9	28/3/2012 21:31 64.5
29/3/2012 13:01 68.3	5/4/2012 8:01 66.4	13/4/2012 15:01 66.2	19/4/2012 10:01 67.0	24/4/2012 17:01 64.1	28/3/2012 21:36 63.1
29/3/2012 13:31 67.8	5/4/2012 8:31 69.0	13/4/2012 15:31 65.2	19/4/2012 10:31 68.7	24/4/2012 17:31 63.9	28/3/2012 21:41 65.0
29/3/2012 14:01 67.3	5/4/2012 9:01 68.3	13/4/2012 16:01 66.9	19/4/2012 11:01 66.3	24/4/2012 18:01 64.0	28/3/2012 21:46 65.8
29/3/2012 14:31 66.1	5/4/2012 9:31 69.5	13/4/2012 16:31 68.3	19/4/2012 11:31 66.4	24/4/2012 18:31 64.0	28/3/2012 21:51 64.7
29/3/2012 15:01 65.9	5/4/2012 10:01 69.1	13/4/2012 17:01 67.7	19/4/2012 12:01 65.9	25/4/2012 7:01 62.8	28/3/2012 21:56 63.0
29/3/2012 15:31 65.5	5/4/2012 10:31 69.1	13/4/2012 17:31 64.8	19/4/2012 12:31 65.6	25/4/2012 7:31 63.8	28/3/2012 22:01 64.3
29/3/2012 16:01 66.5	5/4/2012 11:01 69.1	13/4/2012 18:01 63.9	19/4/2012 13:01 66.9	25/4/2012 8:01 64.2	28/3/2012 22:06 63.5
29/3/2012 16:31 68.5	5/4/2012 11:31 67.7	13/4/2012 18:31 63.8	19/4/2012 13:31 66.7	25/4/2012 8:31 64.8	28/3/2012 22:11 65.2
29/3/2012 17:01 66.9	5/4/2012 12:01 65.1	14/4/2012 7:01 65.0	19/4/2012 14:01 66.9	25/4/2012 9:01 64.5	28/3/2012 22:16 65.0
29/3/2012 17:31 65.6	5/4/2012 12:31 64.6	14/4/2012 7:31 65.8	19/4/2012 14:31 67.1	25/4/2012 9:31 64.8	28/3/2012 22:21 64.3
29/3/2012 18:01 64.0	5/4/2012 13:01 67.9	14/4/2012 8:01 66.1	19/4/2012 15:01 66.7	25/4/2012 10:01 64.5	28/3/2012 22:26 64.0
29/3/2012 18:31 64.0	5/4/2012 13:31 67.7	14/4/2012 8:31 68.2	19/4/2012 15:31 65.4	25/4/2012 10:31 64.6	28/3/2012 22:31 64.5
30/3/2012 7:01 65.1	5/4/2012 14:01 66.6	14/4/2012 9:01 68.7	19/4/2012 16:01 66.9	25/4/2012 11:01 65.0	28/3/2012 22:36 64.0
30/3/2012 7:31 66.1	5/4/2012 14:31 66.2	14/4/2012 9:31 69.4	19/4/2012 16:31 66.4	25/4/2012 11:31 64.0	28/3/2012 22:41 63.6
30/3/2012 8:01 66.6	5/4/2012 15:01 66.0	14/4/2012 10:01 69.3	19/4/2012 17:01 66.1	25/4/2012 12:01 64.4	28/3/2012 22:46 64.2
30/3/2012 8:31 68.7	5/4/2012 15:31 64.9	14/4/2012 10:31 69.0	19/4/2012 17:31 65.9	25/4/2012 12:31 64.4	28/3/2012 22:51 64.3
30/3/2012 9:01 68.7	5/4/2012 16:01 66.4	14/4/2012 11:01 68.7	19/4/2012 18:01 66.2	25/4/2012 13:01 64.4	28/3/2012 22:56 64.4
30/3/2012 9:31 69.6	5/4/2012 16:31 68.7	14/4/2012 11:31 67.1	19/4/2012 18:31 64.7	25/4/2012 13:31 64.1	29/3/2012 19:01 63.6
30/3/2012 10:01 69.6	5/4/2012 17:01 66.9	14/4/2012 12:01 65.3	20/4/2012 7:01 65.1	25/4/2012 14:01 64.3	29/3/2012 19:06 65.1
30/3/2012 10:31 69.8	5/4/2012 17:31 65.4	14/4/2012 12:31 65.1	20/4/2012 7:31 66.2	25/4/2012 14:31 64.3	29/3/2012 19:11 64.3
30/3/2012 11:01 69.5	5/4/2012 18:01 63.9	14/4/2012 13:01 67.5	20/4/2012 8:01 64.7	25/4/2012 15:01 64.5	29/3/2012 19:16 64.8
30/3/2012 11:31 67.6	5/4/2012 18:31 64.3	14/4/2012 13:31 68.3	20/4/2012 8:31 64.5	25/4/2012 15:31 64.6	29/3/2012 19:21 65.0
30/3/2012 12:01 64.2	10/4/2012 7:01 61.4	14/4/2012 14:01 67.3	20/4/2012 9:01 64.7	25/4/2012 16:01 64.6	29/3/2012 19:26 65.0
30/3/2012 12:31 65.3	10/4/2012 7:31 63.0	14/4/2012 14:31 65.7	20/4/2012 9:31 65.5	25/4/2012 16:31 64.4	29/3/2012 19:31 64.6
30/3/2012 13:01 67.9	10/4/2012 8:01 64.4	14/4/2012 15:01 66.2	20/4/2012 10:01 66.3	25/4/2012 17:01 64.3	29/3/2012 19:36 65.1
30/3/2012 13:31 68.3	10/4/2012 8:31 64.1	14/4/2012 15:31 65.2	20/4/2012 10:31 66.9	25/4/2012 17:31 64.9	29/3/2012 19:41 64.5
30/3/2012 14:01 66.6	10/4/2012 9:01 63.0	14/4/2012 16:01 66.9	20/4/2012 11:01 66.7	25/4/2012 18:01 64.8	29/3/2012 19:46 64.8
30/3/2012 14:31 65.7	10/4/2012 9:31 65.0	14/4/2012 16:31 68.3	20/4/2012 11:31 66.0	25/4/2012 18:31 63.2	29/3/2012 19:51 64.5
30/3/2012 15:01 66.1	10/4/2012 10:01 66.9	14/4/2012 17:01 67.7	20/4/2012 12:01 65.3	26/4/2012 7:01 64.7	29/3/2012 19:56 64.3
30/3/2012 15:31 65.5	10/4/2012 10:31 67.7	14/4/2012 17:31 64.8	20/4/2012 12:31 65.1	26/4/2012 7:31 65.9	29/3/2012 20:01 64.1
30/3/2012 16:01 66.5	10/4/2012 11:01 66.4	14/4/2012 18:01 63.9	20/4/2012 13:01 66.3	26/4/2012 8:01 66.4	29/3/2012 20:06 65.8
30/3/2012 16:31 67.7	10/4/2012 11:31 67.6	14/4/2012 18:31 63.8	20/4/2012 13:31 67.0	26/4/2012 8:31 68.9	29/3/2012 20:11 64.8
30/3/2012 17:01 67.1	10/4/2012 12:01 63.7	16/4/2012 7:01 65.4	20/4/2012 14:01 66.2	26/4/2012 9:01 67.9	29/3/2012 20:16 64.0
30/3/2012 17:31 66.1	10/4/2012 12:31 64.0	16/4/2012 7:31 66.5	20/4/2012 14:31 66.1	26/4/2012 9:31 69.4	29/3/2012 20:21 65.3
30/3/2012 18:01 63.9	10/4/2012 13:01 65.0	16/4/2012 8:01 66.2	20/4/2012 15:01 66.4	26/4/2012 10:01 70.0	29/3/2012 20:26 65.2
30/3/2012 18:31 64.5	10/4/2012 13:31 67.2	16/4/2012 8:31 68.8	20/4/2012 15:31 66.1	26/4/2012 10:31 68.3	29/3/2012 20:31 64.6
31/3/2012 7:01 65.2	10/4/2012 14:01 66.9	16/4/2012 9:01 68.8	20/4/2012 16:01 66.2	26/4/2012 11:01 69.4	29/3/2012 20:36 64.6
31/3/2012 7:31 66.2	10/4/2012 14:31 66.4	16/4/2012 9:31 69.2	20/4/2012 16:31 66.6	26/4/2012 11:31 67.9	29/3/2012 20:41 64.4
31/3/2012 8:01 66.3	10/4/2012 15:01 66.7	16/4/2012 10:01 69.5	20/4/2012 17:01 66.7	26/4/2012 12:01 65.4	29/3/2012 20:46 63.6
31/3/2012 8:31 68.0	10/4/2012 15:31 66.9	16/4/2012 10:31 69.5	20/4/2012 17:31 66.8	26/4/2012 12:31 64.9	29/3/2012 20:51 65.2
31/3/2012 9:01 68.8	10/4/2012 16:01 66.8	16/4/2012 11:01 69.0	20/4/2012 18:01 65.4	26/4/2012 13:01 68.0	29/3/2012 20:56 65.2
31/3/2012 9:31 69.6	10/4/2012 16:31 65.8	16/4/2012 11:31 67.7	20/4/2012 18:31 62.8	26/4/2012 13:31 68.4	29/3/2012 21:01 64.9
31/3/2012 10:01 69.5	10/4/2012 17:01 66.2	16/4/2012 12:01 65.1	21/4/2012 7:01 65.8	26/4/2012 14:01 67.0	29/3/2012 21:06 65.6
31/3/2012 10:31 69.2	10/4/2012 17:31 67.2	16/4/2012 12:31 65.0	21/4/2012 7:31 66.5	26/4/2012 14:31 66.1	29/3/2012 21:11 64.4
31/3/2012 11:01 69.1	10/4/2012 18:01 66.4	16/4/2012 13:01 68.3	21/4/2012 8:01 65.5	26/4/2012 15:01 65.9	29/3/2012 21:16 64.6
31/3/2012 11:31 68.2	10/4/2012 18:31 65.8	16/4/2012 13:31 68.3	21/4/2012 8:31 66.1	26/4/2012 15:31 65.3	29/3/2012 21:21 63.6
31/3/2012 12:01 65.2	11/4/2012 7:01 62.0	16/4/2012 14:01 66.8	21/4/2012 9:01 65.6	26/4/2012 16:01 66.7	29/3/2012 21:26 64.1
31/3/2012 12:31 64.8	11/4/2012 7:31 62.4	16/4/2012 14:31 66.0	21/4/2012 9:31 66.0	26/4/2012 16:31 68.4	29/3/2012 21:31 65.6
31/3/2012 13:01 67.9	11/4/2012 8:01 64.3	16/4/2012 15:01 66.4	21/4/2012 10:01 67.0	26/4/2012 17:01 67.5	29/3/2012 21:36 64.4
31/3/2012 13:31 67.5	11/4/2012 8:31 64.5	16/4/2012 15:31 64.8	21/4/2012 10:31 66.4	26/4/2012 17:31 65.4	29/3/2012 21:41 64.3
31/3/2012 14:01 67.5	11/4/2012 9:01 63.7	16/4/2012 16:01 66.8	21/4/2012 11:01 67.1	26/4/2012 18:01 63.9	29/3/2012 21:46 65.6
31/3/2012 14:31 65.8	11/4/2012 9:31 65.4	16/4/2012 16:31 68.5	21/4/2012 11:31 65.6	26/4/2012 18:31 63.9	29/3/2012 21:51 63.9
31/3/2012 15:01 65.5	11/4/2012 10:01 66.2	16/4/2012 17:01 67.0	21/4/2012 12:01 65.2	27/4/2012 7:01 63.2	29/3/2012 21:56 63.8
31/3/2012 15:31 65.2	11/4/2012 10:31 67.4	16/4/2012 17:31 65.2	21/4/2012 12:31 64.7	27/4/2012 7:31 64.1	29/3/2012 22:01 64.5
31/3/2012 16:01 66.6	11/4/2012 11:01 66.6	16/4/2012 18:01 63.6	21/4/2012 13:01 66.1	27/4/2012 8:01 65.4	29/3/2012 22:06 64.0
31/3/2012 16:31 68.0	11/4/2012 11:31 67.8	16/4/2012 18:31 63.5	21/4/2012 13:31 66.2	27/4/2012 8:31 66.3	29/3/2012 22:11 64.8
31/3/2012 17:01 67.6	11/4/2012 12:01 63.9	17/4/2012 7:01 62.6	21/4/2012 14:01 66.6	27/4/2012 9:01 66.5	29/3/2012 22:16 65.5
31/3/2012 17:31 65.6	11/4/2012 12:31 63.9	17/4/2012 7:31 64.4	21/4/2012 14:31 69.5	27/4/2012 9:31 66.4	29/3/2012 22:21 64.0
31/3/2012 18:01 63.6	11/4/2012 13:01 66.2	17/4/2012 8:01 64.4	21/4/2012 15:01 66.9	27/4/2012 10:01 66.7	29/3/2012 22:26 63.4
31/3/2012 18:31 63.8	11/4/2012 13:31 68.2	17/4/2012 8:31 64.2	21/4/2012 15:31 65.8	27/4/2012 10:31 65.9	29/3/2012 22:31 63.5
2/4/2012 7:01 65.6	11/4/2012 14:01 66.8	17/4/2012 9:01 64.5	21/4/2012 16:01 70.7	27/4/2012 11:01 66.3	29/3/2012 22:36 62.5
2/4/2012 7:31 65.7	11/4/2012 14:31 66.4	17/4/2012 9:31 65.4	21/4/2012 16:31 71.8	27/4/2012 11:31 65.3	29/3/2012 22:41 64.4
2/4/2012 8:01 66.1	11/4/2012 15:01 66.1	17/4/2012 10:01 65.5	21/4/2012 17:01 69.2	27/4/2012 12:01 64.7	29/3/2012 22:46 64.1
2/4/2012 8:31 68.5	11/4/2012 15:31 67.8	17/4/2012 10:31 64.8	21/4/2012 17:31 65.7	27/4/2012 12:31 64.7	29/3/2012 22:51 63.9
2/4/2012 9:01 68.7	11/4/2012 16:01 66.5	17/4/2012 11:01 64.5	21/4/2012 18:01 65.2	27/4/2012 13:01 65.8	29/3/2012 22:56 63.8
2/4/2012 9:31 69.5	11/4/2012 16:31 66.1	17/4/2012 11:31 64.2	21/4/2012 18:31 65.1	27/4/2012 13:31 65.9	30/3/2012 19:01 63.2
2/4/2012 10:01 69.7	11/4/2012 17:01 66.5	17/4/2012 12:01 64.5	23/4/2012 7:01 62.5	27/4/2012 14:01 65.3	30/3/2012 19:06 63.1
2/4/2012 10:31 69.5	11/4/2012 17:31 67.5	17/4/2012 12:31 64.6	23/4/2012 7:31 63.2	27/4/2012 14:31 65.0	30/3/2012 19:11 63.2
2/4/2012 11:01 69.5	11/4/2012 18:01 66.6	17/4/2012 13:01 63.6	23/4/2012 8:01 63.8	27/4/2012 15:01 64.9	30/3/2012 19:16 61.9
2/4/2012 11:31 67.1	11/4/2012 18:31 65.6	17/4/2012 13:31 64.0	23/4/2012 8:31 64.2	27/4/2012 15:31 64.7	30/3/2012 19:21 64.5
2/4/2012 12:01 65.3	12/4/2012 7:01 65.7	17/4/2012 14:01 63.4	23/4/2012 9:01 64.1	27/4/2012 16:01 65.2	30/3/2012 19:26 63.7
2/4/2012 12:31 64.7	12/4/2012 7:31 65.6	17/4/2012 14:31 62.8	23/4/2012 9:31 64.6	27/4/2012 16:31 65.9	30/3/2012 19:31 65.7
2/4/2012 13:01 67.5	12/4/2012 8:01 66.2	17/4/2012 15:01 63.3	23/4/2012 10:01 64.7	27/4/2012 17:01 65.5	30/3/2012 19:36 64.5
5 10.01	1.2.,20.20.01 00.2	1 , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	120, 120.2 10.01 04.7	12.7.7.2012 11.01 00.0	120/0/2012 10:00 07:0

Real-time Noise Data	RTN1 (FEHD Hong Kong Transport S	Section Whitefield Depot)			
30/3/2012 19:41 66.1	1/4/2012 8:51 64.4	1/4/2012 18:01 66.3	3/4/2012 19:11 63.6	4/4/2012 12:21 62.8	4/4/2012 21:31 63.0
30/3/2012 19:46 65.7	1/4/2012 8:56 65.2	1/4/2012 18:06 65.6	3/4/2012 19:16 62.7	4/4/2012 12:26 63.4	4/4/2012 21:36 62.6
30/3/2012 19:51 64.0	1/4/2012 9:01 64.5	1/4/2012 18:11 64.0	3/4/2012 19:21 64.3	4/4/2012 12:31 64.4	4/4/2012 21:41 63.6
30/3/2012 19:56 66.1	1/4/2012 9:06 62.9	1/4/2012 18:16 64.2	3/4/2012 19:26 65.0	4/4/2012 12:36 64.2	4/4/2012 21:46 63.2
30/3/2012 20:01 64.2	1/4/2012 9:11 65.1	1/4/2012 18:21 64.7	3/4/2012 19:31 64.0	4/4/2012 12:41 63.3	4/4/2012 21:51 63.8
30/3/2012 20:06 65.5	1/4/2012 9:16 63.7	1/4/2012 18:26 63.5	3/4/2012 19:36 66.2	4/4/2012 12:46 64.2	4/4/2012 21:56 63.2
30/3/2012 20:11 65.4	1/4/2012 9:21 64.1	1/4/2012 18:31 63.8	3/4/2012 19:41 64.3	4/4/2012 12:51 64.2	4/4/2012 22:01 63.9
30/3/2012 20:16 65.8	1/4/2012 9:26 65.9	1/4/2012 18:36 63.9	3/4/2012 19:46 65.2	4/4/2012 12:56 63.2	4/4/2012 22:06 63.8
30/3/2012 20:21 66.7	1/4/2012 9:31 64.3	1/4/2012 18:41 62.9	3/4/2012 19:51 65.0	4/4/2012 13:01 63.7	4/4/2012 22:11 64.2
30/3/2012 20:26 65.1	1/4/2012 9:36 65.8	1/4/2012 18:46 61.8	3/4/2012 19:56 65.0	4/4/2012 13:06 64.4	4/4/2012 22:16 63.6
30/3/2012 20:31 65.3	1/4/2012 9:41 68.0	1/4/2012 18:51 62.4	3/4/2012 20:01 64.4	4/4/2012 13:11 65.2	4/4/2012 22:21 64.0
30/3/2012 20:36 64.8	1/4/2012 9:46 64.4	1/4/2012 18:56 63.5	3/4/2012 20:06 65.5	4/4/2012 13:16 63.1	4/4/2012 22:26 63.0
30/3/2012 20:41 64.1	1/4/2012 9:51 64.9	1/4/2012 19:01 63.4	3/4/2012 20:11 63.9	4/4/2012 13:21 64.2	4/4/2012 22:31 62.9
30/3/2012 20:46 64.7	1/4/2012 9:56 63.6	1/4/2012 19:06 63.3	3/4/2012 20:16 64.8	4/4/2012 13:26 64.0	4/4/2012 22:36 64.4
30/3/2012 20:51 64.8	1/4/2012 10:01 65.5	1/4/2012 19:11 64.5	3/4/2012 20:21 65.0	4/4/2012 13:31 65.6	4/4/2012 22:41 63.9
30/3/2012 20:56 64.7	1/4/2012 10:06 66.0	1/4/2012 19:16 64.2	3/4/2012 20:26 65.5	4/4/2012 13:36 63.7	4/4/2012 22:46 64.0
30/3/2012 21:01 64.6	1/4/2012 10:11 64.5	1/4/2012 19:21 63.6	3/4/2012 20:31 65.6	4/4/2012 13:41 63.7	4/4/2012 22:51 63.2
30/3/2012 21:06 64.8	1/4/2012 10:16 64.3	1/4/2012 19:26 63.0	3/4/2012 20:36 65.2	4/4/2012 13:46 64.4	4/4/2012 22:56 63.3
30/3/2012 21:11 63.5	1/4/2012 10:21 63.8	1/4/2012 19:31 63.6	3/4/2012 20:41 65.1	4/4/2012 13:51 64.0	5/4/2012 19:01 63.2
30/3/2012 21:16 64.8	1/4/2012 10:26 66.5	1/4/2012 19:36 64.3	3/4/2012 20:46 64.8	4/4/2012 13:56 64.4	5/4/2012 19:06 62.3
30/3/2012 21:21 66.0	1/4/2012 10:31 66.3	1/4/2012 19:41 63.7	3/4/2012 20:51 64.1	4/4/2012 14:01 63.6	5/4/2012 19:11 62.8
30/3/2012 21:26 63.2	1/4/2012 10:36 65.1	1/4/2012 19:46 65.1	3/4/2012 20:56 66.2	4/4/2012 14:06 62.1	5/4/2012 19:16 62.2
30/3/2012 21:31 64.8	1/4/2012 10:41 67.2	1/4/2012 19:51 65.0	3/4/2012 21:01 64.2	4/4/2012 14:11 61.9	5/4/2012 19:21 63.7
30/3/2012 21:36 64.2	1/4/2012 10:46 64.2	1/4/2012 19:56 63.6	3/4/2012 21:06 64.7	4/4/2012 14:16 62.2	5/4/2012 19:26 64.8
30/3/2012 21:41 63.3	1/4/2012 10:51 64.0	1/4/2012 20:01 63.5	3/4/2012 21:11 63.8	4/4/2012 14:21 65.3	5/4/2012 19:31 65.6
30/3/2012 21:46 65.4	1/4/2012 10:56 64.5	1/4/2012 20:06 65.1	3/4/2012 21:16 63.2	4/4/2012 14:26 63.2	5/4/2012 19:36 64.5
30/3/2012 21:51 62.6	1/4/2012 11:01 65.0	1/4/2012 20:11 64.5	3/4/2012 21:21 64.3	4/4/2012 14:31 62.8	5/4/2012 19:41 66.4
30/3/2012 21:56 61.9	1/4/2012 11:06 62.9	1/4/2012 20:16 64.4	3/4/2012 21:26 63.9	4/4/2012 14:36 64.5	5/4/2012 19:46 64.3
30/3/2012 22:01 64.3	1/4/2012 11:11 65.1	1/4/2012 20:21 62.7	3/4/2012 21:31 64.8	4/4/2012 14:41 64.2	5/4/2012 19:51 66.0
30/3/2012 22:06 63.4	1/4/2012 11:16 64.7	1/4/2012 20:26 66.4	3/4/2012 21:36 65.5	4/4/2012 14:46 63.3	5/4/2012 19:56 64.8
30/3/2012 22:11 63.9	1/4/2012 11:21 63.8 1/4/2012 11:26 65.7	1/4/2012 20:31 63.2 1/4/2012 20:36 62.4	3/4/2012 21:41 64.8 3/4/2012 21:46 65.0	4/4/2012 14:51 63.4 4/4/2012 14:56 62.9	5/4/2012 20:01 65.7
30/3/2012 22:21 63.5	1/4/2012 11:31 64.7	1/4/2012 20:41 62.9	3/4/2012 21:51 63.9	4/4/2012 15:01 62.2	5/4/2012 20:11 63.3
30/3/2012 22:26 63.2	1/4/2012 11:36 65.1	1/4/2012 20:46 63.4	3/4/2012 21:56 64.3	4/4/2012 15:06 63.7	5/4/2012 20:16 64.5
30/3/2012 22:31 64.9	1/4/2012 11:41 66.7	1/4/2012 20:51 64.2	3/4/2012 22:01 63.9	4/4/2012 15:11 62.4	5/4/2012 20:21 64.0
30/3/2012 22:36 64.9	1/4/2012 11:46 65.6	1/4/2012 20:56 63.8	3/4/2012 22:06 65.5	4/4/2012 15:16 62.5	5/4/2012 20:26 64.8
30/3/2012 22:46 64.2	1/4/2012 11:51 64.1 1/4/2012 11:56 65.8	1/4/2012 21:06 64.6	3/4/2012 22:16 64.2	4/4/2012 15:26 62.4	5/4/2012 20:31 65.3 5/4/2012 20:36 64.4
30/3/2012 22:51 65.2	1/4/2012 12:01 66.4	1/4/2012 21:11 65.7	3/4/2012 22:21 64.4	4/4/2012 15:31 64.6	5/4/2012 20:41 64.7
30/3/2012 22:56 66.2	1/4/2012 12:06 65.3	1/4/2012 21:16 66.7	3/4/2012 22:26 62.2	4/4/2012 15:36 63.6	5/4/2012 20:46 64.2
31/3/2012 19:01 64.4	1/4/2012 12:11 65.1	1/4/2012 21:21 65.3	3/4/2012 22:31 63.7	4/4/2012 15:41 64.6 4/4/2012 15:46 64.8	5/4/2012 20:51 64.8
31/3/2012 19:11 63.1	1/4/2012 12:21 63.9	1/4/2012 21:31 63.5	3/4/2012 22:41 64.5	4/4/2012 15:51 67.9	5/4/2012 21:01 64.8
31/3/2012 19:16 65.5	1/4/2012 12:26 63.3	1/4/2012 21:36 63.4	3/4/2012 22:46 64.3	4/4/2012 15:56 65.6	5/4/2012 21:06 65.7
31/3/2012 19:21 64.1	1/4/2012 12:31 65.1	1/4/2012 21:41 64.6	3/4/2012 22:51 63.8	4/4/2012 16:01 64.6	5/4/2012 21:11 65.0
31/3/2012 19:26 65.2	1/4/2012 12:36 63.1	1/4/2012 21:46 62.5	3/4/2012 22:56 63.7	4/4/2012 16:06 64.6	5/4/2012 21:16 65.3
31/3/2012 19:31 63.8	1/4/2012 12:41 63.7	1/4/2012 21:51 62.6	4/4/2012 7:01 62.0	4/4/2012 16:11 64.2	5/4/2012 21:21 64.4
31/3/2012 19:36 65.8	1/4/2012 12:46 63.6	1/4/2012 21:56 64.3	4/4/2012 7:06 64.8	4/4/2012 16:16 64.1	5/4/2012 21:26 66.0
31/3/2012 19:41 64.8	1/4/2012 12:51 64.8	1/4/2012 22:01 62.4	4/4/2012 7:11 62.9	4/4/2012 16:21 65.0	5/4/2012 21:31 65.2
31/3/2012 19:46 64.4	1/4/2012 12:56 64.2	1/4/2012 22:06 63.8	4/4/2012 7:16 62.2	4/4/2012 16:26 64.3	5/4/2012 21:36 64.2
31/3/2012 19:51 65.1	1/4/2012 13:01 64.7	1/4/2012 22:11 62.2	4/4/2012 7:21 63.3	4/4/2012 16:31 64.4	5/4/2012 21:41 65.4
31/3/2012 19:56 67.3	1/4/2012 13:06 63.0	1/4/2012 22:16 63.4	4/4/2012 7:26 63.3	4/4/2012 16:36 64.3	5/4/2012 21:46 66.0
31/3/2012 20:01 65.3	1/4/2012 13:11 63.5	1/4/2012 22:21 62.5	4/4/2012 7:31 62.3	4/4/2012 16:41 65.9	5/4/2012 21:51 63.8
31/3/2012 20:06 64.6	1/4/2012 13:16 61.7	1/4/2012 22:26 63.9	4/4/2012 7:36 64.2	4/4/2012 16:46 63.7	5/4/2012 21:56 64.5
31/3/2012 20:11 64.9	1/4/2012 13:21 63.1	1/4/2012 22:31 62.4	4/4/2012 7:41 62.4	4/4/2012 16:51 64.8	5/4/2012 22:01 64.1
31/3/2012 20:16 65.0	1/4/2012 13:26 66.0	1/4/2012 22:36 63.6	4/4/2012 7:46 62.2	4/4/2012 16:56 63.3 4/4/2012 17:01 64.2	5/4/2012 22:06 63.4
31/3/2012 20:21 63.6 31/3/2012 20:26 64.3	1/4/2012 13:31 65.0 1/4/2012 13:36 64.2	1/4/2012 22:46 63.7	4/4/2012 7:51 63.3 4/4/2012 7:56 65.8	4/4/2012 17:06 63.8	5/4/2012 22:11 62.9 5/4/2012 22:16 65.2
31/3/2012 20:31 65.3	1/4/2012 13:41 63.7	1/4/2012 22:51 62.6	4/4/2012 8:01 63.6	4/4/2012 17:11 63.3	5/4/2012 22:21 63.5
31/3/2012 20:36 64.5	1/4/2012 13:46 63.1	1/4/2012 22:56 63.5	4/4/2012 8:06 64.4	4/4/2012 17:16 65.5	5/4/2012 22:26 64.2
31/3/2012 20:41 64.4 31/3/2012 20:46 63.9	1/4/2012 13:51 62.8	2/4/2012 19:01 63.7	4/4/2012 8:11 63.5	4/4/2012 17:21 64.8 4/4/2012 17:26 65.6	5/4/2012 22:31 63.4
31/3/2012 20:51 65.6	1/4/2012 13:56 64.2 1/4/2012 14:01 62.9	2/4/2012 19:11 61.6	4/4/2012 8:16 63.5 4/4/2012 8:21 63.8	4/4/2012 17:31 63.4	5/4/2012 22:36 62.8 5/4/2012 22:41 63.7
31/3/2012 20:56 66.7	1/4/2012 14:06 64.9	2/4/2012 19:16 64.6	4/4/2012 8:26 66.0	4/4/2012 17:36 64.5	5/4/2012 22:46 64.8
31/3/2012 21:01 63.8	1/4/2012 14:11 64.4	2/4/2012 19:21 63.5	4/4/2012 8:31 64.3	4/4/2012 17:41 65.3	5/4/2012 22:51 64.2
31/3/2012 21:06 65.1 31/3/2012 21:11 64.5	1/4/2012 14:16 63.2	2/4/2012 19:26 64.7	4/4/2012 8:36 63.7	4/4/2012 17:46 65.3 4/4/2012 17:51 65.2	5/4/2012 22:56 64.5
31/3/2012 21:16 64.3	1/4/2012 14:21 63.9 1/4/2012 14:26 62.4	2/4/2012 19:36 64.4	4/4/2012 8:41 64.5 4/4/2012 8:46 62.8	4/4/2012 17:56 62.8	6/4/2012 7:06 63.3
31/3/2012 21:21 64.0	1/4/2012 14:31 63.2	2/4/2012 19:41 64.5	4/4/2012 8:51 63.8	4/4/2012 18:01 66.4	6/4/2012 7:11 63.9
31/3/2012 21:26 63.9	1/4/2012 14:36 63.1	2/4/2012 19:46 65.1	4/4/2012 8:56 64.2	4/4/2012 18:06 65.2	6/4/2012 7:16 63.8
31/3/2012 21:31 66.2	1/4/2012 14:41 64.5	2/4/2012 19:51 64.3	4/4/2012 9:01 62.8	4/4/2012 18:11 64.8	6/4/2012 7:21 63.2
31/3/2012 21:36 65.8	1/4/2012 14:46 62.2	2/4/2012 19:56 66.2		4/4/2012 18:16 65.7	6/4/2012 7:26 63.6
31/3/2012 21:41 64.1	1/4/2012 14:51 64.6	2/4/2012 20:01 64.9	4/4/2012 9:11 65.5	4/4/2012 18:21 64.9	6/4/2012 7:31 63.7
31/3/2012 21:46 64.9	1/4/2012 14:56 63.6	2/4/2012 20:06 64.7	4/4/2012 9:16 64.2	4/4/2012 18:26 64.0	6/4/2012 7:36 64.3
31/3/2012 21:51 64.9	1/4/2012 15:01 62.4	2/4/2012 20:11 64.9	4/4/2012 9:21 63.9	4/4/2012 18:31 62.7	6/4/2012 7:41 65.1
31/3/2012 21:56 63.1	1/4/2012 15:06 64.2	2/4/2012 20:16 65.3	4/4/2012 9:26 65.3	4/4/2012 18:36 62.9	6/4/2012 7:46 63.7
31/3/2012 22:01 63.5	1/4/2012 15:11 63.9	2/4/2012 20:21 64.5	4/4/2012 9:31 66.1	4/4/2012 18:41 63.0	
31/3/2012 22:06 63.5	1/4/2012 15:16 63.9	2/4/2012 20:26 64.3	4/4/2012 9:36 64.9	4/4/2012 18:46 61.2	6/4/2012 7:56 64.3
31/3/2012 22:11 63.5	1/4/2012 15:21 63.8	2/4/2012 20:31 64.5	4/4/2012 9:41 66.7	4/4/2012 18:51 63.2	6/4/2012 8:01 64.2
31/3/2012 22:16 63.8	1/4/2012 15:26 62.0	2/4/2012 20:36 63.5	4/4/2012 9:46 64.4	4/4/2012 18:56 63.6	6/4/2012 8:06 65.6
31/3/2012 22:21 63.9	1/4/2012 15:31 64.2	2/4/2012 20:41 64.3	4/4/2012 9:51 64.5	4/4/2012 19:01 62.8	6/4/2012 8:11 65.3
31/3/2012 22:26 62.0	1/4/2012 15:36 65.0	2/4/2012 20:46 63.9	4/4/2012 9:56 65.0	4/4/2012 19:06 64.4	6/4/2012 8:16 65.1
31/3/2012 22:31 63.6	1/4/2012 15:41 66.6	2/4/2012 20:51 64.4	4/4/2012 10:01 65.7	4/4/2012 19:11 64.9	6/4/2012 8:21 65.3
31/3/2012 22:36 64.0	1/4/2012 15:46 64.4	2/4/2012 20:56 66.3	4/4/2012 10:06 64.8	4/4/2012 19:16 63.6	6/4/2012 8:26 63.8
31/3/2012 22:41 64.6	1/4/2012 15:51 67.0	2/4/2012 21:01 65.9	4/4/2012 10:11 64.2	4/4/2012 19:21 63.8	6/4/2012 8:31 65.0
31/3/2012 22:46 65.7	1/4/2012 15:56 64.9	2/4/2012 21:06 64.4	4/4/2012 10:16 63.8	4/4/2012 19:26 63.1	6/4/2012 8:36 64.5
31/3/2012 22:51 64.3	1/4/2012 16:01 64.9	2/4/2012 21:11 65.3	4/4/2012 10:21 62.9	4/4/2012 19:31 64.7	6/4/2012 8:41 64.7
31/3/2012 22:56 64.7	1/4/2012 16:06 65.2	2/4/2012 21:16 64.7	4/4/2012 10:26 66.7	4/4/2012 19:36 63.8	6/4/2012 8:46 63.9
1/4/2012 7:01 63.8	1/4/2012 16:11 64.8	2/4/2012 21:21 64.4	4/4/2012 10:31 67.1	4/4/2012 19:41 63.4	6/4/2012 8:51 63.9
1/4/2012 7:06 64.1	1/4/2012 16:16 65.2	2/4/2012 21:26 62.7	4/4/2012 10:36 64.1	4/4/2012 19:46 65.2	6/4/2012 8:56 64.3
1/4/2012 7:11 64.0	1/4/2012 16:21 64.8	2/4/2012 21:31 65.3	4/4/2012 10:41 65.8	4/4/2012 19:51 64.8	6/4/2012 9:01 64.3
1/4/2012 7:16 62.0	1/4/2012 16:26 64.2	2/4/2012 21:36 64.7	4/4/2012 10:46 65.8	4/4/2012 19:56 63.0	6/4/2012 9:06 64.8
1/4/2012 7:21 61.8	1/4/2012 16:31 65.8	2/4/2012 21:41 64.0	4/4/2012 10:51 63.7	4/4/2012 20:01 62.7	6/4/2012 9:11 65.1
1/4/2012 7:26 61.0	1/4/2012 16:36 63.5	2/4/2012 21:46 64.5	4/4/2012 10:56 64.5	4/4/2012 20:06 64.0	6/4/2012 9:16 64.5
1/4/2012 7:31 63.6	1/4/2012 16:41 64.8	2/4/2012 21:51 64.6	4/4/2012 11:01 65.2	4/4/2012 20:11 63.7	6/4/2012 9:21 65.3
1/4/2012 7:36 64.2	1/4/2012 16:46 65.7	2/4/2012 21:56 63.9	4/4/2012 11:06 62.9	4/4/2012 20:16 64.6	6/4/2012 9:26 65.0
1/4/2012 7:41 62.4	1/4/2012 16:51 65.8	2/4/2012 22:01 64.6	4/4/2012 11:11 64.9	4/4/2012 20:21 62.6	6/4/2012 9:31 66.1
1/4/2012 7:46 62.5	1/4/2012 16:56 64.2	2/4/2012 22:06 64.2	4/4/2012 11:16 64.1	4/4/2012 20:26 66.1	6/4/2012 9:36 66.1
1/4/2012 7:51 63.6	1/4/2012 17:01 63.1	2/4/2012 22:11 64.6	4/4/2012 11:21 65.2	4/4/2012 20:31 64.0	6/4/2012 9:41 65.4
1/4/2012 7:56 66.1	1/4/2012 17:06 64.1	2/4/2012 22:16 64.5	4/4/2012 11:26 66.5	4/4/2012 20:36 64.6	6/4/2012 9:46 65.3
1/4/2012 8:01 63.7	1/4/2012 17:11 64.2	2/4/2012 22:21 65.7	4/4/2012 11:31 64.5	4/4/2012 20:41 64.0	6/4/2012 9:51 65.1
1/4/2012 8:06 64.8	1/4/2012 17:16 63.9	2/4/2012 22:26 63.4	4/4/2012 11:36 65.5	4/4/2012 20:46 63.9	6/4/2012 9:56 65.3
1/4/2012 8:11 62.6	1/4/2012 17:21 63.9	2/4/2012 22:31 63.0	4/4/2012 11:41 64.9	4/4/2012 20:51 63.9	6/4/2012 10:01 66.0
1/4/2012 8:16 63.5	1/4/2012 17:26 65.7	2/4/2012 22:36 65.3	4/4/2012 11:46 64.1	4/4/2012 20:56 62.4	6/4/2012 10:06 65.6
1/4/2012 8:21 65.2	1/4/2012 17:31 64.2	2/4/2012 22:41 64.4	4/4/2012 11:51 65.6	4/4/2012 21:01 66.8	6/4/2012 10:11 66.0
1/4/2012 8:26 65.1	1/4/2012 17:36 64.2	2/4/2012 22:46 64.1	4/4/2012 11:56 65.1	4/4/2012 21:06 63.6	6/4/2012 10:16 65.2
1/4/2012 8:31 64.9	1/4/2012 17:41 64.0	2/4/2012 22:51 63.7	4/4/2012 12:01 64.6	4/4/2012 21:11 67.5	6/4/2012 10:21 64.6
1/4/2012 8:36 63.8	1/4/2012 17:46 65.2	2/4/2012 22:56 63.5	4/4/2012 12:06 65.1	4/4/2012 21:16 65.9	6/4/2012 10:26 64.6
1/4/2012 8:41 64.1	1/4/2012 17:51 64.0	3/4/2012 19:01 63.0	4/4/2012 12:11 63.2	4/4/2012 21:21 64.9	6/4/2012 10:31 65.2
1/4/2012 8:46 64.6	1/4/2012 17:56 64.9	3/4/2012 19:06 63.5	4/4/2012 12:16 63.1	4/4/2012 21:26 63.9	6/4/2012 10:36 64.9

Real-time Noise Data	RTN1 (FEHD Hong Kong Transport S	Section Whitefield Depot)			
6/4/2012 10:41 64.9	6/4/2012 19:51 63.9	7/4/2012 13:01 65.5	7/4/2012 22:11 64.1	8/4/2012 15:21 64.0	9/4/2012 8:31 65.4
6/4/2012 10:46 64.6	6/4/2012 19:56 63.7	7/4/2012 13:06 65.2	7/4/2012 22:16 63.3	8/4/2012 15:26 63.8	9/4/2012 8:36 65.0
6/4/2012 10:51 64.3	6/4/2012 20:01 63.7	7/4/2012 13:11 65.6	7/4/2012 22:21 63.6	8/4/2012 15:31 64.5	9/4/2012 8:41 64.8
6/4/2012 10:56 64.8	6/4/2012 20:06 63.7	7/4/2012 13:16 65.1	7/4/2012 22:26 63.0	8/4/2012 15:36 64.0	9/4/2012 8:46 64.9
6/4/2012 11:01 64.9	6/4/2012 20:11 63.4	7/4/2012 13:21 65.5	7/4/2012 22:31 63.4	8/4/2012 15:41 64.5	9/4/2012 8:51 64.7
6/4/2012 11:06 64.6	6/4/2012 20:16 63.4	7/4/2012 13:26 65.8	7/4/2012 22:36 63.1	8/4/2012 15:46 63.6	9/4/2012 8:56 64.0
6/4/2012 11:11 64.8	6/4/2012 20:21 63.0	7/4/2012 13:31 65.3	7/4/2012 22:41 63.3	8/4/2012 15:51 63.9	9/4/2012 9:01 64.8
6/4/2012 11:16 64.5	6/4/2012 20:26 63.4	7/4/2012 13:36 65.7	7/4/2012 22:46 62.9	8/4/2012 15:56 63.6	9/4/2012 9:06 65.0
6/4/2012 11:21 64.2	6/4/2012 20:31 63.3	7/4/2012 13:41 64.7	7/4/2012 22:51 63.5	8/4/2012 16:01 64.4	9/4/2012 9:11 63.7
6/4/2012 11:26 64.4	6/4/2012 20:36 63.1	7/4/2012 13:46 64.9	7/4/2012 22:56 63.2	8/4/2012 16:06 64.1	9/4/2012 9:16 64.5
6/4/2012 11:31 64.6	6/4/2012 20:41 63.2	7/4/2012 13:51 65.2	8/4/2012 7:01 62.3	8/4/2012 16:11 64.2	9/4/2012 9:21 64.2
6/4/2012 11:36 64.3	6/4/2012 20:46 63.3	7/4/2012 13:56 65.2	8/4/2012 7:06 62.4	8/4/2012 16:16 64.2	9/4/2012 9:26 64.8
6/4/2012 11:41 63.8	6/4/2012 20:51 63.6	7/4/2012 14:01 65.0	8/4/2012 7:11 63.7	8/4/2012 16:21 63.8	9/4/2012 9:31 64.5
6/4/2012 11:46 63.9	6/4/2012 20:56 62.7	7/4/2012 14:06 65.3	8/4/2012 7:16 62.5	8/4/2012 16:26 63.7	9/4/2012 9:36 65.3
6/4/2012 11:51 63.9	6/4/2012 21:01 63.0	7/4/2012 14:11 65.7	8/4/2012 7:21 61.9	8/4/2012 16:31 64.2	9/4/2012 9:41 64.8
6/4/2012 11:56 63.8	6/4/2012 21:06 63.7	7/4/2012 14:16 65.0	8/4/2012 7:26 62.3	8/4/2012 16:36 63.3	9/4/2012 9:46 64.9
6/4/2012 12:01 63.8	6/4/2012 21:11 62.8	7/4/2012 14:21 64.5	8/4/2012 7:31 63.1	8/4/2012 16:41 64.0	9/4/2012 9:51 64.6
6/4/2012 12:06 64.0	6/4/2012 21:16 63.4	7/4/2012 14:26 64.7	8/4/2012 7:36 63.1	8/4/2012 16:46 63.6	9/4/2012 9:56 64.6
6/4/2012 12:11 65.0	6/4/2012 21:21 63.5	7/4/2012 14:31 64.7	8/4/2012 7:41 63.0	8/4/2012 16:51 63.8	9/4/2012 10:01 64.6
6/4/2012 12:16 63.3	6/4/2012 21:26 63.5	7/4/2012 14:36 64.9	8/4/2012 7:46 62.9	8/4/2012 16:56 64.5	9/4/2012 10:06 65.1
6/4/2012 12:21 63.6	6/4/2012 21:31 63.4	7/4/2012 14:41 65.2	8/4/2012 7:51 64.0	8/4/2012 17:01 63.8	9/4/2012 10:11 65.0
6/4/2012 12:26 64.2	6/4/2012 21:36 63.5	7/4/2012 14:46 64.9	8/4/2012 7:56 63.6	8/4/2012 17:06 63.8	9/4/2012 10:16 64.3
6/4/2012 12:31 64.1	6/4/2012 21:41 63.7	7/4/2012 14:51 64.5	8/4/2012 8:01 63.6	8/4/2012 17:11 63.6	9/4/2012 10:21 64.1
6/4/2012 12:36 63.8	6/4/2012 21:46 64.4	7/4/2012 14:56 64.4	8/4/2012 8:06 62.7	8/4/2012 17:16 64.2	9/4/2012 10:26 64.2
6/4/2012 12:41 64.5	6/4/2012 21:51 63.6	7/4/2012 15:01 65.0	8/4/2012 8:11 63.0	8/4/2012 17:21 64.4	9/4/2012 10:31 64.4
6/4/2012 12:46 64.4	6/4/2012 21:56 63.7	7/4/2012 15:06 65.6	8/4/2012 8:16 63.1	8/4/2012 17:26 64.7	9/4/2012 10:36 64.4
6/4/2012 12:51 64.4	6/4/2012 22:01 63.4	7/4/2012 15:11 64.6	8/4/2012 8:21 63.5	8/4/2012 17:31 63.9	9/4/2012 10:41 64.7
6/4/2012 12:56 65.0	6/4/2012 22:06 63.9	7/4/2012 15:16 65.2	8/4/2012 8:26 63.4	8/4/2012 17:36 63.7	9/4/2012 10:46 64.8
6/4/2012 13:01 64.9	6/4/2012 22:11 64.0	7/4/2012 15:21 64.9	8/4/2012 8:31 64.2	8/4/2012 17:41 64.6	9/4/2012 10:51 64.7
6/4/2012 13:06 65.2	6/4/2012 22:16 64.6	7/4/2012 15:26 64.8	8/4/2012 8:36 63.3	8/4/2012 17:46 64.0	9/4/2012 10:56 64.9
6/4/2012 13:11 65.9	6/4/2012 22:21 63.8	7/4/2012 15:31 64.2	8/4/2012 8:41 64.1	8/4/2012 17:51 63.6	9/4/2012 11:01 64.6
6/4/2012 13:16 66.0	6/4/2012 22:26 64.3	7/4/2012 15:36 64.9	8/4/2012 8:46 64.1	8/4/2012 17:56 63.5	9/4/2012 11:06 65.2
6/4/2012 13:21 65.6	6/4/2012 22:31 63.8	7/4/2012 15:41 64.6	8/4/2012 8:51 63.5	8/4/2012 18:01 63.8	9/4/2012 11:11 65.0
6/4/2012 13:26 65.3	6/4/2012 22:36 64.5	7/4/2012 15:46 64.7	8/4/2012 8:56 63.3	8/4/2012 18:06 64.2	9/4/2012 11:16 65.3
6/4/2012 13:31 64.9	6/4/2012 22:41 64.0	7/4/2012 15:51 65.0	8/4/2012 9:01 64.2	8/4/2012 18:11 64.1	9/4/2012 11:21 64.8
6/4/2012 13:36 64.6	6/4/2012 22:46 63.8	7/4/2012 15:56 65.1	8/4/2012 9:06 63.7	8/4/2012 18:16 64.0	9/4/2012 11:26 64.8
6/4/2012 13:41 64.3	6/4/2012 22:51 63.6	7/4/2012 16:01 64.6	8/4/2012 9:11 64.3	8/4/2012 18:21 64.1	9/4/2012 11:31 64.2
6/4/2012 13:46 65.0	6/4/2012 22:56 64.4	7/4/2012 16:06 65.0	8/4/2012 9:16 64.0	8/4/2012 18:26 63.8	9/4/2012 11:36 64.7
6/4/2012 13:51 65.0	7/4/2012 7:01 62.5	7/4/2012 16:11 65.4	8/4/2012 9:21 64.6	8/4/2012 18:31 64.4	9/4/2012 11:41 64.0
6/4/2012 13:56 65.3	7/4/2012 7:06 62.9	7/4/2012 16:16 64.9	8/4/2012 9:26 64.6	8/4/2012 18:36 64.3	9/4/2012 11:46 63.6
6/4/2012 14:01 65.0	7/4/2012 7:00 62:3	7/4/2012 16:10 64.9	8/4/2012 9:31 65.1	8/4/2012 18:41 63.9	9/4/2012 11:51 63.7
6/4/2012 14:06 65.9	7/4/2012 7:16 62.2	7/4/2012 16:26 64.9	8/4/2012 9:36 65.0	8/4/2012 18:46 64.0	9/4/2012 11:56 63.9
6/4/2012 14:11 66.3	7/4/2012 7:21 63.0	7/4/2012 16:31 65.2	8/4/2012 9:41 64.7	8/4/2012 18:51 63.6	9/4/2012 12:01 65.4
6/4/2012 14:16 66.0	7/4/2012 7:26 62.6	7/4/2012 16:36 65.5	8/4/2012 9:46 65.4	8/4/2012 18:56 63.8	9/4/2012 12:06 64.3
6/4/2012 14:21 65.4	7/4/2012 7:31 63.2	7/4/2012 16:41 65.2	8/4/2012 9:51 65.1	8/4/2012 19:01 64.2	9/4/2012 12:11 64.8
6/4/2012 14:26 65.6	7/4/2012 7:36 63.4	7/4/2012 16:46 65.6	8/4/2012 9:56 64.7	8/4/2012 19:06 64.2	9/4/2012 12:16 64.3
6/4/2012 14:31 66.1	7/4/2012 7:41 62.7	7/4/2012 16:51 65.4	8/4/2012 10:01 64.7	8/4/2012 19:11 64.4	9/4/2012 12:21 63.8
6/4/2012 14:36 66.0	7/4/2012 7:46 63.8	7/4/2012 16:56 65.8	8/4/2012 10:06 64.7	8/4/2012 19:16 63.9	9/4/2012 12:26 63.7
6/4/2012 14:41 65.6	7/4/2012 7:51 63.3	7/4/2012 17:01 65.3	8/4/2012 10:11 64.5	8/4/2012 19:21 63.8	9/4/2012 12:31 64.8
6/4/2012 14:46 65.7	7/4/2012 7:56 63.1	7/4/2012 17:06 65.1	8/4/2012 10:16 64.5	8/4/2012 19:26 63.5	9/4/2012 12:36 64.3
6/4/2012 14:51 65.2	7/4/2012 8:01 62.9	7/4/2012 17:11 65.3	8/4/2012 10:21 64.6	8/4/2012 19:31 63.4	9/4/2012 12:41 64.5
6/4/2012 14:56 64.9	7/4/2012 8:06 62.6	7/4/2012 17:16 64.8	8/4/2012 10:26 64.5	8/4/2012 19:36 64.1	9/4/2012 12:46 64.3
6/4/2012 15:01 65.6	7/4/2012 8:11 64.1	7/4/2012 17:21 65.4	8/4/2012 10:31 65.1	8/4/2012 19:41 63.9	9/4/2012 12:51 64.7
6/4/2012 15:06 65.0	7/4/2012 8:16 65.2	7/4/2012 17:26 65.3	8/4/2012 10:36 65.6	8/4/2012 19:46 63.7	9/4/2012 12:56 64.0
6/4/2012 15:11 64.8	7/4/2012 8:21 63.9	7/4/2012 17:31 65.0	8/4/2012 10:41 65.3	8/4/2012 19:51 63.4	9/4/2012 13:01 63.9
6/4/2012 15:16 64.9	7/4/2012 8:26 63.4	7/4/2012 17:36 65.1	8/4/2012 10:46 64.1	8/4/2012 19:56 63.4	9/4/2012 13:06 63.7
6/4/2012 15:21 64.0	7/4/2012 8:31 63.9	7/4/2012 17:41 65.3	8/4/2012 10:51 64.3	8/4/2012 20:01 63.8	9/4/2012 13:11 64.1
6/4/2012 15:26 64.9	7/4/2012 8:36 64.3	7/4/2012 17:46 64.9	8/4/2012 10:56 65.0	8/4/2012 20:06 63.9	9/4/2012 13:16 66.3
6/4/2012 15:31 63.5	7/4/2012 8:41 64.6	7/4/2012 17:51 65.9	8/4/2012 11:01 64.6	8/4/2012 20:11 65.3	9/4/2012 13:21 64.1
6/4/2012 15:36 64.4	7/4/2012 8:46 63.8	7/4/2012 17:56 64.7	8/4/2012 11:06 64.3	8/4/2012 20:16 63.9	9/4/2012 13:26 63.8
6/4/2012 15:41 64.1	7/4/2012 8:51 64.7	7/4/2012 18:01 64.7	8/4/2012 11:11 64.7	8/4/2012 20:21 63.0	9/4/2012 13:31 64.8
6/4/2012 15:46 65.3	7/4/2012 8:56 63.9	7/4/2012 18:06 65.1	8/4/2012 11:16 64.9	8/4/2012 20:26 63.2	9/4/2012 13:36 63.7
6/4/2012 15:51 65.4	7/4/2012 9:01 64.0	7/4/2012 18:11 65.0	8/4/2012 11:21 64.7	8/4/2012 20:31 63.3	9/4/2012 13:41 64.3
6/4/2012 15:56 64.5	7/4/2012 9:06 64.0	7/4/2012 18:16 64.1	8/4/2012 11:26 63.8	8/4/2012 20:36 63.3	9/4/2012 13:46 63.3
6/4/2012 16:01 64.1	7/4/2012 9:11 63.9	7/4/2012 18:21 64.2	8/4/2012 11:31 63.5	8/4/2012 20:41 64.0	9/4/2012 13:51 64.1
6/4/2012 16:06 64.8	7/4/2012 9:16 64.3	7/4/2012 18:26 64.0	8/4/2012 11:36 64.6	8/4/2012 20:46 63.9	9/4/2012 13:56 64.5
6/4/2012 16:11 64.6	7/4/2012 9:21 64.0	7/4/2012 18:31 64.0	8/4/2012 11:41 65.2	8/4/2012 20:51 63.1	9/4/2012 14:01 64.2
6/4/2012 16:16 63.8	7/4/2012 9:26 64.6	7/4/2012 18:36 64.7	8/4/2012 11:46 64.4	8/4/2012 20:56 63.7	9/4/2012 14:06 64.2
6/4/2012 16:21 64.5	7/4/2012 9:31 64.1	7/4/2012 18:41 64.5	8/4/2012 11:51 63.1	8/4/2012 21:01 63.4	9/4/2012 14:11 64.4
6/4/2012 16:26 64.6	7/4/2012 9:36 64.3	7/4/2012 18:46 64.1	8/4/2012 11:56 63.7 8/4/2012 12:01 63.9	8/4/2012 21:06 63.5 8/4/2012 21:11 62.7	9/4/2012 14:16 64.0
6/4/2012 16:31 64.7	7/4/2012 9:41 64.5	7/4/2012 18:51 64.1	8/4/2012 12:01 63.9	8/4/2012 21:11 62.7	9/4/2012 14:21 64.7
6/4/2012 16:36 64.8	7/4/2012 9:46 64.2	7/4/2012 18:56 64.1	8/4/2012 12:06 64.1		9/4/2012 14:26 64.2
6/4/2012 16:41 64.9	7/4/2012 9:51 64.4	7/4/2012 19:01 64.3	8/4/2012 12:11 64.0	8/4/2012 21:21 63.3	9/4/2012 14:31 63.6
6/4/2012 16:46 64.7	7/4/2012 9:56 65.9	7/4/2012 19:06 63.6	8/4/2012 12:16 64.1	8/4/2012 21:26 63.2	9/4/2012 14:36 63.9
6/4/2012 16:51 64.7	7/4/2012 10:01 64.8	7/4/2012 19:11 64.1	8/4/2012 12:21 64.5	8/4/2012 21:31 63.4	9/4/2012 14:41 64.6
6/4/2012 16:56 64.7	7/4/2012 10:06 64.6	7/4/2012 19:16 63.6	8/4/2012 12:26 64.0	8/4/2012 21:36 63.0	9/4/2012 14:46 64.5
6/4/2012 17:01 65.3	7/4/2012 10:11 65.2	7/4/2012 19:21 64.8	8/4/2012 12:31 64.4	8/4/2012 21:41 63.2	9/4/2012 14:51 64.3
6/4/2012 17:06 65.6	7/4/2012 10:16 64.6	7/4/2012 19:26 64.6	8/4/2012 12:36 64.5	8/4/2012 21:46 65.9	9/4/2012 14:56 64.7
6/4/2012 17:11 65.3	7/4/2012 10:21 64.5	7/4/2012 19:31 64.2	8/4/2012 12:41 64.6	8/4/2012 21:51 62.7	9/4/2012 15:01 66.6
6/4/2012 17:16 64.6	7/4/2012 10:26 64.7	7/4/2012 19:36 64.2	8/4/2012 12:46 63.8	8/4/2012 21:56 63.7	9/4/2012 15:06 63.3
6/4/2012 17:21 64.4	7/4/2012 10:31 64.7	7/4/2012 19:41 63.4	8/4/2012 12:51 64.4	8/4/2012 22:01 66.1	9/4/2012 15:11 62.5
6/4/2012 17:26 63.7	7/4/2012 10:36 64.5	7/4/2012 19:46 64.0	8/4/2012 12:56 64.2	8/4/2012 22:06 63.6	9/4/2012 15:16 65.4
6/4/2012 17:31 64.1	7/4/2012 10:41 63.7	7/4/2012 19:51 64.2	8/4/2012 13:01 63.8	8/4/2012 22:11 63.3	9/4/2012 15:21 64.0
6/4/2012 17:36 63.3	7/4/2012 10:46 64.3	7/4/2012 19:56 63.3	8/4/2012 13:06 64.0	8/4/2012 22:16 63.5	9/4/2012 15:26 63.6
6/4/2012 17:41 64.6		7/4/2012 20:01 63.8	8/4/2012 13:11 64.3	8/4/2012 22:21 63.8	9/4/2012 15:31 63.8
6/4/2012 17:46 63.6	7/4/2012 10:51 64.5 7/4/2012 10:56 64.6	7/4/2012 20:06 63.4	8/4/2012 13:16 64.5	8/4/2012 22:26 63.1	9/4/2012 15:36 62.3
6/4/2012 17:51 63.6	7/4/2012 11:01 64.8	7/4/2012 20:11 63.7	8/4/2012 13:21 64.4	8/4/2012 22:31 64.6	9/4/2012 15:41 64.8
6/4/2012 17:56 64.0	7/4/2012 11:06 64.4	7/4/2012 20:16 63.4	8/4/2012 13:26 64.6	8/4/2012 22:36 63.4	9/4/2012 15:46 63.2
6/4/2012 18:01 62.6	7/4/2012 11:11 63.5	7/4/2012 20:21 63.1	8/4/2012 13:31 64.5	8/4/2012 22:41 62.9	9/4/2012 15:51 67.2
6/4/2012 18:06 62.9	7/4/2012 11:16 64.0	7/4/2012 20:26 63.6	8/4/2012 13:36 64.6	8/4/2012 22:46 63.6	9/4/2012 15:56 64.5
6/4/2012 18:11 63.1	7/4/2012 11:21 63.6	7/4/2012 20:31 63.0	8/4/2012 13:41 64.4	8/4/2012 22:51 63.3	9/4/2012 16:01 62.8
6/4/2012 18:16 63.9	7/4/2012 11:26 63.2	7/4/2012 20:36 63.5	8/4/2012 13:46 63.9	8/4/2012 22:56 65.7	9/4/2012 16:06 65.2
6/4/2012 18:21 63.9	7/4/2012 11:31 63.3	7/4/2012 20:41 63.0	8/4/2012 13:51 63.7	9/4/2012 7:01 63.5	9/4/2012 16:11 65.1
6/4/2012 18:26 64.4	7/4/2012 11:36 63.7	7/4/2012 20:46 64.2	8/4/2012 13:56 63.8	9/4/2012 7:06 62.7	9/4/2012 16:16 65.3
6/4/2012 18:31 64.2	7/4/2012 11:41 63.8	7/4/2012 20:51 62.5	8/4/2012 14:01 64.0	9/4/2012 7:11 62.0	9/4/2012 16:21 64.4
6/4/2012 18:36 64.7	7/4/2012 11:46 63.2	7/4/2012 20:56 63.1	8/4/2012 14:06 64.2	9/4/2012 7:16 63.0	9/4/2012 16:26 64.4
6/4/2012 18:41 64.7	7/4/2012 11:51 63.7	7/4/2012 21:01 63.1	8/4/2012 14:11 64.2	9/4/2012 7:21 62.6	9/4/2012 16:31 64.6
6/4/2012 18:46 64.7	7/4/2012 11:56 65.1	7/4/2012 21:06 63.2	8/4/2012 14:16 64.3	9/4/2012 7:26 63.0	9/4/2012 16:36 66.0
6/4/2012 18:56 64.4	7/4/2012 12:01 65.2	7/4/2012 21:11 63.8	8/4/2012 14:21 63.9	9/4/2012 7:31 63.5	9/4/2012 16:41 64.4
	7/4/2012 12:06 63.8	7/4/2012 21:16 63.0	8/4/2012 14:26 64.4	9/4/2012 7:36 62.6	9/4/2012 16:46 63.6
6/4/2012 19:01 64.6	7/4/2012 12:11 64.9	7/4/2012 21:21 63.1	8/4/2012 14:31 64.3	9/4/2012 7:41 63.9	9/4/2012 16:51 63.4
6/4/2012 19:06 64.1	7/4/2012 12:16 64.9	7/4/2012 21:26 62.6	8/4/2012 14:36 64.4	9/4/2012 7:46 63.8	9/4/2012 16:56 63.6
6/4/2012 19:11 64.1	7/4/2012 12:21 65.1	7/4/2012 21:31 63.4	8/4/2012 14:41 64.6	9/4/2012 7:51 65.1	9/4/2012 17:01 63.8
6/4/2012 19:16 63.5	7/4/2012 12:26 64.9	7/4/2012 21:36 63.8	8/4/2012 14:46 64.4	9/4/2012 7:56 63.6	9/4/2012 17:06 63.1
6/4/2012 19:21 65.7	7/4/2012 12:31 64.9	7/4/2012 21:41 63.7	8/4/2012 14:51 64.7	9/4/2012 8:01 63.7	9/4/2012 17:11 64.5
6/4/2012 19:26 64.0	7/4/2012 12:36 64.4	7/4/2012 21:46 63.6	8/4/2012 14:56 64.6	9/4/2012 8:06 64.3	9/4/2012 17:16 64.8
6/4/2012 19:31 65.4	7/4/2012 12:41 65.6	7/4/2012 21:51 63.8	8/4/2012 15:01 64.3	9/4/2012 8:11 64.5	9/4/2012 17:21 64.4
6/4/2012 19:36 63.5	7/4/2012 12:46 65.0	7/4/2012 21:56 63.7	8/4/2012 15:06 64.2	9/4/2012 8:16 63.8	9/4/2012 17:26 65.0
6/4/2012 19:41 63.6	7/4/2012 12:51 65.5	7/4/2012 22:01 63.9	8/4/2012 15:11 64.5	9/4/2012 8:21 64.3	9/4/2012 17:31 64.9
6/4/2012 19:46 63.9	7/4/2012 12:56 65.7	7/4/2012 22:06 63.8	8/4/2012 15:16 64.4	9/4/2012 8:26 64.4	9/4/2012 17:36 64.4

Real-time Noise Data	RTN1 (FEHD Hong Kong Transport	Section Whitefield Depot)			
9/4/2012 17:41 64.1	10/4/2012 22:51 62.2	13/4/2012 20:01 65.8	15/4/2012 9:11 69.0	15/4/2012 18:21 65.4	17/4/2012 19:31 63.2
9/4/2012 17:46 65.5	10/4/2012 22:56 61.8	13/4/2012 20:06 65.9	15/4/2012 9:16 68.4	15/4/2012 18:26 62.7	17/4/2012 19:36 64.3
9/4/2012 17:51 65.2	11/4/2012 19:01 63.8	13/4/2012 20:11 63.7	15/4/2012 9:21 68.6	15/4/2012 18:31 63.9	17/4/2012 19:41 64.5
9/4/2012 17:56 64.9	11/4/2012 19:06 64.9	13/4/2012 20:16 63.3	15/4/2012 9:26 68.4	15/4/2012 18:36 64.5	17/4/2012 19:46 65.7
9/4/2012 18:01 66.8	11/4/2012 19:11 62.6	13/4/2012 20:21 65.7	15/4/2012 9:31 65.2	15/4/2012 18:41 63.2	17/4/2012 19:51 63.7
9/4/2012 18:06 63.5	11/4/2012 19:16 63.1	13/4/2012 20:26 64.7	15/4/2012 9:36 60.3	15/4/2012 18:46 65.0	17/4/2012 19:56 63.2
9/4/2012 18:11 65.9	11/4/2012 19:21 63.0	13/4/2012 20:31 64.7	15/4/2012 9:41 67.8	15/4/2012 18:51 64.3	17/4/2012 20:01 64.1
9/4/2012 18:16 64.4	11/4/2012 19:26 64.0	13/4/2012 20:36 64.4	15/4/2012 9:46 56.9	15/4/2012 18:56 63.6	17/4/2012 20:06 64.6
9/4/2012 18:21 64.0	11/4/2012 19:31 65.3	13/4/2012 20:41 63.4	15/4/2012 9:51 60.7	15/4/2012 19:01 63.4	17/4/2012 20:11 62.8
9/4/2012 18:26 63.2	11/4/2012 19:36 65.7	13/4/2012 20:46 63.2	15/4/2012 9:56 69.4	15/4/2012 19:06 64.9	17/4/2012 20:16 65.2
9/4/2012 18:31 61.4	11/4/2012 19:41 64.2	13/4/2012 20:51 64.9	15/4/2012 10:01 69.4	15/4/2012 19:11 63.0	17/4/2012 20:21 65.1
9/4/2012 18:36 63.9	11/4/2012 19:46 66.0	13/4/2012 20:56 66.6	15/4/2012 10:06 69.4	15/4/2012 19:16 63.6	17/4/2012 20:26 66.1
9/4/2012 18:41 62.1	11/4/2012 19:51 64.9	13/4/2012 21:01 66.3	15/4/2012 10:11 57.6	15/4/2012 19:21 64.5	17/4/2012 20:31 63.7
9/4/2012 18:46 62.2	11/4/2012 19:56 64.7	13/4/2012 21:06 63.8	15/4/2012 10:16 57.9	15/4/2012 19:26 64.3	17/4/2012 20:36 63.8
9/4/2012 18:51 64.3	11/4/2012 20:01 64.6	13/4/2012 21:11 64.9	15/4/2012 10:21 68.6	15/4/2012 19:31 66.6	17/4/2012 20:41 63.8
9/4/2012 18:56 64.4	11/4/2012 20:06 65.6	13/4/2012 21:16 63.6	15/4/2012 10:26 69.3	15/4/2012 19:36 65.9	17/4/2012 20:46 64.4
9/4/2012 19:01 63.3	11/4/2012 20:11 64.4	13/4/2012 21:21 64.5	15/4/2012 10:31 68.2	15/4/2012 19:41 64.1	17/4/2012 20:51 62.7
9/4/2012 19:06 63.8	11/4/2012 20:16 64.9	13/4/2012 21:26 64.5	15/4/2012 10:36 65.1	15/4/2012 19:46 65.5	17/4/2012 20:56 63.5
9/4/2012 19:11 63.5	11/4/2012 20:21 64.4	13/4/2012 21:31 63.4	15/4/2012 10:41 66.2	15/4/2012 19:51 64.6	17/4/2012 21:01 64.9
9/4/2012 19:16 62.8	11/4/2012 20:26 65.4	13/4/2012 21:36 64.9	15/4/2012 10:46 68.3	15/4/2012 19:56 64.9	17/4/2012 21:06 64.0
9/4/2012 19:21 64.8	11/4/2012 20:31 65.1	13/4/2012 21:41 64.6	15/4/2012 10:51 61.7	15/4/2012 20:01 65.1	17/4/2012 21:11 66.9
9/4/2012 19:26 64.3	11/4/2012 20:36 64.8	13/4/2012 21:46 65.0	15/4/2012 10:56 68.8	15/4/2012 20:06 66.0	17/4/2012 21:16 66.0
9/4/2012 19:31 64.9	11/4/2012 20:41 66.1	13/4/2012 21:51 63.2	15/4/2012 11:01 60.5	15/4/2012 20:11 65.5	17/4/2012 21:21 66.4
9/4/2012 19:36 62.5	11/4/2012 20:46 63.5	13/4/2012 21:56 63.0	15/4/2012 11:06 50.4	15/4/2012 20:16 63.4	17/4/2012 21:26 63.0
9/4/2012 19:41 63.9	11/4/2012 20:51 65.9	13/4/2012 22:01 63.9	15/4/2012 11:11 68.6	15/4/2012 20:21 65.4	17/4/2012 21:31 62.4
9/4/2012 19:46 65.6	11/4/2012 20:56 66.0	13/4/2012 22:06 64.2	15/4/2012 11:16 51.5	15/4/2012 20:26 64.1	17/4/2012 21:36 64.8
9/4/2012 19:51 63.7	11/4/2012 21:01 62.8	13/4/2012 22:11 63.3	15/4/2012 11:21 59.1	15/4/2012 20:31 64.4	17/4/2012 21:41 63.5
9/4/2012 19:56 64.9	11/4/2012 21:06 65.0	13/4/2012 22:16 64.9	15/4/2012 11:26 68.3	15/4/2012 20:36 63.8	17/4/2012 21:46 63.8
9/4/2012 20:01 65.1	11/4/2012 21:11 65.7	13/4/2012 22:21 64.4	15/4/2012 11:31 69.3	15/4/2012 20:41 64.8	17/4/2012 21:51 64.1
9/4/2012 20:06 63.8	11/4/2012 21:16 65.5	13/4/2012 22:26 63.8	15/4/2012 11:36 69.0	15/4/2012 20:46 64.9	17/4/2012 21:56 65.3
9/4/2012 20:11 62.0	11/4/2012 21:21 64.0	13/4/2012 22:31 63.4	15/4/2012 11:41 67.0	15/4/2012 20:51 65.4	17/4/2012 22:01 63.0
9/4/2012 20:16 64.7	11/4/2012 21:26 65.1	13/4/2012 22:36 65.1	15/4/2012 11:46 66.3	15/4/2012 20:56 66.1	17/4/2012 22:06 63.3
9/4/2012 20:21 61.8	11/4/2012 21:31 65.5	13/4/2012 22:41 64.1	15/4/2012 11:51 65.9	15/4/2012 21:01 64.1	17/4/2012 22:11 64.3
9/4/2012 20:26 65.7	11/4/2012 21:36 64.1	13/4/2012 22:46 64.3	15/4/2012 11:56 66.6	15/4/2012 21:06 65.0	17/4/2012 22:16 63.7
9/4/2012 20:31 64.7	11/4/2012 21:41 65.1	13/4/2012 22:51 64.3	15/4/2012 12:01 64.5	15/4/2012 21:11 63.3	17/4/2012 22:21 63.7
9/4/2012 20:36 62.6	11/4/2012 21:46 65.8	13/4/2012 22:56 64.4	15/4/2012 12:06 64.3	15/4/2012 21:16 63.8	17/4/2012 22:26 62.9
9/4/2012 20:41 64.3	11/4/2012 21:51 64.2	14/4/2012 19:01 64.0	15/4/2012 12:11 65.5	15/4/2012 21:21 64.3	17/4/2012 22:31 61.9
9/4/2012 20:46 64.3	11/4/2012 21:56 63.3	14/4/2012 19:06 63.0	15/4/2012 12:16 64.9	15/4/2012 21:26 64.4	17/4/2012 22:36 64.2
9/4/2012 20:51 64.9	11/4/2012 22:01 64.6	14/4/2012 19:11 63.5	15/4/2012 12:21 66.1	15/4/2012 21:31 65.1	17/4/2012 22:41 62.6
9/4/2012 20:56 63.4	11/4/2012 22:06 62.7	14/4/2012 19:16 63.2	15/4/2012 12:26 65.6	15/4/2012 21:36 65.2	17/4/2012 22:46 62.3
9/4/2012 21:01 65.7	11/4/2012 22:11 63.2	14/4/2012 19:21 64.1	15/4/2012 12:31 63.6	15/4/2012 21:41 64.1	17/4/2012 22:51 62.8
9/4/2012 21:06 64.7	11/4/2012 22:16 65.7	14/4/2012 19:26 65.5	15/4/2012 12:36 64.3	15/4/2012 21:46 64.3	17/4/2012 22:56 61.8
9/4/2012 21:11 64.3	11/4/2012 22:21 65.5	14/4/2012 19:31 64.5	15/4/2012 12:41 65.1	15/4/2012 21:51 62.8	18/4/2012 19:01 64.0
9/4/2012 21:16 66.1	11/4/2012 22:26 63.6	14/4/2012 19:36 63.8	15/4/2012 12:46 63.5	15/4/2012 21:56 64.3	18/4/2012 19:06 62.5
9/4/2012 21:21 66.3	11/4/2012 22:31 63.4	14/4/2012 19:41 65.1	15/4/2012 12:51 65.0	15/4/2012 22:01 65.5	18/4/2012 19:11 64.9
9/4/2012 21:26 65.1	11/4/2012 22:36 64.7	14/4/2012 19:46 65.6	15/4/2012 12:56 64.4	15/4/2012 22:06 63.9	18/4/2012 19:16 64.0
9/4/2012 21:31 64.6	11/4/2012 22:41 64.6	14/4/2012 19:51 65.2	15/4/2012 13:01 66.6	15/4/2012 22:11 63.7	18/4/2012 19:21 63.4
9/4/2012 21:36 63.7	11/4/2012 22:46 64.1	14/4/2012 19:56 66.4	15/4/2012 13:06 66.5	15/4/2012 22:16 65.3	18/4/2012 19:26 65.0
9/4/2012 21:41 63.7	11/4/2012 22:51 63.3	14/4/2012 20:01 65.8	15/4/2012 13:11 68.0	15/4/2012 22:21 63.7	18/4/2012 19:31 65.0
9/4/2012 21:46 63.1	11/4/2012 22:56 62.8	14/4/2012 20:06 65.9	15/4/2012 13:16 68.4	15/4/2012 22:26 62.7	18/4/2012 19:36 65.8
9/4/2012 21:51 62.5	12/4/2012 19:01 63.4	14/4/2012 20:11 63.7	15/4/2012 13:21 68.6	15/4/2012 22:31 64.8	18/4/2012 19:41 64.8
9/4/2012 21:56 64.6	12/4/2012 19:06 63.6	14/4/2012 20:16 63.3	15/4/2012 13:26 67.9	15/4/2012 22:36 63.4	18/4/2012 19:46 65.2
9/4/2012 22:01 64.3	12/4/2012 19:11 64.4	14/4/2012 20:21 65.7	15/4/2012 13:31 67.0	15/4/2012 22:41 65.3	18/4/2012 19:51 66.1
9/4/2012 22:06 64.7	12/4/2012 19:16 63.4	14/4/2012 20:26 64.7	15/4/2012 13:36 67.2	15/4/2012 22:46 65.0	18/4/2012 19:56 65.0
9/4/2012 22:11 64.4	12/4/2012 19:21 65.7	14/4/2012 20:31 64.7	15/4/2012 13:41 68.0	15/4/2012 22:51 64.5	18/4/2012 20:01 65.4
9/4/2012 22:16 62.6	12/4/2012 19:26 65.6	14/4/2012 20:36 64.4	15/4/2012 13:46 67.8	15/4/2012 22:56 65.0	18/4/2012 20:06 64.3
9/4/2012 22:21 62.8	12/4/2012 19:31 65.8	14/4/2012 20:41 63.4	15/4/2012 13:51 69.4	16/4/2012 19:01 63.9	18/4/2012 20:11 63.7
9/4/2012 22:26 65.0	12/4/2012 19:36 66.6	14/4/2012 20:46 63.2	15/4/2012 13:56 68.5	16/4/2012 19:06 62.8	18/4/2012 20:16 64.4
9/4/2012 22:31 63.5	12/4/2012 19:41 64.6	14/4/2012 20:51 64.9	15/4/2012 14:01 66.5	16/4/2012 19:11 63.6	18/4/2012 20:21 64.4
9/4/2012 22:36 63.5	12/4/2012 19:46 64.7	14/4/2012 20:56 66.6	15/4/2012 14:06 66.5	16/4/2012 19:16 63.5	18/4/2012 20:26 64.4
9/4/2012 22:41 65.1	12/4/2012 19:51 65.1	14/4/2012 21:01 66.3	15/4/2012 14:11 67.7	16/4/2012 19:21 63.4	18/4/2012 20:31 64.1
9/4/2012 22:46 62.8	12/4/2012 19:56 65.3	14/4/2012 21:06 63.8	15/4/2012 14:16 67.7	16/4/2012 19:26 64.9	18/4/2012 20:36 65.1
9/4/2012 22:51 62.8	12/4/2012 20:01 66.1	14/4/2012 21:11 64.9	15/4/2012 14:21 67.0	16/4/2012 19:31 65.4	18/4/2012 20:41 63.8
9/4/2012 22:56 64.1	12/4/2012 20:06 65.0	14/4/2012 21:16 63.6	15/4/2012 14:26 67.5	16/4/2012 19:36 66.4	18/4/2012 20:46 65.1
10/4/2012 19:01 63.6	12/4/2012 20:11 64.1	14/4/2012 21:21 64.5	15/4/2012 14:31 67.2	16/4/2012 19:41 63.9	18/4/2012 20:51 64.7
10/4/2012 19:06 65.3	12/4/2012 20:16 66.2	14/4/2012 21:26 64.5	15/4/2012 14:36 66.4	16/4/2012 19:46 65.9	18/4/2012 20:56 66.1
10/4/2012 19:11 63.2	12/4/2012 20:21 66.1	14/4/2012 21:31 63.4	15/4/2012 14:41 66.3	16/4/2012 19:51 65.0	18/4/2012 21:01 65.0
10/4/2012 19:16 62.5	12/4/2012 20:26 64.1	14/4/2012 21:36 64.9	15/4/2012 14:46 66.2	16/4/2012 19:56 64.7	18/4/2012 21:06 65.4
10/4/2012 19:21 62.3	12/4/2012 20:31 65.6	14/4/2012 21:41 64.6	15/4/2012 14:51 64.7	16/4/2012 20:01 67.4	18/4/2012 21:11 65.4
10/4/2012 19:26 63.4	12/4/2012 20:36 63.9	14/4/2012 21:46 65.0	15/4/2012 14:56 64.7	16/4/2012 20:06 64.2	18/4/2012 21:16 63.4
10/4/2012 19:31 63.1	12/4/2012 20:41 64.3	14/4/2012 21:51 63.2	15/4/2012 15:01 66.6	16/4/2012 20:11 65.2	18/4/2012 21:21 64.5
10/4/2012 19:36 62.7	12/4/2012 20:46 62.9	14/4/2012 21:56 63.0	15/4/2012 15:06 65.1	16/4/2012 20:16 66.1	18/4/2012 21:26 64.9
10/4/2012 19:41 64.5	12/4/2012 20:51 64.2	14/4/2012 22:01 63.9	15/4/2012 15:11 67.2	16/4/2012 20:21 64.5	18/4/2012 21:31 66.4 18/4/2012 21:36 64.5
10/4/2012 19:46 62.4	12/4/2012 20:56 65.9	14/4/2012 22:06 64.2	15/4/2012 15:16 65.1	16/4/2012 20:26 63.9	18/4/2012 21:41 64.7
10/4/2012 19:51 61.6	12/4/2012 21:01 64.3	14/4/2012 22:11 63.3	15/4/2012 15:21 65.0	16/4/2012 20:31 64.2	
10/4/2012 19:56 62.4	12/4/2012 21:06 64.6	14/4/2012 22:16 64.9	15/4/2012 15:26 66.6	16/4/2012 20:36 64.6	18/4/2012 21:46 65.0
10/4/2012 20:01 63.6	12/4/2012 21:11 65.5	14/4/2012 22:21 64.4	15/4/2012 15:31 65.3	16/4/2012 20:41 64.8	18/4/2012 21:51 64.3
10/4/2012 20:06 62.4	12/4/2012 21:16 64.6	14/4/2012 22:26 63.8	15/4/2012 15:36 66.4	16/4/2012 20:46 65.6	18/4/2012 21:56 64.4
10/4/2012 20:11 62.1	12/4/2012 21:21 63.7	14/4/2012 22:31 63.4	15/4/2012 15:41 64.5	16/4/2012 20:51 63.8	18/4/2012 22:01 65.0
10/4/2012 20:16 62.4	12/4/2012 21:26 65.0	14/4/2012 22:36 65.1	15/4/2012 15:46 63.5	16/4/2012 20:56 65.8	18/4/2012 22:06 66.0
10/4/2012 20:21 62.6	12/4/2012 21:31 64.9	14/4/2012 22:41 64.1	15/4/2012 15:51 64.7	16/4/2012 21:01 64.5	18/4/2012 22:11 65.3
10/4/2012 20:26 61.2	12/4/2012 21:36 64.7	14/4/2012 22:46 64.3	15/4/2012 15:56 65.4	16/4/2012 21:06 64.3	18/4/2012 22:16 64.1
10/4/2012 20:31 62.5	12/4/2012 21:41 63.1	14/4/2012 22:51 64.3	15/4/2012 16:01 65.1	16/4/2012 21:11 64.3	18/4/2012 22:21 63.1
10/4/2012 20:36 60.4	12/4/2012 21:46 64.4	14/4/2012 22:56 64.4	15/4/2012 16:06 64.4	16/4/2012 21:16 64.7	18/4/2012 22:26 63.4
10/4/2012 20:41 61.5	12/4/2012 21:51 63.1	15/4/2012 7:01 66.4	15/4/2012 16:11 65.3	16/4/2012 21:21 65.3	18/4/2012 22:31 65.7
10/4/2012 20:46 61.0	12/4/2012 21:56 63.3	15/4/2012 7:06 64.9	15/4/2012 16:16 65.6	16/4/2012 21:26 64.0	18/4/2012 22:36 64.5
10/4/2012 20:51 61.6	12/4/2012 22:01 66.4	15/4/2012 7:11 63.7	15/4/2012 16:21 67.5	16/4/2012 21:31 64.4	18/4/2012 22:41 64.8
10/4/2012 20:56 62.0	12/4/2012 22:06 64.9	15/4/2012 7:16 64.3	15/4/2012 16:26 68.5	16/4/2012 21:36 66.0	18/4/2012 22:46 64.1
10/4/2012 21:01 61.2	12/4/2012 22:11 63.7	15/4/2012 7:21 65.7	15/4/2012 16:31 68.7	16/4/2012 21:41 64.0	18/4/2012 22:51 64.2
10/4/2012 21:06 62.0	12/4/2012 22:16 64.4	15/4/2012 7:26 64.2	15/4/2012 16:36 68.5	16/4/2012 21:46 65.2	18/4/2012 22:56 63.8
10/4/2012 21:11 61.9	12/4/2012 22:21 64.7	15/4/2012 7:31 65.9	15/4/2012 16:41 68.0	16/4/2012 21:51 64.4	19/4/2012 19:01 64.2
10/4/2012 21:16 61.1	12/4/2012 22:26 63.1	15/4/2012 7:36 65.7	15/4/2012 16:46 68.4	16/4/2012 21:56 63.9	19/4/2012 19:06 64.3
10/4/2012 21:21 60.3	12/4/2012 22:31 63.5	15/4/2012 7:41 66.1	15/4/2012 16:51 50.2	16/4/2012 22:01 65.2	19/4/2012 19:11 64.3
10/4/2012 21:26 62.3	12/4/2012 22:36 63.0	15/4/2012 7:46 65.1	15/4/2012 16:56 66.0	16/4/2012 22:06 62.3	19/4/2012 19:16 64.0
10/4/2012 21:31 60.7	12/4/2012 22:41 63.6	15/4/2012 7:51 66.0	15/4/2012 17:01 68.0	16/4/2012 22:11 64.1	19/4/2012 19:21 64.7
10/4/2012 21:36 60.7	12/4/2012 22:46 65.3	15/4/2012 7:56 66.1	15/4/2012 17:06 67.4	16/4/2012 22:16 64.4	19/4/2012 19:26 65.8
10/4/2012 21:41 61.3	12/4/2012 22:51 64.1	15/4/2012 8:01 66.5	15/4/2012 17:11 69.0	16/4/2012 22:21 62.1	19/4/2012 19:31 65.3
10/4/2012 21:46 62.1	12/4/2012 22:56 64.8	15/4/2012 8:06 64.9	15/4/2012 17:16 66.5	16/4/2012 22:26 62.4	19/4/2012 19:36 64.2
10/4/2012 21:51 61.3	13/4/2012 19:01 64.0	15/4/2012 8:11 65.5	15/4/2012 17:21 66.6	16/4/2012 22:31 64.7	19/4/2012 19:41 64.1
10/4/2012 21:56 61.7	13/4/2012 19:06 63.0	15/4/2012 8:16 67.4	15/4/2012 17:26 65.2	16/4/2012 22:36 62.8	19/4/2012 19:46 64.2
10/4/2012 22:01 61.2	13/4/2012 19:11 63.5	15/4/2012 8:21 66.4	15/4/2012 17:31 65.3	16/4/2012 22:41 63.8	19/4/2012 19:51 63.9
10/4/2012 22:06 62.0	13/4/2012 19:16 63.2	15/4/2012 8:26 68.6	15/4/2012 17:36 64.4	16/4/2012 22:46 66.6	19/4/2012 19:56 64.2
10/4/2012 22:11 62.7	13/4/2012 19:21 64.1	15/4/2012 8:31 67.1	15/4/2012 17:41 65.9	16/4/2012 22:51 64.5	19/4/2012 20:01 63.2
10/4/2012 22:16 60.6	13/4/2012 19:26 65.5	15/4/2012 8:36 65.6	15/4/2012 17:46 64.3	16/4/2012 22:56 64.6	19/4/2012 20:06 64.1
10/4/2012 22:21 61.8	13/4/2012 19:31 64.5	15/4/2012 8:41 69.4	15/4/2012 17:51 64.6	17/4/2012 19:01 65.0	19/4/2012 20:11 64.2
10/4/2012 22:26 62.0	13/4/2012 19:36 63.8	15/4/2012 8:46 68.4	15/4/2012 17:56 66.3	17/4/2012 19:06 65.1	19/4/2012 20:16 64.4
10/4/2012 22:31 61.6	13/4/2012 19:41 65.1	15/4/2012 8:51 67.1	15/4/2012 18:01 64.5	17/4/2012 19:11 63.5	19/4/2012 20:21 64.7
10/4/2012 22:36 60.5	13/4/2012 19:46 65.6	15/4/2012 8:56 67.7	15/4/2012 18:06 62.8	17/4/2012 19:16 63.9	19/4/2012 20:26 64.4
10/4/2012 22:41 61.1	13/4/2012 19:51 65.2	15/4/2012 9:01 68.4	15/4/2012 18:11 64.2	17/4/2012 19:21 63.4	19/4/2012 20:31 64.2
10/4/2012 22:46 62.5	13/4/2012 19:56 66.4	15/4/2012 9:06 67.0	15/4/2012 18:16 63.7	17/4/2012 19:26 64.4	19/4/2012 20:36 64.7

Real-time Noise Data	RTN1 (FEHD Hong Kong Transport	Section Whitefield Depot)			
19/4/2012 20:41 64.4 19/4/2012 20:46 64.3	21/4/2012 21:51 64.2 21/4/2012 21:56 64.2	22/4/2012 15:01 65.6 22/4/2012 15:06 65.0	23/4/2012 20:11 63.7 23/4/2012 20:16 63.4	25/4/2012 21:21 66.3 25/4/2012 21:26 65.1	27/4/2012 22:31 64.1 27/4/2012 22:36 63.6
19/4/2012 20:51 65.2	21/4/2012 22:01 64.0	22/4/2012 15:11 64.8	23/4/2012 20:21 63.1	25/4/2012 21:31 64.6	27/4/2012 22:41 64.1
19/4/2012 20:56 64.7	21/4/2012 22:06 64.9	22/4/2012 15:16 64.9	23/4/2012 20:26 63.6	25/4/2012 21:36 63.7	27/4/2012 22:46 63.7
19/4/2012 21:01 64.6	21/4/2012 22:11 64.3	22/4/2012 15:21 64.0	23/4/2012 20:31 63.0	25/4/2012 21:41 63.7	27/4/2012 22:51 63.5
19/4/2012 21:06 64.1	21/4/2012 22:16 63.7	22/4/2012 15:26 64.9	23/4/2012 20:36 63.5	25/4/2012 21:46 63.1	27/4/2012 22:56 64.5
19/4/2012 21:11 64.0	21/4/2012 22:21 63.9	22/4/2012 15:31 63.5	23/4/2012 20:41 63.0	25/4/2012 21:51 62.5	Night-time 23:00-07:00
19/4/2012 21:16 64.4	21/4/2012 22:26 64.5	22/4/2012 15:36 64.4	23/4/2012 20:46 64.2	25/4/2012 21:56 64.6	
19/4/2012 21:21 65.0	21/4/2012 22:31 64.1	22/4/2012 15:41 64.1	23/4/2012 20:51 62.5	25/4/2012 22:01 64.3	28/3/2012 0:01 62.9
19/4/2012 21:26 64.3	21/4/2012 22:36 64.0	22/4/2012 15:46 65.3	23/4/2012 20:56 63.1	25/4/2012 22:06 64.7	28/3/2012 0:06 62.0
19/4/2012 21:31 64.7	21/4/2012 22:41 65.1	22/4/2012 15:51 65.4	23/4/2012 21:01 63.1	25/4/2012 22:11 64.4	28/3/2012 0:11 62.4
19/4/2012 21:36 64.5	21/4/2012 22:46 63.8	22/4/2012 15:56 64.5	23/4/2012 21:06 63.2	25/4/2012 22:16 62.6	28/3/2012 0:16 61.5
19/4/2012 21:41 63.8	21/4/2012 22:51 63.4	22/4/2012 16:01 64.1	23/4/2012 21:11 63.8	25/4/2012 22:21 62.8	28/3/2012 0:21 62.0
19/4/2012 21:46 63.9	21/4/2012 22:56 63.6	22/4/2012 16:06 64.8	23/4/2012 21:16 63.0	25/4/2012 22:26 65.0	28/3/2012 0:26 63.6
19/4/2012 21:51 64.4	22/4/2012 7:01 63.5	22/4/2012 16:11 64.6	23/4/2012 21:21 63.1	25/4/2012 22:31 63.5	28/3/2012 0:31 62.0
19/4/2012 21:56 64.0	22/4/2012 7:06 63.3	22/4/2012 16:16 63.8	23/4/2012 21:26 62.6	25/4/2012 22:36 63.5	28/3/2012 0:36 62.4
19/4/2012 22:01 64.1	22/4/2012 7:11 63.9	22/4/2012 16:21 64.5	23/4/2012 21:31 63.4	25/4/2012 22:41 65.1	28/3/2012 0:41 63.2
19/4/2012 22:06 64.2	22/4/2012 7:16 63.8	22/4/2012 16:26 64.6	23/4/2012 21:36 63.8	25/4/2012 22:46 62.8	28/3/2012 0:46 61.7
19/4/2012 22:11 63.8	22/4/2012 7:21 63.2	22/4/2012 16:31 64.7	23/4/2012 21:41 63.7	25/4/2012 22:51 62.8	28/3/2012 0:51 60.5
19/4/2012 22:16 64.6	22/4/2012 7:26 63.6	22/4/2012 16:36 64.8	23/4/2012 21:46 63.6	25/4/2012 22:56 64.1	28/3/2012 0:56 61.3
19/4/2012 22:21 64.0	22/4/2012 7:31 63.7	22/4/2012 16:41 64.9	23/4/2012 21:51 63.8	26/4/2012 19:01 63.5	28/3/2012 1:01 59.7
19/4/2012 22:26 64.0	22/4/2012 7:36 64.3	22/4/2012 16:46 64.7	23/4/2012 21:56 63.7	26/4/2012 19:06 64.8	28/3/2012 1:06 61.5
19/4/2012 22:31 63.9	22/4/2012 7:41 65.1	22/4/2012 16:51 64.7	23/4/2012 22:01 63.9	26/4/2012 19:11 63.9	28/3/2012 1:11 59.5
19/4/2012 22:36 64.3	22/4/2012 7:46 63.7	22/4/2012 16:56 64.7	23/4/2012 22:06 63.8	26/4/2012 19:16 63.2	28/3/2012 1:16 60.5
19/4/2012 22:41 64.0	22/4/2012 7:51 64.4	22/4/2012 17:01 65.3	23/4/2012 22:11 64.1	26/4/2012 19:21 63.1	28/3/2012 1:21 59.5
19/4/2012 22:46 63.6	22/4/2012 7:56 64.3	22/4/2012 17:06 65.6	23/4/2012 22:16 63.3	26/4/2012 19:26 65.0	28/3/2012 1:26 59.8
19/4/2012 22:51 63.9	22/4/2012 8:01 64.2	22/4/2012 17:11 65.3	23/4/2012 22:21 63.6	26/4/2012 19:31 64.4	28/3/2012 1:31 62.1
19/4/2012 22:56 63.7	22/4/2012 8:06 65.6	22/4/2012 17:16 64.6	23/4/2012 22:26 63.0	26/4/2012 19:36 64.5	28/3/2012 1:36 62.2
20/4/2012 19:01 62.6	22/4/2012 8:11 65.3	22/4/2012 17:21 64.4	23/4/2012 22:31 63.4	26/4/2012 19:41 65.9	28/3/2012 1:41 58.7
20/4/2012 19:06 62.2	22/4/2012 8:16 65.1	22/4/2012 17:26 63.7	23/4/2012 22:36 63.1	26/4/2012 19:46 65.5	28/3/2012 1:46 59.4
20/4/2012 19:11 62.1	22/4/2012 8:21 65.3	22/4/2012 17:31 64.1	23/4/2012 22:41 63.3	26/4/2012 19:51 64.3	28/3/2012 1:51 57.8
20/4/2012 19:16 63.2	22/4/2012 8:26 63.8	22/4/2012 17:36 63.3	23/4/2012 22:46 62.9	26/4/2012 19:56 65.4	28/3/2012 1:56 58.5
20/4/2012 19:21 62.0	22/4/2012 8:31 65.0	22/4/2012 17:41 64.6	23/4/2012 22:51 63.5	26/4/2012 20:01 65.2	28/3/2012 2:01 60.2
20/4/2012 19:26 62.0	22/4/2012 8:36 64.5	22/4/2012 17:46 63.6	23/4/2012 22:56 63.2	26/4/2012 20:06 63.9	28/3/2012 2:06 60.7
20/4/2012 19:31 62.9	22/4/2012 8:41 64.7	22/4/2012 17:51 63.6	24/4/2012 19:01 64.2	26/4/2012 20:11 66.2	28/3/2012 2:11 60.7
20/4/2012 19:36 65.7	22/4/2012 8:46 63.9	22/4/2012 17:56 64.0	24/4/2012 19:06 64.2	26/4/2012 20:16 64.3	28/3/2012 2:16 58.4
20/4/2012 19:41 64.8	22/4/2012 8:51 63.9	22/4/2012 18:01 62.6	24/4/2012 19:11 64.4	26/4/2012 20:21 65.7	28/3/2012 2:21 58.4
20/4/2012 19:46 65.1	22/4/2012 8:56 64.3	22/4/2012 18:06 62.9	24/4/2012 19:16 63.9	26/4/2012 20:26 65.0	28/3/2012 2:26 59.8
20/4/2012 19:51 65.9	22/4/2012 9:01 64.3	22/4/2012 18:11 63.1	24/4/2012 19:21 63.8	26/4/2012 20:31 65.4	28/3/2012 2:31 60.1
20/4/2012 19:56 65.2	22/4/2012 9:06 64.8	22/4/2012 18:16 63.9	24/4/2012 19:26 63.5	26/4/2012 20:36 64.7	28/3/2012 2:36 58.4
20/4/2012 20:01 64.9	22/4/2012 9:11 65.1	22/4/2012 18:21 63.9	24/4/2012 19:31 63.4	26/4/2012 20:41 63.9	28/3/2012 2:41 58.5
20/4/2012 20:06 65.1	22/4/2012 9:16 64.5	22/4/2012 18:26 64.4	24/4/2012 19:36 64.1	26/4/2012 20:46 64.2	28/3/2012 2:46 59.3
20/4/2012 20:11 64.4	22/4/2012 9:21 65.3	22/4/2012 18:31 64.2	24/4/2012 19:41 63.9	26/4/2012 20:51 65.3	28/3/2012 2:51 59.1
20/4/2012 20:16 64.3	22/4/2012 9:26 65.0	22/4/2012 18:36 64.7	24/4/2012 19:46 63.7	26/4/2012 20:56 66.1	28/3/2012 2:56 58.8
20/4/2012 20:21 64.4	22/4/2012 9:31 66.1	22/4/2012 18:41 64.7	24/4/2012 19:51 63.4	26/4/2012 21:01 65.4	28/3/2012 3:01 59.1
20/4/2012 20:26 64.0	22/4/2012 9:36 66.1	22/4/2012 18:46 64.7	24/4/2012 19:56 63.4	26/4/2012 21:06 64.7	28/3/2012 3:06 58.6
20/4/2012 20:31 64.6	22/4/2012 9:41 65.4	22/4/2012 18:51 64.8	24/4/2012 20:01 63.8	26/4/2012 21:11 64.6	28/3/2012 3:11 59.0
20/4/2012 20:36 64.3	22/4/2012 9:46 65.3	22/4/2012 18:56 64.4	24/4/2012 20:06 63.9	26/4/2012 21:16 64.1	28/3/2012 3:16 59.4
20/4/2012 20:41 64.2	22/4/2012 9:51 65.1	22/4/2012 19:01 64.6	24/4/2012 20:11 65.3	26/4/2012 21:21 64.6	28/3/2012 3:21 57.4
20/4/2012 20:46 64.6	22/4/2012 9:56 65.3	22/4/2012 19:06 64.1	24/4/2012 20:16 63.9	26/4/2012 21:26 64.7	28/3/2012 3:26 59.5
20/4/2012 20:51 63.7	22/4/2012 10:01 66.0	22/4/2012 19:11 64.1	24/4/2012 20:21 63.0	26/4/2012 21:31 65.1	28/3/2012 3:31 58.6
20/4/2012 20:56 64.6	22/4/2012 10:06 65.6	22/4/2012 19:16 63.5	24/4/2012 20:26 63.2	26/4/2012 21:36 65.0	28/3/2012 3:36 58.0
20/4/2012 21:01 64.1	22/4/2012 10:11 66.0	22/4/2012 19:21 65.7	24/4/2012 20:31 63.3	26/4/2012 21:41 64.2	28/3/2012 3:41 56.7
20/4/2012 21:06 64.0	22/4/2012 10:16 65.2	22/4/2012 19:26 64.0	24/4/2012 20:36 63.3	26/4/2012 21:46 63.1	28/3/2012 3:46 58.2
20/4/2012 21:11 64.0	22/4/2012 10:21 64.6	22/4/2012 19:31 65.4	24/4/2012 20:41 64.0	26/4/2012 21:51 65.7	28/3/2012 3:51 57.1
20/4/2012 21:16 63.9	22/4/2012 10:26 64.6	22/4/2012 19:36 63.5	24/4/2012 20:46 63.9	26/4/2012 21:56 65.1	28/3/2012 3:56 57.4
20/4/2012 21:21 64.0	22/4/2012 10:31 65.2	22/4/2012 19:41 63.6	24/4/2012 20:51 63.1	26/4/2012 22:01 62.4	28/3/2012 4:01 56.5
20/4/2012 21:26 64.4	22/4/2012 10:36 64.9	22/4/2012 19:46 63.9	24/4/2012 20:56 63.7	26/4/2012 22:06 64.2	28/3/2012 4:06 56.6
20/4/2012 21:31 64.0	22/4/2012 10:41 64.9	22/4/2012 19:51 63.9	24/4/2012 21:01 63.4	26/4/2012 22:11 62.9	28/3/2012 4:11 58.9
20/4/2012 21:36 63.9	22/4/2012 10:46 64.6	22/4/2012 19:56 63.7	24/4/2012 21:06 63.5	26/4/2012 22:16 63.3	28/3/2012 4:16 58.4
20/4/2012 21:41 64.0	22/4/2012 10:51 64.3	22/4/2012 20:01 63.7	24/4/2012 21:11 62.7	26/4/2012 22:21 63.7	28/3/2012 4:21 56.3
20/4/2012 21:46 64.3	22/4/2012 10:56 64.8	22/4/2012 20:06 63.7	24/4/2012 21:16 63.2	26/4/2012 22:26 63.9	28/3/2012 4:26 57.4
20/4/2012 21:51 64.1	22/4/2012 11:01 64.9	22/4/2012 20:11 63.4	24/4/2012 21:21 63.3	26/4/2012 22:31 63.9	28/3/2012 4:31 57.5
20/4/2012 21:56 64.2	22/4/2012 11:06 64.6	22/4/2012 20:16 63.4	24/4/2012 21:26 63.2	26/4/2012 22:36 64.8	28/3/2012 4:36 57.3
20/4/2012 22:01 64.2	22/4/2012 11:11 64.8	22/4/2012 20:21 63.0	24/4/2012 21:31 63.4	26/4/2012 22:41 64.3	28/3/2012 4:41 58.2
20/4/2012 22:06 63.8	22/4/2012 11:16 64.5	22/4/2012 20:26 63.4	24/4/2012 21:36 63.0	26/4/2012 22:46 64.8	28/3/2012 4:46 57.6
20/4/2012 22:11 64.1	22/4/2012 11:21 64.2	22/4/2012 20:31 63.3	24/4/2012 21:41 63.2	26/4/2012 22:51 65.2	28/3/2012 4:51 57.6
20/4/2012 22:16 64.2	22/4/2012 11:26 64.4	22/4/2012 20:36 63.1	24/4/2012 21:46 65.9	26/4/2012 22:56 64.1	28/3/2012 4:56 57.8
20/4/2012 22:21 63.9	22/4/2012 11:31 64.6	22/4/2012 20:41 63.2	24/4/2012 21:51 62.7	27/4/2012 19:01 64.2	28/3/2012 5:01 58.4
20/4/2012 22:26 63.1	22/4/2012 11:36 64.3	22/4/2012 20:46 63.3	24/4/2012 21:56 63.7	27/4/2012 19:06 63.9	28/3/2012 5:06 56.8
20/4/2012 22:31 63.9	22/4/2012 11:41 63.8	22/4/2012 20:51 63.6	24/4/2012 22:01 66.1	27/4/2012 19:11 63.8	28/3/2012 5:11 59.0
20/4/2012 22:36 63.4	22/4/2012 11:46 63.9	22/4/2012 20:56 62.7	24/4/2012 22:06 63.6	27/4/2012 19:16 63.4	28/3/2012 5:16 58.8
20/4/2012 22:41 64.1	22/4/2012 11:51 63.9	22/4/2012 21:01 63.0	24/4/2012 22:11 63.3	27/4/2012 19:21 64.6	28/3/2012 5:21 59.9
20/4/2012 22:46 63.7	22/4/2012 11:56 63.8	22/4/2012 21:06 63.7	24/4/2012 22:16 63.5	27/4/2012 19:26 64.2	28/3/2012 5:26 59.2
20/4/2012 22:51 63.8	22/4/2012 12:01 63.8	22/4/2012 21:11 62.8	24/4/2012 22:21 63.8	27/4/2012 19:31 64.3	28/3/2012 5:31 58.3
20/4/2012 22:56 63.4	22/4/2012 12:06 64.0	22/4/2012 21:16 63.4	24/4/2012 22:26 63.1	27/4/2012 19:36 64.4	28/3/2012 5:36 60.2
21/4/2012 19:01 64.2	22/4/2012 12:11 65.0	22/4/2012 21:21 63.5	24/4/2012 22:31 64.6	27/4/2012 19:41 64.3	28/3/2012 5:41 59.6
21/4/2012 19:06 63.9	22/4/2012 12:16 63.3	22/4/2012 21:26 63.5	24/4/2012 22:36 63.4	27/4/2012 19:46 64.5	28/3/2012 5:46 60.5
21/4/2012 19:11 64.5	22/4/2012 12:21 63.6	22/4/2012 21:31 63.4	24/4/2012 22:41 62.9	27/4/2012 19:51 64.2	28/3/2012 5:51 58.4
21/4/2012 19:16 65.3	22/4/2012 12:26 64.2	22/4/2012 21:36 63.5	24/4/2012 22:46 63.6	27/4/2012 19:56 64.3	28/3/2012 5:56 61.3
21/4/2012 19:21 66.4	22/4/2012 12:31 64.1	22/4/2012 21:41 63.7	24/4/2012 22:51 63.3	27/4/2012 20:01 64.1	28/3/2012 6:01 60.8
21/4/2012 19:26 65.9	22/4/2012 12:36 63.8	22/4/2012 21:46 64.4	24/4/2012 22:56 65.7	27/4/2012 20:06 64.5	28/3/2012 6:06 59.9
21/4/2012 19:31 66.5	22/4/2012 12:41 64.5	22/4/2012 21:51 63.6	25/4/2012 19:01 63.3	27/4/2012 20:11 64.0	28/3/2012 6:11 61.2
21/4/2012 19:36 66.1	22/4/2012 12:46 64.4	22/4/2012 21:56 63.7	25/4/2012 19:06 63.8	27/4/2012 20:16 64.5	28/3/2012 6:16 61.2
21/4/2012 19:41 65.7	22/4/2012 12:51 64.4	22/4/2012 22:01 63.4	25/4/2012 19:11 63.5	27/4/2012 20:21 63.4	28/3/2012 6:21 62.8
21/4/2012 19:46 65.7	22/4/2012 12:56 65.0	22/4/2012 22:06 63.9	25/4/2012 19:16 62.8	27/4/2012 20:26 64.6	28/3/2012 6:26 61.9
21/4/2012 19:51 65.3	22/4/2012 13:01 64.9	22/4/2012 22:11 64.0	25/4/2012 19:21 64.8	27/4/2012 20:31 64.0	28/3/2012 6:31 62.5
21/4/2012 19:56 65.5	22/4/2012 13:06 65.2	22/4/2012 22:16 64.6	25/4/2012 19:26 64.3	27/4/2012 20:36 63.3	28/3/2012 6:36 63.3
21/4/2012 20:01 65.6	22/4/2012 13:11 65.9	22/4/2012 22:21 63.8	25/4/2012 19:31 64.9	27/4/2012 20:41 63.9	28/3/2012 6:41 63.8
21/4/2012 20:06 64.8	22/4/2012 13:16 66.0	22/4/2012 22:26 64.3	25/4/2012 19:36 62.5	27/4/2012 20:46 64.5	28/3/2012 6:46 63.7
21/4/2012 20:11 64.0	22/4/2012 13:21 65.6	22/4/2012 22:31 63.8	25/4/2012 19:41 63.9	27/4/2012 20:51 64.4	28/3/2012 6:51 62.9
21/4/2012 20:16 64.6	22/4/2012 13:26 65.3	22/4/2012 22:36 64.5	25/4/2012 19:46 65.6	27/4/2012 20:56 64.0	28/3/2012 6:56 63.6
21/4/2012 20:21 64.5	22/4/2012 13:31 64.9	22/4/2012 22:41 64.0	25/4/2012 19:51 63.7	27/4/2012 21:01 64.3	28/3/2012 23:01 64.5
21/4/2012 20:26 64.8	22/4/2012 13:36 64.6	22/4/2012 22:46 63.8	25/4/2012 19:56 64.9	27/4/2012 21:06 64.1	28/3/2012 23:06 65.2
21/4/2012 20:31 65.6	22/4/2012 13:41 64.3	22/4/2012 22:51 63.6	25/4/2012 20:01 65.1	27/4/2012 21:11 63.8	28/3/2012 23:11 63.4
21/4/2012 20:36 64.8	22/4/2012 13:46 65.0	22/4/2012 22:56 64.4	25/4/2012 20:06 63.8	27/4/2012 21:16 64.4	28/3/2012 23:16 65.2
21/4/2012 20:41 65.0	22/4/2012 13:51 65.0	23/4/2012 19:01 64.3	25/4/2012 20:11 62.0	27/4/2012 21:21 64.5	28/3/2012 23:21 63.2
21/4/2012 20:46 64.9	22/4/2012 13:56 65.3	23/4/2012 19:06 63.6	25/4/2012 20:16 64.7	27/4/2012 21:26 64.1	28/3/2012 23:26 63.3
21/4/2012 20:51 65.0	22/4/2012 14:01 65.0	23/4/2012 19:11 64.1	25/4/2012 20:21 61.8	27/4/2012 21:31 64.2	28/3/2012 23:31 63.0
21/4/2012 20:56 64.1	22/4/2012 14:06 65.9	23/4/2012 19:16 63.6	25/4/2012 20:26 65.7	27/4/2012 21:36 63.7	28/3/2012 23:36 63.1
21/4/2012 21:01 64.9	22/4/2012 14:11 66.3	23/4/2012 19:21 64.8	25/4/2012 20:31 64.7	27/4/2012 21:41 63.4	28/3/2012 23:41 62.8
21/4/2012 21:06 64.7	22/4/2012 14:16 66.0	23/4/2012 19:26 64.6	25/4/2012 20:36 62.6	27/4/2012 21:46 64.7	28/3/2012 23:46 64.0
21/4/2012 21:11 64.5	22/4/2012 14:21 65.4	23/4/2012 19:31 64.2	25/4/2012 20:41 64.3	27/4/2012 21:51 63.6	28/3/2012 23:51 64.1
21/4/2012 21:16 64.8	22/4/2012 14:26 65.6	23/4/2012 19:36 64.2	25/4/2012 20:46 64.3	27/4/2012 21:56 63.7	28/3/2012 23:56 62.6
21/4/2012 21:21 63.9	22/4/2012 14:31 66.1	23/4/2012 19:41 63.4	25/4/2012 20:51 64.9	27/4/2012 22:01 64.7	29/3/2012 0:01 62.2
21/4/2012 21:26 64.1	22/4/2012 14:36 66.0	23/4/2012 19:46 64.0	25/4/2012 20:56 63.4	27/4/2012 22:06 63.8	29/3/2012 0:06 62.7
21/4/2012 21:31 65.2	22/4/2012 14:41 65.6	23/4/2012 19:51 64.2	25/4/2012 21:01 65.7	27/4/2012 22:11 63.8	29/3/2012 0:11 61.9
21/4/2012 21:36 63.9	22/4/2012 14:46 65.7	23/4/2012 19:56 63.3	25/4/2012 21:06 64.7	27/4/2012 22:16 63.3	29/3/2012 0:16 60.4
21/4/2012 21:41 64.6	22/4/2012 14:51 65.2	23/4/2012 20:01 63.8	25/4/2012 21:11 64.3	27/4/2012 22:21 63.6	29/3/2012 0:21 63.3
21/4/2012 21:46 64.7	22/4/2012 14:56 64.9	23/4/2012 20:06 63.4	25/4/2012 21:16 66.1	27/4/2012 22:26 63.8	29/3/2012 0:26 62.5

Deel deel Neise	D-1- DTN	4 (FELID II K	- T 1 O	6: \All-:4 -6: -1 -1 D							
Real-time Noise 29/3/2012 0:31	Data RIN 61.0	1 (FEHD Hong Kon 30/3/2012 1:41	g Transport Si 59.3	31/3/2012 2:51	59.3	1/4/2012 4:01	56.5	2/4/2012 5:11	58.2	3/4/2012 6:21	62.2
29/3/2012 0:36	60.2	30/3/2012 1:46	59.4	31/3/2012 2:56	60.0	1/4/2012 4:06	56.3	2/4/2012 5:16	59.3	3/4/2012 6:26	61.5
29/3/2012 0:41 29/3/2012 0:46	60.8 61.4		59.1 57.8	31/3/2012 3:01 31/3/2012 3:06	58.3 59.2	1/4/2012 4:11 1/4/2012 4:16	57.0 57.6	2/4/2012 5:21 2/4/2012 5:26	59.5 59.9	3/4/2012 6:31 3/4/2012 6:36	63.2 62.4
29/3/2012 0:51 29/3/2012 0:56	61.0 61.4		61.3 59.4	31/3/2012 3:11 31/3/2012 3:16	58.5 59.4	1/4/2012 4:21 1/4/2012 4:26	58.0 57.9	2/4/2012 5:31 2/4/2012 5:36	58.8 59.4	3/4/2012 6:41 3/4/2012 6:46	63.9 63.7
29/3/2012 1:01	60.8	30/3/2012 2:11	58.9	31/3/2012 3:21	57.4	1/4/2012 4:31	59.6	2/4/2012 5:41	59.3	3/4/2012 6:51	64.2
29/3/2012 1:06 29/3/2012 1:11	61.4 59.2		59.3 59.6	31/3/2012 3:26 31/3/2012 3:31	58.7 58.1	1/4/2012 4:36 1/4/2012 4:41	58.0 56.7	2/4/2012 5:46 2/4/2012 5:51	59.5 59.5	3/4/2012 6:56 3/4/2012 23:01	63.2 64.5
29/3/2012 1:16	62.2	30/3/2012 2:26	59.6	31/3/2012 3:36	57.5	1/4/2012 4:46	58.4	2/4/2012 5:56	60.4	3/4/2012 23:06	63.8
29/3/2012 1:21 29/3/2012 1:26	60.1 59.9		60.8 59.9	31/3/2012 3:41 31/3/2012 3:46	58.6 57.6	1/4/2012 4:51 1/4/2012 4:56	57.7 58.4	2/4/2012 6:01 2/4/2012 6:06	60.7 61.0	3/4/2012 23:11 3/4/2012 23:16	62.6 64.2
29/3/2012 1:31 29/3/2012 1:36	58.8 61.2		57.3 59.0	31/3/2012 3:51 31/3/2012 3:56	59.1 56.8	1/4/2012 5:01 1/4/2012 5:06	58.1 58.3	2/4/2012 6:11 2/4/2012 6:16	61.1 61.0	3/4/2012 23:21 3/4/2012 23:26	64.2 64.5
29/3/2012 1:41	58.7	30/3/2012 2:51	58.1	31/3/2012 4:01	56.2	1/4/2012 5:11	58.6	2/4/2012 6:21	62.6	3/4/2012 23:31	64.4
29/3/2012 1:46 29/3/2012 1:51	60.1 57.3		58.2 58.7	31/3/2012 4:06 31/3/2012 4:11	57.5 57.9	1/4/2012 5:16 1/4/2012 5:21	58.0 60.3	2/4/2012 6:26 2/4/2012 6:31	62.9 63.0	3/4/2012 23:36 3/4/2012 23:41	63.5 62.8
29/3/2012 1:56	60.0 60.4		59.3 59.1	31/3/2012 4:16	59.4 55.6	1/4/2012 5:26	58.7	2/4/2012 6:36 2/4/2012 6:41	61.5 63.2	3/4/2012 23:46	63.8
29/3/2012 2:01 29/3/2012 2:06	57.7	30/3/2012 3:16	60.0	31/3/2012 4:21 31/3/2012 4:26	56.5	1/4/2012 5:31 1/4/2012 5:36	58.5 59.0	2/4/2012 6:46	63.9	3/4/2012 23:51 3/4/2012 23:56	63.6 62.4
29/3/2012 2:11 29/3/2012 2:16	59.9 60.6		58.5 57.6	31/3/2012 4:31 31/3/2012 4:36	57.7 57.4	1/4/2012 5:41 1/4/2012 5:46	59.1 60.6	2/4/2012 6:51 2/4/2012 6:56	64.9 64.9	4/4/2012 0:01 4/4/2012 0:06	63.8 62.6
29/3/2012 2:21	59.3	30/3/2012 3:31	59.2	31/3/2012 4:41	57.2	1/4/2012 5:51	60.2	2/4/2012 23:01	63.7	4/4/2012 0:11	62.9
29/3/2012 2:26 29/3/2012 2:31	59.9 59.2	30/3/2012 3:41	58.0 57.8	31/3/2012 4:46 31/3/2012 4:51	57.9 59.0	1/4/2012 5:56 1/4/2012 6:01	61.0 61.2	2/4/2012 23:06 2/4/2012 23:11	64.7 64.1	4/4/2012 0:16 4/4/2012 0:21	60.6 63.1
29/3/2012 2:36 29/3/2012 2:41	58.9 58.6		58.3 57.9	31/3/2012 4:56 31/3/2012 5:01	57.6 58.2	1/4/2012 6:06 1/4/2012 6:11	61.1 61.4	2/4/2012 23:16 2/4/2012 23:21	64.5 64.6	4/4/2012 0:26 4/4/2012 0:31	63.0 60.7
29/3/2012 2:46	58.5	30/3/2012 3:56	58.6	31/3/2012 5:06	57.3	1/4/2012 6:16	62.0	2/4/2012 23:26	64.9	4/4/2012 0:36	61.6
29/3/2012 2:51 29/3/2012 2:56	57.3 58.8		57.0 56.2	31/3/2012 5:11 31/3/2012 5:16	60.2 59.6	1/4/2012 6:21 1/4/2012 6:26	60.9 64.1	2/4/2012 23:31 2/4/2012 23:36	64.7 63.0	4/4/2012 0:41 4/4/2012 0:46	61.2 61.5
29/3/2012 3:01 29/3/2012 3:06	59.1 60.8		56.5 58.2	31/3/2012 5:21 31/3/2012 5:26	59.7 60.0	1/4/2012 6:31 1/4/2012 6:36	62.7 63.4	2/4/2012 23:41 2/4/2012 23:46	62.9 64.8	4/4/2012 0:51 4/4/2012 0:56	62.4 60.7
29/3/2012 3:11	58.2	30/3/2012 4:21	57.0	31/3/2012 5:31	59.4	1/4/2012 6:41	64.0	2/4/2012 23:51	64.6	4/4/2012 1:01	61.1
29/3/2012 3:16 29/3/2012 3:21	60.8 56.3		57.2 58.3	31/3/2012 5:36 31/3/2012 5:41	59.5 59.6	1/4/2012 6:46 1/4/2012 6:51	63.4 62.0	2/4/2012 23:56 3/4/2012 0:01	62.5 62.8	4/4/2012 1:06 4/4/2012 1:11	61.2 60.2
29/3/2012 3:26	57.6	30/3/2012 4:36	57.9	31/3/2012 5:46	60.0	1/4/2012 6:56	64.2	3/4/2012 0:06	62.5	4/4/2012 1:16	61.6
29/3/2012 3:31 29/3/2012 3:36	58.2 57.1		56.5 58.1	31/3/2012 5:51 31/3/2012 5:56	59.9 60.6	1/4/2012 23:01 1/4/2012 23:06	64.8 64.0	3/4/2012 0:11 3/4/2012 0:16	61.8 60.8	4/4/2012 1:21 4/4/2012 1:26	59.0 58.3
29/3/2012 3:41 29/3/2012 3:46	57.3 57.8		58.8 57.3	31/3/2012 6:01 31/3/2012 6:06	59.7 61.7	1/4/2012 23:11 1/4/2012 23:16	65.0 64.3	3/4/2012 0:21 3/4/2012 0:26	62.7 61.7	4/4/2012 1:31 4/4/2012 1:36	60.6 60.9
29/3/2012 3:51	58.8	30/3/2012 5:01	57.7	31/3/2012 6:11	61.9	1/4/2012 23:21	63.9	3/4/2012 0:31	60.4	4/4/2012 1:41	58.4
29/3/2012 3:56 29/3/2012 4:01	57.1 55.9		57.3 59.3	31/3/2012 6:16 31/3/2012 6:21	63.3 61.1	1/4/2012 23:26 1/4/2012 23:31	63.1 64.2	3/4/2012 0:36 3/4/2012 0:41	62.4 62.5	4/4/2012 1:46 4/4/2012 1:51	61.4 58.9
29/3/2012 4:06 29/3/2012 4:11	57.3 57.1	30/3/2012 5:16	57.8 59.2	31/3/2012 6:26	62.6 63.8	1/4/2012 23:36	64.1 61.9	3/4/2012 0:46	61.7 60.0	4/4/2012 1:56 4/4/2012 2:01	60.5 61.0
29/3/2012 4:16	58.5	30/3/2012 5:26	58.5	31/3/2012 6:31 31/3/2012 6:36	62.9	1/4/2012 23:41 1/4/2012 23:46	62.7	3/4/2012 0:51 3/4/2012 0:56	60.0	4/4/2012 2:06	59.6
29/3/2012 4:21 29/3/2012 4:26	57.8 57.3		58.5 58.7	31/3/2012 6:41 31/3/2012 6:46	63.7 63.3	1/4/2012 23:51 1/4/2012 23:56	62.5 62.5	3/4/2012 1:01 3/4/2012 1:06	60.6 60.8	4/4/2012 2:11 4/4/2012 2:16	60.4 61.2
29/3/2012 4:31	57.2	30/3/2012 5:41	58.6	31/3/2012 6:51	63.6	2/4/2012 0:01	63.0	3/4/2012 1:11	58.9	4/4/2012 2:21	59.1
29/3/2012 4:36 29/3/2012 4:41	58.4 57.2		60.2 61.2	31/3/2012 6:56 31/3/2012 23:01	63.6 64.5	2/4/2012 0:06 2/4/2012 0:11	63.0 61.5	3/4/2012 1:16 3/4/2012 1:21	61.2 61.7	4/4/2012 2:26 4/4/2012 2:31	58.8 60.0
29/3/2012 4:46 29/3/2012 4:51	56.8 56.8		58.2 59.4	31/3/2012 23:06 31/3/2012 23:11	63.9 62.1	2/4/2012 0:16 2/4/2012 0:21	61.6 62.2	3/4/2012 1:26 3/4/2012 1:31	59.4 60.2	4/4/2012 2:36 4/4/2012 2:41	58.9 55.5
29/3/2012 4:56	57.2	30/3/2012 6:06	60.3	31/3/2012 23:16	64.6	2/4/2012 0:26	61.8	3/4/2012 1:36	62.1	4/4/2012 2:46	59.7
29/3/2012 5:01 29/3/2012 5:06	58.3 57.8		61.8 62.1	31/3/2012 23:21 31/3/2012 23:26	64.6 63.8	2/4/2012 0:31 2/4/2012 0:36	61.2 61.0	3/4/2012 1:41 3/4/2012 1:46	58.4 58.7	4/4/2012 2:51 4/4/2012 2:56	60.1 56.8
29/3/2012 5:11 29/3/2012 5:16	59.2 57.7		62.8 62.9	31/3/2012 23:31 31/3/2012 23:36	63.8 63.7	2/4/2012 0:41 2/4/2012 0:46	62.1 60.8	3/4/2012 1:51 3/4/2012 1:56	57.7 58.5	4/4/2012 3:01 4/4/2012 3:06	56.6 58.5
29/3/2012 5:21	59.5	30/3/2012 6:31	62.0	31/3/2012 23:41	62.7	2/4/2012 0:51	59.7	3/4/2012 2:01	60.5	4/4/2012 3:11	58.7
29/3/2012 5:26 29/3/2012 5:31	58.8 59.0		62.6 63.3	31/3/2012 23:46 31/3/2012 23:51	63.4 64.7	2/4/2012 0:56 2/4/2012 1:01	60.7 59.6	3/4/2012 2:06 3/4/2012 2:11	59.2 59.7	4/4/2012 3:16 4/4/2012 3:21	58.7 57.8
29/3/2012 5:36 29/3/2012 5:41	59.5 58.9		63.8 63.9	31/3/2012 23:56 1/4/2012 0:01		2/4/2012 1:06 2/4/2012 1:11	61.7 59.6	3/4/2012 2:16 3/4/2012 2:21	60.0 59.3	4/4/2012 3:26 4/4/2012 3:31	57.8 59.1
29/3/2012 5:46	59.8	30/3/2012 6:56	64.3	1/4/2012 0:06	62.8	2/4/2012 1:16	60.6	3/4/2012 2:26	57.9	4/4/2012 3:36	57.3
29/3/2012 5:51 29/3/2012 5:56	60.4 59.6	30/3/2012 23:01 30/3/2012 23:06	63.4 64.8	1/4/2012 0:11 1/4/2012 0:16	62.5 61.4	2/4/2012 1:21 2/4/2012 1:26	60.1 57.1	3/4/2012 2:31 3/4/2012 2:36	60.7 60.3	4/4/2012 3:41 4/4/2012 3:46	58.5 59.0
29/3/2012 6:01 29/3/2012 6:06	59.8 61.1		62.9	1/4/2012 0:21 1/4/2012 0:26	62.6 63.4	2/4/2012 1:31 2/4/2012 1:36	60.0 62.2	3/4/2012 2:41 3/4/2012 2:46	57.6 58.3	4/4/2012 3:51 4/4/2012 3:56	57.3 58.5
29/3/2012 6:11	61.5	30/3/2012 23:21	63.4	1/4/2012 0:31	62.3	2/4/2012 1:41	58.9	3/4/2012 2:51	59.5	4/4/2012 4:01	56.3
29/3/2012 6:16 29/3/2012 6:21	60.8 60.1		65.0 64.4	1/4/2012 0:36 1/4/2012 0:41	61.5 63.2	2/4/2012 1:46 2/4/2012 1:51	59.5 57.0	3/4/2012 2:56 3/4/2012 3:01	59.1 59.4	4/4/2012 4:06 4/4/2012 4:11	58.5 58.9
29/3/2012 6:26	62.0 62.4	30/3/2012 23:36	62.5 63.7	1/4/2012 0:46 1/4/2012 0:51	61.8	2/4/2012 1:56	57.6	3/4/2012 3:06 3/4/2012 3:11	58.1	4/4/2012 4:16 4/4/2012 4:21	57.6
29/3/2012 6:31 29/3/2012 6:36	62.9	30/3/2012 23:46	63.2	1/4/2012 0:56	60.9 61.2	2/4/2012 2:01 2/4/2012 2:06	59.9 59.5	3/4/2012 3:16	58.8 59.0	4/4/2012 4:26	57.3 57.0
29/3/2012 6:41 29/3/2012 6:46	62.1 63.0		64.0 62.5	1/4/2012 1:01 1/4/2012 1:06	60.7 61.9	2/4/2012 2:11 2/4/2012 2:16	60.2 60.2	3/4/2012 3:21 3/4/2012 3:26	57.2 57.4	4/4/2012 4:31 4/4/2012 4:36	57.4 57.0
29/3/2012 6:51	63.9	31/3/2012 0:01	63.4	1/4/2012 1:11	60.6	2/4/2012 2:21	57.8	3/4/2012 3:31	58.0	4/4/2012 4:41	55.8
29/3/2012 6:56 29/3/2012 23:01	64.1 64.6		63.1 63.2	1/4/2012 1:16 1/4/2012 1:21	60.5 59.2	2/4/2012 2:26 2/4/2012 2:31	57.8 59.1	3/4/2012 3:36 3/4/2012 3:41	58.0 58.2	4/4/2012 4:46 4/4/2012 4:51	58.0 57.3
29/3/2012 23:06 29/3/2012 23:11			61.4 63.3	1/4/2012 1:26 1/4/2012 1:31	58.9 60.4	2/4/2012 2:36 2/4/2012 2:41	58.6 57.1	3/4/2012 3:46 3/4/2012 3:51	58.7 57.9	4/4/2012 4:56 4/4/2012 5:01	57.4 58.6
29/3/2012 23:16	63.9	31/3/2012 0:26	62.8	1/4/2012 1:36	60.6	2/4/2012 2:46	59.4	3/4/2012 3:56	57.9	4/4/2012 5:06	58.3
29/3/2012 23:21 29/3/2012 23:26			60.8 61.9	1/4/2012 1:41 1/4/2012 1:46	58.7 59.7	2/4/2012 2:51 2/4/2012 2:56	58.0 58.8	3/4/2012 4:01 3/4/2012 4:06	57.4 56.9	4/4/2012 5:11 4/4/2012 5:16	58.0 58.0
29/3/2012 23:31 29/3/2012 23:36	64.4		62.8 62.1	1/4/2012 1:51 1/4/2012 1:56	58.2 58.4	2/4/2012 3:01 2/4/2012 3:06	57.8 59.3	3/4/2012 4:11 3/4/2012 4:16	57.9 58.8	4/4/2012 5:21 4/4/2012 5:26	59.8 60.4
29/3/2012 23:41	63.0	31/3/2012 0:51	61.7	1/4/2012 2:01	60.9	2/4/2012 3:11	59.1	3/4/2012 4:21	57.2	4/4/2012 5:31	58.5
29/3/2012 23:46 29/3/2012 23:51			60.2 60.0	1/4/2012 2:06 1/4/2012 2:11	59.2 60.0	2/4/2012 3:16 2/4/2012 3:21	58.3 57.6	3/4/2012 4:26 3/4/2012 4:31	56.8 58.4	4/4/2012 5:36 4/4/2012 5:41	60.4 60.0
29/3/2012 23:56 30/3/2012 0:01		31/3/2012 1:06	62.0 60.8	1/4/2012 2:16 1/4/2012 2:21	59.4 58.0	2/4/2012 3:26 2/4/2012 3:31	57.9	3/4/2012 4:36 3/4/2012 4:41	58.7 56.3	4/4/2012 5:46 4/4/2012 5:51	60.9 59.8
30/3/2012 0:06	62.8	31/3/2012 1:16	60.5	1/4/2012 2:26	59.5	2/4/2012 3:36	58.9 58.1	3/4/2012 4:46	57.1	4/4/2012 5:56	60.1
30/3/2012 0:11 30/3/2012 0:16	61.8 61.6		59.7 58.4	1/4/2012 2:31 1/4/2012 2:36	59.7 58.0	2/4/2012 3:41 2/4/2012 3:46	58.0 57.3	3/4/2012 4:51 3/4/2012 4:56	59.1 57.8	4/4/2012 6:01 4/4/2012 6:06	59.0 60.9
30/3/2012 0:21	63.8	31/3/2012 1:31	62.0	1/4/2012 2:41	58.0	2/4/2012 3:51	56.3	3/4/2012 5:01	58.4	4/4/2012 6:11	60.2
30/3/2012 0:26 30/3/2012 0:31	63.8 61.5	31/3/2012 1:41	60.8 60.0	1/4/2012 2:46 1/4/2012 2:51	60.0 58.4	2/4/2012 3:56 2/4/2012 4:01	57.2 57.4	3/4/2012 5:06 3/4/2012 5:11	57.6 59.1	4/4/2012 6:16 4/4/2012 6:21	60.3 62.3
30/3/2012 0:36 30/3/2012 0:41	61.0 60.8		60.2 57.6	1/4/2012 2:56 1/4/2012 3:01	57.4 58.0	2/4/2012 4:06 2/4/2012 4:11	56.3 57.1	3/4/2012 5:16 3/4/2012 5:21	57.1 59.5	4/4/2012 6:26 4/4/2012 6:31	62.6 63.7
30/3/2012 0:46	60.0	31/3/2012 1:56	58.7	1/4/2012 3:06	59.7	2/4/2012 4:16	58.5	3/4/2012 5:26	61.0	4/4/2012 6:36	63.7
30/3/2012 0:51 30/3/2012 0:56	60.8 59.9	31/3/2012 2:06	60.8 58.9	1/4/2012 3:11 1/4/2012 3:16	58.8 59.9	2/4/2012 4:21 2/4/2012 4:26	58.4 58.0	3/4/2012 5:31 3/4/2012 5:36	57.8 59.1	4/4/2012 6:41 4/4/2012 6:46	63.2 63.3
30/3/2012 1:01 30/3/2012 1:06	61.8 61.1	31/3/2012 2:11	59.4 59.8	1/4/2012 3:21 1/4/2012 3:26	58.1 57.7	2/4/2012 4:31 2/4/2012 4:36	56.8 58.0	3/4/2012 5:41 3/4/2012 5:46	58.7 60.8	4/4/2012 6:51 4/4/2012 6:56	64.8 64.4
30/3/2012 1:11	60.2	31/3/2012 2:21	57.3	1/4/2012 3:31	58.0	2/4/2012 4:41	56.8	3/4/2012 5:51	59.5	4/4/2012 23:01	64.3
30/3/2012 1:16 30/3/2012 1:21	60.9 59.4		59.5 60.2	1/4/2012 3:36 1/4/2012 3:41	56.5 58.7	2/4/2012 4:46 2/4/2012 4:51	58.5 58.5	3/4/2012 5:56 3/4/2012 6:01	58.6 61.8	4/4/2012 23:06 4/4/2012 23:11	62.7 63.4
30/3/2012 1:26 30/3/2012 1:31	58.4 61.3	31/3/2012 2:36	58.5 58.5	1/4/2012 3:46 1/4/2012 3:51	58.1 57.9	2/4/2012 4:56 2/4/2012 5:01	56.7 56.2	3/4/2012 6:06 3/4/2012 6:11	60.7 61.6	4/4/2012 23:16 4/4/2012 23:21	62.3 64.6
30/3/2012 1:36	61.3		58.9	1/4/2012 3:56	57.9 57.4	2/4/2012 5:01	58.7	3/4/2012 6:11	62.7	4/4/2012 23:26	63.4

Real-time Noise	Data	RTN1 (FEHD Hong Kong Ti	ransport Section Whitefield	d Depot)						
4/4/2012 23:31 4/4/2012 23:36	63.6 64.3	6/4/2012 0:41 62.0 6/4/2012 0:46 62.0		60.1 60.7	8/4/2012 3:01 8/4/2012 3:06	59.1 59.4	9/4/2012 4:11 9/4/2012 4:16	58.2 58.7	10/4/2012 5:21 10/4/2012 5:26	56.8 58.0
4/4/2012 23:41	63.8	6/4/2012 0:51 62.3	3 7/4/2012 2:01	60.2	8/4/2012 3:11	59.2	9/4/2012 4:21	57.6	10/4/2012 5:31	55.8
4/4/2012 23:46 4/4/2012 23:51	62.4 64.5	6/4/2012 0:56 61.3 6/4/2012 1:01 62.4		59.7 60.1	8/4/2012 3:16 8/4/2012 3:21	59.3 59.0	9/4/2012 4:26 9/4/2012 4:31	57.9 58.7	10/4/2012 5:36 10/4/2012 5:41	56.7 56.7
4/4/2012 23:56 5/4/2012 0:01	63.0 63.5	6/4/2012 1:06 62.4 6/4/2012 1:11 63.1		59.7 59.3	8/4/2012 3:26 8/4/2012 3:31	61.0 59.7	9/4/2012 4:36 9/4/2012 4:41	59.2 59.7	10/4/2012 5:46 10/4/2012 5:51	57.9 56.5
5/4/2012 0:06	63.5	6/4/2012 1:16 62.9	9 7/4/2012 2:26	61.2	8/4/2012 3:36	58.6	9/4/2012 4:46	58.3	10/4/2012 5:56	59.1
5/4/2012 0:11 5/4/2012 0:16	61.5 61.4	6/4/2012 1:21 61.3 6/4/2012 1:26 62.3		59.0 59.7	8/4/2012 3:41 8/4/2012 3:46	59.0 60.0	9/4/2012 4:51 9/4/2012 4:56	59.5 59.6	10/4/2012 6:01 10/4/2012 6:06	57.6 57.0
5/4/2012 0:21 5/4/2012 0:26	62.9 61.4	6/4/2012 1:31 62.4 6/4/2012 1:36 62.3		59.7 59.7	8/4/2012 3:51 8/4/2012 3:56	59.6 59.4	9/4/2012 5:01 9/4/2012 5:06	59.7 57.9	10/4/2012 6:11 10/4/2012 6:16	57.8 59.4
5/4/2012 0:31	62.2	6/4/2012 1:41 61.	7 7/4/2012 2:51	59.3	8/4/2012 4:01	59.2	9/4/2012 5:11	58.7	10/4/2012 6:21	58.0
5/4/2012 0:36 5/4/2012 0:41	60.3 62.1	6/4/2012 1:46 61.7 6/4/2012 1:51 60.9		60.1 59.3	8/4/2012 4:06 8/4/2012 4:11	59.3 58.7	9/4/2012 5:16 9/4/2012 5:21	59.2 58.2	10/4/2012 6:26 10/4/2012 6:31	58.9 59.1
5/4/2012 0:46 5/4/2012 0:51	61.0 60.8	6/4/2012 1:56 62.0 6/4/2012 2:01 61.0		59.3 58.7	8/4/2012 4:16 8/4/2012 4:21	58.9 59.1	9/4/2012 5:26 9/4/2012 5:31	60.3 59.5	10/4/2012 6:36 10/4/2012 6:41	61.0 59.7
5/4/2012 0:56	60.3	6/4/2012 2:06 60.8	8 7/4/2012 3:16	58.3	8/4/2012 4:26	58.8	9/4/2012 5:36	60.8	10/4/2012 6:46	60.1
5/4/2012 1:01 5/4/2012 1:06	60.8 60.5	6/4/2012 2:11 61. 6/4/2012 2:16 61.		60.5 59.4	8/4/2012 4:31 8/4/2012 4:36	59.3 59.2	9/4/2012 5:41 9/4/2012 5:46	61.0 60.0	10/4/2012 6:51 10/4/2012 6:56	60.7 60.4
5/4/2012 1:11 5/4/2012 1:16	60.6 60.7	6/4/2012 2:21 61.3 6/4/2012 2:26 61.4		58.9 60.0	8/4/2012 4:41 8/4/2012 4:46	58.4 58.9	9/4/2012 5:51 9/4/2012 5:56	60.4 60.1	10/4/2012 23:01 10/4/2012 23:06	
5/4/2012 1:21	59.3	6/4/2012 2:31 61.	1 7/4/2012 3:41	58.6	8/4/2012 4:51	59.2	9/4/2012 6:01	61.5	10/4/2012 23:11	60.9
5/4/2012 1:26 5/4/2012 1:31	59.6 59.9	6/4/2012 2:36 61.4 6/4/2012 2:41 60.4		59.6 59.1	8/4/2012 4:56 8/4/2012 5:01	58.4 59.0	9/4/2012 6:06 9/4/2012 6:11	60.8 61.1	10/4/2012 23:16 10/4/2012 23:21	
5/4/2012 1:36 5/4/2012 1:41	61.0 58.1	6/4/2012 2:46 61.5 6/4/2012 2:51 60.		59.1 58.8	8/4/2012 5:06 8/4/2012 5:11	60.0 59.5	9/4/2012 6:16 9/4/2012 6:21	60.9 61.0	10/4/2012 23:26 10/4/2012 23:31	
5/4/2012 1:46	60.6	6/4/2012 2:56 60.9	9 7/4/2012 4:06	59.7	8/4/2012 5:16	60.0	9/4/2012 6:26	62.0	10/4/2012 23:36	59.3
5/4/2012 1:51 5/4/2012 1:56	57.9 58.3	6/4/2012 3:01 60.1 6/4/2012 3:06 60.0		59.2 59.1	8/4/2012 5:21 8/4/2012 5:26	59.7 60.3	9/4/2012 6:31 9/4/2012 6:36	62.1 63.0	10/4/2012 23:41 10/4/2012 23:46	
5/4/2012 2:01 5/4/2012 2:06	61.2 59.7	6/4/2012 3:11 60.4 6/4/2012 3:16 62.3		59.1 59.8	8/4/2012 5:31 8/4/2012 5:36	59.8 60.3	9/4/2012 6:41 9/4/2012 6:46	62.4 62.3	10/4/2012 23:51 10/4/2012 23:56	
5/4/2012 2:11	60.0	6/4/2012 3:21 60.0	6 7/4/2012 4:31	58.1	8/4/2012 5:41	60.5	9/4/2012 6:51	62.1	11/4/2012 0:01	59.0
5/4/2012 2:16 5/4/2012 2:21	59.6 57.0	6/4/2012 3:26 60.3 6/4/2012 3:31 60.3		60.0 59.2	8/4/2012 5:46 8/4/2012 5:51	60.1 60.3	9/4/2012 6:56 9/4/2012 23:01	62.3 62.9	11/4/2012 0:06 11/4/2012 0:11	60.5 60.0
5/4/2012 2:26	59.0	6/4/2012 3:36 60.9	9 7/4/2012 4:46	59.7	8/4/2012 5:56	63.4	9/4/2012 23:06	63.6	11/4/2012 0:16	59.2
5/4/2012 2:31 5/4/2012 2:36	58.1 58.2	6/4/2012 3:41 60.0 6/4/2012 3:46 60.4		59.3 59.9	8/4/2012 6:01 8/4/2012 6:06	61.9 60.9	9/4/2012 23:11 9/4/2012 23:16	63.4 63.9	11/4/2012 0:21 11/4/2012 0:26	59.9 61.2
5/4/2012 2:41 5/4/2012 2:46	58.1 59.9	6/4/2012 3:51 60.3 6/4/2012 3:56 61.3		59.2 59.3	8/4/2012 6:11 8/4/2012 6:16	61.5 61.2	9/4/2012 23:21 9/4/2012 23:26	63.9 63.8	11/4/2012 0:31 11/4/2012 0:36	59.6 60.4
5/4/2012 2:51	58.3	6/4/2012 4:01 60.3	3 7/4/2012 5:11	59.5	8/4/2012 6:21	62.0	9/4/2012 23:31	65.3	11/4/2012 0:41	58.2
5/4/2012 2:56 5/4/2012 3:01	57.4 57.6	6/4/2012 4:06 60.4 6/4/2012 4:11 59.9		59.1 60.2	8/4/2012 6:26 8/4/2012 6:31	61.3 62.9	9/4/2012 23:36 9/4/2012 23:41	63.8 62.8	11/4/2012 0:46 11/4/2012 0:51	59.4 58.2
5/4/2012 3:06 5/4/2012 3:11	60.9 58.3	6/4/2012 4:16 61.4 6/4/2012 4:21 60.3	8 7/4/2012 5:26	59.7 59.4	8/4/2012 6:36 8/4/2012 6:41	62.6 62.5	9/4/2012 23:46 9/4/2012 23:51	62.8 62.3	11/4/2012 0:56 11/4/2012 1:01	59.4 60.1
5/4/2012 3:16	58.0	6/4/2012 4:26 60.5		60.8	8/4/2012 6:46	62.6	9/4/2012 23:56	63.7	11/4/2012 1:06	58.1
5/4/2012 3:21 5/4/2012 3:26	57.6 57.3	6/4/2012 4:31 60.7 6/4/2012 4:36 60.4		59.7 60.6	8/4/2012 6:51 8/4/2012 6:56	63.4 61.5	10/4/2012 0:01 10/4/2012 0:06	59.8 59.3	11/4/2012 1:11 11/4/2012 1:16	59.4 58.0
5/4/2012 3:31	57.4	6/4/2012 4:41 60.0	0 7/4/2012 5:51	60.1	8/4/2012 23:01	63.2	10/4/2012 0:11	59.9	11/4/2012 1:21	59.0
5/4/2012 3:36 5/4/2012 3:41	58.1 57.7	6/4/2012 4:46 60.9 6/4/2012 4:51 61.3		61.2 60.9	8/4/2012 23:06 8/4/2012 23:11	63.4 63.2	10/4/2012 0:16 10/4/2012 0:21	59.8 60.1	11/4/2012 1:26 11/4/2012 1:31	57.8 56.9
5/4/2012 3:46 5/4/2012 3:51	59.5 56.8	6/4/2012 4:56 60.5 6/4/2012 5:01 60.5		60.7 60.7	8/4/2012 23:16 8/4/2012 23:21	64.4 62.5	10/4/2012 0:26 10/4/2012 0:31	60.4 59.7	11/4/2012 1:36 11/4/2012 1:41	57.9 57.6
5/4/2012 3:56	58.6	6/4/2012 5:06 61.0	0 7/4/2012 6:16	62.3	8/4/2012 23:26	62.8	10/4/2012 0:36	58.9	11/4/2012 1:46	58.9
5/4/2012 4:01 5/4/2012 4:06	55.9 56.1	6/4/2012 5:11 61.3 6/4/2012 5:16 60.9		61.8 62.3	8/4/2012 23:31 8/4/2012 23:36	62.9 62.5	10/4/2012 0:41 10/4/2012 0:46	57.7 58.5	11/4/2012 1:51 11/4/2012 1:56	56.8 56.1
5/4/2012 4:11 5/4/2012 4:16	57.5 57.8	6/4/2012 5:21 61.3 6/4/2012 5:26 60.3		62.5 62.3	8/4/2012 23:41 8/4/2012 23:46	63.2 63.3	10/4/2012 0:51 10/4/2012 0:56	58.5 58.4	11/4/2012 2:01 11/4/2012 2:06	57.4 56.7
5/4/2012 4:21	56.6	6/4/2012 5:31 62.0	0 7/4/2012 6:41	63.6	8/4/2012 23:51	63.0	10/4/2012 1:01	58.6	11/4/2012 2:11	57.3
5/4/2012 4:26 5/4/2012 4:31	56.8 57.7	6/4/2012 5:36 61.4 6/4/2012 5:41 62.5		61.4 62.8	8/4/2012 23:56 9/4/2012 0:01	62.5 63.1	10/4/2012 1:06 10/4/2012 1:11	59.0 60.0	11/4/2012 2:16 11/4/2012 2:21	56.3 58.5
5/4/2012 4:36	57.2	6/4/2012 5:46 61.	7 7/4/2012 6:56	62.7	9/4/2012 0:06 9/4/2012 0:11	62.8	10/4/2012 1:16	58.6	11/4/2012 2:26	56.3
5/4/2012 4:41 5/4/2012 4:46	55.2 58.6	6/4/2012 5:56 61.9	9 7/4/2012 23:06	63.3	9/4/2012 0:16	62.7 63.1	10/4/2012 1:21 10/4/2012 1:26	58.7 58.1	11/4/2012 2:31 11/4/2012 2:36	56.2 56.0
5/4/2012 4:51 5/4/2012 4:56	58.7 56.8	6/4/2012 6:01 62.9 6/4/2012 6:06 62.9			9/4/2012 0:21 9/4/2012 0:26	62.3 62.7	10/4/2012 1:31 10/4/2012 1:36	58.6 58.4	11/4/2012 2:41 11/4/2012 2:46	56.0 56.9
5/4/2012 5:01	57.3	6/4/2012 6:11 62.4	4 7/4/2012 23:21	64.2	9/4/2012 0:31	61.6	10/4/2012 1:41	56.5	11/4/2012 2:51	54.9
5/4/2012 5:06 5/4/2012 5:11	57.8 57.0	6/4/2012 6:16 62.3 6/4/2012 6:21 63.4			9/4/2012 0:36 9/4/2012 0:41	61.5 61.5	10/4/2012 1:46 10/4/2012 1:51	57.9 57.5	11/4/2012 2:56 11/4/2012 3:01	56.0 53.8
5/4/2012 5:16 5/4/2012 5:21	58.4 59.2	6/4/2012 6:26 63.0 6/4/2012 6:31 63.0			9/4/2012 0:46 9/4/2012 0:51	61.1 60.9	10/4/2012 1:56 10/4/2012 2:01	57.0 57.2	11/4/2012 3:06 11/4/2012 3:11	57.8 54.4
5/4/2012 5:26	56.9	6/4/2012 6:36 64.	7 7/4/2012 23:46	62.4	9/4/2012 0:56	61.3	10/4/2012 2:06	57.8	11/4/2012 3:16	55.5
5/4/2012 5:31 5/4/2012 5:36	57.9 60.1	6/4/2012 6:41 64.3 6/4/2012 6:46 63.3			9/4/2012 1:01 9/4/2012 1:06	61.0 60.7	10/4/2012 2:11 10/4/2012 2:16	56.4 55.6	11/4/2012 3:21 11/4/2012 3:26	55.3 55.2
5/4/2012 5:41	58.4 59.3	6/4/2012 6:51 63.	1 8/4/2012 0:01	62.7 62.5	9/4/2012 1:11	61.0	10/4/2012 2:21	58.3 55.9	11/4/2012 3:31	55.8 56.6
5/4/2012 5:46 5/4/2012 5:51	59.5	6/4/2012 6:56 63.0 6/4/2012 23:01 63.0	0 8/4/2012 0:11	63.8	9/4/2012 1:16 9/4/2012 1:21	61.1 60.3	10/4/2012 2:26 10/4/2012 2:31	54.7	11/4/2012 3:36 11/4/2012 3:41	56.6
5/4/2012 5:56 5/4/2012 6:01	59.9 60.8	6/4/2012 23:06 63.3 6/4/2012 23:11 63.3		61.9 63.3	9/4/2012 1:26 9/4/2012 1:31	61.2 60.1	10/4/2012 2:36 10/4/2012 2:41	57.7 55.1	11/4/2012 3:46 11/4/2012 3:51	55.3 57.0
5/4/2012 6:06	60.6	6/4/2012 23:16 63.	7 8/4/2012 0:26	62.3	9/4/2012 1:36	60.5	10/4/2012 2:46	56.9	11/4/2012 3:56	56.0
5/4/2012 6:11 5/4/2012 6:16	59.9 62.1	6/4/2012 23:21 64.3 6/4/2012 23:26 64.3		62.7 62.7	9/4/2012 1:41 9/4/2012 1:46	59.8 59.5	10/4/2012 2:51 10/4/2012 2:56	56.1 55.7	11/4/2012 4:01 11/4/2012 4:06	55.0 57.3
5/4/2012 6:21 5/4/2012 6:26	60.4 63.2	6/4/2012 23:31 63.5 6/4/2012 23:36 63.5		61.9 60.7	9/4/2012 1:51 9/4/2012 1:56	60.7 60.4	10/4/2012 3:01 10/4/2012 3:06	54.2 55.8	11/4/2012 4:11 11/4/2012 4:16	55.1 55.5
5/4/2012 6:31	61.7	6/4/2012 23:41 63.2	2 8/4/2012 0:51	61.1	9/4/2012 2:01	59.4	10/4/2012 3:11	56.7	11/4/2012 4:21	56.9
5/4/2012 6:36 5/4/2012 6:41	61.7 65.0	6/4/2012 23:46 65.0 6/4/2012 23:51 65.0		61.3 61.0	9/4/2012 2:06 9/4/2012 2:11	58.9 59.3	10/4/2012 3:16 10/4/2012 3:21	56.7 55.0	11/4/2012 4:26 11/4/2012 4:31	54.5 55.3
5/4/2012 6:46 5/4/2012 6:51	63.3 62.3	6/4/2012 23:56 63.3 7/4/2012 0:01 63.0	3 8/4/2012 1:06	61.2 60.7	9/4/2012 2:16 9/4/2012 2:21	58.8 60.1	10/4/2012 3:26 10/4/2012 3:31	56.5 55.6	11/4/2012 4:36 11/4/2012 4:41	54.8 54.2
5/4/2012 6:56	64.4	7/4/2012 0:06 63.0	6 8/4/2012 1:16	59.9	9/4/2012 2:26	59.4	10/4/2012 3:36	54.1	11/4/2012 4:46	56.3
5/4/2012 23:01 5/4/2012 23:06	64.4 64.0	7/4/2012 0:11 63.0 7/4/2012 0:16 62.9		61.5 60.5	9/4/2012 2:31 9/4/2012 2:36	59.3 58.6	10/4/2012 3:41 10/4/2012 3:46	56.8 55.6	11/4/2012 4:51 11/4/2012 4:56	56.7 55.3
5/4/2012 23:11 5/4/2012 23:16	64.6 64.0	7/4/2012 0:21 63.0 7/4/2012 0:26 62.0	0 8/4/2012 1:31	60.5 60.9	9/4/2012 2:41 9/4/2012 2:46	59.2 59.2	10/4/2012 3:51 10/4/2012 3:56	55.8 56.2	11/4/2012 5:01 11/4/2012 5:06	56.4 55.7
5/4/2012 23:21	64.7	7/4/2012 0:31 62.8	8 8/4/2012 1:41	59.9	9/4/2012 2:51	58.1	10/4/2012 4:01	55.7	11/4/2012 5:11	56.8
5/4/2012 23:26 5/4/2012 23:31	64.0 63.0	7/4/2012 0:36 61.8 7/4/2012 0:41 63.0		60.5 60.4	9/4/2012 2:56 9/4/2012 3:01	58.7 60.6	10/4/2012 4:06 10/4/2012 4:11	56.9 54.6	11/4/2012 5:16 11/4/2012 5:21	55.7 54.5
5/4/2012 23:36	62.8	7/4/2012 0:46 61.8	8 8/4/2012 1:56	60.6	9/4/2012 3:06	58.7	10/4/2012 4:16	55.6	11/4/2012 5:26	58.3
5/4/2012 23:41 5/4/2012 23:46	62.3 63.2	7/4/2012 0:51 63.4 7/4/2012 0:56 61.4	6 8/4/2012 2:06	60.3 59.7	9/4/2012 3:11 9/4/2012 3:16	58.7 57.9	10/4/2012 4:21 10/4/2012 4:26	55.9 55.2	11/4/2012 5:31 11/4/2012 5:36	55.1 57.6
5/4/2012 23:51 5/4/2012 23:56	63.5 63.4	7/4/2012 1:01 61.5 7/4/2012 1:06 61.5	9 8/4/2012 2:11	60.0 60.1	9/4/2012 3:21 9/4/2012 3:26	58.1 59.2	10/4/2012 4:31 10/4/2012 4:36	53.8 55.3	11/4/2012 5:41 11/4/2012 5:46	57.7 58.0
6/4/2012 0:01	63.7	7/4/2012 1:11 62.0	0 8/4/2012 2:21	60.2	9/4/2012 3:31	58.4	10/4/2012 4:41	55.5	11/4/2012 5:51	56.5
6/4/2012 0:06 6/4/2012 0:11	63.4 63.7	7/4/2012 1:16 62.5 7/4/2012 1:21 61.5	5 8/4/2012 2:31	60.5 61.0	9/4/2012 3:36 9/4/2012 3:41	58.4 58.4	10/4/2012 4:46 10/4/2012 4:51	55.3 56.0	11/4/2012 5:56 11/4/2012 6:01	57.8 57.9
6/4/2012 0:16 6/4/2012 0:21	63.0 63.6	7/4/2012 1:26 60.5 7/4/2012 1:31 61.0	5 8/4/2012 2:36	60.5 59.4	9/4/2012 3:46 9/4/2012 3:51	57.5 58.1	10/4/2012 4:56 10/4/2012 5:01	55.0 55.0	11/4/2012 6:06 11/4/2012 6:11	58.3 58.3
6/4/2012 0:26	63.0	7/4/2012 1:36 60.	7 8/4/2012 2:46	60.1	9/4/2012 3:56	58.2	10/4/2012 5:06	54.0	11/4/2012 6:16	60.8
6/4/2012 0:31 6/4/2012 0:36	62.8 62.6	7/4/2012 1:41 61. 7/4/2012 1:46 60.		59.4 60.5	9/4/2012 4:01 9/4/2012 4:06	61.1 58.8	10/4/2012 5:11 10/4/2012 5:16	55.1 55.7	11/4/2012 6:21 11/4/2012 6:26	57.9 58.1

Real-time Noise Data	RTN1 (FEHD Hong Kong Transport S	Section Whitefield Depot)			
11/4/2012 6:31 57.7	12/4/2012 23:41 62.7	14/4/2012 0:51 60.6	15/4/2012 2:01 58.5	16/4/2012 3:11 57.9	17/4/2012 4:21 57.9
11/4/2012 6:36 60.9	12/4/2012 23:46 63.3	14/4/2012 0:56 60.2	15/4/2012 2:06 58.1	16/4/2012 3:16 58.8	17/4/2012 4:26 56.4
11/4/2012 6:41 59.2	12/4/2012 23:51 64.1	14/4/2012 1:01 61.9	15/4/2012 2:11 58.7	16/4/2012 3:21 57.8	17/4/2012 4:31 58.3
11/4/2012 6:46 61.1	12/4/2012 23:56 63.9	14/4/2012 1:06 62.0	15/4/2012 2:16 59.9	16/4/2012 3:26 57.1	17/4/2012 4:36 58.0
11/4/2012 6:51 61.0	13/4/2012 0:01 62.4	14/4/2012 1:11 60.3	15/4/2012 2:21 58.0	16/4/2012 3:31 59.7	17/4/2012 4:41 57.0
11/4/2012 6:56 61.0	13/4/2012 0:06 62.9	14/4/2012 1:16 62.0	15/4/2012 2:26 58.1	16/4/2012 3:36 57.0	17/4/2012 4:46 58.5
11/4/2012 23:01 64.0	13/4/2012 0:16 61.5	14/4/2012 1:21 59.9	15/4/2012 2:31 59.7	16/4/2012 3:41 57.5	17/4/2012 4:51 58.3
11/4/2012 23:06 64.3		14/4/2012 1:26 59.6	15/4/2012 2:36 58.5	16/4/2012 3:46 57.9	17/4/2012 4:56 57.9
11/4/2012 23:11 64.7	13/4/2012 0:21 63.2	14/4/2012 1:31 60.9	15/4/2012 2:41 58.2	16/4/2012 3:51 58.7	17/4/2012 5:01 58.9
11/4/2012 23:16 66.0	13/4/2012 0:26 61.8	14/4/2012 1:36 61.1	15/4/2012 2:46 60.5	16/4/2012 3:56 57.4	17/4/2012 5:06 57.7
11/4/2012 23:21 63.0	13/4/2012 0:31 61.9	14/4/2012 1:41 59.5	15/4/2012 2:51 58.4	16/4/2012 4:01 56.9 16/4/2012 4:06 56.9	17/4/2012 5:11 58.0
11/4/2012 23:26 63.2 11/4/2012 23:31 63.1	13/4/2012 0:36 61.5 13/4/2012 0:41 60.8	14/4/2012 1:51 58.9	15/4/2012 3:01 58.6	16/4/2012 4:11 57.7	17/4/2012 5:21 61.3
11/4/2012 23:36 63.0	13/4/2012 0:46 61.5	14/4/2012 1:56 57.5	15/4/2012 3:06 59.5	16/4/2012 4:16 58.8	17/4/2012 5:26 58.9
11/4/2012 23:41 63.1	13/4/2012 0:51 60.6	14/4/2012 2:01 60.8	15/4/2012 3:11 59.1	16/4/2012 4:21 58.0	17/4/2012 5:31 59.7
11/4/2012 23:46 63.4	13/4/2012 0:56 60.2	14/4/2012 2:06 57.7	15/4/2012 3:16 59.8	16/4/2012 4:26 57.6	17/4/2012 5:36 59.2
11/4/2012 23:51 64.4	13/4/2012 1:01 61.9	14/4/2012 2:11 59.4	15/4/2012 3:21 57.6	16/4/2012 4:31 57.3	17/4/2012 5:41 60.3
11/4/2012 23:56 62.5	13/4/2012 1:06 62.0	14/4/2012 2:16 59.9	15/4/2012 3:26 57.3	16/4/2012 4:36 58.0	17/4/2012 5:46 60.3
12/4/2012 0:01 63.6	13/4/2012 1:11 60.3	14/4/2012 2:21 60.3	15/4/2012 3:31 57.6	16/4/2012 4:41 57.5	17/4/2012 5:51 62.1
12/4/2012 0:06 62.9	13/4/2012 1:16 62.0	14/4/2012 2:26 58.6	15/4/2012 3:36 57.2	16/4/2012 4:46 57.6	17/4/2012 5:56 59.2
12/4/2012 0:11 61.4	13/4/2012 1:21 59.9	14/4/2012 2:31 59.7	15/4/2012 3:41 57.9	16/4/2012 4:51 59.1	17/4/2012 6:01 60.6
12/4/2012 0:16 61.0	13/4/2012 1:26 59.6	14/4/2012 2:36 58.2	15/4/2012 3:46 60.1	16/4/2012 4:56 57.4	17/4/2012 6:06 61.5
12/4/2012 0:21 62.7	13/4/2012 1:31 60.9	14/4/2012 2:41 57.2	15/4/2012 3:51 58.3	16/4/2012 5:01 58.0	17/4/2012 6:11 61.3
12/4/2012 0:26 62.8	13/4/2012 1:36 61.1	14/4/2012 2:46 58.3	15/4/2012 3:56 57.5	16/4/2012 5:06 56.0	17/4/2012 6:16 61.9
12/4/2012 0:31 61.6	13/4/2012 1:41 59.5	14/4/2012 2:51 59.2	15/4/2012 4:01 55.5	16/4/2012 5:11 58.9	17/4/2012 6:21 62.3
12/4/2012 0:36 60.9	13/4/2012 1:46 59.2	14/4/2012 2:56 59.0	15/4/2012 4:06 56.2	16/4/2012 5:16 58.1	17/4/2012 6:26 61.9
12/4/2012 0:41 61.1	13/4/2012 1:51 58.9	14/4/2012 3:01 58.4	15/4/2012 4:11 57.0	16/4/2012 5:21 61.3	17/4/2012 6:31 63.6
12/4/2012 0:46 61.9	13/4/2012 1:56 57.5	14/4/2012 3:06 59.4	15/4/2012 4:16 58.3	16/4/2012 5:26 58.8	17/4/2012 6:36 62.0
12/4/2012 0:51 60.3	13/4/2012 2:01 60.8	14/4/2012 3:11 58.1	15/4/2012 4:21 56.4	16/4/2012 5:31 58.6	17/4/2012 6:41 63.6
12/4/2012 0:56 61.2	13/4/2012 2:06 57.7	14/4/2012 3:16 60.3	15/4/2012 4:26 58.3	16/4/2012 5:36 59.6	17/4/2012 6:46 64.5
12/4/2012 1:01 61.4	13/4/2012 2:11 59.4	14/4/2012 3:21 57.5	15/4/2012 4:31 58.3	16/4/2012 5:41 58.6	17/4/2012 6:51 61.2
12/4/2012 1:06 61.0	13/4/2012 2:16 59.9	14/4/2012 3:26 58.5	15/4/2012 4:36 56.6	16/4/2012 5:46 60.3	17/4/2012 6:56 63.3
12/4/2012 1:11 61.5	13/4/2012 2:21 60.3	14/4/2012 3:31 59.3	15/4/2012 4:41 57.0	16/4/2012 5:51 61.9	17/4/2012 23:01 64.3
12/4/2012 1:16 62.1	13/4/2012 2:26 58.6	14/4/2012 3:36 57.7	15/4/2012 4:46 57.7	16/4/2012 5:56 61.0	17/4/2012 23:06 62.8
12/4/2012 1:21 60.4	13/4/2012 2:31 59.7	14/4/2012 3:41 59.4	15/4/2012 4:51 56.7	16/4/2012 6:01 61.0	17/4/2012 23:11 63.2
12/4/2012 1:26 60.2	13/4/2012 2:36 58.2	14/4/2012 3:46 59.4	15/4/2012 4:56 58.5	16/4/2012 6:06 61.2	17/4/2012 23:16 65.2
12/4/2012 1:31 61.5	13/4/2012 2:41 57.2	14/4/2012 3:51 58.5	15/4/2012 5:01 56.8	16/4/2012 6:11 61.1	17/4/2012 23:21 63.8
12/4/2012 1:36 61.0	13/4/2012 2:46 58.3	14/4/2012 3:56 56.8	15/4/2012 5:06 58.2	16/4/2012 6:16 62.2	17/4/2012 23:26 64.2
12/4/2012 1:41 58.2	13/4/2012 2:51 59.2	14/4/2012 4:01 56.5	15/4/2012 5:11 59.0	16/4/2012 6:21 63.1	17/4/2012 23:31 64.1
12/4/2012 1:46 61.6	13/4/2012 2:56 59.0	14/4/2012 4:06 57.3	15/4/2012 5:16 57.3	16/4/2012 6:26 62.2	17/4/2012 23:36 64.6
12/4/2012 1:51 58.3	13/4/2012 3:01 58.4	14/4/2012 4:11 58.2	15/4/2012 5:21 58.7	16/4/2012 6:31 63.5	17/4/2012 23:41 62.6
12/4/2012 1:56 57.8	13/4/2012 3:06 59.4	14/4/2012 4:16 58.9	15/4/2012 5:26 58.7	16/4/2012 6:36 63.2	17/4/2012 23:46 63.3
12/4/2012 2:01 60.6	13/4/2012 3:11 58.1	14/4/2012 4:21 56.7	15/4/2012 5:31 58.1	16/4/2012 6:41 63.8	17/4/2012 23:51 64.3
12/4/2012 2:06 59.0	13/4/2012 3:16 60.3	14/4/2012 4:26 57.4	15/4/2012 5:36 58.7	16/4/2012 6:46 63.2	17/4/2012 23:56 62.2
12/4/2012 2:11 59.6	13/4/2012 3:21 57.5	14/4/2012 4:31 58.5	15/4/2012 5:41 57.9	16/4/2012 6:51 63.7	18/4/2012 0:01 63.1
12/4/2012 2:16 61.2	13/4/2012 3:26 58.5	14/4/2012 4:36 57.9	15/4/2012 5:46 59.3	16/4/2012 6:56 64.4	18/4/2012 0:06 61.3
12/4/2012 2:21 58.3	13/4/2012 3:31 59.3	14/4/2012 4:41 56.5	15/4/2012 5:51 59.9	16/4/2012 23:01 62.5	18/4/2012 0:11 62.5
12/4/2012 2:26 58.1	13/4/2012 3:36 57.7	14/4/2012 4:46 58.3		16/4/2012 23:06 62.8	18/4/2012 0:16 62.1
12/4/2012 2:31 60.5	13/4/2012 3:41 59.4	14/4/2012 4:51 58.3	15/4/2012 6:01 61.4	16/4/2012 23:11 63.7	18/4/2012 0:21 60.1
12/4/2012 2:36 58.3	13/4/2012 3:46 59.4	14/4/2012 4:56 58.3	15/4/2012 6:06 61.7	16/4/2012 23:16 65.3	18/4/2012 0:26 61.9
12/4/2012 2:41 58.8	13/4/2012 3:51 58.5	14/4/2012 5:01 57.7	15/4/2012 6:11 62.3	16/4/2012 23:21 63.2	18/4/2012 0:31 61.9
12/4/2012 2:46 59.4	13/4/2012 3:56 56.8	14/4/2012 5:06 58.5	15/4/2012 6:16 62.5	16/4/2012 23:26 63.4	18/4/2012 0:36 62.0
12/4/2012 2:51 58.1	13/4/2012 4:01 56.5	14/4/2012 5:11 58.6	15/4/2012 6:21 60.4	16/4/2012 23:31 65.3	18/4/2012 0:41 60.5
12/4/2012 2:56 59.8	13/4/2012 4:06 57.3	14/4/2012 5:16 59.4	15/4/2012 6:26 61.6	16/4/2012 23:36 62.7	18/4/2012 0:46 60.8
12/4/2012 3:01 57.8	13/4/2012 4:11 58.2	14/4/2012 5:21 58.3	15/4/2012 6:31 62.6	16/4/2012 23:41 64.1	18/4/2012 0:51 61.2
12/4/2012 3:06 59.2	13/4/2012 4:16 58.9	14/4/2012 5:26 60.5	15/4/2012 6:36 62.4	16/4/2012 23:46 63.6	18/4/2012 0:56 60.3
12/4/2012 3:11 59.2	13/4/2012 4:21 56.7	14/4/2012 5:31 59.8	15/4/2012 6:41 64.9	16/4/2012 23:51 64.2	18/4/2012 1:01 60.6
12/4/2012 3:16 58.0	13/4/2012 4:26 57.4	14/4/2012 5:36 58.4	15/4/2012 6:46 63.1	16/4/2012 23:56 63.9	18/4/2012 1:06 60.7
12/4/2012 3:21 58.0	13/4/2012 4:31 58.5	14/4/2012 5:41 60.2	15/4/2012 6:51 64.0	17/4/2012 0:01 62.2	18/4/2012 1:11 59.0
12/4/2012 3:26 58.4	13/4/2012 4:36 57.9	14/4/2012 5:46 61.1	15/4/2012 6:56 63.8	17/4/2012 0:06 62.2	18/4/2012 1:16 61.2
12/4/2012 3:31 58.3	13/4/2012 4:41 56.5	14/4/2012 5:51 59.8	15/4/2012 23:01 64.3	17/4/2012 0:11 61.8	18/4/2012 1:21 60.0
12/4/2012 3:36 57.2	13/4/2012 4:46 58.3	14/4/2012 5:56 59.5	15/4/2012 23:06 63.5	17/4/2012 0:16 62.1	18/4/2012 1:26 58.4
12/4/2012 3:41 57.7	13/4/2012 4:51 58.3	14/4/2012 6:01 60.9	15/4/2012 23:11 63.4	17/4/2012 0:21 61.8	18/4/2012 1:31 61.2
12/4/2012 3:46 58.1	13/4/2012 4:56 58.3	14/4/2012 6:06 60.0	15/4/2012 23:16 65.1	17/4/2012 0:26 62.9	18/4/2012 1:36 61.1
12/4/2012 3:51 58.3	13/4/2012 5:01 57.7	14/4/2012 6:11 59.9	15/4/2012 23:21 64.2	17/4/2012 0:31 60.6	18/4/2012 1:41 58.4
12/4/2012 3:56 56.2	13/4/2012 5:06 58.5	14/4/2012 6:16 61.8	15/4/2012 23:26 63.5 15/4/2012 23:31 64.5	17/4/2012 0:36 61.0 17/4/2012 0:41 62.1	18/4/2012 1:46 59.9 18/4/2012 1:51 58.5
12/4/2012 4:01 54.7 12/4/2012 4:06 56.4	13/4/2012 5:16 59.4	14/4/2012 6:26 63.1	15/4/2012 23:36 63.6	17/4/2012 0:46 61.9	18/4/2012 1:56 59.1
12/4/2012 4:11 58.4	13/4/2012 5:21 58.3	14/4/2012 6:31 63.5	15/4/2012 23:41 64.1	17/4/2012 0:51 60.5	18/4/2012 2:01 62.8
12/4/2012 4:16 57.9	13/4/2012 5:26 60.5	14/4/2012 6:36 62.9	15/4/2012 23:46 64.4	17/4/2012 0:56 59.8	18/4/2012 2:06 59.8
12/4/2012 4:21 57.2	13/4/2012 5:31 59.8	14/4/2012 6:41 62.6	15/4/2012 23:51 64.0	17/4/2012 1:01 60.5	18/4/2012 2:11 58.9
12/4/2012 4:26 57.4	13/4/2012 5:36 58.4	14/4/2012 6:46 64.4	15/4/2012 23:56 63.0	17/4/2012 1:06 61.2	18/4/2012 2:16 61.1
12/4/2012 4:31 57.1	13/4/2012 5:41 60.2	14/4/2012 6:51 63.9	16/4/2012 0:01 62.1	17/4/2012 1:11 60.2	18/4/2012 2:21 58.3
12/4/2012 4:36 57.4	13/4/2012 5:46 61.1	14/4/2012 6:56 64.2	16/4/2012 0:06 62.2	17/4/2012 1:16 59.9	18/4/2012 2:26 59.0
12/4/2012 4:41 56.8	13/4/2012 5:51 59.8	14/4/2012 23:01 63.5	16/4/2012 0:11 61.4	17/4/2012 1:21 60.6	18/4/2012 2:31 59.1
12/4/2012 4:46 58.6	13/4/2012 5:56 59.5	14/4/2012 23:06 63.7	16/4/2012 0:16 61.1	17/4/2012 1:26 59.3	18/4/2012 2:36 59.2
12/4/2012 4:51 60.5	13/4/2012 6:01 60.9	14/4/2012 23:11 62.7	16/4/2012 0:21 63.0	17/4/2012 1:31 60.2	18/4/2012 2:41 58.4
12/4/2012 4:56 56.8	13/4/2012 6:06 60.0	14/4/2012 23:16 64.2	16/4/2012 0:26 60.9	17/4/2012 1:36 61.6	18/4/2012 2:46 60.0
12/4/2012 5:01 58.0	13/4/2012 6:11 59.9	14/4/2012 23:21 64.1	16/4/2012 0:31 62.0	17/4/2012 1:41 59.0	18/4/2012 2:51 57.8
12/4/2012 5:06 58.3	13/4/2012 6:16 61.8	14/4/2012 23:26 62.9	16/4/2012 0:36 61.7	17/4/2012 1:46 59.3	18/4/2012 2:56 59.2
12/4/2012 5:11 59.3	13/4/2012 6:21 62.1	14/4/2012 23:31 64.0	16/4/2012 0:41 60.5	17/4/2012 1:51 58.6	18/4/2012 3:01 57.1
12/4/2012 5:16 57.4	13/4/2012 6:26 63.1	14/4/2012 23:36 64.0	16/4/2012 0:46 62.6	17/4/2012 1:56 59.0	18/4/2012 3:06 57.2
12/4/2012 5:21 60.2	13/4/2012 6:31 63.5	14/4/2012 23:41 63.4	16/4/2012 0:51 61.2	17/4/2012 2:01 60.0	18/4/2012 3:11 58.8
12/4/2012 5:26 60.0	13/4/2012 6:36 62.9	14/4/2012 23:46 63.3	16/4/2012 0:56 61.6	17/4/2012 2:06 57.9	18/4/2012 3:16 58.2
12/4/2012 5:31 58.2	13/4/2012 6:41 62.6	14/4/2012 23:51 63.5 14/4/2012 23:56 63.9	16/4/2012 1:01 61.0	17/4/2012 2:11 59.2 17/4/2012 2:16 58.7	18/4/2012 3:21 58.2
12/4/2012 5:36 59.2 12/4/2012 5:41 59.9	13/4/2012 6:51 63.9	15/4/2012 0:01 61.4	16/4/2012 1:06 62.4 16/4/2012 1:11 60.3	17/4/2012 2:21 58.5	18/4/2012 3:31 58.6
12/4/2012 5:46 60.5	13/4/2012 6:56 64.2	15/4/2012 0:06 61.8	16/4/2012 1:16 61.2	17/4/2012 2:26 57.8	18/4/2012 3:36 59.1
12/4/2012 5:51 60.7	13/4/2012 23:01 63.5	15/4/2012 0:11 63.0	16/4/2012 1:21 59.3	17/4/2012 2:31 59.4	18/4/2012 3:41 58.8
12/4/2012 5:56 59.6	13/4/2012 23:06 63.7	15/4/2012 0:16 61.0	16/4/2012 1:26 61.0	17/4/2012 2:36 58.3	18/4/2012 3:46 58.9
12/4/2012 6:01 60.2	13/4/2012 23:11 62.7	15/4/2012 0:21 62.3	16/4/2012 1:31 60.5	17/4/2012 2:41 58.8	18/4/2012 3:51 57.6
12/4/2012 6:06 61.9	13/4/2012 23:16 64.2	15/4/2012 0:26 60.5	16/4/2012 1:36 62.0	17/4/2012 2:41	18/4/2012 3:56 57.4
12/4/2012 6:16 61.8	13/4/2012 23:21 64.1 13/4/2012 23:26 62.9	15/4/2012 0:36 62.6	16/4/2012 1:41 58.4 16/4/2012 1:46 60.0	17/4/2012 2:56 57.3	18/4/2012 4:01 55.7 18/4/2012 4:06 56.4
12/4/2012 6:21 61.5	13/4/2012 23:31 64.0	15/4/2012 0:41 60.5	16/4/2012 1:51 58.9	17/4/2012 3:01 58.6	18/4/2012 4:11 56.3
12/4/2012 6:26 62.4	13/4/2012 23:36 64.0	15/4/2012 0:46 61.4	16/4/2012 1:56 59.5	17/4/2012 3:06 58.7	18/4/2012 4:16 57.3
12/4/2012 6:31 62.5	13/4/2012 23:41 63.4	15/4/2012 0:51 60.9	16/4/2012 2:01 60.2	17/4/2012 3:11 58.9	18/4/2012 4:21 59.4
12/4/2012 6:36 61.6	13/4/2012 23:46 63.3	15/4/2012 0:56 60.7	16/4/2012 2:06 59.4	17/4/2012 3:16 59.1	18/4/2012 4:26 56.7
12/4/2012 6:41 64.5	13/4/2012 23:51 63.5	15/4/2012 1:01 60.1	16/4/2012 2:11 58.9	17/4/2012 3:21 56.9	18/4/2012 4:31 57.1
12/4/2012 6:46 62.5	13/4/2012 23:56 63.9	15/4/2012 1:06 60.7	16/4/2012 2:16 59.9	17/4/2012 3:26 58.5	18/4/2012 4:36 58.3
12/4/2012 6:51 64.0	14/4/2012 0:01 62.4	15/4/2012 1:11 59.0	16/4/2012 2:21 57.7	17/4/2012 3:31 58.1	18/4/2012 4:41 55.2
12/4/2012 6:56 64.2	14/4/2012 0:06 62.9	15/4/2012 1:16 60.3	16/4/2012 2:26 59.7	17/4/2012 3:36 57.6	18/4/2012 4:46 57.3
12/4/2012 23:01 62.5	14/4/2012 0:11 61.7	15/4/2012 1:21 60.1	16/4/2012 2:31 60.0	17/4/2012 3:41 57.0	18/4/2012 4:51 59.2
12/4/2012 23:06 64.7	14/4/2012 0:16 61.5	15/4/2012 1:26 61.3	16/4/2012 2:36 58.6	17/4/2012 3:46 58.0	18/4/2012 4:56 56.5
12/4/2012 23:11 63.4	14/4/2012 0:21 63.2	15/4/2012 1:31 60.7	16/4/2012 2:41 59.0	17/4/2012 3:51 58.2	18/4/2012 5:01 57.4
12/4/2012 23:16 63.4	14/4/2012 0:26 61.8	15/4/2012 1:36 62.3	16/4/2012 2:46 61.0	17/4/2012 3:56 58.5	18/4/2012 5:06 57.0
12/4/2012 23:21 63.7	14/4/2012 0:31 61.9	15/4/2012 1:41 59.7	16/4/2012 2:51 57.3	17/4/2012 4:01 55.0	18/4/2012 5:11 56.6
12/4/2012 23:26 62.9	14/4/2012 0:36 61.5	15/4/2012 1:46 59.3	16/4/2012 2:56 60.2	17/4/2012 4:06 56.9	18/4/2012 5:16 58.1
12/4/2012 23:31 64.2	14/4/2012 0:41 60.8	15/4/2012 1:51 58.3	16/4/2012 3:01 58.6	17/4/2012 4:11 57.6	18/4/2012 5:21 59.3
12/4/2012 23:36 62.4	14/4/2012 0:46 61.5	15/4/2012 1:56 59.6	16/4/2012 3:06 60.6	17/4/2012 4:16 60.7	18/4/2012 5:26 60.0
	·				

Real-time Noise Data	RTN1 (FEHD Hong Kong Transport S	Section Whitefield Depot)			
18/4/2012 5:31 59.4	19/4/2012 6:41 64.2 19/4/2012 6:46 64.8	20/4/2012 23:51 62.8	22/4/2012 1:01 62.4	23/4/2012 2:11 60.1	24/4/2012 3:21 59.0 24/4/2012 3:26 61.0
18/4/2012 5:36 59.8	19/4/2012 6:51 64.0	20/4/2012 23:56 62.4	22/4/2012 1:06 62.4	23/4/2012 2:16 59.7	24/4/2012 3:26 61.0
18/4/2012 5:41 58.8		21/4/2012 0:01 62.6	22/4/2012 1:11 63.7	23/4/2012 2:21 59.3	24/4/2012 3:31 59.7
18/4/2012 5:46 61.5	19/4/2012 6:56 64.7	21/4/2012 0:06 63.0	22/4/2012 1:16 62.9	23/4/2012 2:26 61.2	24/4/2012 3:36 58.6
18/4/2012 5:51 60.0	19/4/2012 23:01 63.9	21/4/2012 0:11 63.5	22/4/2012 1:21 61.3	23/4/2012 2:31 59.0	24/4/2012 3:41 59.0
18/4/2012 5:56 60.4	19/4/2012 23:06 63.9	21/4/2012 0:16 63.3	22/4/2012 1:26 62.1	23/4/2012 2:36 59.7	24/4/2012 3:46 60.0
18/4/2012 6:01 59.9	19/4/2012 23:11 63.7	21/4/2012 0:21 62.8	22/4/2012 1:31 62.4	23/4/2012 2:41 59.7	24/4/2012 3:51 59.6
18/4/2012 6:06 61.9	19/4/2012 23:16 63.7	21/4/2012 0:26 62.3	22/4/2012 1:36 62.3	23/4/2012 2:46 59.7	24/4/2012 3:56 59.4
18/4/2012 6:11 61.1	19/4/2012 23:21 64.2	21/4/2012 0:31 62.3	22/4/2012 1:41 61.7	23/4/2012 2:51 59.3	24/4/2012 4:01 59.2
18/4/2012 6:16 62.8	19/4/2012 23:26 63.8	21/4/2012 0:36 62.4	22/4/2012 1:46 61.7	23/4/2012 2:56 60.1	24/4/2012 4:06 59.3
18/4/2012 6:21 61.7	19/4/2012 23:31 64.0	21/4/2012 0:41 62.1	22/4/2012 1:51 60.9	23/4/2012 3:01 59.3	24/4/2012 4:11 58.7
18/4/2012 6:26 62.8	19/4/2012 23:36 63.4	21/4/2012 0:46 61.5	22/4/2012 1:56 62.6	23/4/2012 3:06 59.3	24/4/2012 4:16 58.9
18/4/2012 6:31 63.2	19/4/2012 23:41 63.7	21/4/2012 0:51 60.7	22/4/2012 2:01 61.6	23/4/2012 3:11 58.7	24/4/2012 4:21 59.1
18/4/2012 6:36 61.7	19/4/2012 23:46 63.4	21/4/2012 0:56 61.0	22/4/2012 2:06 60.8	23/4/2012 3:16 58.3	24/4/2012 4:26 58.8
18/4/2012 6:41 62.9	19/4/2012 23:51 63.5	21/4/2012 1:01 63.9	22/4/2012 2:11 61.1	23/4/2012 3:21 60.5	24/4/2012 4:31 59.3
18/4/2012 6:46 64.8	19/4/2012 23:56 63.2	21/4/2012 1:06 61.3	22/4/2012 2:16 61.1	23/4/2012 3:26 59.4	24/4/2012 4:36 59.2
18/4/2012 6:51 64.0	20/4/2012 0:01 63.2	21/4/2012 1:11 61.6	22/4/2012 2:21 61.3	23/4/2012 3:31 58.9	24/4/2012 4:41 58.4
18/4/2012 6:56 64.9	20/4/2012 0:06 63.3	21/4/2012 1:16 60.7	22/4/2012 2:26 61.0	23/4/2012 3:36 60.0	24/4/2012 4:46 58.9
18/4/2012 23:01 62.7	20/4/2012 0:11 63.0	21/4/2012 1:21 60.9	22/4/2012 2:31 61.1	23/4/2012 3:41 58.6	24/4/2012 4:51 59.2
18/4/2012 23:06 63.2	20/4/2012 0:16 62.6	21/4/2012 1:26 60.3	22/4/2012 2:36 61.4	23/4/2012 3:46 59.6	24/4/2012 4:56 58.4
18/4/2012 23:11 64.4	20/4/2012 0:21 63.3	21/4/2012 1:31 59.6	22/4/2012 2:41 60.4	23/4/2012 3:51 59.1	24/4/2012 5:01 59.0
18/4/2012 23:16 64.9	20/4/2012 0:26 63.3	21/4/2012 1:36 60.0	22/4/2012 2:46 61.5	23/4/2012 3:56 59.1	24/4/2012 5:06 60.0
18/4/2012 23:21 62.8	20/4/2012 0:31 62.8	21/4/2012 1:41 60.2	22/4/2012 2:51 60.7	23/4/2012 4:01 58.8	24/4/2012 5:11 59.5
18/4/2012 23:26 63.7	20/4/2012 0:36 62.8	21/4/2012 1:46 61.0	22/4/2012 2:56 60.9	23/4/2012 4:06 59.7	24/4/2012 5:16 60.0
18/4/2012 23:31 62.9	20/4/2012 0:41 62.5	21/4/2012 1:51 59.7	22/4/2012 3:01 60.7	23/4/2012 4:11 59.2	24/4/2012 5:21 59.7
18/4/2012 23:36 63.4	20/4/2012 0:46 61.8	21/4/2012 1:56 59.5	22/4/2012 3:06 60.0	23/4/2012 4:16 59.1	24/4/2012 5:26 60.3
18/4/2012 23:41 64.5	20/4/2012 0:51 61.7	21/4/2012 2:01 59.5	22/4/2012 3:11 60.4	23/4/2012 4:21 59.1	24/4/2012 5:31 59.8
18/4/2012 23:46 63.3	20/4/2012 0:56 60.9	21/4/2012 2:06 59.4	22/4/2012 3:16 62.2	23/4/2012 4:26 59.8	24/4/2012 5:36 60.3
18/4/2012 23:51 64.2	20/4/2012 1:01 61.0	21/4/2012 2:11 59.3	22/4/2012 3:21 60.6	23/4/2012 4:31 58.1	24/4/2012 5:41 60.5
18/4/2012 23:56 63.3	20/4/2012 1:06 61.3	21/4/2012 2:16 60.4	22/4/2012 3:26 60.3	23/4/2012 4:36 60.0	24/4/2012 5:46 60.1
19/4/2012 0:01 63.9	20/4/2012 1:11 60.1	21/4/2012 2:21 59.5	22/4/2012 3:31 60.1	23/4/2012 4:41 59.2	24/4/2012 5:51 60.3
19/4/2012 0:06 63.1	20/4/2012 1:16 62.2	21/4/2012 2:26 59.6	22/4/2012 3:36 60.9	23/4/2012 4:46 59.7	24/4/2012 5:56 63.4
19/4/2012 0:11 63.1	20/4/2012 1:21 61.3	21/4/2012 2:31 59.6	22/4/2012 3:41 60.0	23/4/2012 4:51 59.3	24/4/2012 6:01 61.9
19/4/2012 0:16 63.2	20/4/2012 1:26 60.0	21/4/2012 2:36 59.8	22/4/2012 3:46 60.4	23/4/2012 4:56 59.9	24/4/2012 6:06 60.9
19/4/2012 0:21 62.7	20/4/2012 1:31 61.2	21/4/2012 2:41 59.9	22/4/2012 3:51 60.3	23/4/2012 5:01 59.2	24/4/2012 6:11 61.5
19/4/2012 0:26 63.4	20/4/2012 1:36 60.4	21/4/2012 2:46 59.3	22/4/2012 3:56 61.2	23/4/2012 5:06 59.3	24/4/2012 6:16 61.2
19/4/2012 0:31 62.4	20/4/2012 1:41 60.1	21/4/2012 2:51 59.0	22/4/2012 4:01 60.3	23/4/2012 5:11 59.5	24/4/2012 6:21 62.0
19/4/2012 0:36 62.6	20/4/2012 1:46 60.5	21/4/2012 2:56 60.3	22/4/2012 4:06 60.4	23/4/2012 5:16 59.1	24/4/2012 6:26 61.3
19/4/2012 0:41 62.4	20/4/2012 1:51 60.7	21/4/2012 3:01 58.3	22/4/2012 4:11 59.9	23/4/2012 5:21 60.2	24/4/2012 6:31 62.9
19/4/2012 0:46 61.8	20/4/2012 1:56 60.0	21/4/2012 3:06 58.6	22/4/2012 4:16 61.8	23/4/2012 5:26 59.7	24/4/2012 6:36 62.6
19/4/2012 0:51 62.3	20/4/2012 2:01 59.9	21/4/2012 3:11 58.9	22/4/2012 4:21 60.2	23/4/2012 5:31 59.4	24/4/2012 6:41 62.5
19/4/2012 0:56 62.4	20/4/2012 2:06 60.2	21/4/2012 3:16 58.0	22/4/2012 4:26 60.5	23/4/2012 5:36 60.8	24/4/2012 6:46 62.6
19/4/2012 1:01 60.9	20/4/2012 2:11 59.9	21/4/2012 3:21 59.1	22/4/2012 4:31 60.7	23/4/2012 5:41 59.7	24/4/2012 6:51 63.4
19/4/2012 1:06 60.6	20/4/2012 2:16 59.7	21/4/2012 3:26 58.9	22/4/2012 4:36 60.4	23/4/2012 5:46 60.6	24/4/2012 6:56 61.5
19/4/2012 1:11 61.5	20/4/2012 2:21 60.2	21/4/2012 3:31 59.4	22/4/2012 4:41 60.0	23/4/2012 5:51 60.1	24/4/2012 23:01 63.2
19/4/2012 1:16 61.3	20/4/2012 2:26 59.9	21/4/2012 3:36 58.7	22/4/2012 4:46 60.9	23/4/2012 5:56 61.2	24/4/2012 23:06 63.4
19/4/2012 1:21 61.3	20/4/2012 2:31 59.9	21/4/2012 3:41 57.6	22/4/2012 4:51 61.2	23/4/2012 6:01 60.9	24/4/2012 23:11 63.2
19/4/2012 1:26 60.5	20/4/2012 2:36 59.2	21/4/2012 3:46 58.0	22/4/2012 4:56 60.5	23/4/2012 6:06 60.7	24/4/2012 23:16 64.4
19/4/2012 1:31 60.2	20/4/2012 2:41 59.6	21/4/2012 3:51 59.5	22/4/2012 5:01 60.8	23/4/2012 6:11 60.7	24/4/2012 23:21 62.5
19/4/2012 1:36 60.9	20/4/2012 2:46 59.9	21/4/2012 3:56 58.7	22/4/2012 5:06 61.0	23/4/2012 6:16 62.3	24/4/2012 23:26 62.8
19/4/2012 1:41 60.9	20/4/2012 2:51 59.3	21/4/2012 4:01 58.7	22/4/2012 5:11 61.3	23/4/2012 6:21 61.8	24/4/2012 23:31 62.9
19/4/2012 1:46 60.1	20/4/2012 2:56 60.4	21/4/2012 4:06 58.2	22/4/2012 5:16 60.9	23/4/2012 6:26 62.3	24/4/2012 23:36 62.5
19/4/2012 1:51 60.0	20/4/2012 3:01 59.1	21/4/2012 4:11 58.6	22/4/2012 5:21 61.3	23/4/2012 6:31 62.5	24/4/2012 23:41 63.2
19/4/2012 1:56 59.6	20/4/2012 3:06 58.0	21/4/2012 4:16 57.3	22/4/2012 5:26 60.7	23/4/2012 6:36 62.3	24/4/2012 23:46 63.3
19/4/2012 2:01 60.2	20/4/2012 3:11 58.8	21/4/2012 4:21 58.0	22/4/2012 5:31 62.0	23/4/2012 6:41 63.6	24/4/2012 23:51 63.0
19/4/2012 2:06 59.5	20/4/2012 3:16 58.0	21/4/2012 4:26 58.5	22/4/2012 5:36 61.4	23/4/2012 6:46 61.4	24/4/2012 23:56 62.5
19/4/2012 2:11 61.6	20/4/2012 3:21 58.1	21/4/2012 4:31 58.2	22/4/2012 5:41 62.5	23/4/2012 6:51 62.8	25/4/2012 0:01 63.1
19/4/2012 2:16 59.4	20/4/2012 3:26 58.3	21/4/2012 4:36 58.3	22/4/2012 5:46 61.7	23/4/2012 6:56 62.7	25/4/2012 0:06 62.8
19/4/2012 2:21 60.7	20/4/2012 3:31 58.1	21/4/2012 4:41 59.5	22/4/2012 5:51 62.1	23/4/2012 23:01 63.1	25/4/2012 0:11 62.7
19/4/2012 2:26 59.7	20/4/2012 3:36 58.1	21/4/2012 4:46 59.5	22/4/2012 5:56 61.9	23/4/2012 23:06 63.3	25/4/2012 0:16 63.1
19/4/2012 2:31 59.1	20/4/2012 3:41 60.0	21/4/2012 4:51 59.7	22/4/2012 6:01 62.9	23/4/2012 23:11 62.5	25/4/2012 0:21 62.3
19/4/2012 2:36 59.4	20/4/2012 3:46 57.7	21/4/2012 4:56 60.0	22/4/2012 6:06 62.6	23/4/2012 23:16 62.9	25/4/2012 0:26 62.7
19/4/2012 2:41 59.9	20/4/2012 3:51 62.8	21/4/2012 5:01 59.4	22/4/2012 6:11 62.4	23/4/2012 23:21 64.2	25/4/2012 0:31 61.6
19/4/2012 2:46 59.2	20/4/2012 3:56 57.8	21/4/2012 5:06 59.0	22/4/2012 6:16 62.3	23/4/2012 23:26 62.8	25/4/2012 0:36 61.5
19/4/2012 2:51 59.4	20/4/2012 4:01 56.2	21/4/2012 5:11 60.4	22/4/2012 6:21 63.4	23/4/2012 23:31 62.0	25/4/2012 0:41 61.5
19/4/2012 2:56 58.7	20/4/2012 4:06 58.0	21/4/2012 5:16 60.5	22/4/2012 6:26 63.0	23/4/2012 23:36 63.4	25/4/2012 0:46 61.1
19/4/2012 3:01 58.9	20/4/2012 4:11 57.9	21/4/2012 5:21 61.1	22/4/2012 6:31 63.6	23/4/2012 23:41 62.7	25/4/2012 0:51 60.9
19/4/2012 3:06 59.0	20/4/2012 4:16 58.1	21/4/2012 5:26 61.0	22/4/2012 6:36 64.7	23/4/2012 23:46 62.4	25/4/2012 0:56 61.3
19/4/2012 3:11 60.3	20/4/2012 4:21 57.8	21/4/2012 5:31 60.5	22/4/2012 6:41 64.3	23/4/2012 23:51 63.2	25/4/2012 1:01 61.0
19/4/2012 3:16 58.8	20/4/2012 4:26 57.3	21/4/2012 5:36 59.8	22/4/2012 6:46 63.2	23/4/2012 23:56 63.2	25/4/2012 1:06 60.7
19/4/2012 3:21 58.7	20/4/2012 4:31 58.1	21/4/2012 5:41 60.6	22/4/2012 6:51 63.1	24/4/2012 0:01 62.7	25/4/2012 1:11 61.0
19/4/2012 3:26 58.6	20/4/2012 4:36 57.2	21/4/2012 5:46 61.1	22/4/2012 6:56 63.0	24/4/2012 0:06 62.5	25/4/2012 1:16 61.1
19/4/2012 3:31 62.3	20/4/2012 4:41 59.0	21/4/2012 5:51 60.5	22/4/2012 23:01 63.0	24/4/2012 0:11 63.8	25/4/2012 1:21 60.3
19/4/2012 3:36 58.9	20/4/2012 4:46 57.5	21/4/2012 5:56 62.4	22/4/2012 23:06 63.2	24/4/2012 0:16 61.9	25/4/2012 1:26 61.2
19/4/2012 3:41 58.3	20/4/2012 4:51 58.7	21/4/2012 6:01 62.2	22/4/2012 23:11 63.5	24/4/2012 0:21 63.3	25/4/2012 1:31 60.1
19/4/2012 3:46 60.1	20/4/2012 4:56 58.3	21/4/2012 6:06 61.9	22/4/2012 23:16 63.7	24/4/2012 0:26 62.3	25/4/2012 1:36 60.5
19/4/2012 3:51 58.6	20/4/2012 5:01 58.5	21/4/2012 6:11 62.6	22/4/2012 23:21 64.2	24/4/2012 0:31 62.7	25/4/2012 1:41 59.8
19/4/2012 3:56 59.2	20/4/2012 5:06 59.5	21/4/2012 6:16 62.3	22/4/2012 23:26 64.1	24/4/2012 0:36 62.7	25/4/2012 1:46 59.5
19/4/2012 4:01 58.7	20/4/2012 5:11 59.1	21/4/2012 6:21 63.1	22/4/2012 23:31 63.5	24/4/2012 0:41 61.9	25/4/2012 1:51 60.7
19/4/2012 4:06 58.8	20/4/2012 5:16 58.5	21/4/2012 6:26 63.5	22/4/2012 23:36 63.5	24/4/2012 0:46 60.7	25/4/2012 1:56 60.4
19/4/2012 4:11 58.2	20/4/2012 5:21 60.7	21/4/2012 6:31 63.4	22/4/2012 23:41 63.2	24/4/2012 0:51 61.1	25/4/2012 2:01 59.4
19/4/2012 4:16 58.4	20/4/2012 5:26 58.6	21/4/2012 6:36 64.1	22/4/2012 23:46 65.0	24/4/2012 0:56 61.3	25/4/2012 2:06 58.9
19/4/2012 4:21 58.6	20/4/2012 5:31 60.4	21/4/2012 6:41 64.3	22/4/2012 23:51 65.0	24/4/2012 1:01 61.0	25/4/2012 2:11 59.3
19/4/2012 4:26 58.5	20/4/2012 5:36 59.5	21/4/2012 6:46 64.4	22/4/2012 23:56 63.3	24/4/2012 1:06 61.2	25/4/2012 2:16 58.8
19/4/2012 4:31 59.4	20/4/2012 5:41 60.1	21/4/2012 6:51 64.7	23/4/2012 0:01 63.6	24/4/2012 1:11 60.7	25/4/2012 2:21 60.1
19/4/2012 4:36 58.6	20/4/2012 5:46 60.9	21/4/2012 6:56 64.4	23/4/2012 0:06 63.6	24/4/2012 1:16 59.9	25/4/2012 2:26 59.4
19/4/2012 4:41 58.8	20/4/2012 5:51 60.9	21/4/2012 23:01 63.9	23/4/2012 0:11 63.6	24/4/2012 1:21 61.5	25/4/2012 2:31 59.3
19/4/2012 4:46 58.5	20/4/2012 5:56 60.8	21/4/2012 23:06 63.8	23/4/2012 0:16 62.5	24/4/2012 1:26 60.5	25/4/2012 2:36 58.6
19/4/2012 4:51 58.4	20/4/2012 6:01 61.8	21/4/2012 23:11 64.5	23/4/2012 0:21 63.0	24/4/2012 1:31 60.5	25/4/2012 2:41 59.2
19/4/2012 4:56 58.6	20/4/2012 6:06 62.0	21/4/2012 23:16 63.7	23/4/2012 0:26 62.6	24/4/2012 1:36 60.9	25/4/2012 2:46 59.2
19/4/2012 5:01 60.1	20/4/2012 6:11 62.3	21/4/2012 23:21 64.4	23/4/2012 0:31 62.8	24/4/2012 1:41 59.9	25/4/2012 2:51 58.1
19/4/2012 5:06 60.2	20/4/2012 6:16 62.1	21/4/2012 23:26 63.7	23/4/2012 0:36 61.8	24/4/2012 1:46 60.5	25/4/2012 2:56 58.7
19/4/2012 5:11 58.7	20/4/2012 6:21 62.7	21/4/2012 23:31 63.6	23/4/2012 0:41 63.6	24/4/2012 1:51 60.4	25/4/2012 3:01 60.6
19/4/2012 5:16 60.2	20/4/2012 6:26 63.1	21/4/2012 23:36 64.4	23/4/2012 0:46 61.8	24/4/2012 1:56 60.6	25/4/2012 3:06 58.7
19/4/2012 5:21 59.6	20/4/2012 6:31 62.6	21/4/2012 23:41 64.0	23/4/2012 0:51 63.4	24/4/2012 2:01 60.3	25/4/2012 3:11 58.7
19/4/2012 5:26 59.7	20/4/2012 6:36 63.9	21/4/2012 23:46 65.3	23/4/2012 0:56 61.6	24/4/2012 2:06 59.7	25/4/2012 3:16 57.9
19/4/2012 5:31 60.6	20/4/2012 6:41 63.2	21/4/2012 23:51 63.5	23/4/2012 1:01 61.9	24/4/2012 2:11 60.0	25/4/2012 3:21 58.1
19/4/2012 5:36 60.7	20/4/2012 6:46 64.4	21/4/2012 23:56 64.0	23/4/2012 1:06 61.2	24/4/2012 2:16 60.1	25/4/2012 3:26 59.2
19/4/2012 5:41 60.2	20/4/2012 6:51 64.1	22/4/2012 0:01 63.7	23/4/2012 1:11 62.0	24/4/2012 2:21 60.2	25/4/2012 3:31 58.4
19/4/2012 5:46 63.1	20/4/2012 6:56 64.1	22/4/2012 0:06 63.4	23/4/2012 1:16 62.5	24/4/2012 2:26 60.5	25/4/2012 3:36 58.4
19/4/2012 5:51 64.4	20/4/2012 23:01 63.6	22/4/2012 0:11 63.7	23/4/2012 1:21 61.5	24/4/2012 2:31 61.0	25/4/2012 3:41 58.4
19/4/2012 5:56 61.0	20/4/2012 23:06 64.0	22/4/2012 0:16 63.0	23/4/2012 1:26 60.5	24/4/2012 2:36 60.5	25/4/2012 3:46 57.5
19/4/2012 6:01 62.3	20/4/2012 23:11 64.6	22/4/2012 0:21 63.6	23/4/2012 1:31 61.0	24/4/2012 2:41 59.4	25/4/2012 3:51 58.1
19/4/2012 6:06 63.8	20/4/2012 23:16 63.7	22/4/2012 0:26 63.0	23/4/2012 1:36 60.7	24/4/2012 2:46 60.1	25/4/2012 3:56 58.2
19/4/2012 6:11 62.8	20/4/2012 23:21 63.8	22/4/2012 0:31 62.8	23/4/2012 1:41 61.1	24/4/2012 2:51 59.4	25/4/2012 4:01 61.1
19/4/2012 6:16 63.1	20/4/2012 23:26 63.3	22/4/2012 0:36 62.6	23/4/2012 1:46 60.2	24/4/2012 2:56 60.5	25/4/2012 4:06 58.8
19/4/2012 6:21 62.8	20/4/2012 23:31 63.3	22/4/2012 0:41 62.0	23/4/2012 1:51 60.1	24/4/2012 3:01 59.1	25/4/2012 4:11 58.2
19/4/2012 6:26 63.8	20/4/2012 23:36 63.4	22/4/2012 0:46 62.4	23/4/2012 1:56 60.7	24/4/2012 3:06 59.4	25/4/2012 4:16 58.7
19/4/2012 6:31 62.8	20/4/2012 23:41 63.5	22/4/2012 0:51 62.3	23/4/2012 2:01 60.2	24/4/2012 3:11 59.2	25/4/2012 4:21 57.6
19/4/2012 6:36 64.4	20/4/2012 23:41 63.5	22/4/2012 0:56 61.7	23/4/2012 2:06 59.7	24/4/2012 3:16 59.3	25/4/2012 4:21 57.6 25/4/2012 4:26 57.9

Pool time Noise I	Doto PTN/	1 (EEUD Hong Ko	ng Transport Co	nation Whitefield Depart
Real-time Noise I 25/4/2012 4:31	58.7	26/4/2012 5:41	59.2	ection Whitefield Depot) 27/4/2012 6:51 62.4
25/4/2012 4:36	59.2	26/4/2012 5:46	61.5	27/4/2012 6:56 63.3
25/4/2012 4:41	59.7	26/4/2012 5:51	60.0	27/4/2012 23:01 63.1
25/4/2012 4:46 25/4/2012 4:51	58.3 59.5	26/4/2012 5:56 26/4/2012 6:01	59.8 61.6	27/4/2012 23:06 63.9 27/4/2012 23:11 63.1
25/4/2012 4:56	59.6	26/4/2012 6:06	59.8	27/4/2012 23:16 64.8
25/4/2012 5:01 25/4/2012 5:06	59.7 57.9	26/4/2012 6:11 26/4/2012 6:16	62.9 61.0	27/4/2012 23:21 63.8 27/4/2012 23:26 63.7
25/4/2012 5:11	58.7	26/4/2012 6:21	62.0	27/4/2012 23:31 63.9
25/4/2012 5:16 25/4/2012 5:21	59.2 58.2	26/4/2012 6:26 26/4/2012 6:31	62.4 63.3	27/4/2012 23:36 63.2 27/4/2012 23:41 63.2
25/4/2012 5:26	60.3	26/4/2012 6:36	62.1	27/4/2012 23:46 63.0
25/4/2012 5:31 25/4/2012 5:36	59.5 60.8	26/4/2012 6:41 26/4/2012 6:46	63.8 63.9	27/4/2012 23:51 63.2 27/4/2012 23:56 63.2
25/4/2012 5:41	61.0	26/4/2012 6:51	65.1	27/4/2012 23.30 03.2
25/4/2012 5:46 25/4/2012 5:51	60.0	26/4/2012 6:56 26/4/2012 23:01	63.4	*Exceedance recorded of
25/4/2012 5:56	60.4 60.1	26/4/2012 23:06	64.8 63.1	monitoring compliance of with NCO
25/4/2012 6:01	61.5	26/4/2012 23:11	65.0	
25/4/2012 6:06 25/4/2012 6:11	60.8 61.1	26/4/2012 23:16 26/4/2012 23:21	63.4 65.4	
25/4/2012 6:16	60.9	26/4/2012 23:26	64.4	
25/4/2012 6:21 25/4/2012 6:26	61.0 62.0	26/4/2012 23:31 26/4/2012 23:36	64.9 64.6	
25/4/2012 6:31	62.1	26/4/2012 23:41	63.1	
25/4/2012 6:36 25/4/2012 6:41	63.0 62.4	26/4/2012 23:46 26/4/2012 23:51	63.9 63.3	
25/4/2012 6:46	62.3	26/4/2012 23:56	64.0	
25/4/2012 6:51	62.1	27/4/2012 0:01	60.4	
25/4/2012 6:56 25/4/2012 23:01	62.3 62.9	27/4/2012 0:06 27/4/2012 0:11	60.8 60.0	
25/4/2012 23:06	63.6	27/4/2012 0:16	59.9	
25/4/2012 23:11 25/4/2012 23:16	63.4 63.9	27/4/2012 0:21 27/4/2012 0:26	60.4 60.3	
25/4/2012 23:21	63.9	27/4/2012 0:31	60.1	
25/4/2012 23:26	63.8	27/4/2012 0:36	59.8	
25/4/2012 23:31 25/4/2012 23:36	65.3 63.8	27/4/2012 0:41 27/4/2012 0:46	60.3 59.4	
25/4/2012 23:41	62.8	27/4/2012 0:51	59.4	
25/4/2012 23:46 25/4/2012 23:51	62.8 62.3	27/4/2012 0:56 27/4/2012 1:01	60.1 58.6	
25/4/2012 23:56		27/4/2012 1:06	59.4	
26/4/2012 0:01	63.6	27/4/2012 1:11	58.4	
26/4/2012 0:06 26/4/2012 0:11	61.5 62.6	27/4/2012 1:16 27/4/2012 1:21	58.6 58.5	
26/4/2012 0:16	60.5	27/4/2012 1:26	58.0	
26/4/2012 0:21 26/4/2012 0:26	62.8 62.9	27/4/2012 1:31 27/4/2012 1:36	57.8 57.6	
26/4/2012 0:31	61.1	27/4/2012 1:41	58.5	
26/4/2012 0:36 26/4/2012 0:41	61.8 62.0	27/4/2012 1:46 27/4/2012 1:51	58.0 57.8	
26/4/2012 0:46	61.5	27/4/2012 1:56	57.0	
26/4/2012 0:51	61.2	27/4/2012 2:01	58.2	
26/4/2012 0:56 26/4/2012 1:01	61.3 60.6	27/4/2012 2:06 27/4/2012 2:11	57.5 57.1	
26/4/2012 1:06	60.4	27/4/2012 2:16	57.4	
26/4/2012 1:11 26/4/2012 1:16	60.8 60.9	27/4/2012 2:21 27/4/2012 2:26	57.8 56.9	
26/4/2012 1:21	59.9	27/4/2012 2:31	58.4	
26/4/2012 1:26	58.4	27/4/2012 2:36	57.0	
26/4/2012 1:31 26/4/2012 1:36	60.1 62.0	27/4/2012 2:41 27/4/2012 2:46	57.2 57.1	
26/4/2012 1:41	59.1	27/4/2012 2:51	57.1	
26/4/2012 1:46 26/4/2012 1:51	59.7 58.6	27/4/2012 2:56 27/4/2012 3:01	56.8 57.2	
26/4/2012 1:56	57.9	27/4/2012 3:06	58.0	
26/4/2012 2:01 26/4/2012 2:06	61.1 60.2	27/4/2012 3:11 27/4/2012 3:16	56.5 56.7	
26/4/2012 2:11	59.5	27/4/2012 3:10	56.4	
26/4/2012 2:16	60.2	27/4/2012 3:26	56.9	
26/4/2012 2:21 26/4/2012 2:26	59.8 59.4	27/4/2012 3:31 27/4/2012 3:36	57.1 57.4	
26/4/2012 2:31	60.7	27/4/2012 3:41	57.2	
26/4/2012 2:36 26/4/2012 2:41	58.7 58.0	27/4/2012 3:46 27/4/2012 3:51	57.2 57.2	
26/4/2012 2:46	59.5	27/4/2012 3:56	57.2	
26/4/2012 2:51 26/4/2012 2:56	59.2 59.3	27/4/2012 4:01 27/4/2012 4:06	56.7 56.4	
26/4/2012 3:01	59.2	27/4/2012 4:11	57.1	
26/4/2012 3:06	58.5	27/4/2012 4:16	56.4 57.2	
26/4/2012 3:11 26/4/2012 3:16	59.5 60.4	27/4/2012 4:21 27/4/2012 4:26	56.6	
26/4/2012 3:21	58.3	27/4/2012 4:31	57.6	
26/4/2012 3:26 26/4/2012 3:31	57.5 59.5	27/4/2012 4:36 27/4/2012 4:41	57.2 57.7	
26/4/2012 3:36	57.6	27/4/2012 4:46	57.0	
26/4/2012 3:41	58.7	27/4/2012 4:51	57.8	
26/4/2012 3:46 26/4/2012 3:51	59.3 57.1	27/4/2012 4:56 27/4/2012 5:01	57.4 58.6	
26/4/2012 3:56	58.0	27/4/2012 5:06	58.6	
26/4/2012 4:01 26/4/2012 4:06	57.2 57.4	27/4/2012 5:11 27/4/2012 5:16	58.3 58.1	
26/4/2012 4:11	58.5	27/4/2012 5:21	57.6	
26/4/2012 4:16 26/4/2012 4:21	58.3 58.0	27/4/2012 5:26 27/4/2012 5:31	59.3 57.9	
26/4/2012 4:21	56.6	27/4/2012 5:31	57.9	
26/4/2012 4:31	58.2	27/4/2012 5:41	58.9	
26/4/2012 4:36 26/4/2012 4:41	57.7 56.1	27/4/2012 5:46 27/4/2012 5:51	58.2 59.3	
26/4/2012 4:46	57.9	27/4/2012 5:56	58.9	
26/4/2012 4:51 26/4/2012 4:56	59.9 57.4	27/4/2012 6:01 27/4/2012 6:06	59.5 59.6	
26/4/2012 5:01	58.2	27/4/2012 6:11	60.1	
26/4/2012 5:06 26/4/2012 5:11	58.4 58.4	27/4/2012 6:16	60.4	
26/4/2012 5:11 26/4/2012 5:16	58.4 58.8	27/4/2012 6:21 27/4/2012 6:26	61.7 61.2	
26/4/2012 5:21	59.8	27/4/2012 6:31	61.7	
26/4/2012 5:26 26/4/2012 5:31	58.6 58.8	27/4/2012 6:36 27/4/2012 6:41	62.3 62.3	
26/4/2012 5:36	60.1	27/4/2012 6:46	62.1	

*Exceedance recorded during monitoring compliance check with NCO

Real-time Noise Data RT	N2 (Oil Street Community Liaisor	Centre)			
Normal Day 07:00-19:00	28/3/2012 16:06 68.2	29/3/2012 13:16 67.9	30/3/2012 10:26 67.3	31/3/2012 7:36 62.7	31/3/2012 16:46 66.6
28/3/2012 7:01 59.6	28/3/2012 16:11 66.2	29/3/2012 13:21 66.1	30/3/2012 10:31 67.6	31/3/2012 7:41 62.3	31/3/2012 16:51 66.8
28/3/2012 7:06 63.4	28/3/2012 16:16 66.4	29/3/2012 13:26 65.5	30/3/2012 10:36 67.8	31/3/2012 7:46 64.1	31/3/2012 16:56 66.8
28/3/2012 7:11 62.1	28/3/2012 16:21 65.8	29/3/2012 13:31 68.2	30/3/2012 10:41 67.7	31/3/2012 7:51 64.1	31/3/2012 17:01 65.6
28/3/2012 7:16 64.1	28/3/2012 16:26 64.2	29/3/2012 13:36 68.0	30/3/2012 10:46 68.2	31/3/2012 7:56 62.7	31/3/2012 17:06 65.7
28/3/2012 7:21 60.3	28/3/2012 16:31 65.4	29/3/2012 13:41 68.2	30/3/2012 10:51 68.9	31/3/2012 8:01 63.5	31/3/2012 17:11 67.5
28/3/2012 7:26 62.1	28/3/2012 16:36 66.4	29/3/2012 13:46 66.2	30/3/2012 10:56 66.0	31/3/2012 8:06 66.0	31/3/2012 17:16 67.7
28/3/2012 7:31 61.1	28/3/2012 16:41 66.5	29/3/2012 13:51 67.0	30/3/2012 11:01 66.5	31/3/2012 8:11 64.6	31/3/2012 17:21 65.9
28/3/2012 7:36 61.4	28/3/2012 16:46 65.2	29/3/2012 13:56 68.0	30/3/2012 11:06 65.1	31/3/2012 8:16 63.8	31/3/2012 17:26 66.8
28/3/2012 7:41 61.7	28/3/2012 16:51 65.8	29/3/2012 14:01 68.4	30/3/2012 11:11 66.2	31/3/2012 8:21 65.4	31/3/2012 17:31 67.3
28/3/2012 7:46 63.7	28/3/2012 16:56 64.8	29/3/2012 14:06 66.8	30/3/2012 11:16 68.0	31/3/2012 8:26 64.9	31/3/2012 17:36 67.4
28/3/2012 7:51 64.9	28/3/2012 17:01 66.3	29/3/2012 14:11 67.9	30/3/2012 11:21 65.1	31/3/2012 8:31 64.0	31/3/2012 17:41 66.8
28/3/2012 7:56 64.1	28/3/2012 17:06 65.7	29/3/2012 14:16 67.9	30/3/2012 11:26 66.8	31/3/2012 8:36 64.4	31/3/2012 17:46 67.3
28/3/2012 8:01 62.5	28/3/2012 17:11 67.0	29/3/2012 14:21 67.3	30/3/2012 11:31 66.8	31/3/2012 8:41 64.1	31/3/2012 17:51 65.9
28/3/2012 8:06 66.1	28/3/2012 17:16 67.4	29/3/2012 14:26 65.5	30/3/2012 11:36 67.9	31/3/2012 8:46 65.2	31/3/2012 17:56 67.7
28/3/2012 8:11 64.0	28/3/2012 17:21 67.2	29/3/2012 14:31 65.7	30/3/2012 11:41 72.5	31/3/2012 8:51 64.3	31/3/2012 18:01 68.5
28/3/2012 8:16 63.9	28/3/2012 17:26 67.1	29/3/2012 14:36 67.4	30/3/2012 11:46 68.8	31/3/2012 8:56 62.5	31/3/2012 18:06 64.3
28/3/2012 8:21 65.3	28/3/2012 17:31 68.6	29/3/2012 14:41 64.5	30/3/2012 11:51 66.7	31/3/2012 9:01 63.7	31/3/2012 18:11 65.4
28/3/2012 8:26 63.9	28/3/2012 17:36 68.4	29/3/2012 14:46 65.8	30/3/2012 11:56 64.7	31/3/2012 9:06 63.3	31/3/2012 18:16 65.5
28/3/2012 8:31 66.1	28/3/2012 17:41 68.1	29/3/2012 14:51 67.5	30/3/2012 12:01 66.0	31/3/2012 9:11 62.7	31/3/2012 18:21 66.6
28/3/2012 8:36 65.1	28/3/2012 17:46 66.8	29/3/2012 14:56 68.0	30/3/2012 12:06 64.1	31/3/2012 9:16 61.8	31/3/2012 18:26 66.2
28/3/2012 8:41 64.1	28/3/2012 17:51 65.1	29/3/2012 15:01 66.4	30/3/2012 12:11 62.8	31/3/2012 9:21 64.6	31/3/2012 18:31 66.1
28/3/2012 8:46 64.6	28/3/2012 17:56 67.7	29/3/2012 15:06 66.0	30/3/2012 12:16 62.6	31/3/2012 9:26 64.4	31/3/2012 18:36 66.9
28/3/2012 8:51 64.2	28/3/2012 18:01 68.4	29/3/2012 15:11 66.5	30/3/2012 12:21 64.5	31/3/2012 9:31 63.9	31/3/2012 18:41 67.2
28/3/2012 8:56 64.7	28/3/2012 18:06 65.7	29/3/2012 15:16 65.0	30/3/2012 12:26 63.6	31/3/2012 9:36 64.2	31/3/2012 18:46 66.7
28/3/2012 9:01 64.0	28/3/2012 18:11 65.0	29/3/2012 15:21 64.9	30/3/2012 12:31 64.7	31/3/2012 9:41 65.1	31/3/2012 18:51 65.4
28/3/2012 9:06 63.2	28/3/2012 18:16 66.9	29/3/2012 15:26 66.6	30/3/2012 12:36 62.1	31/3/2012 9:46 65.4	31/3/2012 18:56 66.1
28/3/2012 9:11 61.8	28/3/2012 18:21 65.3	29/3/2012 15:31 67.2	30/3/2012 12:41 62.2	31/3/2012 9:51 64.7	2/4/2012 7:01 61.2
28/3/2012 9:16 62.0	28/3/2012 18:26 66.0	29/3/2012 15:36 69.1	30/3/2012 12:46 63.3	31/3/2012 9:56 65.2	2/4/2012 7:06 62.8
28/3/2012 9:21 64.2	28/3/2012 18:31 68.4	29/3/2012 15:41 66.1	30/3/2012 12:51 63.8	31/3/2012 10:01 65.1	2/4/2012 7:11 61.2
28/3/2012 9:26 64.2	28/3/2012 18:36 66.7	29/3/2012 15:46 67.4	30/3/2012 12:56 64.8	31/3/2012 10:06 66.4	2/4/2012 7:16 64.2
28/3/2012 9:31 63.7	28/3/2012 18:41 66.4	29/3/2012 15:51 66.2	30/3/2012 13:01 63.7	31/3/2012 10:11 67.6	2/4/2012 7:21 61.2
28/3/2012 9:36 63.4	28/3/2012 18:46 67.9	29/3/2012 15:56 66.6	30/3/2012 13:06 64.5	31/3/2012 10:16 64.6	2/4/2012 7:26 60.3
28/3/2012 9:41 63.9	28/3/2012 18:51 66.5	29/3/2012 16:01 66.0	30/3/2012 13:11 65.9	31/3/2012 10:21 67.3	2/4/2012 7:31 59.9
28/3/2012 9:46 64.3	28/3/2012 18:56 63.2	29/3/2012 16:06 66.1	30/3/2012 13:16 66.8	31/3/2012 10:26 65.4	2/4/2012 7:36 60.7
28/3/2012 9:51 64.3	29/3/2012 7:01 60.7	29/3/2012 16:11 66.2	30/3/2012 13:21 64.8	31/3/2012 10:31 66.2	2/4/2012 7:41 63.1
28/3/2012 9:56 64.3	29/3/2012 7:06 61.1	29/3/2012 16:16 64.8	30/3/2012 13:26 66.3	31/3/2012 10:36 67.8	2/4/2012 7:46 63.6
28/3/2012 10:01 65.8	29/3/2012 7:11 62.0	29/3/2012 16:21 67.7	30/3/2012 13:31 68.8	31/3/2012 10:41 68.8	2/4/2012 7:51 64.3
28/3/2012 10:06 65.3	29/3/2012 7:16 62.8	29/3/2012 16:26 67.6	30/3/2012 13:36 68.8	31/3/2012 10:46 68.0	2/4/2012 7:56 62.4
28/3/2012 10:11 68.5	29/3/2012 7:21 60.6	29/3/2012 16:31 64.3	30/3/2012 13:41 65.7	31/3/2012 10:51 67.7	2/4/2012 8:01 62.7
28/3/2012 10:16 67.5	29/3/2012 7:26 60.9	29/3/2012 16:36 65.9	30/3/2012 13:46 65.4	31/3/2012 10:56 68.4	2/4/2012 8:06 65.8
28/3/2012 10:21 67.6	29/3/2012 7:31 62.4	29/3/2012 16:41 65.4	30/3/2012 13:51 66.7	31/3/2012 11:01 66.3	2/4/2012 8:11 64.5
28/3/2012 10:26 67.4	29/3/2012 7:36 60.9	29/3/2012 16:46 65.1	30/3/2012 13:56 67.0	31/3/2012 11:06 66.5	2/4/2012 8:16 62.8
28/3/2012 10:31 66.2	29/3/2012 7:41 63.6	29/3/2012 16:51 66.1	30/3/2012 14:01 66.5	31/3/2012 11:11 64.4	2/4/2012 8:21 64.4
28/3/2012 10:36 67.4	29/3/2012 7:46 62.0	29/3/2012 16:56 64.1	30/3/2012 14:06 66.1	31/3/2012 11:16 66.4	2/4/2012 8:26 65.3
28/3/2012 10:41 67.2	29/3/2012 7:51 65.0	29/3/2012 17:01 65.4	30/3/2012 14:11 65.4	31/3/2012 11:21 66.5	2/4/2012 8:31 65.2
28/3/2012 10:46 69.9	29/3/2012 7:56 63.0	29/3/2012 17:06 65.5	30/3/2012 14:16 65.7	31/3/2012 11:26 67.8	2/4/2012 8:36 62.9
28/3/2012 10:51 67.3	29/3/2012 8:01 62.0	29/3/2012 17:11 66.5	30/3/2012 14:21 65.9	31/3/2012 11:31 66.9	2/4/2012 8:41 65.0
28/3/2012 10:56 67.0	29/3/2012 8:06 66.8	29/3/2012 17:16 66.6	30/3/2012 14:26 66.1	31/3/2012 11:36 66.8	2/4/2012 8:46 63.2
28/3/2012 11:01 65.1	29/3/2012 8:11 64.4	29/3/2012 17:21 66.3	30/3/2012 14:31 65.3	31/3/2012 11:41 70.9	2/4/2012 8:51 65.0
28/3/2012 11:06 65.1	29/3/2012 8:16 63.7	29/3/2012 17:26 68.2	30/3/2012 14:36 65.1	31/3/2012 11:46 67.8	2/4/2012 8:56 64.3
28/3/2012 11:11 66.0	29/3/2012 8:21 64.2	29/3/2012 17:31 66.5	30/3/2012 14:41 65.5	31/3/2012 11:51 67.0	2/4/2012 9:01 62.4
28/3/2012 11:16 68.1	29/3/2012 8:26 64.4	29/3/2012 17:36 67.9	30/3/2012 14:46 66.7	31/3/2012 11:56 64.1	2/4/2012 9:06 63.2
28/3/2012 11:21 66.9	29/3/2012 8:31 65.3	29/3/2012 17:41 66.8	30/3/2012 14:51 66.5	31/3/2012 12:01 64.3	2/4/2012 9:11 63.2
28/3/2012 11:26 66.5	29/3/2012 8:36 64.3	29/3/2012 17:46 67.7	30/3/2012 14:56 66.5	31/3/2012 12:06 61.8	2/4/2012 9:16 63.1
28/3/2012 11:31 66.6	29/3/2012 8:41 64.4	29/3/2012 17:51 65.6	30/3/2012 15:01 65.1	31/3/2012 12:11 62.8	2/4/2012 9:21 64.4
28/3/2012 11:36 66.6	29/3/2012 8:46 63.5	29/3/2012 17:56 67.6	30/3/2012 15:06 67.7	31/3/2012 12:16 64.4	2/4/2012 9:26 63.5
28/3/2012 11:41 70.8	29/3/2012 8:51 64.2	29/3/2012 18:01 68.1	30/3/2012 15:11 65.9	31/3/2012 12:21 63.6	2/4/2012 9:31 64.1
28/3/2012 11:46 68.3	29/3/2012 8:56 63.6	29/3/2012 18:06 65.6	30/3/2012 15:16 67.9	31/3/2012 12:26 63.6	2/4/2012 9:36 65.2
28/3/2012 11:51 67.2	29/3/2012 9:01 64.2	29/3/2012 18:11 65.1	30/3/2012 15:21 66.1	31/3/2012 12:31 63.2	2/4/2012 9:41 63.7
28/3/2012 11:56 63.3	29/3/2012 9:06 63.2	29/3/2012 18:16 65.5	30/3/2012 15:26 66.2	31/3/2012 12:36 61.7	2/4/2012 9:46 64.9
28/3/2012 12:01 65.2	29/3/2012 9:11 62.1	29/3/2012 18:21 63.9	30/3/2012 15:31 68.9	31/3/2012 12:41 63.0	2/4/2012 9:51 65.8
28/3/2012 12:06 62.1	29/3/2012 9:16 64.1	29/3/2012 18:26 67.1	30/3/2012 15:36 67.8	31/3/2012 12:46 62.9	2/4/2012 9:56 64.1
28/3/2012 12:11 64.2	29/3/2012 9:21 64.3	29/3/2012 18:31 65.9	30/3/2012 15:41 66.2	31/3/2012 12:51 63.7	2/4/2012 10:01 65.0
28/3/2012 12:16 62.4	29/3/2012 9:26 63.2	29/3/2012 18:36 66.5	30/3/2012 15:46 65.8	31/3/2012 12:56 63.6	2/4/2012 10:06 65.9
28/3/2012 12:21 64.1	29/3/2012 9:31 63.8	29/3/2012 18:41 64.2	30/3/2012 15:51 64.8	31/3/2012 13:01 64.0	2/4/2012 10:11 66.7
28/3/2012 12:26 63.1	29/3/2012 9:36 65.2	29/3/2012 18:46 65.8	30/3/2012 15:56 65.4	31/3/2012 13:06 62.9	2/4/2012 10:16 65.2
28/3/2012 12:31 65.0	29/3/2012 9:41 64.0	29/3/2012 18:51 66.0	30/3/2012 16:01 67.2	31/3/2012 13:11 65.5	2/4/2012 10:21 65.8
28/3/2012 12:36 63.3	29/3/2012 9:46 67.0	29/3/2012 18:56 64.1	30/3/2012 16:06 67.8	31/3/2012 13:16 68.6	2/4/2012 10:26 66.6
28/3/2012 12:41 62.4	29/3/2012 9:51 66.9	30/3/2012 7:01 61.5	30/3/2012 16:11 65.8	31/3/2012 13:21 65.5	2/4/2012 10:31 65.8
28/3/2012 12:46 64.2	29/3/2012 9:56 65.0	30/3/2012 7:06 62.8	30/3/2012 16:16 66.0	31/3/2012 13:26 68.4	2/4/2012 10:36 66.1
28/3/2012 12:51 64.2	29/3/2012 10:01 65.3	30/3/2012 7:11 60.8	30/3/2012 16:21 67.4	31/3/2012 13:31 68.0	2/4/2012 10:41 70.3
28/3/2012 12:56 63.9	29/3/2012 10:06 65.0	30/3/2012 7:16 63.3	30/3/2012 16:26 67.7	31/3/2012 13:36 68.3	2/4/2012 10:46 66.8
28/3/2012 13:01 64.6	29/3/2012 10:11 67.4	30/3/2012 7:21 62.4	30/3/2012 16:31 66.2	31/3/2012 13:41 68.1	2/4/2012 10:51 65.3
28/3/2012 13:06 62.3	29/3/2012 10:16 66.6	30/3/2012 7:26 61.1	30/3/2012 16:36 66.0	31/3/2012 13:46 66.2	2/4/2012 10:56 66.5
28/3/2012 13:11 65.9	29/3/2012 10:21 66.9	30/3/2012 7:31 62.3	30/3/2012 16:41 65.5	31/3/2012 13:51 67.3	2/4/2012 11:01 65.5
28/3/2012 13:16 67.2	29/3/2012 10:26 65.4	30/3/2012 7:36 60.9	30/3/2012 16:46 66.7	31/3/2012 13:56 67.6	2/4/2012 11:06 66.5
28/3/2012 13:21 63.5	29/3/2012 10:31 65.9	30/3/2012 7:41 62.9	30/3/2012 16:51 65.8	31/3/2012 14:01 68.3	2/4/2012 11:11 66.4
28/3/2012 13:26 66.9	29/3/2012 10:36 66.7	30/3/2012 7:46 63.1	30/3/2012 16:56 65.1	31/3/2012 14:06 65.7	2/4/2012 11:16 67.2
28/3/2012 13:31 69.2	29/3/2012 10:41 69.5	30/3/2012 7:51 62.3	30/3/2012 17:01 66.1	31/3/2012 14:11 67.4	2/4/2012 11:21 66.8
28/3/2012 13:36 67.5	29/3/2012 10:46 68.8	30/3/2012 7:56 63.3	30/3/2012 17:06 64.4	31/3/2012 14:16 65.6	2/4/2012 11:26 66.9
28/3/2012 13:41 66.9	29/3/2012 10:51 66.6	30/3/2012 8:01 63.5	30/3/2012 17:11 66.6	31/3/2012 14:21 66.1	2/4/2012 11:31 66.8
28/3/2012 13:46 66.9	29/3/2012 10:56 66.7	30/3/2012 8:06 65.9	30/3/2012 17:16 66.2	31/3/2012 14:26 66.6	2/4/2012 11:36 66.6
28/3/2012 13:51 66.1	29/3/2012 11:01 64.6	30/3/2012 8:11 64.8	30/3/2012 17:21 66.6	31/3/2012 14:31 66.3	2/4/2012 11:41 70.6
28/3/2012 13:56 69.2	29/3/2012 11:06 65.6	30/3/2012 8:16 63.6	30/3/2012 17:26 67.9	31/3/2012 14:36 66.4	2/4/2012 11:46 68.5
28/3/2012 14:01 66.6	29/3/2012 11:11 65.2	30/3/2012 8:21 66.6	30/3/2012 17:31 66.7	31/3/2012 14:41 65.1	2/4/2012 11:51 67.0
28/3/2012 14:06 66.9	29/3/2012 11:16 66.7	30/3/2012 8:26 65.3	30/3/2012 17:36 69.2	31/3/2012 14:46 66.3	2/4/2012 11:56 63.9
28/3/2012 14:11 67.0	29/3/2012 11:21 68.1	30/3/2012 8:31 63.8	30/3/2012 17:41 67.8	31/3/2012 14:51 66.1	2/4/2012 12:01 64.9
28/3/2012 14:16 66.4	29/3/2012 11:26 67.4	30/3/2012 8:36 63.3	30/3/2012 17:46 65.6	31/3/2012 14:56 66.9	2/4/2012 12:06 64.0
28/3/2012 14:21 66.3	29/3/2012 11:31 67.2	30/3/2012 8:41 63.3	30/3/2012 17:51 64.4	31/3/2012 15:01 65.9	2/4/2012 12:11 64.8
28/3/2012 14:26 67.1	29/3/2012 11:36 67.4	30/3/2012 8:46 63.7	30/3/2012 17:56 68.0	31/3/2012 15:06 64.5	2/4/2012 12:16 61.4
28/3/2012 14:31 65.7	29/3/2012 11:41 69.7	30/3/2012 8:51 64.2	30/3/2012 18:01 67.7	31/3/2012 15:11 65.9	2/4/2012 12:21 63.6
28/3/2012 14:36 67.8	29/3/2012 11:46 68.7	30/3/2012 8:56 63.2	30/3/2012 18:06 63.4	31/3/2012 15:16 67.2	2/4/2012 12:26 63.9
28/3/2012 14:41 64.9	29/3/2012 11:51 67.0	30/3/2012 9:01 63.5	30/3/2012 18:11 67.5	31/3/2012 15:21 65.5	2/4/2012 12:31 64.6
28/3/2012 14:46 66.1	29/3/2012 11:56 64.6	30/3/2012 9:06 62.8	30/3/2012 18:16 66.1	31/3/2012 15:26 67.2	2/4/2012 12:36 62.7
28/3/2012 14:51 65.1	29/3/2012 12:01 63.6	30/3/2012 9:11 62.2	30/3/2012 18:21 66.5	31/3/2012 15:31 68.1	2/4/2012 12:41 61.6
28/3/2012 14:56 67.7	29/3/2012 12:06 63.6	30/3/2012 9:16 64.5	30/3/2012 18:26 67.7	31/3/2012 15:36 68.8	2/4/2012 12:46 62.9
28/3/2012 15:01 66.9	29/3/2012 12:11 64.0	30/3/2012 9:21 63.1	30/3/2012 18:31 65.5	31/3/2012 15:41 66.6	2/4/2012 12:51 63.8
28/3/2012 15:06 66.0	29/3/2012 12:16 63.8	30/3/2012 9:26 63.1	30/3/2012 18:36 65.6	31/3/2012 15:46 64.9	2/4/2012 12:56 64.3
28/3/2012 15:11 66.5	29/3/2012 12:21 62.3	30/3/2012 9:31 63.3	30/3/2012 18:41 64.6	31/3/2012 15:51 65.3	2/4/2012 13:01 63.9
28/3/2012 15:16 67.3	29/3/2012 12:26 63.2	30/3/2012 9:36 65.1	30/3/2012 18:46 66.8	31/3/2012 15:56 66.3	2/4/2012 13:06 64.5
28/3/2012 15:21 63.9	29/3/2012 12:31 63.8	30/3/2012 9:41 64.0	30/3/2012 18:51 65.7	31/3/2012 16:01 68.3	2/4/2012 13:11 64.8
28/3/2012 15:26 67.6	29/3/2012 12:36 62.6	30/3/2012 9:46 66.5	30/3/2012 18:56 64.9	31/3/2012 16:06 66.8	2/4/2012 13:16 67.6
28/3/2012 15:31 67.8	29/3/2012 12:41 62.7	30/3/2012 9:51 64.9	31/3/2012 7:01 60.9	31/3/2012 16:11 66.0	2/4/2012 13:21 66.4
28/3/2012 15:36 68.0	29/3/2012 12:46 64.9	30/3/2012 9:56 66.3	31/3/2012 7:06 62.9	31/3/2012 16:16 66.8	2/4/2012 13:26 66.0
28/3/2012 15:41 67.0	29/3/2012 12:51 63.7	30/3/2012 10:01 66.5	31/3/2012 7:11 61.2	31/3/2012 16:21 65.1	2/4/2012 13:31 67.8
28/3/2012 15:46 68.2	29/3/2012 12:56 64.4	30/3/2012 10:06 64.5 30/3/2012 10:11 66.8	31/3/2012 7:16 62.7	31/3/2012 16:26 67.5	2/4/2012 13:36 68.6
28/3/2012 15:51 65.0	29/3/2012 13:01 65.3	30/3/2012 10:16 65.5	31/3/2012 7:21 61.8	31/3/2012 16:31 65.3	2/4/2012 13:41 66.8
28/3/2012 15:56 65.5	29/3/2012 13:06 64.1		31/3/2012 7:26 60.1	31/3/2012 16:36 67.0	2/4/2012 13:46 66.0
28/3/2012 16:01 67.1	29/3/2012 13:11 65.6	30/3/2012 10:21 67.2	31/3/2012 7:31 63.3	31/3/2012 16:41 65.8	2/4/2012 13:51 67.4

Real-time Noise I	Data F	RTN2 (Oil Street Comr	nunity Liaison (Centre)						
2/4/2012 13:56	66.3	3/4/2012 11:06	67.4	5/4/2012 8:16	62.2 62.4	5/4/2012 17:26	63.6 63.0	10/4/2012 14:36 10/4/2012 14:41		11/4/2012 11:46 65.2
2/4/2012 14:01 2/4/2012 14:06	66.3 66.3	3/4/2012 11:11 3/4/2012 11:16	69.0 68.5	5/4/2012 8:21 5/4/2012 8:26	62.4 62.4	5/4/2012 17:31 5/4/2012 17:36	66.7	10/4/2012 14:41		11/4/2012 11:51 64.8 11/4/2012 11:56 64.3
2/4/2012 14:11 2/4/2012 14:16	67.2 67.2	3/4/2012 11:21 3/4/2012 11:26	68.2 68.2	5/4/2012 8:31 5/4/2012 8:36	62.0 62.1	5/4/2012 17:41 5/4/2012 17:46	65.5 65.5	10/4/2012 14:51 10/4/2012 14:56		11/4/2012 12:01 64.5 11/4/2012 12:06 65.6
2/4/2012 14:21	66.8	3/4/2012 11:31	68.2	5/4/2012 8:41	62.1	5/4/2012 17:51	66.2	10/4/2012 15:01	64.2	11/4/2012 12:11 66.4
2/4/2012 14:26 2/4/2012 14:31	65.6 66.0	3/4/2012 11:36 3/4/2012 11:41	68.6 67.5	5/4/2012 8:46 5/4/2012 8:51	61.9 63.4	5/4/2012 17:56 5/4/2012 18:01	64.1 63.7	10/4/2012 15:06 10/4/2012 15:11		11/4/2012 12:16 64.5 11/4/2012 12:21 64.3
2/4/2012 14:36	66.1	3/4/2012 11:46	67.7	5/4/2012 8:56	64.2	5/4/2012 18:06	64.8	10/4/2012 15:16	62.7	11/4/2012 12:26 63.5
2/4/2012 14:41 2/4/2012 14:46	65.0 65.5	3/4/2012 11:51 3/4/2012 11:56	68.4 66.6	5/4/2012 9:01 5/4/2012 9:06	64.5 65.0	5/4/2012 18:11 5/4/2012 18:16	64.5 63.9	10/4/2012 15:21 10/4/2012 15:26	65.2 65.6	11/4/2012 12:31 63.9 11/4/2012 12:36 64.7
2/4/2012 14:51 2/4/2012 14:56	66.1 66.5	3/4/2012 12:01 3/4/2012 12:06	68.4 65.6	5/4/2012 9:11 5/4/2012 9:16	64.1 62.9	5/4/2012 18:21 5/4/2012 18:26	63.3 65.8	10/4/2012 15:31 10/4/2012 15:36		11/4/2012 12:41 66.1 11/4/2012 12:46 64.4
2/4/2012 15:01	66.2	3/4/2012 12:11	67.2	5/4/2012 9:21	63.3	5/4/2012 18:31	68.4	10/4/2012 15:41	70.2	11/4/2012 12:51 64.3
2/4/2012 15:06 2/4/2012 15:11	66.4 66.6	3/4/2012 12:16 3/4/2012 12:21	68.0 68.4	5/4/2012 9:26 5/4/2012 9:31	62.9 62.8	5/4/2012 18:36 5/4/2012 18:41	66.8 64.0	10/4/2012 15:46 10/4/2012 15:51		11/4/2012 12:56 64.2 11/4/2012 13:01 64.8
2/4/2012 15:16	68.6	3/4/2012 12:26 3/4/2012 12:31	68.2	5/4/2012 9:36	62.3	5/4/2012 18:46	62.4	10/4/2012 15:56	70.7	11/4/2012 13:06 64.9
2/4/2012 15:21 2/4/2012 15:26	64.7 67.9	3/4/2012 12:31	68.1 68.4	5/4/2012 9:41 5/4/2012 9:46	62.7 64.9	5/4/2012 18:51 5/4/2012 18:56	62.7 62.2	10/4/2012 16:01 10/4/2012 16:06		11/4/2012 13:11 64.7 11/4/2012 13:16 65.9
2/4/2012 15:31 2/4/2012 15:36	68.4 67.7	3/4/2012 12:41 3/4/2012 12:46	68.7 64.7	5/4/2012 9:51 5/4/2012 9:56	64.1 65.3	10/4/2012 7:01 10/4/2012 7:06	60.1 60.3	10/4/2012 16:11 10/4/2012 16:16		11/4/2012 13:21 67.2 11/4/2012 13:26 64.2
2/4/2012 15:41	65.8	3/4/2012 12:51	63.3	5/4/2012 10:01	63.6	10/4/2012 7:11	61.1	10/4/2012 16:21	65.0	11/4/2012 13:31 64.6
2/4/2012 15:46 2/4/2012 15:51	68.2 65.1	3/4/2012 12:56 3/4/2012 13:01	63.6 62.9	5/4/2012 10:06 5/4/2012 10:11	63.4 62.8	10/4/2012 7:16 10/4/2012 7:21	60.3 60.8	10/4/2012 16:26 10/4/2012 16:31		11/4/2012 13:36 66.2 11/4/2012 13:41 65.8
2/4/2012 15:56 2/4/2012 16:01	65.4 67.0	3/4/2012 13:06 3/4/2012 13:11	65.6 64.0	5/4/2012 10:16 5/4/2012 10:21	64.3 64.9	10/4/2012 7:26 10/4/2012 7:31	60.3 60.3	10/4/2012 16:36 10/4/2012 16:41		11/4/2012 13:46 65.5 11/4/2012 13:51 64.2
2/4/2012 16:06	66.4	3/4/2012 13:16	63.8	5/4/2012 10:26	63.5	10/4/2012 7:36	60.2	10/4/2012 16:46	65.7	11/4/2012 13:56 65.7
2/4/2012 16:11 2/4/2012 16:16	65.2 66.2	3/4/2012 13:21 3/4/2012 13:26	64.6 63.3	5/4/2012 10:31 5/4/2012 10:36	63.5 63.7	10/4/2012 7:41 10/4/2012 7:46	61.4 64.2	10/4/2012 16:51 10/4/2012 16:56		11/4/2012 14:01 65.6 11/4/2012 14:06 65.5
2/4/2012 16:21	65.6	3/4/2012 13:31	65.1	5/4/2012 10:41	63.0	10/4/2012 7:51	61.4	10/4/2012 17:01	66.2	11/4/2012 14:11 65.1
2/4/2012 16:26 2/4/2012 16:31	66.3 65.9	3/4/2012 13:36 3/4/2012 13:41	63.5 63.8	5/4/2012 10:46 5/4/2012 10:51	63.7 62.3	10/4/2012 7:56 10/4/2012 8:01	61.3 61.3	10/4/2012 17:06 10/4/2012 17:11	65.9	11/4/2012 14:16 65.0 11/4/2012 14:21 64.5
2/4/2012 16:36 2/4/2012 16:41	67.4 65.2	3/4/2012 13:46 3/4/2012 13:51	65.1 64.1	5/4/2012 10:56 5/4/2012 11:01	62.8 62.4	10/4/2012 8:06 10/4/2012 8:11	62.3 69.5	10/4/2012 17:16 10/4/2012 17:21		11/4/2012 14:26 63.7 11/4/2012 14:31 63.7
2/4/2012 16:46	66.0	3/4/2012 13:56	64.9	5/4/2012 11:06	63.0	10/4/2012 8:16	64.1	10/4/2012 17:26	65.7	11/4/2012 14:36 65.3
2/4/2012 16:51 2/4/2012 16:56	66.7 65.1	3/4/2012 14:01 3/4/2012 14:06	63.9 64.6	5/4/2012 11:11 5/4/2012 11:16	65.2 64.4	10/4/2012 8:21 10/4/2012 8:26	64.6 64.0	10/4/2012 17:31 10/4/2012 17:36		11/4/2012 14:41 65.0 11/4/2012 14:46 67.1
2/4/2012 17:01	65.5	3/4/2012 14:11	65.3	5/4/2012 11:21	65.2	10/4/2012 8:31	64.6	10/4/2012 17:41	63.7	11/4/2012 14:51 66.3
2/4/2012 17:06 2/4/2012 17:11	65.1 67.7	3/4/2012 14:16 3/4/2012 14:21	68.4 69.1	5/4/2012 11:26 5/4/2012 11:31	65.4 66.1	10/4/2012 8:36 10/4/2012 8:41	64.0 62.2	10/4/2012 17:46 10/4/2012 17:51		11/4/2012 14:56 63.8 11/4/2012 15:01 62.8
2/4/2012 17:16 2/4/2012 17:21	67.0 66.8	3/4/2012 14:26 3/4/2012 14:31	68.0 68.0	5/4/2012 11:36 5/4/2012 11:41	63.0 62.9	10/4/2012 8:46 10/4/2012 8:51	62.8 62.6	10/4/2012 17:56 10/4/2012 18:01		11/4/2012 15:06 64.1 11/4/2012 15:11 64.1
2/4/2012 17:26	65.8	3/4/2012 14:36	67.9	5/4/2012 11:46	62.7	10/4/2012 8:56	64.0	10/4/2012 18:06	63.9	11/4/2012 15:16 64.5
2/4/2012 17:31 2/4/2012 17:36	65.4 68.8	3/4/2012 14:41 3/4/2012 14:46	68.2 66.1	5/4/2012 11:51 5/4/2012 11:56	63.6 62.2	10/4/2012 9:01 10/4/2012 9:06	63.6 64.2	10/4/2012 18:11 10/4/2012 18:16	63.6 63.2	11/4/2012 15:21 65.4 11/4/2012 15:26 65.2
2/4/2012 17:41	68.4	3/4/2012 14:51	68.9	5/4/2012 12:01	62.4	10/4/2012 9:11	62.1	10/4/2012 18:21	65.0	11/4/2012 15:31 66.0
2/4/2012 17:46 2/4/2012 17:51	66.1 66.0	3/4/2012 14:56 3/4/2012 15:01	68.3 66.3	5/4/2012 12:06 5/4/2012 12:11	63.3 62.7	10/4/2012 9:16 10/4/2012 9:21	63.1 61.8	10/4/2012 18:26 10/4/2012 18:31		11/4/2012 15:36 65.3 11/4/2012 15:41 65.4
2/4/2012 17:56 2/4/2012 18:01	68.2 67.2	3/4/2012 15:06 3/4/2012 15:11	68.4 67.3	5/4/2012 12:16 5/4/2012 12:21	62.5 62.0	10/4/2012 9:26 10/4/2012 9:31	63.0 62.2	10/4/2012 18:36 10/4/2012 18:41	63.2 63.6	11/4/2012 15:46 66.2 11/4/2012 15:51 66.1
2/4/2012 18:06	65.6	3/4/2012 15:16	67.3	5/4/2012 12:26	63.4	10/4/2012 9:36	63.8	10/4/2012 18:46	63.2	11/4/2012 15:56 65.4
2/4/2012 18:11 2/4/2012 18:16	66.4 67.0	3/4/2012 15:21 3/4/2012 15:26	67.6 67.6	5/4/2012 12:31 5/4/2012 12:36	63.5 63.0	10/4/2012 9:41 10/4/2012 9:46	65.0 63.8	10/4/2012 18:51 10/4/2012 18:56		11/4/2012 16:01 65.1 11/4/2012 16:06 64.3
2/4/2012 18:21 2/4/2012 18:26	66.0 67.6	3/4/2012 15:31 3/4/2012 15:36	67.3 67.3	5/4/2012 12:41 5/4/2012 12:46	62.6 62.9	10/4/2012 9:51 10/4/2012 9:56	64.2 64.6	11/4/2012 7:01 11/4/2012 7:06	64.1 63.6	11/4/2012 16:11 64.9 11/4/2012 16:16 64.4
2/4/2012 18:31	66.0	3/4/2012 15:41	67.8	5/4/2012 12:51	63.3	10/4/2012 10:01	1 64.9	11/4/2012 7:11	64.0	11/4/2012 16:21 65.4
2/4/2012 18:36 2/4/2012 18:41	65.9 65.4	3/4/2012 15:46 3/4/2012 15:51	64.8 64.3	5/4/2012 12:56 5/4/2012 13:01	63.6 62.7	10/4/2012 10:06 10/4/2012 10:11		11/4/2012 7:16 11/4/2012 7:21	63.7 63.7	11/4/2012 16:26 64.1 11/4/2012 16:31 65.2
2/4/2012 18:46	66.7	3/4/2012 15:56	63.4	5/4/2012 13:06	62.8	10/4/2012 10:16	6 68.1	11/4/2012 7:26	64.1 63.9	11/4/2012 16:36 63.7
2/4/2012 18:51 2/4/2012 18:56	64.6 64.7	3/4/2012 16:01 3/4/2012 16:06	64.1 64.1	5/4/2012 13:11 5/4/2012 13:16	65.8 65.9	10/4/2012 10:21 10/4/2012 10:26		11/4/2012 7:31 11/4/2012 7:36	64.0	11/4/2012 16:41 64.8 11/4/2012 16:46 64.3
3/4/2012 7:01 3/4/2012 7:06	57.4 60.1	3/4/2012 16:11 3/4/2012 16:16	65.2 65.4	5/4/2012 13:21 5/4/2012 13:26	66.2 64.0	10/4/2012 10:31 10/4/2012 10:36		11/4/2012 7:41 11/4/2012 7:46	64.5 64.7	11/4/2012 16:51 64.5 11/4/2012 16:56 66.0
3/4/2012 7:11	64.0	3/4/2012 16:21	67.5	5/4/2012 13:31 5/4/2012 13:36	62.6	10/4/2012 10:41	1 64.0	11/4/2012 7:51	65.7	11/4/2012 17:01 66.2 11/4/2012 17:06 64.8
3/4/2012 7:16 3/4/2012 7:21	70.2 61.4	3/4/2012 16:26 3/4/2012 16:31	68.4 67.6	5/4/2012 13:41	63.6 62.9	10/4/2012 10:46 10/4/2012 10:51		11/4/2012 7:56 11/4/2012 8:01	64.0 64.9	11/4/2012 17:06 64.8
3/4/2012 7:26 3/4/2012 7:31	60.7 60.6	3/4/2012 16:36 3/4/2012 16:41	67.9 67.7	5/4/2012 13:46 5/4/2012 13:51	62.9 62.8	10/4/2012 10:56 10/4/2012 11:01		11/4/2012 8:06 11/4/2012 8:11	64.5 64.2	11/4/2012 17:16 63.9 11/4/2012 17:21 63.8
3/4/2012 7:36	61.3	3/4/2012 16:46	67.1	5/4/2012 13:56	63.3	10/4/2012 11:06	6 62.9	11/4/2012 8:16	65.6	11/4/2012 17:26 64.2
3/4/2012 7:41 3/4/2012 7:46	61.3 61.3	3/4/2012 16:51 3/4/2012 16:56	66.9 67.7	5/4/2012 14:01 5/4/2012 14:06	64.0 63.8	10/4/2012 11:11 10/4/2012 11:16		11/4/2012 8:21 11/4/2012 8:26	65.4 64.3	11/4/2012 17:31 65.8 11/4/2012 17:36 64.7
3/4/2012 7:51 3/4/2012 7:56	61.4 61.3	3/4/2012 17:01 3/4/2012 17:06	66.4 67.3	5/4/2012 14:11 5/4/2012 14:16	63.1 63.0	10/4/2012 11:21 10/4/2012 11:26		11/4/2012 8:31 11/4/2012 8:36	65.9 64.9	11/4/2012 17:41 64.4 11/4/2012 17:46 64.3
3/4/2012 8:01	62.8	3/4/2012 17:11	67.1	5/4/2012 14:21	62.7	10/4/2012 11:31	63.3	11/4/2012 8:41	64.4	11/4/2012 17:51 64.8
3/4/2012 8:06 3/4/2012 8:11	63.2 62.6	3/4/2012 17:16 3/4/2012 17:21	67.0 67.1	5/4/2012 14:26 5/4/2012 14:31	62.6 63.0	10/4/2012 11:36 10/4/2012 11:41		11/4/2012 8:46 11/4/2012 8:51	63.6 64.5	11/4/2012 17:56 64.8 11/4/2012 18:01 66.4
3/4/2012 8:16	61.9	3/4/2012 17:26	66.2	5/4/2012 14:36	65.0	10/4/2012 11:46	62.1	11/4/2012 8:56	64.7 63.6	11/4/2012 18:06 66.4
3/4/2012 8:21 3/4/2012 8:26	61.3 62.9	3/4/2012 17:31 3/4/2012 17:36	67.3 67.2	5/4/2012 14:41 5/4/2012 14:46	64.4 64.6	10/4/2012 11:51 10/4/2012 11:56	6 62.3	11/4/2012 9:01 11/4/2012 9:06	63.8	11/4/2012 18:11 66.8 11/4/2012 18:16 65.3
3/4/2012 8:31 3/4/2012 8:36	62.1 62.2	3/4/2012 17:41 3/4/2012 17:46	67.7 68.4	5/4/2012 14:51 5/4/2012 14:56	63.3 62.9	10/4/2012 12:01 10/4/2012 12:06		11/4/2012 9:11 11/4/2012 9:16	64.6 64.0	11/4/2012 18:21 63.7 11/4/2012 18:26 65.7
3/4/2012 8:41	62.8	3/4/2012 17:51	67.8	5/4/2012 15:01	63.2	10/4/2012 12:11	62.1	11/4/2012 9:21	63.3	11/4/2012 18:31 64.0
3/4/2012 8:46 3/4/2012 8:51	64.2 64.0	3/4/2012 17:56 3/4/2012 18:01	68.2 71.0	5/4/2012 15:06 5/4/2012 15:11	63.4 63.3	10/4/2012 12:16 10/4/2012 12:21		11/4/2012 9:26 11/4/2012 9:31	66.2 65.3	11/4/2012 18:36 64.5 11/4/2012 18:41 65.6
3/4/2012 8:56 3/4/2012 9:01	63.6 63.6	3/4/2012 18:06 3/4/2012 18:11	65.8 66.0	5/4/2012 15:16 5/4/2012 15:21	63.2 64.2	10/4/2012 12:26 10/4/2012 12:31		11/4/2012 9:36 11/4/2012 9:41	64.2 65.7	11/4/2012 18:46 64.6 11/4/2012 18:51 64.6
3/4/2012 9:06	65.0	3/4/2012 18:16	65.0	5/4/2012 15:26	63.8	10/4/2012 12:36	6 61.2	11/4/2012 9:46	64.9	11/4/2012 18:56 64.9
3/4/2012 9:11 3/4/2012 9:16	63.8 64.9	3/4/2012 18:21 3/4/2012 18:26	64.0 64.6	5/4/2012 15:31 5/4/2012 15:36	63.6 64.2	10/4/2012 12:41 10/4/2012 12:46		11/4/2012 9:51 11/4/2012 9:56	65.0 64.9	12/4/2012 7:01 65.2 12/4/2012 7:06 62.3
3/4/2012 9:21	65.5	3/4/2012 18:31	64.5	5/4/2012 15:41 5/4/2012 15:46	63.5	10/4/2012 12:51	1 62.8	11/4/2012 10:01	65.3	12/4/2012 7:11 64.2
3/4/2012 9:26 3/4/2012 9:31	64.9 66.4	3/4/2012 18:36 3/4/2012 18:41	65.9 64.2	5/4/2012 15:51	62.8 63.7	10/4/2012 12:56 10/4/2012 13:01	1 61.7	11/4/2012 10:06 11/4/2012 10:11	65.9	12/4/2012 7:21 62.4
3/4/2012 9:36 3/4/2012 9:41	65.3 65.9	3/4/2012 18:46 3/4/2012 18:51	64.5 63.5	5/4/2012 15:56 5/4/2012 16:01	63.6 63.2	10/4/2012 13:06 10/4/2012 13:11		11/4/2012 10:16 11/4/2012 10:21		12/4/2012 7:26 63.3 12/4/2012 7:31 63.3
3/4/2012 9:46	65.3	3/4/2012 18:56	63.8	5/4/2012 16:06	63.1	10/4/2012 13:16	6 63.6	11/4/2012 10:26	65.5	12/4/2012 7:36 63.9
3/4/2012 9:51 3/4/2012 9:56	66.7 65.9	5/4/2012 7:01 5/4/2012 7:06	61.2 60.8	5/4/2012 16:11 5/4/2012 16:16	63.1 64.2	10/4/2012 13:21 10/4/2012 13:26		11/4/2012 10:31 11/4/2012 10:36		12/4/2012 7:41 64.2 12/4/2012 7:46 64.7
3/4/2012 10:01 3/4/2012 10:06	67.0 65.4	5/4/2012 7:11 5/4/2012 7:16	59.6 60.5	5/4/2012 16:21 5/4/2012 16:26	62.6 62.3	10/4/2012 13:31 10/4/2012 13:36	1 61.7	11/4/2012 10:41 11/4/2012 10:46	65.7	12/4/2012 7:51 64.8 12/4/2012 7:56 64.6
3/4/2012 10:11	66.4	5/4/2012 7:21	60.5	5/4/2012 16:31	62.9	10/4/2012 13:41	1 62.7	11/4/2012 10:51	64.2	12/4/2012 8:01 64.2
3/4/2012 10:16 3/4/2012 10:21	70.5 67.3	5/4/2012 7:26 5/4/2012 7:31	59.7 61.3	5/4/2012 16:36 5/4/2012 16:41	62.6 62.1	10/4/2012 13:46 10/4/2012 13:51		11/4/2012 10:56 11/4/2012 11:01		12/4/2012 8:06 64.6 12/4/2012 8:11 64.2
3/4/2012 10:26 3/4/2012 10:31	68.8 68.3	5/4/2012 7:36 5/4/2012 7:41	62.3	5/4/2012 16:46	63.2 62.5	10/4/2012 13:56 10/4/2012 14:01	6 64.5	11/4/2012 11:06 11/4/2012 11:11	65.3	12/4/2012 8:16 64.1 12/4/2012 8:21 67.6
3/4/2012 10:36	68.4	5/4/2012 7:46	67.4 73.6	5/4/2012 16:51 5/4/2012 16:56	62.8	10/4/2012 14:06	6 65.7	11/4/2012 11:16	66.4	12/4/2012 8:26 65.0
3/4/2012 10:41 3/4/2012 10:46	68.5 68.1	5/4/2012 7:51 5/4/2012 7:56	71.3 76.6	5/4/2012 17:01 5/4/2012 17:06	62.3 63.4	10/4/2012 14:11 10/4/2012 14:16		11/4/2012 11:21 11/4/2012 11:26		12/4/2012 8:31 65.9 12/4/2012 8:36 65.1
3/4/2012 10:51	68.1	5/4/2012 8:01	76.8	5/4/2012 17:11	64.0	10/4/2012 14:21	1 63.8	11/4/2012 11:31	64.1	12/4/2012 8:41 64.3
3/4/2012 10:56 3/4/2012 11:01	67.5 67.3	5/4/2012 8:06 5/4/2012 8:11	65.5 62.6	5/4/2012 17:16 5/4/2012 17:21	65.2 64.0	10/4/2012 14:26 10/4/2012 14:31		11/4/2012 11:36 11/4/2012 11:41		12/4/2012 8:46 63.5 12/4/2012 8:51 63.8

Real-time Noise Data	RTN2 (Oil Street Community Liaiso	n Centre)			
12/4/2012 8:56 65.1	12/4/2012 18:06 64.1	13/4/2012 15:16 68.0	14/4/2012 12:26 63.6	16/4/2012 9:36 65.0	16/4/2012 18:46 64.4
12/4/2012 9:01 64.7	12/4/2012 18:11 66.5	13/4/2012 15:21 66.2	14/4/2012 12:31 64.4	16/4/2012 9:41 65.2	16/4/2012 18:51 63.5
12/4/2012 9:06 66.4	12/4/2012 18:16 65.9	13/4/2012 15:26 66.7	14/4/2012 12:36 63.8	16/4/2012 9:46 65.5	16/4/2012 18:56 63.3
12/4/2012 9:11 65.5	12/4/2012 18:21 64.5	13/4/2012 15:31 68.2	14/4/2012 12:41 61.9	16/4/2012 9:51 66.3	17/4/2012 7:01 60.1
12/4/2012 9:16 64.3	12/4/2012 18:26 67.3	13/4/2012 15:36 67.6	14/4/2012 12:46 61.8	16/4/2012 9:56 69.3	17/4/2012 7:06 60.3
12/4/2012 9:21 66.8	12/4/2012 18:31 66.2 12/4/2012 18:36 65.6	13/4/2012 15:41 66.4	14/4/2012 12:51 62.5	16/4/2012 10:01 67.7	17/4/2012 7:11 61.1
12/4/2012 9:26 64.6	12/4/2012 18:36 65.6	13/4/2012 15:46 66.7	14/4/2012 12:56 62.6	16/4/2012 10:06 65.9	17/4/2012 7:16 60.3
12/4/2012 9:31 64.8		13/4/2012 15:51 65.1	14/4/2012 13:01 62.9	16/4/2012 10:11 69.1	17/4/2012 7:21 60.8
12/4/2012 9:36 65.0	12/4/2012 18:46 66.1	13/4/2012 15:56 66.7	14/4/2012 13:06 63.3	16/4/2012 10:16 69.9	17/4/2012 7:26 60.3
12/4/2012 9:41 65.4	12/4/2012 18:51 66.5	13/4/2012 16:01 67.5	14/4/2012 13:11 64.4	16/4/2012 10:21 68.7	17/4/2012 7:31 60.3
12/4/2012 9:46 66.0	12/4/2012 18:56 64.9	13/4/2012 16:06 65.7	14/4/2012 13:16 65.0	16/4/2012 10:26 66.2	17/4/2012 7:36 60.2
12/4/2012 9:51 67.7	13/4/2012 7:01 60.5	13/4/2012 16:11 68.1	14/4/2012 13:21 64.0	16/4/2012 10:31 67.4	17/4/2012 7:41 61.4
12/4/2012 9:56 66.7	13/4/2012 7:06 62.2	13/4/2012 16:16 65.1	14/4/2012 13:26 64.9	16/4/2012 10:36 67.2	17/4/2012 7:46 64.2
12/4/2012 10:01 67.3	13/4/2012 7:11 61.9	13/4/2012 16:21 66.6	14/4/2012 13:31 66.1	16/4/2012 10:41 65.9	17/4/2012 7:51 61.4
12/4/2012 10:06 68.4	13/4/2012 7:16 63.6	13/4/2012 16:26 66.6	14/4/2012 13:36 63.9	16/4/2012 10:46 67.7	17/4/2012 7:56 61.3
12/4/2012 10:11 65.8	13/4/2012 7:21 61.0	13/4/2012 16:31 66.5	14/4/2012 13:41 64.0	16/4/2012 10:51 67.3	17/4/2012 8:01 61.3
12/4/2012 10:16 66.4	13/4/2012 7:26 60.7	13/4/2012 16:36 65.0	14/4/2012 13:46 64.2	16/4/2012 10:56 67.1	17/4/2012 8:06 62.3
12/4/2012 10:21 66.2	13/4/2012 7:31 63.0	13/4/2012 16:41 65.2	14/4/2012 13:51 63.8	16/4/2012 11:01 67.2	17/4/2012 8:11 69.5
12/4/2012 10:26 66.5	13/4/2012 7:36 61.8	13/4/2012 16:46 65.3	14/4/2012 13:56 65.2	16/4/2012 11:06 67.6	17/4/2012 8:16 64.1
12/4/2012 10:31 67.0	13/4/2012 7:41 62.3	13/4/2012 16:51 65.8	14/4/2012 14:01 65.7	16/4/2012 11:11 66.1	17/4/2012 8:21 64.6
12/4/2012 10:36 66.0	13/4/2012 7:46 61.7	13/4/2012 16:56 64.4	14/4/2012 14:06 65.7	16/4/2012 11:16 65.2	17/4/2012 8:26 64.0
12/4/2012 10:41 65.6	13/4/2012 7:51 63.6	13/4/2012 17:01 65.6	14/4/2012 14:11 66.3	16/4/2012 11:21 64.9	17/4/2012 8:31 64.6
12/4/2012 10:46 65.4	13/4/2012 7:56 63.4	13/4/2012 17:06 65.4	14/4/2012 14:16 67.1	16/4/2012 11:26 64.6	17/4/2012 8:36 64.0
12/4/2012 10:51 65.9	13/4/2012 8:01 63.5	13/4/2012 17:11 67.0	14/4/2012 14:21 67.5	16/4/2012 11:31 63.1	17/4/2012 8:41 62.2
12/4/2012 10:56 64.9	13/4/2012 8:06 66.2	13/4/2012 17:16 67.5	14/4/2012 14:26 67.9	16/4/2012 11:36 64.7	17/4/2012 8:46 62.8
12/4/2012 11:01 64.8	13/4/2012 8:11 62.5	13/4/2012 17:21 65.9	14/4/2012 14:31 67.5	16/4/2012 11:41 64.1	17/4/2012 8:51 62.6
12/4/2012 11:06 65.2	13/4/2012 8:16 63.4	13/4/2012 17:26 67.8	14/4/2012 14:36 69.1	16/4/2012 11:46 62.7	17/4/2012 8:56 64.0
12/4/2012 11:11 65.5	13/4/2012 8:21 66.3	13/4/2012 17:31 67.4	14/4/2012 14:41 67.6	16/4/2012 11:51 63.1	17/4/2012 9:01 63.6
12/4/2012 11:16 68.1	13/4/2012 8:26 65.5	13/4/2012 17:36 68.4	14/4/2012 14:46 65.8	16/4/2012 11:56 64.4	17/4/2012 9:06 64.2
12/4/2012 11:21 65.9	13/4/2012 8:31 65.5	13/4/2012 17:41 67.0	14/4/2012 14:51 66.4	16/4/2012 12:01 63.6	17/4/2012 9:11 62.1
12/4/2012 11:26 66.8	13/4/2012 8:36 63.9	13/4/2012 17:46 66.2	14/4/2012 14:56 66.4	16/4/2012 12:06 63.0	17/4/2012 9:16 63.1
12/4/2012 11:31 66.1	13/4/2012 8:41 65.5	13/4/2012 17:51 64.4	14/4/2012 15:01 66.7	16/4/2012 12:11 63.1	17/4/2012 9:21 61.8
12/4/2012 11:36 67.9	13/4/2012 8:46 62.6	13/4/2012 17:56 67.6	14/4/2012 15:06 67.3	16/4/2012 12:16 62.8	17/4/2012 9:26 63.0
12/4/2012 11:41 70.6	13/4/2012 8:51 64.4	13/4/2012 18:01 67.5	14/4/2012 15:11 66.9	16/4/2012 12:21 62.1	17/4/2012 9:31 62.2
12/4/2012 11:46 66.9	13/4/2012 8:56 64.5	13/4/2012 18:06 65.0	14/4/2012 15:16 67.1	16/4/2012 12:26 62.3	17/4/2012 9:36 63.8
12/4/2012 11:51 66.5	13/4/2012 9:01 63.3	13/4/2012 18:11 66.0	14/4/2012 15:21 67.3	16/4/2012 12:31 62.5	17/4/2012 9:41 65.0
12/4/2012 11:56 65.2	13/4/2012 9:06 63.5	13/4/2012 18:16 66.2	14/4/2012 15:26 67.0	16/4/2012 12:36 62.6	17/4/2012 9:46 63.8
12/4/2012 12:01 65.0	13/4/2012 9:11 62.5	13/4/2012 18:21 64.9	14/4/2012 15:31 67.5	16/4/2012 12:41 62.5	17/4/2012 9:51 64.2
12/4/2012 12:06 63.9	13/4/2012 9:16 64.5	13/4/2012 18:26 67.5	14/4/2012 15:36 67.2	16/4/2012 12:46 62.5	17/4/2012 9:56 64.6
12/4/2012 12:11 62.5 12/4/2012 12:16 63.5	13/4/2012 9:21 64.7 13/4/2012 9:26 63.4	13/4/2012 18:31 66.5	14/4/2012 15:41 67.6	16/4/2012 12:51 63.1	17/4/2012 10:01 64.9
12/4/2012 12:21 62.9	13/4/2012 9:31 63.2	13/4/2012 18:36 68.3 13/4/2012 18:41 66.0	14/4/2012 15:46 66.6 14/4/2012 15:51 67.3	16/4/2012 12:56 65.9 16/4/2012 13:01 65.6	17/4/2012 10:06 65.4 17/4/2012 10:11 66.6
12/4/2012 12:26 64.7	13/4/2012 9:36 64.9	13/4/2012 18:46 66.8	14/4/2012 15:56 68.9	16/4/2012 13:06 66.9	17/4/2012 10:16 68.1
12/4/2012 12:31 62.7	13/4/2012 9:41 63.0	13/4/2012 18:51 64.9	14/4/2012 16:01 69.8	16/4/2012 13:11 67.2	17/4/2012 10:21 68.5
12/4/2012 12:36 62.1	13/4/2012 9:46 65.8	13/4/2012 18:56 64.3	14/4/2012 16:06 69.0	16/4/2012 13:16 68.2	17/4/2012 10:26 68.0
12/4/2012 12:41 63.0	13/4/2012 9:51 65.6	14/4/2012 7:01 63.2	14/4/2012 16:11 70.1	16/4/2012 13:21 68.1	17/4/2012 10:31 64.1
12/4/2012 12:46 63.6	13/4/2012 9:56 65.3	14/4/2012 7:06 64.2	14/4/2012 16:16 68.7	16/4/2012 13:26 67.6	17/4/2012 10:36 64.3
12/4/2012 12:51 63.1	13/4/2012 10:01 66.2	14/4/2012 7:11 63.5	14/4/2012 16:21 68.2	16/4/2012 13:31 68.0	17/4/2012 10:41 64.0
12/4/2012 12:56 63.9	13/4/2012 10:06 65.0	14/4/2012 7:16 63.5	14/4/2012 16:26 67.3	16/4/2012 13:36 67.7	17/4/2012 10:46 63.1
12/4/2012 13:01 63.8	13/4/2012 10:11 68.0	14/4/2012 7:21 63.1	14/4/2012 16:31 65.8	16/4/2012 13:41 67.8	17/4/2012 10:51 62.1
12/4/2012 13:06 62.3	13/4/2012 10:16 65.7	14/4/2012 7:26 63.4	14/4/2012 16:36 67.7	16/4/2012 13:46 69.6	17/4/2012 10:56 62.6
12/4/2012 13:11 63.3	13/4/2012 10:21 67.4	14/4/2012 7:31 63.6	14/4/2012 16:41 67.9	16/4/2012 13:51 68.8	17/4/2012 11:01 62.7
12/4/2012 13:16 67.1	13/4/2012 10:26 66.0	14/4/2012 7:36 63.6	14/4/2012 16:46 67.9	16/4/2012 13:56 68.0	17/4/2012 11:06 62.9
12/4/2012 13:21 64.7	13/4/2012 10:31 66.8	14/4/2012 7:41 63.9	14/4/2012 16:51 67.4	16/4/2012 14:01 67.8	17/4/2012 11:11 62.3
12/4/2012 13:26 65.5	13/4/2012 10:36 65.9	14/4/2012 7:46 63.8	14/4/2012 16:56 68.2	16/4/2012 14:06 67.7	17/4/2012 11:16 62.0
12/4/2012 13:31 67.7	13/4/2012 10:41 68.4	14/4/2012 7:51 64.0	14/4/2012 17:01 67.9	16/4/2012 14:11 67.7	17/4/2012 11:21 62.5
12/4/2012 13:36 66.9	13/4/2012 10:46 68.2	14/4/2012 7:56 63.3	14/4/2012 17:06 69.3	16/4/2012 14:16 68.1	17/4/2012 11:26 62.5
12/4/2012 13:41 66.0	13/4/2012 10:51 67.4	14/4/2012 8:01 64.1	14/4/2012 17:11 66.2	16/4/2012 14:21 67.9	17/4/2012 11:31 63.3
12/4/2012 13:46 67.1	13/4/2012 10:56 66.3	14/4/2012 8:06 64.0	14/4/2012 17:16 68.0	16/4/2012 14:26 67.3	17/4/2012 11:36 62.1
12/4/2012 13:51 67.4	13/4/2012 11:01 66.1	14/4/2012 8:11 63.2	14/4/2012 17:21 69.7	16/4/2012 14:31 67.4	17/4/2012 11:41 62.4
12/4/2012 13:56 67.4	13/4/2012 11:06 66.1	14/4/2012 8:16 64.4	14/4/2012 17:26 69.9	16/4/2012 14:36 67.0	17/4/2012 11:46 62.1
12/4/2012 14:01 67.1	13/4/2012 11:11 67.1	14/4/2012 8:21 65.0	14/4/2012 17:31 67.2	16/4/2012 14:41 67.0	17/4/2012 11:51 62.5
12/4/2012 14:06 66.1	13/4/2012 11:16 67.5	14/4/2012 8:26 65.1	14/4/2012 17:36 66.9	16/4/2012 14:46 67.0	17/4/2012 11:56 62.3
12/4/2012 14:11 66.4	13/4/2012 11:21 65.2	14/4/2012 8:31 64.9	14/4/2012 17:41 67.6	16/4/2012 14:51 66.7	17/4/2012 12:01 63.3
12/4/2012 14:16 67.1	13/4/2012 11:26 67.0	14/4/2012 8:36 64.2	14/4/2012 17:46 66.8	16/4/2012 14:56 65.4	17/4/2012 12:06 62.0
12/4/2012 14:21 64.9	13/4/2012 11:31 68.0	14/4/2012 8:41 66.6	14/4/2012 17:51 66.9	16/4/2012 15:01 66.4	17/4/2012 12:11 62.1
12/4/2012 14:26 66.2	13/4/2012 11:36 65.6	14/4/2012 8:46 65.2	14/4/2012 17:56 67.4	16/4/2012 15:06 68.1	17/4/2012 12:16 61.6
12/4/2012 14:31 65.8	13/4/2012 11:41 70.5	14/4/2012 8:51 65.0	14/4/2012 18:01 66.5	16/4/2012 15:11 67.2	17/4/2012 12:21 63.0
12/4/2012 14:36 67.0	13/4/2012 11:46 67.8	14/4/2012 8:56 65.1	14/4/2012 18:06 65.7	16/4/2012 15:16 67.2	17/4/2012 12:26 61.0
12/4/2012 14:41 65.7	13/4/2012 11:51 67.3	14/4/2012 9:01 67.1	14/4/2012 18:11 66.3	16/4/2012 15:21 67.4	17/4/2012 12:31 61.1
12/4/2012 14:46 64.9	13/4/2012 11:56 65.1	14/4/2012 9:06 66.2	14/4/2012 18:16 65.3	16/4/2012 15:26 67.8	17/4/2012 12:36 61.2
12/4/2012 14:51 65.3	13/4/2012 12:01 63.8	14/4/2012 9:11 65.3	14/4/2012 18:21 65.8	16/4/2012 15:31 68.4	17/4/2012 12:41 62.6
12/4/2012 14:56 67.1	13/4/2012 12:06 61.5	14/4/2012 9:16 66.0	14/4/2012 18:26 67.1	16/4/2012 15:36 66.2	17/4/2012 12:46 63.3
12/4/2012 15:01 65.4	13/4/2012 12:11 64.8	14/4/2012 9:21 65.5	14/4/2012 18:31 65.8	16/4/2012 15:41 65.3	17/4/2012 12:51 62.8
12/4/2012 15:06 65.9	13/4/2012 12:16 63.9	14/4/2012 9:26 67.4	14/4/2012 18:36 66.3	16/4/2012 15:46 68.4	17/4/2012 12:56 61.9
12/4/2012 15:11 65.8	13/4/2012 12:21 63.3	14/4/2012 9:31 67.4	14/4/2012 18:41 65.9	16/4/2012 15:51 68.7	17/4/2012 13:01 61.7
12/4/2012 15:16 68.9	13/4/2012 12:26 63.6	14/4/2012 9:36 67.5	14/4/2012 18:46 63.3	16/4/2012 15:56 66.5	17/4/2012 13:06 61.4
12/4/2012 15:21 65.0	13/4/2012 12:31 64.1	14/4/2012 9:41 67.4	14/4/2012 18:51 63.1	16/4/2012 16:01 68.4	17/4/2012 13:11 61.9
12/4/2012 15:26 66.7	13/4/2012 12:36 63.2	14/4/2012 9:46 67.0	14/4/2012 18:56 62.3	16/4/2012 16:06 67.9	17/4/2012 13:16 63.6
12/4/2012 15:31 69.8	13/4/2012 12:41 62.3	14/4/2012 9:51 67.3	16/4/2012 7:01 62.4	16/4/2012 16:11 66.4	17/4/2012 13:21 63.7
12/4/2012 15:36 69.6	13/4/2012 12:46 63.7	14/4/2012 9:56 67.5	16/4/2012 7:06 61.7	16/4/2012 16:16 67.9	17/4/2012 13:26 62.6
12/4/2012 15:41 65.9	13/4/2012 12:51 64.0	14/4/2012 10:01 67.3	16/4/2012 7:11 62.1	16/4/2012 16:21 67.4	17/4/2012 13:31 61.7
12/4/2012 15:46 67.0	13/4/2012 12:56 64.1	14/4/2012 10:06 67.2	16/4/2012 7:16 62.2	16/4/2012 16:26 64.7	17/4/2012 13:36 62.1
12/4/2012 15:51 65.9	13/4/2012 13:01 64.8	14/4/2012 10:11 66.9	16/4/2012 7:21 62.7	16/4/2012 16:31 64.4	17/4/2012 13:41 62.7
12/4/2012 15:56 66.1	13/4/2012 13:06 65.3	14/4/2012 10:16 66.9	16/4/2012 7:26 63.1	16/4/2012 16:36 67.2	17/4/2012 13:46 62.2
12/4/2012 16:01 66.5	13/4/2012 13:11 66.2	14/4/2012 10:21 67.7	16/4/2012 7:31 64.7	16/4/2012 16:41 64.7	17/4/2012 13:51 64.3
12/4/2012 16:06 67.0	13/4/2012 13:16 68.2	14/4/2012 10:26 68.2	16/4/2012 7:36 62.7	16/4/2012 16:46 63.8	17/4/2012 13:56 64.5
12/4/2012 16:11 66.7	13/4/2012 13:21 65.1	14/4/2012 10:31 68.5	16/4/2012 7:41 63.4	16/4/2012 16:51 63.9	17/4/2012 14:01 64.8
12/4/2012 16:16 65.1	13/4/2012 13:26 65.8	14/4/2012 10:36 68.7	16/4/2012 7:46 63.2	16/4/2012 16:56 64.0	17/4/2012 14:06 65.7
12/4/2012 16:21 67.1	13/4/2012 13:31 67.9	14/4/2012 10:41 68.1	16/4/2012 7:51 63.3	16/4/2012 17:01 68.6	17/4/2012 14:11 64.6
12/4/2012 16:26 66.3	13/4/2012 13:36 68.7	14/4/2012 10:46 67.1	16/4/2012 7:56 63.5	16/4/2012 17:06 65.3	17/4/2012 14:16 64.0
12/4/2012 16:31 66.0	13/4/2012 13:41 66.8	14/4/2012 10:51 66.7	16/4/2012 8:01 64.2	16/4/2012 17:11 65.7	17/4/2012 14:21 63.8
12/4/2012 16:36 66.2	13/4/2012 13:46 67.3	14/4/2012 10:56 67.3	16/4/2012 8:06 64.9	16/4/2012 17:16 68.1	17/4/2012 14:26 65.0
12/4/2012 16:41 67.0	13/4/2012 13:51 66.7	14/4/2012 11:01 67.0	16/4/2012 8:11 65.3	16/4/2012 17:21 66.2	17/4/2012 14:31 63.8
12/4/2012 16:46 64.7	13/4/2012 13:56 66.5	14/4/2012 11:06 67.4	16/4/2012 8:16 65.4	16/4/2012 17:26 65.3	17/4/2012 14:36 61.9
12/4/2012 16:51 65.1	13/4/2012 14:01 67.7	14/4/2012 11:11 68.4	16/4/2012 8:21 64.9	16/4/2012 17:31 64.6	17/4/2012 14:41 62.4
12/4/2012 16:56 64.7	13/4/2012 14:06 65.8	14/4/2012 11:16 69.1	16/4/2012 8:26 65.2	16/4/2012 17:36 66.9	17/4/2012 14:46 62.9
12/4/2012 17:01 65.8	13/4/2012 14:11 66.1	14/4/2012 11:21 66.7	16/4/2012 8:31 65.5	16/4/2012 17:41 67.3	17/4/2012 14:51 62.2
12/4/2012 17:06 66.0	13/4/2012 14:16 67.2	14/4/2012 11:26 66.3	16/4/2012 8:36 65.2	16/4/2012 17:46 67.0	17/4/2012 14:56 62.0
12/4/2012 17:11 66.9	13/4/2012 14:21 65.8	14/4/2012 11:31 66.4	16/4/2012 8:41 67.2	16/4/2012 17:51 68.3	17/4/2012 15:01 64.2
12/4/2012 17:16 66.7	13/4/2012 14:26 65.6	14/4/2012 11:36 68.6	16/4/2012 8:46 66.7	16/4/2012 17:56 68.0	17/4/2012 15:06 63.1
12/4/2012 17:21 66.3	13/4/2012 14:31 66.5	14/4/2012 11:41 65.8	16/4/2012 8:51 65.3	16/4/2012 18:01 69.4	17/4/2012 15:11 63.0
12/4/2012 17:26 66.8	13/4/2012 14:36 67.3	14/4/2012 11:46 65.3	16/4/2012 8:56 66.8	16/4/2012 18:06 65.7	17/4/2012 15:16 62.7
12/4/2012 17:31 67.4	13/4/2012 14:41 64.3	14/4/2012 11:51 65.4	16/4/2012 9:01 66.1	16/4/2012 18:11 64.4	17/4/2012 15:21 65.2
12/4/2012 17:36 68.7	13/4/2012 14:46 66.9	14/4/2012 11:56 64.9	16/4/2012 9:06 66.2	16/4/2012 18:16 66.0	17/4/2012 15:26 65.6
12/4/2012 17:41 67.7	13/4/2012 14:51 66.5	14/4/2012 12:01 64.2	16/4/2012 9:11 66.2	16/4/2012 18:21 64.5	17/4/2012 15:31 63.0
12/4/2012 17:46 67.2	13/4/2012 14:56 67.8	14/4/2012 12:06 64.3	16/4/2012 9:16 65.8	16/4/2012 18:26 64.0	17/4/2012 15:36 66.8
12/4/2012 17:51 66.4	13/4/2012 15:01 66.1	14/4/2012 12:11 64.3	16/4/2012 9:21 65.7	16/4/2012 18:31 63.1	17/4/2012 15:41 70.2
12/4/2012 17:56 69.7	13/4/2012 15:06 67.0	14/4/2012 12:16 63.3	16/4/2012 9:26 64.2	16/4/2012 18:36 63.8	17/4/2012 15:46 69.9
12/4/2012 18:01 68.2	13/4/2012 15:11 67.9	14/4/2012 12:21 63.3	16/4/2012 9:31 66.1	16/4/2012 18:41 62.9	17/4/2012 15:51 72.0

Real-time Noise Data	RTN2 (Oil Street Community Liaiso	n Centre)			
17/4/2012 15:56 70.7	18/4/2012 13:06 64.9	19/4/2012 10:16 66.4	20/4/2012 7:26 60.7	20/4/2012 16:36 65.0	21/4/2012 13:46 65.3
17/4/2012 16:01 69.0	18/4/2012 13:11 64.7	19/4/2012 10:21 66.2	20/4/2012 7:31 63.0	20/4/2012 16:41 65.2	21/4/2012 13:51 66.8
17/4/2012 16:06 67.5	18/4/2012 13:16 65.9	19/4/2012 10:26 66.5	20/4/2012 7:36 61.8	20/4/2012 16:46 65.3	21/4/2012 13:56 68.8
17/4/2012 16:11 66.2	18/4/2012 13:21 67.2	19/4/2012 10:31 67.0	20/4/2012 7:41 62.3	20/4/2012 16:51 65.8	21/4/2012 14:01 67.4
17/4/2012 16:16 65.8	18/4/2012 13:26 64.2	19/4/2012 10:36 66.0	20/4/2012 7:46 61.7	20/4/2012 16:56 64.4	21/4/2012 14:06 66.3
17/4/2012 16:21 65.0	18/4/2012 13:31 64.6	19/4/2012 10:41 65.6	20/4/2012 7:51 63.6	20/4/2012 17:01 65.6	21/4/2012 14:11 66.4
17/4/2012 16:26 64.7	18/4/2012 13:36 66.2	19/4/2012 10:46 65.4	20/4/2012 7:56 63.4	20/4/2012 17:06 65.4	21/4/2012 14:16 66.9
17/4/2012 16:31 64.7	18/4/2012 13:41 65.8	19/4/2012 10:51 65.9	20/4/2012 8:01 63.5	20/4/2012 17:11 67.0	21/4/2012 14:21 65.9
17/4/2012 16:36 64.2	18/4/2012 13:46 65.5	19/4/2012 10:56 64.9	20/4/2012 8:06 66.2	20/4/2012 17:16 67.5	21/4/2012 14:26 66.5
17/4/2012 16:41 64.9	18/4/2012 13:51 64.2	19/4/2012 11:01 64.8	20/4/2012 8:11 62.5	20/4/2012 17:21 65.9	21/4/2012 14:31 66.1
17/4/2012 16:46 65.7	18/4/2012 13:56 65.7	19/4/2012 11:06 65.2	20/4/2012 8:16 63.4	20/4/2012 17:26 67.8	21/4/2012 14:36 66.1
17/4/2012 16:51 67.0	18/4/2012 14:01 65.6	19/4/2012 11:11 65.5	20/4/2012 8:21 66.3	20/4/2012 17:31 67.4	21/4/2012 14:41 65.1
17/4/2012 16:56 64.8	18/4/2012 14:06 65.5	19/4/2012 11:16 68.1	20/4/2012 8:26 65.5	20/4/2012 17:36 68.4	21/4/2012 14:46 65.6
17/4/2012 17:01 66.2	18/4/2012 14:11 65.1	19/4/2012 11:21 65.9	20/4/2012 8:31 65.5	20/4/2012 17:41 67.0	21/4/2012 14:51 66.5
17/4/2012 17:06 65.0	18/4/2012 14:16 65.0	19/4/2012 11:26 66.8	20/4/2012 8:36 63.9	20/4/2012 17:46 66.2	21/4/2012 14:56 65.6
17/4/2012 17:11 65.9	18/4/2012 14:21 64.5	19/4/2012 11:31 66.1	20/4/2012 8:41 65.5	20/4/2012 17:51 64.4	21/4/2012 15:01 67.3
17/4/2012 17:16 66.2	18/4/2012 14:26 63.7	19/4/2012 11:36 67.9	20/4/2012 8:46 62.6	20/4/2012 17:56 67.6	21/4/2012 15:06 67.0
17/4/2012 17:21 64.8	18/4/2012 14:31 63.7	19/4/2012 11:41 70.6	20/4/2012 8:51 64.4	20/4/2012 18:01 67.5	21/4/2012 15:11 66.7
17/4/2012 17:26 65.7	18/4/2012 14:36 65.3	19/4/2012 11:46 66.9	20/4/2012 8:56 64.5	20/4/2012 18:06 65.0	21/4/2012 15:16 67.6
17/4/2012 17:31 66.2	18/4/2012 14:41 65.0	19/4/2012 11:51 66.5	20/4/2012 9:01 63.3	20/4/2012 18:11 66.0	21/4/2012 15:21 64.9
17/4/2012 17:36 65.5	18/4/2012 14:46 67.1	19/4/2012 11:56 65.2	20/4/2012 9:06 63.5	20/4/2012 18:16 66.2	21/4/2012 15:26 67.1
17/4/2012 17:41 63.7	18/4/2012 14:51 66.3	19/4/2012 12:01 65.0	20/4/2012 9:11 62.5	20/4/2012 18:21 64.9	21/4/2012 15:31 68.8
17/4/2012 17:46 63.4	18/4/2012 14:56 63.8	19/4/2012 12:06 63.9	20/4/2012 9:16 64.5	20/4/2012 18:26 67.5	21/4/2012 15:36 67.9
17/4/2012 17:51 66.8	18/4/2012 15:01 62.8	19/4/2012 12:11 62.5	20/4/2012 9:21 64.7	20/4/2012 18:31 66.5	21/4/2012 15:41 66.8
17/4/2012 17:56 66.6	18/4/2012 15:06 64.1	19/4/2012 12:16 63.5	20/4/2012 9:26 63.4	20/4/2012 18:36 68.3	21/4/2012 15:46 67.3
17/4/2012 18:01 63.6	18/4/2012 15:11 64.1	19/4/2012 12:21 62.9	20/4/2012 9:31 63.2	20/4/2012 18:41 66.0	21/4/2012 15:51 66.6
17/4/2012 18:06 63.9	18/4/2012 15:16 64.5	19/4/2012 12:26 64.7	20/4/2012 9:36 64.9	20/4/2012 18:46 66.8	21/4/2012 15:56 65.9
17/4/2012 18:11 63.6	18/4/2012 15:21 65.4	19/4/2012 12:31 62.7	20/4/2012 9:41 63.0	20/4/2012 18:51 64.9	21/4/2012 16:01 65.8
17/4/2012 18:16 63.2	18/4/2012 15:26 65.2	19/4/2012 12:36 62.1	20/4/2012 9:46 65.8	20/4/2012 18:56 64.3	21/4/2012 16:06 66.5
17/4/2012 18:21 65.0	18/4/2012 15:31 66.0	19/4/2012 12:41 63.0	20/4/2012 9:51 65.6	21/4/2012 7:01 61.4	21/4/2012 16:11 66.4
17/4/2012 18:26 63.4	18/4/2012 15:36 65.3	19/4/2012 12:46 63.6	20/4/2012 9:56 65.3	21/4/2012 7:06 63.0	21/4/2012 16:16 64.9
17/4/2012 18:31 65.9	18/4/2012 15:41 65.4	19/4/2012 12:51 63.1	20/4/2012 10:01 66.2	21/4/2012 7:11 61.8	21/4/2012 16:21 66.6
17/4/2012 18:36 63.2	18/4/2012 15:46 66.2	19/4/2012 12:56 63.9	20/4/2012 10:06 65.0	21/4/2012 7:16 61.7	21/4/2012 16:26 65.6
17/4/2012 18:41 63.6	18/4/2012 15:51 66.1	19/4/2012 13:01 63.8	20/4/2012 10:11 68.0	21/4/2012 7:21 60.5	21/4/2012 16:31 66.1
17/4/2012 18:46 63.2	18/4/2012 15:56 65.4	19/4/2012 13:06 62.3	20/4/2012 10:16 65.7	21/4/2012 7:26 61.0	21/4/2012 16:36 65.4
17/4/2012 18:51 63.4	18/4/2012 16:01 65.1	19/4/2012 13:11 63.3	20/4/2012 10:21 67.4	21/4/2012 7:31 60.9	21/4/2012 16:41 65.0
17/4/2012 18:56 63.8	18/4/2012 16:06 64.3 18/4/2012 16:11 64.9	19/4/2012 13:16 67.1 19/4/2012 13:21 64.7	20/4/2012 10:26 66.0	21/4/2012 7:36 61.9 21/4/2012 7:41 63.4	21/4/2012 16:46 66.4 21/4/2012 16:51 64.8
18/4/2012 7:01 64.1 18/4/2012 7:06 63.6	18/4/2012 16:16 64.4	19/4/2012 13:26 65.5	20/4/2012 10:31 66.8 20/4/2012 10:36 65.9	21/4/2012 7:46 63.2	21/4/2012 16:56 65.0
18/4/2012 7:11 64.0	18/4/2012 16:21 65.4	19/4/2012 13:31 67.7	20/4/2012 10:41 68.4	21/4/2012 7:51 64.3	21/4/2012 17:01 65.4
18/4/2012 7:16 63.7	18/4/2012 16:26 64.1	19/4/2012 13:36 66.9	20/4/2012 10:46 68.2	21/4/2012 7:56 64.9	21/4/2012 17:06 66.4
18/4/2012 7:21 63.7	18/4/2012 16:31 65.2	19/4/2012 13:41 66.0	20/4/2012 10:51 67.4	21/4/2012 8:01 63.3	21/4/2012 17:11 66.9
18/4/2012 7:26 64.1	18/4/2012 16:36 63.7	19/4/2012 13:46 67.1	20/4/2012 10:56 66.3	21/4/2012 8:06 66.2	21/4/2012 17:16 67.2
18/4/2012 7:31 63.9	18/4/2012 16:41 64.8	19/4/2012 13:51 67.4	20/4/2012 11:01 66.1	21/4/2012 8:11 64.6	21/4/2012 17:21 65.7
18/4/2012 7:36 64.0	18/4/2012 16:46 64.3	19/4/2012 13:56 67.4	20/4/2012 11:06 66.1	21/4/2012 8:16 63.1	21/4/2012 17:26 67.3
18/4/2012 7:41 64.5	18/4/2012 16:51 64.5	19/4/2012 14:01 67.1	20/4/2012 11:11 67.1	21/4/2012 8:21 65.7	21/4/2012 17:31 67.3
18/4/2012 7:46 64.7	18/4/2012 16:56 66.0	19/4/2012 14:06 66.1	20/4/2012 11:16 67.5	21/4/2012 8:26 65.0	21/4/2012 17:36 68.3
18/4/2012 7:51 65.7	18/4/2012 17:01 66.2	19/4/2012 14:11 66.4	20/4/2012 11:21 65.2	21/4/2012 8:31 64.0	21/4/2012 17:41 68.2
18/4/2012 7:56 64.0	18/4/2012 17:06 64.8	19/4/2012 14:16 67.1	20/4/2012 11:26 67.0	21/4/2012 8:36 64.2	21/4/2012 17:46 66.5
18/4/2012 8:01 64.9	18/4/2012 17:11 65.1	19/4/2012 14:21 64.9	20/4/2012 11:31 68.0	21/4/2012 8:41 63.3	21/4/2012 17:51 66.6
18/4/2012 8:06 64.5	18/4/2012 17:16 63.9	19/4/2012 14:26 66.2	20/4/2012 11:36 65.6	21/4/2012 8:46 63.1	21/4/2012 17:56 67.0
18/4/2012 8:11 64.2	18/4/2012 17:21 63.8	19/4/2012 14:31 65.8	20/4/2012 11:41 70.5	21/4/2012 8:51 64.7	21/4/2012 18:01 68.6
18/4/2012 8:16 65.6	18/4/2012 17:26 64.2	19/4/2012 14:36 67.0	20/4/2012 11:46 67.8	21/4/2012 8:56 63.8	21/4/2012 18:06 64.4
18/4/2012 8:21 65.4	18/4/2012 17:31 65.8	19/4/2012 14:41 65.7	20/4/2012 11:51 67.3	21/4/2012 9:01 65.1	21/4/2012 18:11 65.8
18/4/2012 8:26 64.3	18/4/2012 17:36 64.7	19/4/2012 14:46 64.9	20/4/2012 11:56 65.1	21/4/2012 9:06 63.0	21/4/2012 18:16 65.7
18/4/2012 8:31 65.9	18/4/2012 17:41 64.4	19/4/2012 14:51 65.3	20/4/2012 12:01 63.8	21/4/2012 9:11 64.6	21/4/2012 18:21 66.6
18/4/2012 8:36 64.9	18/4/2012 17:46 64.3	19/4/2012 14:56 67.1	20/4/2012 12:06 61.5	21/4/2012 9:16 63.8	21/4/2012 18:26 67.2
18/4/2012 8:41 64.4	18/4/2012 17:51 64.8	19/4/2012 15:01 65.4	20/4/2012 12:11 64.8	21/4/2012 9:21 62.7	21/4/2012 18:31 66.5
18/4/2012 8:46 63.6	18/4/2012 17:56 64.8	19/4/2012 15:06 65.9	20/4/2012 12:16 63.9	21/4/2012 9:26 62.5	21/4/2012 18:36 66.2
18/4/2012 8:51 64.5	18/4/2012 18:01 66.4	19/4/2012 15:11 65.8	20/4/2012 12:21 63.3	21/4/2012 9:31 63.8	21/4/2012 18:41 66.1
18/4/2012 8:56 64.7	18/4/2012 18:06 66.4	19/4/2012 15:16 68.9	20/4/2012 12:26 63.6	21/4/2012 9:36 63.7	21/4/2012 18:46 66.6
18/4/2012 9:01 63.6	18/4/2012 18:11 66.8	19/4/2012 15:21 65.0	20/4/2012 12:31 64.1	21/4/2012 9:41 64.1	21/4/2012 18:51 64.7
18/4/2012 9:06 63.8	18/4/2012 18:16 65.3	19/4/2012 15:26 66.7	20/4/2012 12:36 63.2	21/4/2012 9:46 65.7	21/4/2012 18:56 66.7
18/4/2012 9:11 64.6	18/4/2012 18:21 63.7	19/4/2012 15:31 69.8	20/4/2012 12:41 62.3	21/4/2012 9:51 64.6	23/4/2012 7:01 59.6
18/4/2012 9:16 64.0	18/4/2012 18:26 65.7	19/4/2012 15:36 69.6	20/4/2012 12:46 63.7	21/4/2012 9:56 65.6	23/4/2012 7:06 59.4
18/4/2012 9:21 63.3	18/4/2012 18:31 64.0	19/4/2012 15:41 65.9	20/4/2012 12:51 64.0	21/4/2012 10:01 66.2	23/4/2012 7:11 58.1
18/4/2012 9:26 66.2	18/4/2012 18:36 64.5	19/4/2012 15:46 67.0	20/4/2012 12:56 64.1	21/4/2012 10:06 64.5	23/4/2012 7:16 60.5
18/4/2012 9:31 65.3	18/4/2012 18:41 65.6	19/4/2012 15:51 65.9	20/4/2012 13:01 64.8	21/4/2012 10:11 66.7	23/4/2012 7:21 60.4
18/4/2012 9:36 64.2	18/4/2012 18:46 64.6	19/4/2012 15:56 66.1	20/4/2012 13:06 65.3	21/4/2012 10:16 65.2	23/4/2012 7:26 60.1
18/4/2012 9:41 65.7	18/4/2012 18:51 64.6	19/4/2012 16:01 66.5	20/4/2012 13:11 66.2	21/4/2012 10:21 66.6	23/4/2012 7:31 59.6
18/4/2012 9:46 64.9	18/4/2012 18:56 64.9	19/4/2012 16:06 67.0	20/4/2012 13:16 68.2	21/4/2012 10:26 66.4	23/4/2012 7:36 59.5
18/4/2012 9:51 65.0	19/4/2012 7:01 65.2	19/4/2012 16:11 66.7	20/4/2012 13:21 65.1	21/4/2012 10:31 66.2	23/4/2012 7:41 58.1
18/4/2012 9:56 64.9	19/4/2012 7:06 62.3	19/4/2012 16:16 65.1	20/4/2012 13:26 65.8	21/4/2012 10:36 67.3	23/4/2012 7:46 58.2
18/4/2012 10:01 65.3	19/4/2012 7:11 64.2	19/4/2012 16:21 67.1	20/4/2012 13:31 67.9	21/4/2012 10:41 69.0	23/4/2012 7:51 58.3
18/4/2012 10:06 65.8	19/4/2012 7:16 63.5	19/4/2012 16:26 66.3	20/4/2012 13:36 68.7	21/4/2012 10:46 67.3	23/4/2012 7:56 58.7
18/4/2012 10:11 65.9	19/4/2012 7:21 62.4	19/4/2012 16:31 66.0	20/4/2012 13:41 66.8	21/4/2012 10:51 68.7	23/4/2012 8:01 59.1
18/4/2012 10:16 65.8	19/4/2012 7:26 63.3	19/4/2012 16:36 66.2	20/4/2012 13:46 67.3	21/4/2012 10:56 66.4	23/4/2012 8:06 58.4
18/4/2012 10:21 65.7	19/4/2012 7:31 63.3	19/4/2012 16:41 67.0	20/4/2012 13:51 66.7	21/4/2012 11:01 65.6	23/4/2012 8:11 56.8
18/4/2012 10:26 65.5	19/4/2012 7:36 63.9	19/4/2012 16:46 64.7	20/4/2012 13:56 66.5	21/4/2012 11:06 65.5	23/4/2012 8:16 59.1
18/4/2012 10:31 65.1	19/4/2012 7:41 64.2	19/4/2012 16:51 65.1	20/4/2012 14:01 67.7	21/4/2012 11:11 66.5	23/4/2012 8:21 58.3
18/4/2012 10:36 65.4	19/4/2012 7:46 64.7	19/4/2012 16:56 64.7	20/4/2012 14:06 65.8	21/4/2012 11:16 67.4	23/4/2012 8:26 56.9
18/4/2012 10:41 65.7	19/4/2012 7:51 64.8	19/4/2012 17:01 65.8	20/4/2012 14:11 66.1	21/4/2012 11:21 65.5	23/4/2012 8:31 59.1
18/4/2012 10:46 64.4	19/4/2012 7:56 64.6	19/4/2012 17:06 66.0	20/4/2012 14:16 67.2	21/4/2012 11:26 65.1	23/4/2012 8:36 56.9
18/4/2012 10:51 64.2	19/4/2012 8:01 64.2	19/4/2012 17:11 66.9	20/4/2012 14:21 65.8	21/4/2012 11:31 66.0	23/4/2012 8:41 57.2
18/4/2012 10:56 64.5	19/4/2012 8:06 64.6	19/4/2012 17:16 66.7	20/4/2012 14:26 65.6	21/4/2012 11:36 68.1	23/4/2012 8:46 58.2
18/4/2012 11:01 65.6	19/4/2012 8:11 64.2	19/4/2012 17:21 66.3	20/4/2012 14:31 66.5	21/4/2012 11:41 70.6	23/4/2012 8:51 56.3
18/4/2012 11:06 65.3	19/4/2012 8:16 64.1	19/4/2012 17:26 66.8	20/4/2012 14:36 67.3	21/4/2012 11:46 67.5	23/4/2012 8:56 57.5
18/4/2012 11:11 65.1	19/4/2012 8:21 67.6	19/4/2012 17:31 67.4	20/4/2012 14:41 64.3	21/4/2012 11:51 68.0	23/4/2012 9:01 57.5
18/4/2012 11:16 66.4	19/4/2012 8:26 65.0	19/4/2012 17:36 68.7	20/4/2012 14:46 66.9	21/4/2012 11:56 65.0	23/4/2012 9:06 56.7
18/4/2012 11:21 65.7	19/4/2012 8:31 65.9	19/4/2012 17:41 67.7	20/4/2012 14:51 66.5	21/4/2012 12:01 64.6	23/4/2012 9:11 55.9
18/4/2012 11:26 64.9	19/4/2012 8:36 65.1	19/4/2012 17:46 67.2	20/4/2012 14:56 67.8	21/4/2012 12:06 62.7	23/4/2012 9:16 57.6
18/4/2012 11:31 64.1	19/4/2012 8:41 64.3	19/4/2012 17:51 66.4	20/4/2012 15:01 66.1	21/4/2012 12:11 64.2	23/4/2012 9:21 57.3
18/4/2012 11:36 65.7	19/4/2012 8:46 63.5	19/4/2012 17:56 69.7	20/4/2012 15:06 67.0	21/4/2012 12:16 62.9	23/4/2012 9:26 53.1
18/4/2012 11:41 64.5	19/4/2012 8:51 63.8	19/4/2012 18:01 68.2	20/4/2012 15:11 67.9	21/4/2012 12:21 65.2	23/4/2012 9:31 56.8
18/4/2012 11:46 65.2	19/4/2012 8:56 65.1	19/4/2012 18:06 64.1	20/4/2012 15:16 68.0	21/4/2012 12:26 63.3	23/4/2012 9:36 56.1
18/4/2012 11:51 64.8	19/4/2012 9:01 64.7	19/4/2012 18:11 66.5	20/4/2012 15:21 66.2	21/4/2012 12:31 63.8	23/4/2012 9:41 54.2
18/4/2012 11:56 64.3	19/4/2012 9:06 66.4	19/4/2012 18:16 65.9	20/4/2012 15:26 66.7	21/4/2012 12:36 62.4	23/4/2012 9:46 56.8
18/4/2012 12:01 64.5	19/4/2012 9:11 65.5	19/4/2012 18:21 64.5	20/4/2012 15:31 68.2	21/4/2012 12:41 63.7	23/4/2012 9:51 54.6
18/4/2012 12:06 65.6	19/4/2012 9:16 64.3	19/4/2012 18:26 67.3	20/4/2012 15:36 67.6	21/4/2012 12:46 63.6	23/4/2012 9:56 57.7
18/4/2012 12:11 66.4	19/4/2012 9:21 66.8	19/4/2012 18:31 66.2	20/4/2012 15:41 66.4	21/4/2012 12:51 64.5	23/4/2012 10:01 56.0
18/4/2012 12:16 64.5	19/4/2012 9:26 64.6	19/4/2012 18:36 65.6	20/4/2012 15:46 66.7	21/4/2012 12:56 64.0	23/4/2012 10:06 55.2
18/4/2012 12:21 64.3	19/4/2012 9:31 64.8	19/4/2012 18:41 67.7	20/4/2012 15:51 65.1	21/4/2012 13:01 65.3	23/4/2012 10:11 54.2
18/4/2012 12:26 63.5	19/4/2012 9:36 65.0	19/4/2012 18:46 66.1	20/4/2012 15:56 66.7	21/4/2012 13:06 63.1	23/4/2012 10:16 55.5
18/4/2012 12:31 63.9	19/4/2012 9:41 65.4	19/4/2012 18:51 66.5	20/4/2012 16:01 67.5	21/4/2012 13:11 65.3	23/4/2012 10:21 55.1
18/4/2012 12:36 64.7	19/4/2012 9:46 66.0	19/4/2012 18:56 64.9	20/4/2012 16:06 65.7	21/4/2012 13:16 66.6	23/4/2012 10:26 55.3
18/4/2012 12:41 66.1	19/4/2012 9:51 67.7	20/4/2012 7:01 60.5	20/4/2012 16:11 68.1	21/4/2012 13:21 64.2	23/4/2012 10:31 56.1
18/4/2012 12:46 64.4	19/4/2012 9:56 66.7	20/4/2012 7:06 62.2	20/4/2012 16:16 65.1	21/4/2012 13:26 66.2	23/4/2012 10:36 56.5
18/4/2012 12:51 64.3	19/4/2012 10:01 67.3	20/4/2012 7:11 61.9	20/4/2012 16:21 66.6	21/4/2012 13:31 69.0	23/4/2012 10:41 56.6
18/4/2012 12:56 64.2	19/4/2012 10:06 68.4	20/4/2012 7:16 63.6	20/4/2012 16:26 66.6	21/4/2012 13:36 69.4	23/4/2012 10:46 55.8
18/4/2012 13:01 64.8	19/4/2012 10:11 65.8	20/4/2012 7:21 61.0	20/4/2012 16:31 66.5	21/4/2012 13:41 66.5	23/4/2012 10:51 55.6
10/7/2012 13:01 04:0	10/7/2012 10.11 00.0	2017/2012 1.21 01.0	2017/2012 10:01 00:0	121/7/2012 13.41 00.3	2017 2012 10.01 00.0

Real-time Noise Data	RTN2 (Oil Street Community Liaisc	n Centre)			
23/4/2012 10:56 56.7	24/4/2012 8:06 57.9	24/4/2012 17:16 65.7	25/4/2012 14:26 61.4	26/4/2012 11:36 66.5	27/4/2012 8:46 66.2
23/4/2012 11:01 56.5	24/4/2012 8:11 55.8	24/4/2012 17:21 65.8	25/4/2012 14:31 69.5	26/4/2012 11:41 71.0	27/4/2012 8:51 67.0
23/4/2012 11:06 53.5	24/4/2012 8:16 57.3	24/4/2012 17:26 65.5	25/4/2012 14:36 61.2	26/4/2012 11:46 69.3	27/4/2012 8:56 67.4
23/4/2012 11:11 54.5	24/4/2012 8:21 58.4	24/4/2012 17:31 67.3	25/4/2012 14:41 61.6	26/4/2012 11:51 68.1	27/4/2012 9:01 68.1
23/4/2012 11:16 55.6	24/4/2012 8:26 57.2	24/4/2012 17:36 68.2	25/4/2012 14:46 63.6	26/4/2012 11:56 64.7	27/4/2012 9:06 66.8
23/4/2012 11:21 54.8	24/4/2012 8:31 58.7	24/4/2012 17:41 68.7	25/4/2012 14:51 62.5	26/4/2012 12:01 65.0	27/4/2012 9:11 71.0
23/4/2012 11:26 55.2	24/4/2012 8:36 58.1	24/4/2012 17:46 66.4	25/4/2012 14:56 62.5	26/4/2012 12:06 62.4	27/4/2012 9:16 70.1
23/4/2012 11:31 55.8	24/4/2012 8:41 56.7	24/4/2012 17:51 65.9	25/4/2012 15:01 65.0	26/4/2012 12:11 63.2	27/4/2012 9:21 68.6
23/4/2012 11:36 58.2	24/4/2012 8:46 57.8	24/4/2012 17:56 65.3	25/4/2012 15:06 66.0	26/4/2012 12:16 61.3	27/4/2012 9:26 65.4
23/4/2012 11:41 56.1	24/4/2012 8:51 55.5	24/4/2012 18:01 62.9	25/4/2012 15:11 66.0	26/4/2012 12:21 63.3	27/4/2012 9:31 59.6
23/4/2012 11:46 56.4	24/4/2012 8:56 58.2	24/4/2012 18:06 67.1	25/4/2012 15:16 67.8	26/4/2012 12:26 64.5	27/4/2012 9:36 59.7
23/4/2012 11:51 55.4	24/4/2012 9:01 57.0	24/4/2012 18:11 65.8	25/4/2012 15:21 65.3	26/4/2012 12:31 64.2	27/4/2012 9:41 59.3
23/4/2012 11:56 56.4	24/4/2012 9:06 56.3	24/4/2012 18:16 65.2	25/4/2012 15:26 68.0	26/4/2012 12:36 63.1	27/4/2012 9:46 60.4
23/4/2012 12:01 56.3	24/4/2012 9:11 57.8	24/4/2012 18:21 65.0	25/4/2012 15:31 69.1	26/4/2012 12:41 63.3	27/4/2012 9:51 59.3
23/4/2012 12:06 56.4	24/4/2012 9:16 54.9	24/4/2012 18:26 66.0	25/4/2012 15:36 68.9	26/4/2012 12:46 64.8	27/4/2012 9:56 61.2
23/4/2012 12:11 55.4	24/4/2012 9:21 56.7	24/4/2012 18:31 64.3	25/4/2012 15:41 70.6	26/4/2012 12:51 64.1	27/4/2012 10:01 60.0
23/4/2012 12:16 61.7	24/4/2012 9:26 53.4	24/4/2012 18:36 66.0	25/4/2012 15:46 70.1	26/4/2012 12:56 65.9	27/4/2012 10:06 61.1
23/4/2012 12:21 55.3	24/4/2012 9:31 56.4	24/4/2012 18:41 64.2	25/4/2012 15:51 68.9	26/4/2012 13:01 64.6	27/4/2012 10:11 61.9
23/4/2012 12:26 58.5	24/4/2012 9:36 56.4	24/4/2012 18:46 63.7	25/4/2012 15:56 64.1	26/4/2012 13:06 61.8	27/4/2012 10:16 61.9
23/4/2012 12:31 56.2	24/4/2012 9:41 54.5	24/4/2012 18:51 64.0	25/4/2012 16:01 69.6	26/4/2012 13:11 64.0	27/4/2012 10:21 61.9
23/4/2012 12:36 56.7	24/4/2012 9:46 55.6	24/4/2012 18:56 63.6	25/4/2012 16:06 67.7	26/4/2012 13:16 66.8	27/4/2012 10:26 61.3
23/4/2012 12:41 57.7	24/4/2012 9:51 56.0	25/4/2012 7:01 60.0	25/4/2012 16:11 63.9	26/4/2012 13:21 65.7	27/4/2012 10:31 63.0
23/4/2012 12:46 58.8	24/4/2012 9:56 58.2	25/4/2012 7:06 59.3	25/4/2012 16:16 64.0	26/4/2012 13:26 66.5	27/4/2012 10:36 62.7
23/4/2012 12:51 57.0	24/4/2012 10:01 55.6	25/4/2012 7:11 60.7	25/4/2012 16:21 64.6	26/4/2012 13:31 68.3	27/4/2012 10:41 63.4
23/4/2012 12:56 57.5	24/4/2012 10:06 56.5	25/4/2012 7:16 60.2	25/4/2012 16:26 64.1	26/4/2012 13:36 68.2	27/4/2012 10:46 62.9
23/4/2012 13:01 58.5	24/4/2012 10:11 54.4	25/4/2012 7:21 59.2	25/4/2012 16:31 67.1	26/4/2012 13:41 66.8	27/4/2012 10:51 62.3
23/4/2012 13:06 59.7	24/4/2012 10:16 55.5	25/4/2012 7:26 59.2	25/4/2012 16:36 66.6	26/4/2012 13:46 66.3	27/4/2012 10:56 62.8
23/4/2012 13:11 59.7	24/4/2012 10:21 56.7	25/4/2012 7:31 58.1	25/4/2012 16:41 65.7	26/4/2012 13:51 66.8	27/4/2012 11:01 60.4
23/4/2012 13:16 60.0	24/4/2012 10:26 56.8	25/4/2012 7:36 59.7	25/4/2012 16:46 63.4	26/4/2012 13:56 66.6	27/4/2012 11:06 60.8
23/4/2012 13:21 58.9	24/4/2012 10:31 55.0	25/4/2012 7:41 57.6	25/4/2012 16:51 65.6	26/4/2012 14:01 67.0	27/4/2012 11:11 60.6
23/4/2012 13:26 59.4	24/4/2012 10:36 55.5	25/4/2012 7:46 59.1	25/4/2012 16:56 63.5	26/4/2012 14:06 65.2	27/4/2012 11:16 62.7
23/4/2012 13:31 60.3	24/4/2012 10:41 57.3	25/4/2012 7:51 57.3	25/4/2012 17:01 65.1	26/4/2012 14:11 66.2	27/4/2012 11:21 60.5
23/4/2012 13:36 60.4	24/4/2012 10:46 56.5	25/4/2012 7:56 57.4	25/4/2012 17:06 66.9	26/4/2012 14:16 66.3	27/4/2012 11:26 61.9
23/4/2012 13:41 62.5	24/4/2012 10:51 56.5	25/4/2012 8:01 58.9	25/4/2012 17:11 66.4	26/4/2012 14:21 66.2	27/4/2012 11:31 62.2
23/4/2012 13:46 60.9	24/4/2012 10:56 55.3	25/4/2012 8:06 59.6	25/4/2012 17:16 66.0	26/4/2012 14:26 65.9	27/4/2012 11:36 62.1
23/4/2012 13:51 62.2	24/4/2012 11:01 56.3	25/4/2012 8:11 58.1	25/4/2012 17:21 65.3	26/4/2012 14:31 66.5	27/4/2012 11:41 65.4
23/4/2012 13:56 62.6	24/4/2012 11:06 54.2	25/4/2012 8:16 59.2	25/4/2012 17:26 66.7	26/4/2012 14:36 65.4	27/4/2012 11:46 63.9
23/4/2012 14:01 62.3	24/4/2012 11:11 54.6	25/4/2012 8:21 56.1	25/4/2012 17:31 65.9	26/4/2012 14:41 64.4	27/4/2012 11:51 62.8
23/4/2012 14:06 63.1	24/4/2012 11:16 54.8	25/4/2012 8:26 55.5	25/4/2012 17:36 68.3	26/4/2012 14:46 66.2	27/4/2012 11:56 60.1
23/4/2012 14:11 61.2	24/4/2012 11:21 55.7	25/4/2012 8:31 58.9	25/4/2012 17:41 66.2	26/4/2012 14:51 65.6	27/4/2012 12:01 60.5
23/4/2012 14:16 62.5	24/4/2012 11:26 56.1	25/4/2012 8:36 57.3	25/4/2012 17:46 64.0	26/4/2012 14:56 66.3	27/4/2012 12:06 59.4
23/4/2012 14:21 61.5	24/4/2012 11:31 56.5	25/4/2012 8:41 55.7	25/4/2012 17:51 66.6	26/4/2012 15:01 65.6	27/4/2012 12:11 59.0
23/4/2012 14:26 61.0	24/4/2012 11:36 59.0	25/4/2012 8:46 58.3	25/4/2012 17:56 64.4	26/4/2012 15:06 66.5	27/4/2012 12:16 61.1
23/4/2012 14:31 69.5	24/4/2012 11:41 55.5	25/4/2012 8:51 55.8	25/4/2012 18:01 64.2	26/4/2012 15:11 65.9	27/4/2012 12:21 59.2
23/4/2012 14:36 60.0	24/4/2012 11:46 55.9	25/4/2012 8:56 58.1	25/4/2012 18:06 63.5	26/4/2012 15:16 67.0	27/4/2012 12:26 60.6
23/4/2012 14:41 62.1	24/4/2012 11:51 55.9	25/4/2012 9:01 57.8	25/4/2012 18:11 66.0	26/4/2012 15:21 66.3	27/4/2012 12:31 60.0
23/4/2012 14:46 62.2	24/4/2012 11:56 55.7	25/4/2012 9:06 56.1	25/4/2012 18:16 63.6	26/4/2012 15:26 67.5	27/4/2012 12:36 59.7
23/4/2012 14:51 62.7	24/4/2012 12:01 56.0	25/4/2012 9:11 55.5	25/4/2012 18:21 64.8	26/4/2012 15:31 68.3	27/4/2012 12:41 60.0
23/4/2012 14:56 63.0	24/4/2012 12:06 58.6	25/4/2012 9:16 55.0	25/4/2012 18:26 64.1	26/4/2012 15:36 68.2	27/4/2012 12:46 60.9
23/4/2012 15:01 65.5	24/4/2012 12:11 55.7	25/4/2012 9:21 57.0	25/4/2012 18:31 65.4	26/4/2012 15:41 66.5	27/4/2012 12:51 60.0
23/4/2012 15:06 65.0	24/4/2012 12:16 61.3	25/4/2012 9:26 55.0	25/4/2012 18:36 64.7	26/4/2012 15:46 67.2	27/4/2012 12:56 61.3
23/4/2012 15:11 65.6	24/4/2012 12:21 56.0	25/4/2012 9:31 57.0	25/4/2012 18:41 65.5	26/4/2012 15:51 66.3	27/4/2012 13:01 61.0
23/4/2012 15:16 67.5	24/4/2012 12:26 57.1	25/4/2012 9:36 55.8	25/4/2012 18:46 65.7	26/4/2012 15:56 66.0	27/4/2012 13:06 60.5
23/4/2012 15:21 65.0	24/4/2012 12:31 56.7	25/4/2012 9:41 54.8	25/4/2012 18:51 63.8	26/4/2012 16:01 67.1	27/4/2012 13:11 61.2
23/4/2012 15:26 68.9	24/4/2012 12:36 57.3	25/4/2012 9:46 55.6	25/4/2012 18:56 63.2	26/4/2012 16:06 65.9	27/4/2012 13:16 62.9
23/4/2012 15:31 67.6	24/4/2012 12:41 57.0	25/4/2012 9:51 55.9	26/4/2012 7:01 62.0	26/4/2012 16:11 66.3	27/4/2012 13:21 61.9
23/4/2012 15:36 67.0	24/4/2012 12:46 57.9	25/4/2012 9:56 57.6	26/4/2012 7:06 63.4	26/4/2012 16:16 65.0	27/4/2012 13:26 63.0
23/4/2012 15:41 69.5	24/4/2012 12:51 57.3	25/4/2012 10:01 54.8	26/4/2012 7:11 62.9	26/4/2012 16:21 65.4	27/4/2012 13:31 63.7
23/4/2012 15:46 69.5	24/4/2012 12:56 56.3	25/4/2012 10:06 56.2	26/4/2012 7:16 62.0	26/4/2012 16:26 66.3	27/4/2012 13:36 63.9
23/4/2012 15:51 69.2	24/4/2012 13:01 59.4	25/4/2012 10:11 53.4	26/4/2012 7:21 60.7	26/4/2012 16:31 65.9	27/4/2012 13:41 63.5
23/4/2012 15:56 62.0	24/4/2012 13:06 60.6	25/4/2012 10:16 54.4	26/4/2012 7:26 60.9	26/4/2012 16:36 66.3	27/4/2012 13:46 63.1
23/4/2012 16:01 68.2	24/4/2012 13:11 59.5	25/4/2012 10:21 55.1	26/4/2012 7:31 61.9	26/4/2012 16:41 65.1	27/4/2012 13:51 63.8
23/4/2012 16:06 68.7	24/4/2012 13:16 60.8	25/4/2012 10:26 55.6	26/4/2012 7:36 62.1	26/4/2012 16:46 66.5	27/4/2012 13:56 64.0
23/4/2012 16:11 63.6	24/4/2012 13:21 58.6	25/4/2012 10:31 56.3	26/4/2012 7:41 63.5	26/4/2012 16:51 66.2	27/4/2012 14:01 64.1
23/4/2012 16:16 63.8	24/4/2012 13:26 59.6	25/4/2012 10:36 56.4	26/4/2012 7:46 62.3	26/4/2012 16:56 64.5	27/4/2012 14:06 63.5
23/4/2012 16:21 63.4	24/4/2012 13:31 59.4	25/4/2012 10:41 57.3	26/4/2012 7:51 64.0	26/4/2012 17:01 66.2	27/4/2012 14:11 63.6
23/4/2012 16:26 66.5	24/4/2012 13:36 60.3	25/4/2012 10:46 53.4	26/4/2012 7:56 62.6	26/4/2012 17:06 65.9	27/4/2012 14:16 63.6
23/4/2012 16:31 66.3	24/4/2012 13:41 60.8	25/4/2012 10:51 56.1	26/4/2012 8:01 62.8	26/4/2012 17:11 67.0	27/4/2012 14:21 63.1
23/4/2012 16:36 66.2	24/4/2012 13:46 61.6	25/4/2012 10:56 56.4	26/4/2012 8:06 64.1	26/4/2012 17:16 67.1	27/4/2012 14:26 62.9
23/4/2012 16:41 67.9	24/4/2012 13:51 62.3	25/4/2012 11:01 55.1	26/4/2012 8:11 64.7	26/4/2012 17:21 67.9	27/4/2012 14:31 69.1
23/4/2012 16:46 62.4	24/4/2012 13:56 62.1	25/4/2012 11:06 54.5	26/4/2012 8:16 63.5	26/4/2012 17:26 67.2	27/4/2012 14:36 62.6
23/4/2012 16:51 63.8	24/4/2012 14:01 62.7	25/4/2012 11:11 54.7	26/4/2012 8:21 65.0	26/4/2012 17:31 68.0	27/4/2012 14:41 62.8
23/4/2012 16:56 64.3	24/4/2012 14:06 62.1	25/4/2012 11:16 54.5	26/4/2012 8:26 66.9	26/4/2012 17:36 66.8	27/4/2012 14:46 64.1
23/4/2012 17:01 64.8	24/4/2012 14:11 61.6	25/4/2012 11:21 53.0	26/4/2012 8:31 66.2	26/4/2012 17:41 67.7	27/4/2012 14:51 63.3
23/4/2012 17:06 67.4	24/4/2012 14:16 61.5	25/4/2012 11:26 56.5	26/4/2012 8:36 64.1	26/4/2012 17:46 66.0	27/4/2012 14:56 64.1
23/4/2012 17:11 66.8	24/4/2012 14:21 61.2	25/4/2012 11:31 56.1	26/4/2012 8:41 63.8	26/4/2012 17:51 65.0	27/4/2012 15:01 65.6
23/4/2012 17:16 64.7	24/4/2012 14:26 60.8	25/4/2012 11:36 57.4	26/4/2012 8:46 63.9	26/4/2012 17:56 68.9	27/4/2012 15:06 65.8
23/4/2012 17:21 65.5	24/4/2012 14:31 70.2	25/4/2012 11:41 57.0	26/4/2012 8:51 64.3	26/4/2012 18:01 66.8	27/4/2012 15:11 65.9
23/4/2012 17:26 65.4	24/4/2012 14:36 61.4	25/4/2012 11:46 56.5	26/4/2012 8:56 63.4	26/4/2012 18:06 64.6	27/4/2012 15:16 67.4
23/4/2012 17:31 66.1	24/4/2012 14:41 62.8	25/4/2012 11:51 56.0	26/4/2012 9:01 64.2	26/4/2012 18:11 65.0	27/4/2012 15:21 65.2
23/4/2012 17:36 67.4	24/4/2012 14:46 63.5	25/4/2012 11:56 55.5	26/4/2012 9:06 64.2	26/4/2012 18:16 65.7	27/4/2012 15:26 68.1
23/4/2012 17:41 67.4	24/4/2012 14:51 61.0	25/4/2012 12:01 57.0	26/4/2012 9:11 62.0	26/4/2012 18:21 65.8	27/4/2012 15:31 68.5
23/4/2012 17:46 66.3	24/4/2012 14:56 63.3	25/4/2012 12:06 57.6	26/4/2012 9:16 63.4	26/4/2012 18:26 66.6	27/4/2012 15:36 67.7
23/4/2012 17:51 64.8	24/4/2012 15:01 66.1	25/4/2012 12:11 55.9	26/4/2012 9:21 62.6	26/4/2012 18:31 66.0	27/4/2012 15:41 69.3
23/4/2012 17:56 64.6	24/4/2012 15:06 65.6	25/4/2012 12:16 59.7	26/4/2012 9:26 62.6	26/4/2012 18:36 67.4	27/4/2012 15:46 69.0
23/4/2012 18:01 63.8	24/4/2012 15:11 66.1	25/4/2012 12:21 56.2	26/4/2012 9:31 63.5	26/4/2012 18:41 64.6	27/4/2012 15:51 68.5
23/4/2012 18:06 65.5	24/4/2012 15:16 67.1	25/4/2012 12:26 57.2	26/4/2012 9:36 64.0	26/4/2012 18:46 66.8	27/4/2012 15:56 64.3
23/4/2012 18:11 64.3	24/4/2012 15:21 64.0	25/4/2012 12:31 56.9	26/4/2012 9:41 64.1	26/4/2012 18:51 64.7	27/4/2012 16:01 68.4
23/4/2012 18:16 63.8	24/4/2012 15:26 68.1	25/4/2012 12:36 58.2	26/4/2012 9:46 65.0	26/4/2012 18:56 65.1	27/4/2012 16:06 68.0
23/4/2012 18:21 63.7	24/4/2012 15:31 68.7	25/4/2012 12:41 59.0	26/4/2012 9:51 63.7	27/4/2012 7:01 63.1	27/4/2012 16:11 64.9
23/4/2012 18:26 66.3	24/4/2012 15:36 65.9	25/4/2012 12:46 57.2	26/4/2012 9:56 65.4	27/4/2012 7:06 63.0	27/4/2012 16:16 64.1
23/4/2012 18:31 66.5	24/4/2012 15:41 69.7	25/4/2012 12:51 56.2	26/4/2012 10:01 64.6	27/4/2012 7:11 63.7	27/4/2012 16:21 64.7
23/4/2012 18:36 63.8	24/4/2012 15:46 68.5	25/4/2012 12:56 57.8	26/4/2012 10:06 65.9	27/4/2012 7:16 62.2	27/4/2012 16:26 65.9
23/4/2012 18:41 63.8	24/4/2012 15:51 68.9	25/4/2012 13:01 57.8	26/4/2012 10:11 67.3	27/4/2012 7:21 61.5	27/4/2012 16:31 66.4
23/4/2012 18:46 65.8	24/4/2012 15:56 64.0	25/4/2012 13:06 59.5	26/4/2012 10:16 67.1	27/4/2012 7:26 62.1	27/4/2012 16:36 66.4
23/4/2012 18:51 63.8	24/4/2012 16:01 68.3	25/4/2012 13:11 59.9	26/4/2012 10:21 67.0	27/4/2012 7:31 64.2	27/4/2012 16:41 66.3
23/4/2012 18:56 65.8	24/4/2012 16:06 68.9	25/4/2012 13:16 59.6	26/4/2012 10:26 66.3	27/4/2012 7:36 64.2	27/4/2012 16:46 64.4
24/4/2012 7:01 61.1	24/4/2012 16:11 65.5	25/4/2012 13:21 60.1	26/4/2012 10:31 68.3	27/4/2012 7:41 63.4	27/4/2012 16:51 65.0
24/4/2012 7:06 59.0	24/4/2012 16:16 63.2	25/4/2012 13:26 62.2	26/4/2012 10:36 67.9	27/4/2012 7:46 63.9	27/4/2012 16:56 64.2
24/4/2012 7:11 60.4	24/4/2012 16:21 65.1	25/4/2012 13:31 59.0	26/4/2012 10:41 68.6	27/4/2012 7:51 65.1	27/4/2012 17:01 65.7
24/4/2012 7:16 59.4	24/4/2012 16:26 66.3	25/4/2012 13:36 59.6	26/4/2012 10:46 68.3	27/4/2012 7:56 65.2	27/4/2012 17:06 66.7
24/4/2012 7:21 59.3	24/4/2012 16:31 66.4	25/4/2012 13:41 61.2	26/4/2012 10:51 67.5	27/4/2012 8:01 64.7	27/4/2012 17:11 66.7
24/4/2012 7:26 58.7	24/4/2012 16:36 66.4	25/4/2012 13:46 61.1	26/4/2012 10:56 68.1	27/4/2012 8:06 65.3	27/4/2012 17:16 66.0
24/4/2012 7:31 58.3	24/4/2012 16:41 65.7	25/4/2012 13:51 61.4	26/4/2012 11:01 65.1	27/4/2012 8:11 65.3	27/4/2012 17:21 66.3
24/4/2012 7:36 60.7	24/4/2012 16:46 64.1	25/4/2012 13:56 63.1	26/4/2012 11:06 66.0	27/4/2012 8:16 65.9	27/4/2012 17:26 66.3
24/4/2012 7:41 59.6	24/4/2012 16:51 63.9	25/4/2012 14:01 62.6	26/4/2012 11:11 65.7	27/4/2012 8:21 65.4	27/4/2012 17:31 66.9
24/4/2012 7:46 59.3	24/4/2012 16:56 64.4	25/4/2012 14:06 62.8	26/4/2012 11:16 68.1	27/4/2012 8:26 66.5	27/4/2012 17:36 67.7
24/4/2012 7:51 57.2	24/4/2012 17:01 66.5	25/4/2012 14:11 63.5	26/4/2012 11:21 65.6	27/4/2012 8:31 66.6	27/4/2012 17:41 67.6
24/4/2012 7:56 58.3	24/4/2012 17:06 66.3	25/4/2012 14:16 62.2	26/4/2012 11:26 67.0	27/4/2012 8:36 66.9	27/4/2012 17:46 65.8
24/4/2012 8:01 57.9	24/4/2012 17:11 66.5	25/4/2012 14:21 61.0	26/4/2012 11:31 67.4	27/4/2012 8:41 66.4	27/4/2012 17:51 65.6

Real-time Noise Data RTN	2 (Oil Street Community Liaisor	Control			
27/4/2012 17:56 66.2	29/3/2012 22:51 60.8	1/4/2012 8:01 60.3	1/4/2012 17:11 66.8	2/4/2012 22:21 59.7	4/4/2012 11:31 68.1
27/4/2012 18:01 64.7	29/3/2012 22:56 60.8	1/4/2012 8:06 57.3	1/4/2012 17:16 65.5	2/4/2012 22:26 60.7	4/4/2012 11:36 68.1
27/4/2012 18:06 65.4	30/3/2012 19:01 64.0	1/4/2012 8:11 58.3	1/4/2012 17:21 66.2	2/4/2012 22:31 61.3	4/4/2012 11:41 66.2
27/4/2012 18:11 65.3	30/3/2012 19:06 65.2	1/4/2012 8:16 58.6	1/4/2012 17:26 68.0	2/4/2012 22:36 61.0	4/4/2012 11:46 64.6
27/4/2012 18:16 64.7	30/3/2012 19:11 64.0	1/4/2012 8:21 57.1	1/4/2012 17:31 66.1	2/4/2012 22:41 60.4	4/4/2012 11:51 63.3
27/4/2012 18:21 64.9	30/3/2012 19:16 64.1	1/4/2012 8:26 59.0	1/4/2012 17:36 67.4	2/4/2012 22:46 63.7	4/4/2012 11:56 63.5
27/4/2012 18:26 65.9	30/3/2012 19:21 62.1	1/4/2012 8:31 58.8	1/4/2012 17:41 68.8	2/4/2012 22:51 62.3	4/4/2012 12:01 64.2
27/4/2012 18:31 65.6	30/3/2012 19:26 61.7	1/4/2012 8:36 57.2	1/4/2012 17:46 65.2	2/4/2012 22:56 62.3	4/4/2012 12:06 65.0
27/4/2012 18:36 65.7	30/3/2012 19:31 63.1	1/4/2012 8:41 57.7	1/4/2012 17:51 63.7	3/4/2012 19:01 66.2	4/4/2012 12:11 63.3
27/4/2012 18:41 64.6	30/3/2012 19:36 62.9	1/4/2012 8:46 57.4	1/4/2012 17:56 64.9	3/4/2012 19:06 66.2	4/4/2012 12:16 62.5
27/4/2012 18:46 65.6	30/3/2012 19:41 62.9	1/4/2012 8:51 56.6	1/4/2012 18:01 64.3	3/4/2012 19:11 63.7	4/4/2012 12:21 63.4
27/4/2012 18:51 64.1	30/3/2012 19:46 61.6	1/4/2012 8:56 57.9	1/4/2012 18:06 64.0	3/4/2012 19:16 64.4	4/4/2012 12:26 63.4
27/4/2012 18:56 64.5	30/3/2012 19:51 62.4	1/4/2012 9:01 56.6	1/4/2012 18:11 63.7	3/4/2012 19:21 63.4	4/4/2012 12:31 63.3
Normal Day 19:00-23:00,	30/3/2012 19:56 63.6	1/4/2012 9:06 57.2	1/4/2012 18:16 64.5	3/4/2012 19:26 63.2	4/4/2012 12:36 62.1
	30/3/2012 20:01 60.9	1/4/2012 9:11 56.0	1/4/2012 18:21 63.8	3/4/2012 19:31 62.2	4/4/2012 12:41 65.9
Sunday & Holiday 07:00-23:00 28/3/2012 19:01 63.3	30/3/2012 20:06 61.1	1/4/2012 9:16 56.2	1/4/2012 18:26 66.7	3/4/2012 19:36 63.4	4/4/2012 12:46 62.5
	30/3/2012 20:11 62.7	1/4/2012 9:21 57.4	1/4/2012 18:31 65.5	3/4/2012 19:41 64.2	4/4/2012 12:51 63.9
28/3/2012 19:06 65.6	30/3/2012 20:16 60.9	1/4/2012 9:26 54.0	1/4/2012 18:36 65.9	3/4/2012 19:46 63.5	4/4/2012 12:56 64.6
28/3/2012 19:11 63.8	30/3/2012 20:21 62.6	1/4/2012 9:31 56.5	1/4/2012 18:41 65.0	3/4/2012 19:51 62.7	4/4/2012 13:01 64.5
28/3/2012 19:16 63.3	30/3/2012 20:26 61.4	1/4/2012 9:36 57.2	1/4/2012 18:46 64.0	3/4/2012 19:56 63.2	4/4/2012 13:06 67.0
28/3/2012 19:21 61.6	30/3/2012 20:31 62.6	1/4/2012 9:41 55.5	1/4/2012 18:51 64.8	3/4/2012 20:01 62.6	4/4/2012 13:11 67.7
28/3/2012 19:26 63.6	30/3/2012 20:36 59.5	1/4/2012 9:46 55.6	1/4/2012 18:56 64.4	3/4/2012 20:06 62.1	4/4/2012 13:16 67.5
28/3/2012 19:31 63.1	30/3/2012 20:41 61.1	1/4/2012 9:51 56.3	1/4/2012 19:01 64.5	3/4/2012 20:11 62.0	4/4/2012 13:21 67.8
28/3/2012 19:36 62.0	30/3/2012 20:46 59.9	1/4/2012 9:56 57.3	1/4/2012 19:06 64.2	3/4/2012 20:16 62.4	4/4/2012 13:26 66.0
28/3/2012 19:41 63.7	30/3/2012 20:51 60.3	1/4/2012 10:01 56.1	1/4/2012 19:11 62.6	3/4/2012 20:21 65.1	4/4/2012 13:31 68.2
28/3/2012 19:46 62.2	30/3/2012 20:56 61.6	1/4/2012 10:06 55.6	1/4/2012 19:16 62.3	3/4/2012 20:26 64.1	4/4/2012 13:36 71.1
28/3/2012 19:51 62.7	30/3/2012 21:01 61.9	1/4/2012 10:11 52.9	1/4/2012 19:21 62.9	3/4/2012 20:31 61.4	4/4/2012 13:41 68.9
28/3/2012 19:56 61.2	30/3/2012 21:06 61.6	1/4/2012 10:16 56.3	1/4/2012 19:26 63.8	3/4/2012 20:36 60.9	4/4/2012 13:46 67.9
28/3/2012 20:01 62.9	30/3/2012 21:11 61.7	1/4/2012 10:21 54.0	1/4/2012 19:31 64.6	3/4/2012 20:41 63.1	4/4/2012 13:51 65.0
28/3/2012 20:06 62.3	30/3/2012 21:16 61.2	1/4/2012 10:26 56.9	1/4/2012 19:36 62.9	3/4/2012 20:46 62.0	4/4/2012 13:56 62.8
28/3/2012 20:11 60.7	30/3/2012 21:21 60.3	1/4/2012 10:31 54.5	1/4/2012 19:41 62.6	3/4/2012 20:51 61.2	4/4/2012 14:01 62.3
28/3/2012 20:16 62.3	30/3/2012 21:26 61.3 30/3/2012 21:31 61.9	1/4/2012 10:36 55.4 1/4/2012 10:41 56.8	1/4/2012 19:46 63.3	3/4/2012 20:56 61.7 3/4/2012 21:01 61.2	4/4/2012 14:06 63.8 4/4/2012 14:11 64.4
28/3/2012 20:21 61.4 28/3/2012 20:26 61.8	30/3/2012 21:36 61.9	1/4/2012 10:41 56.8 1/4/2012 10:46 56.4	1/4/2012 19:51 64.3 1/4/2012 19:56 65.1	3/4/2012 21:06 61.1	4/4/2012 14:11 64.4 4/4/2012 14:16 69.4
28/3/2012 20:31 61.3	30/3/2012 21:41 60.4	1/4/2012 10:51 56.8	1/4/2012 20:01 67.9	3/4/2012 21:11 60.7	4/4/2012 14:21 67.0
28/3/2012 20:36 61.7	30/3/2012 21:46 61.4	1/4/2012 10:56 55.0	1/4/2012 20:06 65.4	3/4/2012 21:16 61.1	4/4/2012 14:26 66.4
28/3/2012 20:41 59.4	30/3/2012 21:51 60.6	1/4/2012 11:01 55.2	1/4/2012 20:11 65.2	3/4/2012 21:21 61.4	4/4/2012 14:31 66.5
28/3/2012 20:46 62.3	30/3/2012 21:56 61.0	1/4/2012 11:06 54.7	1/4/2012 20:16 65.2	3/4/2012 21:26 61.0	4/4/2012 14:36 67.2
28/3/2012 20:51 61.1	30/3/2012 22:01 63.1	1/4/2012 11:11 55.9	1/4/2012 20:21 66.6	3/4/2012 21:31 61.9	4/4/2012 14:41 68.3
28/3/2012 20:56 60.9	30/3/2012 22:06 61.1	1/4/2012 11:16 54.9	1/4/2012 20:26 65.3	3/4/2012 21:36 61.2	4/4/2012 14:46 67.1
28/3/2012 21:01 60.1	30/3/2012 22:11 61.5	1/4/2012 11:21 54.4	1/4/2012 20:31 65.8	3/4/2012 21:41 61.7	4/4/2012 14:51 66.6
28/3/2012 21:06 62.0	30/3/2012 22:16 61.2	1/4/2012 11:26 55.2	1/4/2012 20:36 63.6	3/4/2012 21:46 61.9	4/4/2012 14:56 65.5
28/3/2012 21:11 61.6	30/3/2012 22:21 60.0	1/4/2012 11:31 56.9	1/4/2012 20:41 64.7	3/4/2012 21:51 61.4	4/4/2012 15:01 65.1
28/3/2012 21:16 61.0	30/3/2012 22:26 62.5	1/4/2012 11:36 58.6	1/4/2012 20:46 66.4	3/4/2012 21:56 61.1	4/4/2012 15:06 65.4
28/3/2012 21:21 60.7	30/3/2012 22:31 60.6	1/4/2012 11:41 57.6	1/4/2012 20:51 65.2	3/4/2012 22:01 61.4	4/4/2012 15:11 66.4
28/3/2012 21:26 63.2	30/3/2012 22:36 58.4	1/4/2012 11:46 56.0	1/4/2012 20:56 65.4	3/4/2012 22:06 62.0	4/4/2012 15:16 66.3
28/3/2012 21:31 60.3	30/3/2012 22:41 60.2	1/4/2012 11:51 56.0	1/4/2012 21:01 66.8	3/4/2012 22:11 61.8	4/4/2012 15:21 65.9
28/3/2012 21:36 61.2	30/3/2012 22:46 61.7	1/4/2012 11:56 54.8	1/4/2012 21:06 64.9	3/4/2012 22:16 61.5	4/4/2012 15:26 66.1
28/3/2012 21:41 60.9	30/3/2012 22:51 63.4	1/4/2012 12:01 56.6	1/4/2012 21:11 64.2	3/4/2012 22:21 61.1	4/4/2012 15:31 67.3
28/3/2012 21:46 61.5	30/3/2012 22:56 61.9	1/4/2012 12:06 58.1	1/4/2012 21:16 63.7	3/4/2012 22:26 61.4	4/4/2012 15:36 67.4
28/3/2012 21:51 59.7	31/3/2012 19:01 64.0	1/4/2012 12:11 56.7	1/4/2012 21:21 63.8	3/4/2012 22:31 60.8	4/4/2012 15:41 65.6
28/3/2012 21:56 60.6	31/3/2012 19:06 64.7	1/4/2012 12:16 59.5	1/4/2012 21:26 62.9	3/4/2012 22:36 61.6	4/4/2012 15:46 65.5
28/3/2012 22:01 62.2	31/3/2012 19:11 64.9	1/4/2012 12:21 57.2	1/4/2012 21:31 63.9	3/4/2012 22:41 61.6	4/4/2012 15:51 66.5
28/3/2012 22:06 62.7	31/3/2012 19:16 63.0	1/4/2012 12:26 56.4	1/4/2012 21:36 65.6	3/4/2012 22:46 60.9	4/4/2012 15:56 64.3
28/3/2012 22:11 59.0	31/3/2012 19:21 62.9	1/4/2012 12:31 55.0	1/4/2012 21:41 66.1	3/4/2012 22:51 61.2	4/4/2012 16:01 64.3
28/3/2012 22:16 60.5	31/3/2012 19:26 64.1	1/4/2012 12:36 57.0	1/4/2012 21:46 64.0	3/4/2012 22:56 61.2	4/4/2012 16:06 67.8
28/3/2012 22:21 62.0	31/3/2012 19:31 63.5	1/4/2012 12:41 57.9	1/4/2012 21:51 66.9	4/4/2012 7:01 62.2	4/4/2012 16:11 65.0
28/3/2012 22:26 61.2	31/3/2012 19:36 63.4	1/4/2012 12:46 58.0	1/4/2012 21:56 66.0	4/4/2012 7:06 62.3	4/4/2012 16:16 63.2
28/3/2012 22:31 61.8	31/3/2012 19:41 62.4 31/3/2012 19:46 61.1	1/4/2012 12:51 58.9	1/4/2012 22:01 66.1	4/4/2012 7:11 61.6	4/4/2012 16:21 63.6
28/3/2012 22:36 62.0	31/3/2012 19:46 61.1	1/4/2012 12:56 58.4	1/4/2012 22:06 66.6	4/4/2012 7:16 63.0	4/4/2012 16:26 63.8
28/3/2012 22:41 60.4		1/4/2012 13:01 58.2	1/4/2012 22:11 64.7	4/4/2012 7:21 61.6	4/4/2012 16:31 65.8
28/3/2012 22:46 62.5	31/3/2012 19:56 64.1	1/4/2012 13:06 60.4	1/4/2012 22:16 66.2	4/4/2012 7:26 62.2	4/4/2012 16:36 64.8
28/3/2012 22:51 61.8	31/3/2012 20:01 62.2	1/4/2012 13:11 58.4	1/4/2012 22:21 66.9	4/4/2012 7:31 63.0	4/4/2012 16:41 64.5
28/3/2012 22:56 61.0	31/3/2012 20:06 63.1	1/4/2012 13:16 61.1	1/4/2012 22:26 66.2	4/4/2012 7:36 61.6	4/4/2012 16:46 66.9
29/3/2012 19:01 63.0	31/3/2012 20:11 61.5	1/4/2012 13:21 61.0	1/4/2012 22:31 65.6	4/4/2012 7:41 62.4	4/4/2012 16:51 67.4
29/3/2012 19:06 65.8	31/3/2012 20:16 62.8	1/4/2012 13:26 59.6	1/4/2012 22:36 67.0	4/4/2012 7:46 62.9	4/4/2012 16:56 67.8
29/3/2012 19:11 64.7	31/3/2012 20:21 62.4	1/4/2012 13:31 60.5	1/4/2012 22:41 67.2	4/4/2012 7:51 63.2	4/4/2012 17:01 68.1
29/3/2012 19:16 62.5	31/3/2012 20:26 62.9	1/4/2012 13:36 61.4	1/4/2012 22:46 65.0	4/4/2012 8:01 63.4	4/4/2012 17:06 67.8
29/3/2012 19:21 62.2	31/3/2012 20:31 62.6	1/4/2012 13:41 61.8	1/4/2012 22:51 67.4		4/4/2012 17:11 68.1
29/3/2012 19:26 63.4	31/3/2012 20:36 61.7	1/4/2012 13:46 61.4	1/4/2012 22:56 67.0	4/4/2012 8:06 63.7	4/4/2012 17:16 67.8
29/3/2012 19:31 63.8	31/3/2012 20:41 63.2	1/4/2012 13:51 61.4	2/4/2012 19:01 63.6	4/4/2012 8:11 64.1	4/4/2012 17:21 66.5
29/3/2012 19:36 63.9	31/3/2012 20:46 61.3	1/4/2012 13:56 62.6	2/4/2012 19:06 65.1	4/4/2012 8:16 64.8	4/4/2012 17:26 67.6
29/3/2012 19:41 62.3	31/3/2012 20:51 61.9	1/4/2012 14:01 63.3	2/4/2012 19:11 63.4	4/4/2012 8:21 64.4	4/4/2012 17:31 68.9
29/3/2012 19:46 61.8	31/3/2012 20:56 62.2	1/4/2012 14:06 63.0	2/4/2012 19:16 63.6	4/4/2012 8:26 64.2	4/4/2012 17:36 66.7
29/3/2012 19:51 61.2	31/3/2012 21:01 61.0	1/4/2012 14:11 60.9	2/4/2012 19:21 61.6	4/4/2012 8:31 63.3	4/4/2012 17:41 67.3
29/3/2012 19:56 62.7	31/3/2012 21:06 61.4	1/4/2012 14:16 62.2	2/4/2012 19:26 62.5	4/4/2012 8:36 65.9	4/4/2012 17:46 66.9
29/3/2012 20:01 61.5	31/3/2012 21:11 62.2	1/4/2012 14:21 62.2	2/4/2012 19:31 61.6	4/4/2012 8:41 64.6	4/4/2012 17:51 66.8
29/3/2012 20:06 60.5	31/3/2012 21:16 60.4	1/4/2012 14:26 61.2	2/4/2012 19:36 62.8	4/4/2012 8:46 64.3	4/4/2012 17:56 67.1
29/3/2012 20:11 63.0	31/3/2012 21:21 61.8	1/4/2012 14:31 69.7	2/4/2012 19:41 61.4	4/4/2012 8:51 66.4	4/4/2012 18:01 67.8
29/3/2012 20:16 61.5	31/3/2012 21:26 60.6	1/4/2012 14:36 61.0	2/4/2012 19:46 61.7	4/4/2012 8:56 66.0	4/4/2012 18:06 67.4
29/3/2012 20:21 62.5	31/3/2012 21:31 60.6	1/4/2012 14:41 63.5	2/4/2012 19:51 62.2	4/4/2012 9:01 64.6	4/4/2012 18:11 68.2
29/3/2012 20:26 61.2	31/3/2012 21:36 61.0	1/4/2012 14:46 61.9	2/4/2012 19:56 63.7	4/4/2012 9:06 64.7	4/4/2012 18:16 65.8
29/3/2012 20:31 60.9	31/3/2012 21:41 61.9	1/4/2012 14:51 62.1	2/4/2012 20:01 62.5	4/4/2012 9:11 64.1	4/4/2012 18:21 67.2
29/3/2012 20:36 61.4	31/3/2012 21:46 62.7	1/4/2012 14:56 63.1	2/4/2012 20:06 63.5	4/4/2012 9:16 64.5	4/4/2012 18:26 66.7
29/3/2012 20:41 62.3	31/3/2012 21:51 62.2	1/4/2012 15:01 64.8	2/4/2012 20:11 62.9	4/4/2012 9:21 64.9	4/4/2012 18:31 66.5
29/3/2012 20:46 61.3	31/3/2012 21:56 60.6	1/4/2012 15:06 64.7	2/4/2012 20:16 61.9	4/4/2012 9:26 65.2	4/4/2012 18:36 65.4
29/3/2012 20:51 61.9	31/3/2012 22:01 61.7	1/4/2012 15:11 66.3	2/4/2012 20:21 62.1	4/4/2012 9:31 69.6	4/4/2012 18:41 66.1
29/3/2012 20:56 61.5	31/3/2012 22:06 61.9	1/4/2012 15:16 68.9	2/4/2012 20:26 62.2	4/4/2012 9:36 64.6	4/4/2012 18:46 66.1
29/3/2012 21:01 60.8	31/3/2012 22:11 60.6	1/4/2012 15:21 65.4	2/4/2012 20:31 60.9	4/4/2012 9:41 67.8	4/4/2012 18:51 66.7
29/3/2012 21:06 62.1	31/3/2012 22:16 60.6	1/4/2012 15:26 66.8	2/4/2012 20:36 60.9	4/4/2012 9:46 69.6	4/4/2012 18:56 67.8
29/3/2012 21:11 61.2	31/3/2012 22:21 61.0	1/4/2012 15:31 67.6	2/4/2012 20:41 60.3	4/4/2012 9:51 70.3	4/4/2012 19:01 67.2
29/3/2012 21:16 62.0	31/3/2012 22:26 61.3	1/4/2012 15:36 66.2	2/4/2012 20:46 62.0	4/4/2012 9:56 69.8	4/4/2012 19:06 67.5
29/3/2012 21:21 60.3	31/3/2012 22:31 61.8	1/4/2012 15:41 69.5	2/4/2012 20:51 60.7	4/4/2012 10:01 67.9	4/4/2012 19:11 67.8
29/3/2012 21:26 62.9	31/3/2012 22:36 60.9	1/4/2012 15:46 68.1	2/4/2012 20:56 60.6	4/4/2012 10:06 68.9	4/4/2012 19:16 66.8
29/3/2012 21:31 61.7	31/3/2012 22:41 59.9	1/4/2012 15:51 68.8	2/4/2012 21:01 61.1	4/4/2012 10:11 68.6	4/4/2012 19:21 66.7
29/3/2012 21:36 60.5	31/3/2012 22:46 61.7	1/4/2012 15:56 62.8	2/4/2012 21:06 62.1	4/4/2012 10:16 68.6	4/4/2012 19:26 65.1
29/3/2012 21:41 60.1	31/3/2012 22:51 60.4	1/4/2012 16:01 69.4	2/4/2012 21:11 61.8	4/4/2012 10:21 72.0	4/4/2012 19:31 65.0
29/3/2012 21:46 64.3	31/3/2012 22:56 61.2	1/4/2012 16:06 70.0	2/4/2012 21:16 62.1	4/4/2012 10:26 67.7	4/4/2012 19:36 63.2
29/3/2012 21:51 60.9	1/4/2012 7:01 60.1	1/4/2012 16:11 63.9	2/4/2012 21:21 61.8	4/4/2012 10:31 67.6	4/4/2012 19:41 63.5
29/3/2012 21:56 60.7	1/4/2012 7:06 60.3	1/4/2012 16:16 64.8	2/4/2012 21:26 62.1	4/4/2012 10:36 67.4	4/4/2012 19:46 65.0
29/3/2012 22:01 63.4	1/4/2012 7:11 58.7	1/4/2012 16:21 64.1	2/4/2012 21:31 60.5	4/4/2012 10:41 67.5	4/4/2012 19:51 64.0
29/3/2012 22:06 60.8	1/4/2012 7:16 60.5	1/4/2012 16:26 66.4	2/4/2012 21:36 61.6	4/4/2012 10:46 67.7	4/4/2012 19:56 63.9
29/3/2012 22:11 59.0	1/4/2012 7:21 59.3	1/4/2012 16:31 67.4	2/4/2012 21:41 61.8	4/4/2012 10:51 68.5	4/4/2012 20:01 63.2
29/3/2012 22:16 60.9	1/4/2012 7:26 59.5	1/4/2012 16:36 66.2	2/4/2012 21:46 62.7	4/4/2012 10:56 68.4	4/4/2012 20:06 63.2
29/3/2012 22:21 61.0	1/4/2012 7:31 60.2	1/4/2012 16:41 66.4	2/4/2012 21:51 61.4	4/4/2012 11:01 68.2	4/4/2012 20:11 62.5
29/3/2012 22:26 60.8	1/4/2012 7:36 59.7	1/4/2012 16:46 65.2	2/4/2012 21:56 61.0	4/4/2012 11:06 69.0	4/4/2012 20:16 63.0
29/3/2012 22:31 60.6	1/4/2012 7:41 58.5	1/4/2012 16:51 64.4	2/4/2012 22:01 61.6	4/4/2012 11:11 71.9	4/4/2012 20:21 65.6
29/3/2012 22:36 62.1	1/4/2012 7:46 56.7	1/4/2012 16:56 64.9	2/4/2012 22:06 62.1	4/4/2012 11:16 72.0	4/4/2012 20:26 62.2
29/3/2012 22:41 60.8	1/4/2012 7:51 57.3	1/4/2012 17:01 66.6	2/4/2012 22:11 60.7	4/4/2012 11:21 68.3	4/4/2012 20:31 63.8
29/3/2012 22:46 62.0	1/4/2012 7:56 58.7	1/4/2012 17:06 66.9	2/4/2012 22:16 60.9	4/4/2012 11:26 67.8	4/4/2012 20:36 64.1

Real-time Noise Data	RTN2 (Oil Street Community Liaison	Centre)			
4/4/2012 20:41 62.5	6/4/2012 9:51 55.0	6/4/2012 19:01 63.0	7/4/2012 12:11 55.4	7/4/2012 21:21 62.2	8/4/2012 14:31 70.2
4/4/2012 20:46 62.5	6/4/2012 9:56 56.0	6/4/2012 19:06 62.7	7/4/2012 12:16 61.7	7/4/2012 21:26 63.6	8/4/2012 14:36 61.4
4/4/2012 20:46 62.5 4/4/2012 20:51 61.6	6/4/2012 9:56 56.0 6/4/2012 10:01 56.6	6/4/2012 19:06 62.7 6/4/2012 19:11 63.8	7/4/2012 12:16 61.7 7/4/2012 12:21 55.3	7/4/2012 21:26 63.6 7/4/2012 21:31 64.1	8/4/2012 14:41 62.8
4/4/2012 20:56 61.5	6/4/2012 10:06 54.3	6/4/2012 19:16 62.5	7/4/2012 12:26 58.5	7/4/2012 21:36 63.5	8/4/2012 14:46 63.5
4/4/2012 21:01 60.8	6/4/2012 10:11 54.8	6/4/2012 19:21 63.1	7/4/2012 12:31 56.2	7/4/2012 21:41 67.1	8/4/2012 14:51 61.0
4/4/2012 21:06 62.1	6/4/2012 10:16 55.4	6/4/2012 19:26 64.5	7/4/2012 12:36 56.7	7/4/2012 21:46 65.0	8/4/2012 14:56 63.3
4/4/2012 21:11 62.2	6/4/2012 10:21 56.8	6/4/2012 19:31 63.0	7/4/2012 12:41 57.7	7/4/2012 21:51 65.3	8/4/2012 15:01 66.1
4/4/2012 21:16 61.9		6/4/2012 19:36 64.6	7/4/2012 12:46 58.8	7/4/2012 21:56 65.0	8/4/2012 15:06 65.6
4/4/2012 21:16 61.9	6/4/2012 10:26 54.8	6/4/2012 19:36 64.6	7/4/2012 12:46 58.8	7/4/2012 21:56 65.0	8/4/2012 15:06 65.6
4/4/2012 21:21 61.9	6/4/2012 10:31 55.4	6/4/2012 19:41 62.0	7/4/2012 12:51 57.0	7/4/2012 22:01 65.9	8/4/2012 15:11 66.1
4/4/2012 21:26 63.0	6/4/2012 10:36 55.5	6/4/2012 19:46 64.6	7/4/2012 12:56 57.5	7/4/2012 22:06 65.7	8/4/2012 15:16 67.1
4/4/2012 21:31 62.1	6/4/2012 10:41 56.8	6/4/2012 19:51 64.7	7/4/2012 13:01 58.5	7/4/2012 22:11 65.2	8/4/2012 15:21 64.0
4/4/2012 21:36 63.7	6/4/2012 10:46 55.9	6/4/2012 19:56 65.9	7/4/2012 13:06 59.7	7/4/2012 22:16 66.8	8/4/2012 15:26 68.1
4/4/2012 21:41 62.6	6/4/2012 10:51 55.4	6/4/2012 20:01 68.5	7/4/2012 13:11 59.7 7/4/2012 13:16 60.0	7/4/2012 22:21 67.4 7/4/2012 22:26 65.6	8/4/2012 15:31 68.7 8/4/2012 15:36 65.9
4/4/2012 21:46 62.3	6/4/2012 10:56 55.7	6/4/2012 20:06 65.2	7/4/2012 13:16 60.0	7/4/2012 22:26 65.6	8/4/2012 15:36 65.9
4/4/2012 21:51 62.7	6/4/2012 11:01 55.9	6/4/2012 20:11 66.0	7/4/2012 13:21 58.9	7/4/2012 22:31 66.0	8/4/2012 15:41 69.7
4/4/2012 21:56 62.5	6/4/2012 11:06 55.7	6/4/2012 20:16 66.6	7/4/2012 13:26 59.4	7/4/2012 22:36 66.8	8/4/2012 15:46 68.5
4/4/2012 22:01 61.9	6/4/2012 11:11 56.3	6/4/2012 20:21 65.7	7/4/2012 13:31 60.3	7/4/2012 22:41 66.1	8/4/2012 15:51 68.9
4/4/2012 22:06 61.8	6/4/2012 11:16 54.5	6/4/2012 20:26 64.0	7/4/2012 13:36 60.4	7/4/2012 22:46 67.6	8/4/2012 15:56 64.0
4/4/2012 22:11 61.9	6/4/2012 11:21 53.5	6/4/2012 20:31 63.6	7/4/2012 13:41 62.5	7/4/2012 22:51 67.6	8/4/2012 16:01 68.3
4/4/2012 22:16 62.5	6/4/2012 11:26 55.0	6/4/2012 20:36 65.7	7/4/2012 13:46 60.9	7/4/2012 22:56 65.4	8/4/2012 16:06 68.9
4/4/2012 22:21 61.7	6/4/2012 11:31 56.2	6/4/2012 20:41 65.3	7/4/2012 13:51 62.2	8/4/2012 7:01 61.1	8/4/2012 16:11 65.5
4/4/2012 22:26 61.4	6/4/2012 11:36 58.5	6/4/2012 20:46 66.4	7/4/2012 13:56 62.6	8/4/2012 7:06 59.0	8/4/2012 16:16 63.2
4/4/2012 22:31 62.5	6/4/2012 11:41 55.1	6/4/2012 20:51 65.2	7/4/2012 14:01 62.3	8/4/2012 7:11 60.4	8/4/2012 16:21 65.1
4/4/2012 22:36 63.3	6/4/2012 11:46 56.1	6/4/2012 20:56 65.6	7/4/2012 14:06 63.1	8/4/2012 7:16 59.4	8/4/2012 16:26 66.3
4/4/2012 22:41 61.9	6/4/2012 11:51 55.8	6/4/2012 21:01 66.7	7/4/2012 14:11 61.2	8/4/2012 7:21 59.3	8/4/2012 16:31 66.4
4/4/2012 22:46 63.7	6/4/2012 11:56 55.6	6/4/2012 21:06 65.9	7/4/2012 14:16 62.5	8/4/2012 7:26 58.7	8/4/2012 16:36 66.4
4/4/2012 22:51 61.7	6/4/2012 12:01 56.3	6/4/2012 21:11 63.8	7/4/2012 14:21 61.5	8/4/2012 7:31 58.3	8/4/2012 16:41 65.7
4/4/2012 22:56 61.7	6/4/2012 12:06 57.1	6/4/2012 21:16 64.8	7/4/2012 14:26 61.0	8/4/2012 7:36 60.7	8/4/2012 16:46 64.1
5/4/2012 19:01 63.1	6/4/2012 12:11 55.3	6/4/2012 21:21 64.0	7/4/2012 14:31 69.5	8/4/2012 7:41 59.6	8/4/2012 16:51 63.9
5/4/2012 19:06 63.2 5/4/2012 19:11 63.8	6/4/2012 12:16 60.3 6/4/2012 12:21 57.2	6/4/2012 21:26 64.1 6/4/2012 21:31 63.9	7/4/2012 14:36 60.0	8/4/2012 7:46 59.3 8/4/2012 7:51 57.2	8/4/2012 16:56 64.4 8/4/2012 17:01 66.5
5/4/2012 19:16 61.9	6/4/2012 12:21 57.2 6/4/2012 12:26 56.9	6/4/2012 21:36 63.2	7/4/2012 14:41 62.1 7/4/2012 14:46 62.2	8/4/2012 7:51 57.2 8/4/2012 7:56 58.3	8/4/2012 17:06 66.3
5/4/2012 19:21 61.3	6/4/2012 12:31 56.8	6/4/2012 21:41 65.5	7/4/2012 14:51 62.7	8/4/2012 8:01 57.9	8/4/2012 17:11 66.5
5/4/2012 19:26 62.1	6/4/2012 12:36 56.6	6/4/2012 21:46 66.7	7/4/2012 14:56 63.0	8/4/2012 8:06 57.9	8/4/2012 17:16 65.7
5/4/2012 19:31 62.3	6/4/2012 12:41 57.9	6/4/2012 21:51 66.7	7/4/2012 15:01 65.5	8/4/2012 8:11 55.8	8/4/2012 17:21 65.8
5/4/2012 19:36 61.2	6/4/2012 12:46 58.9	6/4/2012 21:56 67.5	7/4/2012 15:06 65.0	8/4/2012 8:16 57.3	8/4/2012 17:26 65.5
5/4/2012 19:41 62.3	6/4/2012 12:51 58.3	6/4/2012 22:01 64.2	7/4/2012 15:11 65.6	8/4/2012 8:21 58.4	8/4/2012 17:31 67.3
5/4/2012 19:46 62.3	6/4/2012 12:56 57.8	6/4/2012 22:06 66.1	7/4/2012 15:16 67.5	8/4/2012 8:26 57.2	8/4/2012 17:36 68.2
5/4/2012 19:51 62.1	6/4/2012 13:01 59.1	6/4/2012 22:11 66.6	7/4/2012 15:21 65.0	8/4/2012 8:31 58.7	8/4/2012 17:41 68.7
5/4/2012 19:56 62.0	6/4/2012 13:06 60.2	6/4/2012 22:16 66.6	7/4/2012 15:26 68.9	8/4/2012 8:36 58.1	8/4/2012 17:46 66.4
5/4/2012 20:01 62.7	6/4/2012 13:11 58.7	6/4/2012 22:21 67.2	7/4/2012 15:31 67.6	8/4/2012 8:41 56.7	8/4/2012 17:51 65.9
5/4/2012 20:06 61.7	6/4/2012 13:16 60.0	6/4/2012 22:26 66.1	7/4/2012 15:36 67.0	8/4/2012 8:46 57.8	8/4/2012 17:56 65.3
5/4/2012 20:11 61.6	6/4/2012 13:21 59.6	6/4/2012 22:31 67.5	7/4/2012 15:41 69.5	8/4/2012 8:51 55.5	8/4/2012 18:01 62.9
5/4/2012 20:16 62.0	6/4/2012 13:26 61.0	6/4/2012 22:36 65.7	7/4/2012 15:46 69.5	8/4/2012 8:56 58.2	8/4/2012 18:06 67.1
5/4/2012 20:21 62.5	6/4/2012 13:31 61.1	6/4/2012 22:41 66.2	7/4/2012 15:51 69.2	8/4/2012 9:01 57.0	8/4/2012 18:11 65.8
5/4/2012 20:26 61.9	6/4/2012 13:36 60.9	6/4/2012 22:46 66.8	7/4/2012 15:56 62.0	8/4/2012 9:06 56.3	8/4/2012 18:16 65.2
5/4/2012 20:31 61.0	6/4/2012 13:41 61.6	6/4/2012 22:51 68.9	7/4/2012 16:01 68.2	8/4/2012 9:11 57.8	8/4/2012 18:21 65.0
5/4/2012 20:36 60.9	6/4/2012 13:46 61.2	6/4/2012 22:56 64.5	7/4/2012 16:06 68.7	8/4/2012 9:16 54.9	8/4/2012 18:26 66.0
5/4/2012 20:41 61.7	6/4/2012 13:51 62.0	7/4/2012 7:01 59.6	7/4/2012 16:00 68.7	8/4/2012 9:21 56.7	8/4/2012 18:31 64.3
5/4/2012 20:46 61.5	6/4/2012 13:56 63.0	7/4/2012 7:06 59.4	7/4/2012 16:16 63.8	8/4/2012 9:26 53.4	8/4/2012 18:36 66.0
5/4/2012 20:51 61.1	6/4/2012 14:01 63.5	7/4/2012 7:11 58.1	7/4/2012 16:21 63.4	8/4/2012 9:31 56.4	8/4/2012 18:41 64.2
5/4/2012 20:56 61.1	6/4/2012 14:06 63.2	7/4/2012 7:16 60.5	7/4/2012 16:26 66.5	8/4/2012 9:36 56.4	8/4/2012 18:46 63.7
5/4/2012 21:01 61.0	6/4/2012 14:11 62.7	7/4/2012 7:21 60.4	7/4/2012 16:31 66.3	8/4/2012 9:41 54.5	8/4/2012 18:51 64.0
5/4/2012 21:06 61.2	6/4/2012 14:16 62.2	7/4/2012 7:26 60.1	7/4/2012 16:36 66.2	8/4/2012 9:46 55.6	8/4/2012 18:56 63.6
5/4/2012 21:11 61.3 5/4/2012 21:16 61.5	6/4/2012 14:21 62.2	7/4/2012 7:31 59.6	7/4/2012 16:41 67.9	8/4/2012 9:51 56.0 8/4/2012 9:56 58.2	8/4/2012 19:01 63.2
5/4/2012 21:16 61.5	6/4/2012 14:26 62.2	7/4/2012 7:36 59.5	7/4/2012 16:46 62.4	8/4/2012 9:56 58.2	8/4/2012 19:06 65.1
5/4/2012 21:21 61.3	6/4/2012 14:31 69.5	7/4/2012 7:41 58.1	7/4/2012 16:51 63.8	8/4/2012 10:01 55.6	8/4/2012 19:11 62.9
5/4/2012 21:26 60.8	6/4/2012 14:36 60.5	7/4/2012 7:46 58.2	7/4/2012 16:56 64.3	8/4/2012 10:06 56.5	8/4/2012 19:16 63.4
5/4/2012 21:31 60.9	6/4/2012 14:41 62.0	7/4/2012 7:51 58.3	7/4/2012 17:01 64.8	8/4/2012 10:11 54.4	8/4/2012 19:21 64.5
5/4/2012 21:36 61.0	6/4/2012 14:46 62.8	7/4/2012 7:56 58.7	7/4/2012 17:06 67.4	8/4/2012 10:16 55.5	8/4/2012 19:26 63.5
5/4/2012 21:41 61.8	6/4/2012 14:51 62.8	7/4/2012 8:01 59.1	7/4/2012 17:11 66.8	8/4/2012 10:21 56.7	8/4/2012 19:31 62.2
5/4/2012 21:46 61.2	6/4/2012 14:56 62.3	7/4/2012 8:06 58.4	7/4/2012 17:16 64.7	8/4/2012 10:26 56.8	8/4/2012 19:36 63.1
5/4/2012 21:51 61.2	6/4/2012 15:01 64.1	7/4/2012 8:11 56.8	7/4/2012 17:21 65.5	8/4/2012 10:31 55.0	8/4/2012 19:41 64.8
5/4/2012 21:56 61.7	6/4/2012 15:06 64.5	7/4/2012 8:16 59.1	7/4/2012 17:26 65.4	8/4/2012 10:36 55.5	8/4/2012 19:46 64.5
5/4/2012 22:01 61.3	6/4/2012 15:11 65.6	7/4/2012 8:21 58.3	7/4/2012 17:31 66.1	8/4/2012 10:41 57.3	8/4/2012 19:51 64.0
5/4/2012 22:06 61.0	6/4/2012 15:16 67.6	7/4/2012 8:26 56.9 7/4/2012 8:31 59.1	7/4/2012 17:36 67.4	8/4/2012 10:46 56.5 8/4/2012 10:51 56.5	8/4/2012 19:56 65.6
5/4/2012 22:11 61.0	6/4/2012 15:21 64.6	7/4/2012 8:31 59.1	7/4/2012 17:41 67.4	8/4/2012 10:51 56.5	8/4/2012 20:01 68.9
5/4/2012 22:16 61.8	6/4/2012 15:26 68.2	7/4/2012 8:36 56.9	7/4/2012 17:46 66.3	8/4/2012 10:56 55.3	8/4/2012 20:06 64.4
5/4/2012 22:21 61.1	6/4/2012 15:31 67.0	7/4/2012 8:41 57.2	7/4/2012 17:51 64.8	8/4/2012 11:01 56.3	8/4/2012 20:11 64.2
5/4/2012 22:26 61.4	6/4/2012 15:36 68.2	7/4/2012 8:46 58.2	7/4/2012 17:56 64.6	8/4/2012 11:06 54.2	8/4/2012 20:16 67.7
5/4/2012 22:31 61.0	6/4/2012 15:41 69.4	7/4/2012 8:51 56.3	7/4/2012 18:01 63.8	8/4/2012 11:11 54.6	8/4/2012 20:21 65.1
5/4/2012 22:36 62.3	6/4/2012 15:46 69.0	7/4/2012 8:56 57.5	7/4/2012 18:06 65.5	8/4/2012 11:16 54.8	8/4/2012 20:26 62.8
5/4/2012 22:41 61.0	6/4/2012 15:51 69.2	7/4/2012 9:01 57.5	7/4/2012 18:11 64.3	8/4/2012 11:21 55.7	8/4/2012 20:31 64.5
5/4/2012 22:46 61.9	6/4/2012 15:56 61.7	7/4/2012 9:06 56.7	7/4/2012 18:16 63.8	8/4/2012 11:26 56.1	8/4/2012 20:36 65.0
5/4/2012 22:51 60.3	6/4/2012 16:01 69.7	7/4/2012 9:11 55.9	7/4/2012 18:21 63.7	8/4/2012 11:31 56.5	8/4/2012 20:41 65.1
5/4/2012 22:56 60.6	6/4/2012 16:06 68.7	7/4/2012 9:16 57.6	7/4/2012 18:26 66.3	8/4/2012 11:36 59.0	8/4/2012 20:46 66.2
6/4/2012 7:01 61.2	6/4/2012 16:11 64.5	7/4/2012 9:21 57.3	7/4/2012 18:31 66.5	8/4/2012 11:41 55.5	8/4/2012 20:51 65.0
6/4/2012 7:06 59.8 6/4/2012 7:11 59.4	6/4/2012 16:16 63.5 6/4/2012 16:21 64.0	7/4/2012 9:31 56.8	7/4/2012 18:36 63.8 7/4/2012 18:41 63.8	8/4/2012 11:46 55.9 8/4/2012 11:51 55.9	8/4/2012 21:01 67.4
6/4/2012 7:16 61.3	6/4/2012 16:26 66.1	7/4/2012 9:36 56.1	7/4/2012 18:46 65.8	8/4/2012 11:56 55.7	8/4/2012 21:06 66.2
6/4/2012 7:21 59.7	6/4/2012 16:31 67.9	7/4/2012 9:41 54.2	7/4/2012 18:51 63.8	8/4/2012 12:01 56.0	8/4/2012 21:11 63.3
6/4/2012 7:26 60.1	6/4/2012 16:36 67.0	7/4/2012 9:46 56.8	7/4/2012 18:56 65.8	8/4/2012 12:06 58.6	8/4/2012 21:16 64.5
6/4/2012 7:31 58.6	6/4/2012 16:41 66.2	7/4/2012 9:51 54.6	7/4/2012 19:01 62.3	8/4/2012 12:11 55.7	8/4/2012 21:21 63.5
6/4/2012 7:36 59.3	6/4/2012 16:46 65.2	7/4/2012 9:56 57.7	7/4/2012 19:06 63.9	8/4/2012 12:16 61.3	8/4/2012 21:26 64.3
6/4/2012 7:41 57.9	6/4/2012 16:51 63.7	7/4/2012 10:01 56.0	7/4/2012 19:11 63.0	8/4/2012 12:21 56.0	8/4/2012 21:31 63.7
6/4/2012 7:46 59.9	6/4/2012 16:56 63.2	7/4/2012 10:06 55.2	7/4/2012 19:16 62.9	8/4/2012 12:26 57.1	8/4/2012 21:36 65.2
6/4/2012 7:51 57.3	6/4/2012 17:01 68.1	7/4/2012 10:11 54.2	7/4/2012 19:21 63.2	8/4/2012 12:31 56.7	8/4/2012 21:41 66.0
6/4/2012 7:56 57.9	6/4/2012 17:06 67.1	7/4/2012 10:16 55.5	7/4/2012 19:26 63.9	8/4/2012 12:36 57.3	8/4/2012 21:46 64.5
6/4/2012 8:01 59.7	6/4/2012 17:11 66.0	7/4/2012 10:21 55.1	7/4/2012 19:31 62.4	8/4/2012 12:41 57.0	8/4/2012 21:51 66.1
6/4/2012 8:06 58.3	6/4/2012 17:16 64.9	7/4/2012 10:26 55.3	7/4/2012 19:36 64.5	8/4/2012 12:46 57.9	8/4/2012 21:56 65.8
6/4/2012 8:11 56.1	6/4/2012 17:21 65.7	7/4/2012 10:31 56.1	7/4/2012 19:41 64.1	8/4/2012 12:51 57.3	8/4/2012 22:01 64.7
6/4/2012 8:16 57.3	6/4/2012 17:26 66.5	7/4/2012 10:36 56.5	7/4/2012 19:46 64.5	8/4/2012 12:56 56.3	8/4/2012 22:06 65.8
6/4/2012 8:21 58.0	6/4/2012 17:31 67.8	7/4/2012 10:41 56.6	7/4/2012 19:51 64.0	8/4/2012 13:01 59.4	8/4/2012 22:11 66.3
6/4/2012 8:26 58.0	6/4/2012 17:36 68.2	7/4/2012 10:46 55.8	7/4/2012 19:56 65.1	8/4/2012 13:06 60.6	8/4/2012 22:16 67.1
6/4/2012 8:31 59.9	6/4/2012 17:41 68.3	7/4/2012 10:51 55.6	7/4/2012 20:01 68.4	8/4/2012 13:11 59.5	8/4/2012 22:21 65.5
6/4/2012 8:36 57.1	6/4/2012 17:46 64.7	7/4/2012 10:56 56.7	7/4/2012 20:06 64.4	8/4/2012 13:16 60.8	8/4/2012 22:26 67.2
6/4/2012 8:41 57.7	6/4/2012 17:51 67.6	7/4/2012 11:01 56.5	7/4/2012 20:11 65.5	8/4/2012 13:21 58.6	8/4/2012 22:31 67.3
6/4/2012 8:46 56.8	6/4/2012 17:56 63.5	7/4/2012 11:06 53.5	7/4/2012 20:16 65.5	8/4/2012 13:26 59.6	8/4/2012 22:36 65.7
6/4/2012 8:51 57.0	6/4/2012 18:01 64.0	7/4/2012 11:11 54.5	7/4/2012 20:21 65.2	8/4/2012 13:31 59.4	8/4/2012 22:41 65.7
6/4/2012 8:56 58.5	6/4/2012 18:06 63.4	7/4/2012 11:16 55.6	7/4/2012 20:26 63.7	8/4/2012 13:36 60.3	8/4/2012 22:46 66.9
6/4/2012 9:01 56.4	6/4/2012 18:11 64.9	7/4/2012 11:21 54.8	7/4/2012 20:31 65.0	8/4/2012 13:41 60.8	8/4/2012 22:51 66.1
6/4/2012 9:06 56.5	6/4/2012 18:16 65.2	7/4/2012 11:26 55.2	7/4/2012 20:36 65.6	8/4/2012 13:46 61.6	8/4/2012 22:56 65.8
6/4/2012 9:11 55.4	6/4/2012 18:21 64.0	7/4/2012 11:31 55.8	7/4/2012 20:41 65.0	8/4/2012 13:51 62.3	9/4/2012 7:01 60.0
6/4/2012 9:16 55.6	6/4/2012 18:26 66.1	7/4/2012 11:36 58.2	7/4/2012 20:46 65.8	8/4/2012 13:56 62.1	9/4/2012 7:06 59.3
6/4/2012 9:21 56.8	6/4/2012 18:31 64.9	7/4/2012 11:41 56.1	7/4/2012 20:51 65.1	8/4/2012 14:01 62.7	9/4/2012 7:11 60.7
6/4/2012 9:26 55.0	6/4/2012 18:36 65.8	7/4/2012 11:46 56.4	7/4/2012 20:56 66.4	8/4/2012 14:06 62.1	9/4/2012 7:16 60.2
6/4/2012 9:31 56.8	6/4/2012 18:41 64.0 6/4/2012 18:46 63.2	7/4/2012 11:51 55.4 7/4/2012 11:56 56.4	7/4/2012 21:01 66.5 7/4/2012 21:06 66.4	8/4/2012 14:11 61.6 8/4/2012 14:16 61.5	9/4/2012 7:21 59.2
6/4/2012 9:36 56.6 6/4/2012 9:41 54.1	6/4/2012 18:51 64.3	7/4/2012 12:01 56.3	7/4/2012 21:11 65.1	8/4/2012 14:21 61.2	9/4/2012 7:26 59.2 9/4/2012 7:31 58.1
6/4/2012 9:46 54.6	6/4/2012 18:56 63.3	7/4/2012 12:06 56.4	7/4/2012 21:16 63.0	8/4/2012 14:26 60.8	9/4/2012 7:36 59.7

Real-time Noise Data	RTN2 (Oil Street Community Liaison	n Centre)			
9/4/2012 7:41 57.6	9/4/2012 16:51 65.6	10/4/2012 22:01 63.1	13/4/2012 19:11 64.3	15/4/2012 8:21 65.7	15/4/2012 17:31 64.8
9/4/2012 7:46 59.1	9/4/2012 16:56 63.5	10/4/2012 22:06 62.7	13/4/2012 19:16 61.2	15/4/2012 8:26 66.3	15/4/2012 17:36 64.6
9/4/2012 7:51 57.3	9/4/2012 17:01 65.1	10/4/2012 22:11 62.4	13/4/2012 19:21 64.4	15/4/2012 8:31 65.4	15/4/2012 17:41 65.0
9/4/2012 7:56 57.4	9/4/2012 17:06 66.9	10/4/2012 22:16 62.8	13/4/2012 19:26 62.5	15/4/2012 8:36 64.6	15/4/2012 17:46 65.5
9/4/2012 8:01 58.9	9/4/2012 17:11 66.4	10/4/2012 22:21 62.9	13/4/2012 19:31 63.0	15/4/2012 8:41 63.5	15/4/2012 17:51 66.8
9/4/2012 8:06 59.6	9/4/2012 17:16 66.0	10/4/2012 22:26 62.4 10/4/2012 22:31 62.6	13/4/2012 19:36 62.8	15/4/2012 8:46 62.7	15/4/2012 17:56 67.0
9/4/2012 8:11 58.1	9/4/2012 17:21 65.3	10/4/2012 22:31 62.6	13/4/2012 19:41 62.9	15/4/2012 8:51 63.6	15/4/2012 18:01 67.1
9/4/2012 8:16 59.2	9/4/2012 17:26 66.7		13/4/2012 19:46 62.8	15/4/2012 8:56 65.3	15/4/2012 18:06 67.9
9/4/2012 8:21 56.1	9/4/2012 17:31 65.9	10/4/2012 22:41 61.9	13/4/2012 19:51 62.9	15/4/2012 9:01 66.1	15/4/2012 18:11 67.5
9/4/2012 8:26 55.5	9/4/2012 17:36 68.3	10/4/2012 22:46 62.4	13/4/2012 19:56 63.0	15/4/2012 9:06 67.3	15/4/2012 18:16 65.2
9/4/2012 8:31 58.9	9/4/2012 17:41 66.2	10/4/2012 22:51 62.4	13/4/2012 20:01 62.4	15/4/2012 9:11 65.6	15/4/2012 18:21 65.0
9/4/2012 8:36 57.3	9/4/2012 17:46 64.0	10/4/2012 22:56 62.7	13/4/2012 20:06 61.4	15/4/2012 9:16 63.7	15/4/2012 18:26 66.0
9/4/2012 8:41 55.7	9/4/2012 17:51 66.6	11/4/2012 19:01 65.8	13/4/2012 20:11 61.2	15/4/2012 9:21 63.5	15/4/2012 18:31 66.5
9/4/2012 8:46 58.3	9/4/2012 17:56 64.4	11/4/2012 19:06 64.4	13/4/2012 20:16 62.0	15/4/2012 9:26 64.1	15/4/2012 18:36 66.3
9/4/2012 8:51 55.8	9/4/2012 18:01 64.2	11/4/2012 19:11 63.4	13/4/2012 20:21 62.0	15/4/2012 9:31 65.5	15/4/2012 18:41 65.0
9/4/2012 8:56 58.1	9/4/2012 18:06 63.5	11/4/2012 19:16 62.9	13/4/2012 20:26 61.2	15/4/2012 9:36 65.1	15/4/2012 18:46 65.8
9/4/2012 9:01 57.8	9/4/2012 18:11 66.0	11/4/2012 19:21 63.2	13/4/2012 20:31 61.6	15/4/2012 9:41 66.5	15/4/2012 18:51 62.7
9/4/2012 9:06 56.1	9/4/2012 18:16 63.6	11/4/2012 19:26 63.4	13/4/2012 20:36 61.0	15/4/2012 9:46 67.6	15/4/2012 18:56 61.4
9/4/2012 9:11 55.5	9/4/2012 18:21 64.8	11/4/2012 19:31 63.1	13/4/2012 20:41 61.6	15/4/2012 9:51 68.1	15/4/2012 19:01 62.5
9/4/2012 9:16 55.0	9/4/2012 18:26 64.1	11/4/2012 19:36 63.6	13/4/2012 20:46 61.5	15/4/2012 9:56 67.4	15/4/2012 19:06 62.0
9/4/2012 9:21 57.0	9/4/2012 18:31 65.4	11/4/2012 19:41 63.2	13/4/2012 20:51 62.1	15/4/2012 10:01 67.3	15/4/2012 19:11 60.5
9/4/2012 9:26 55.0	9/4/2012 18:36 64.7	11/4/2012 19:46 62.4	13/4/2012 20:56 61.0	15/4/2012 10:06 67.3	15/4/2012 19:16 61.8
9/4/2012 9:31 57.0	9/4/2012 18:41 65.5	11/4/2012 19:51 63.6	13/4/2012 21:01 61.1	15/4/2012 10:11 66.9	15/4/2012 19:21 61.3
9/4/2012 9:36 55.8	9/4/2012 18:46 65.7	11/4/2012 19:56 64.0	13/4/2012 21:06 62.6	15/4/2012 10:16 67.7	15/4/2012 19:26 61.6
9/4/2012 9:41 54.8	9/4/2012 18:51 63.8	11/4/2012 20:01 62.5	13/4/2012 21:11 61.2	15/4/2012 10:21 67.1	15/4/2012 19:31 61.0
9/4/2012 9:46 55.6	9/4/2012 18:56 63.2	11/4/2012 20:06 62.6	13/4/2012 21:16 62.2	15/4/2012 10:26 67.2	15/4/2012 19:36 63.7
9/4/2012 9:51 55.9	9/4/2012 19:01 64.2	11/4/2012 20:11 63.8	13/4/2012 21:21 61.8	15/4/2012 10:31 66.8	15/4/2012 19:41 62.4
9/4/2012 9:56 57.6	9/4/2012 19:06 65.6	11/4/2012 20:16 62.5	13/4/2012 21:26 62.0	15/4/2012 10:36 66.8	15/4/2012 19:46 63.7
9/4/2012 10:01 54.8	9/4/2012 19:11 63.6	11/4/2012 20:21 62.5	13/4/2012 21:31 61.4	15/4/2012 10:41 66.6	15/4/2012 19:51 63.3
9/4/2012 10:06 56.2	9/4/2012 19:16 62.2	11/4/2012 20:26 62.3	13/4/2012 21:36 59.7	15/4/2012 10:46 66.2	15/4/2012 19:56 62.9
9/4/2012 10:11 53.4	9/4/2012 19:21 64.4	11/4/2012 20:31 62.0	13/4/2012 21:41 61.1	15/4/2012 10:51 66.4	15/4/2012 20:01 62.9
9/4/2012 10:16 54.4	9/4/2012 19:26 64.2	11/4/2012 20:36 62.0	13/4/2012 21:46 61.4	15/4/2012 10:56 67.3	15/4/2012 20:06 64.4
9/4/2012 10:21 55.1	9/4/2012 19:31 63.8	11/4/2012 20:41 61.4	13/4/2012 21:51 60.5	15/4/2012 11:01 67.8	15/4/2012 20:11 62.1
9/4/2012 10:26 55.6	9/4/2012 19:36 62.7	11/4/2012 20:46 61.9	13/4/2012 21:56 60.3	15/4/2012 11:06 67.7	15/4/2012 20:16 62.2
9/4/2012 10:31 56.3	9/4/2012 19:41 63.1	11/4/2012 20:51 62.1	13/4/2012 22:01 61.2	15/4/2012 11:11 66.9	15/4/2012 20:21 63.2
9/4/2012 10:36 56.4	9/4/2012 19:46 64.7	11/4/2012 20:56 63.0	13/4/2012 22:06 61.5	15/4/2012 11:16 67.3	15/4/2012 20:26 62.1
9/4/2012 10:41 57.3	9/4/2012 19:51 65.0	11/4/2012 21:01 62.3	13/4/2012 22:11 59.4	15/4/2012 11:21 67.3	15/4/2012 20:31 61.8
9/4/2012 10:51 56.1	9/4/2012 19:56 67.3	11/4/2012 21:06 61.8	13/4/2012 22:16 62.8	15/4/2012 11:26 67.3	15/4/2012 20:36 62.0
	9/4/2012 20:01 67.9	11/4/2012 21:11 61.5	13/4/2012 22:21 62.4	15/4/2012 11:31 67.2	15/4/2012 20:41 62.3
9/4/2012 10:56 56.4	9/4/2012 20:06 63.7	11/4/2012 21:16 61.6	13/4/2012 22:26 60.2	15/4/2012 11:36 67.0	15/4/2012 20:46 62.1
9/4/2012 11:01 55.1	9/4/2012 20:11 65.2	11/4/2012 21:21 61.8	13/4/2012 22:31 61.1	15/4/2012 11:41 65.4	15/4/2012 20:51 62.0
9/4/2012 11:06 54.5	9/4/2012 20:16 65.4	11/4/2012 21:26 62.5	13/4/2012 22:36 60.2	15/4/2012 11:46 64.0	15/4/2012 20:56 61.8
9/4/2012 11:11 54.7	9/4/2012 20:21 65.1	11/4/2012 21:31 61.8	13/4/2012 22:41 59.7	15/4/2012 11:51 63.8	15/4/2012 21:01 61.5
9/4/2012 11:16 54.5	9/4/2012 20:26 63.8	11/4/2012 21:36 62.4	13/4/2012 22:46 63.2	15/4/2012 11:56 64.0	15/4/2012 21:06 61.9
9/4/2012 11:21 53.0	9/4/2012 20:31 65.3	11/4/2012 21:41 61.4	13/4/2012 22:51 60.8	15/4/2012 12:01 63.1	15/4/2012 21:11 61.3
9/4/2012 11:26 56.5	9/4/2012 20:36 64.8	11/4/2012 21:46 63.6	13/4/2012 22:56 60.1	15/4/2012 12:06 62.6	15/4/2012 21:16 61.5
9/4/2012 11:31 56.1	9/4/2012 20:41 64.3	11/4/2012 21:51 62.7	14/4/2012 19:01 61.9	15/4/2012 12:11 62.5	15/4/2012 21:21 61.4
9/4/2012 11:36 57.4	9/4/2012 20:46 67.8	11/4/2012 21:56 61.7	14/4/2012 19:06 61.4	15/4/2012 12:16 62.7	15/4/2012 21:26 61.6
9/4/2012 11:41 57.0	9/4/2012 20:51 66.8	11/4/2012 22:01 61.6	14/4/2012 19:11 61.0	15/4/2012 12:21 62.7	15/4/2012 21:31 61.1
9/4/2012 11:46 56.5	9/4/2012 20:56 65.5	11/4/2012 22:06 61.5	14/4/2012 19:16 60.5	15/4/2012 12:26 63.6	15/4/2012 21:36 61.7
9/4/2012 11:51 56.0	9/4/2012 21:01 67.1	11/4/2012 22:11 61.7	14/4/2012 19:21 62.0	15/4/2012 12:31 63.8	15/4/2012 21:41 61.2
9/4/2012 11:56 55.5	9/4/2012 21:06 65.7	11/4/2012 22:16 61.9	14/4/2012 19:26 62.2	15/4/2012 12:36 63.6	15/4/2012 21:46 61.7
9/4/2012 12:01 57.0	9/4/2012 21:11 63.9	11/4/2012 22:21 62.4	14/4/2012 19:31 61.5	15/4/2012 12:41 63.6	15/4/2012 21:51 61.4
9/4/2012 12:06 57.6	9/4/2012 21:16 65.6	11/4/2012 22:26 61.4	14/4/2012 19:36 60.7	15/4/2012 12:46 62.7	15/4/2012 21:56 61.3
9/4/2012 12:11 55.9	9/4/2012 21:21 63.0	11/4/2012 22:31 61.7	14/4/2012 19:41 60.8	15/4/2012 12:51 63.7	15/4/2012 22:01 61.4
9/4/2012 12:16 59.7	9/4/2012 21:26 64.7	11/4/2012 22:36 61.4	14/4/2012 19:46 62.2	15/4/2012 12:56 63.0	15/4/2012 22:06 61.3
9/4/2012 12:21 56.2	9/4/2012 21:31 63.5	11/4/2012 22:41 61.3	14/4/2012 19:51 62.0	15/4/2012 13:01 63.7	15/4/2012 22:11 61.3
9/4/2012 12:26 57.2	9/4/2012 21:36 64.7	11/4/2012 22:46 61.3	14/4/2012 19:56 63.4	15/4/2012 13:06 65.7	15/4/2012 22:16 60.8
9/4/2012 12:31 56.9	9/4/2012 21:41 64.9	11/4/2012 22:51 61.4	14/4/2012 20:01 62.3	15/4/2012 13:11 66.7	15/4/2012 22:21 61.0
9/4/2012 12:36 58.2	9/4/2012 21:46 65.3	11/4/2012 22:56 61.5	14/4/2012 20:06 62.5	15/4/2012 13:16 67.0	15/4/2012 22:26 61.4
9/4/2012 12:41 59.0	9/4/2012 21:51 65.5	12/4/2012 19:01 65.0	14/4/2012 20:11 62.1	15/4/2012 13:21 66.7	15/4/2012 22:31 61.3
9/4/2012 12:46 57.2	9/4/2012 21:56 66.1	12/4/2012 19:06 66.5	14/4/2012 20:16 61.8	15/4/2012 13:26 66.9	15/4/2012 22:36 61.7
9/4/2012 12:51 56.2	9/4/2012 22:01 64.9	12/4/2012 19:11 63.5	14/4/2012 20:21 61.8	15/4/2012 13:31 67.8	15/4/2012 22:41 61.5
9/4/2012 12:56 57.8	9/4/2012 22:06 65.1	12/4/2012 19:16 63.2	14/4/2012 20:26 62.0	15/4/2012 13:36 67.9	15/4/2012 22:46 61.2
9/4/2012 13:01 57.8	9/4/2012 22:11 65.9	12/4/2012 19:21 62.8	14/4/2012 20:31 61.4	15/4/2012 13:41 66.3	15/4/2012 22:51 60.8
9/4/2012 13:06 59.5	9/4/2012 22:16 66.6	12/4/2012 19:26 63.0	14/4/2012 20:36 61.8	15/4/2012 13:46 68.0	15/4/2012 22:56 60.8
9/4/2012 13:11 59.9	9/4/2012 22:21 67.1	12/4/2012 19:31 63.2	14/4/2012 20:41 61.8	15/4/2012 13:51 68.1	16/4/2012 19:01 64.2
9/4/2012 13:16 59.6	9/4/2012 22:26 67.9	12/4/2012 19:36 63.6	14/4/2012 20:46 61.8	15/4/2012 13:56 67.8	16/4/2012 19:06 62.6
9/4/2012 13:21 60.1	9/4/2012 22:31 67.7	12/4/2012 19:41 62.5	14/4/2012 20:51 61.8	15/4/2012 14:01 66.5	16/4/2012 19:11 62.3
9/4/2012 13:26 62.2	9/4/2012 22:36 66.4	12/4/2012 19:46 62.1	14/4/2012 20:56 62.6	15/4/2012 14:06 65.2	16/4/2012 19:16 62.2
9/4/2012 13:31 59.0	9/4/2012 22:41 66.2	12/4/2012 19:51 62.4	14/4/2012 21:01 61.8	15/4/2012 14:11 67.6	16/4/2012 19:21 62.9
9/4/2012 13:36 59.6	9/4/2012 22:46 65.7	12/4/2012 19:56 63.2	14/4/2012 21:06 61.6	15/4/2012 14:16 67.5	16/4/2012 19:26 63.4
9/4/2012 13:41 61.2	9/4/2012 22:51 67.2	12/4/2012 20:01 64.0	14/4/2012 21:11 61.5	15/4/2012 14:21 65.7	16/4/2012 19:31 62.1
9/4/2012 13:46 61.1	9/4/2012 22:56 65.7	12/4/2012 20:06 62.1	14/4/2012 21:16 64.3	15/4/2012 14:26 67.4	16/4/2012 19:36 62.7
9/4/2012 13:51 61.4	10/4/2012 19:01 66.3	12/4/2012 20:11 63.1	14/4/2012 21:21 62.1	15/4/2012 14:31 67.5	16/4/2012 19:41 62.9
9/4/2012 13:56 63.1	10/4/2012 19:06 63.4	12/4/2012 20:16 62.4	14/4/2012 21:26 61.7	15/4/2012 14:36 66.7	16/4/2012 19:46 62.3
9/4/2012 14:01 62.6	10/4/2012 19:11 63.3	12/4/2012 20:21 63.1	14/4/2012 21:31 61.9	15/4/2012 14:41 66.4	16/4/2012 19:51 62.3
9/4/2012 14:06 62.8	10/4/2012 19:16 63.7	12/4/2012 20:26 62.2	14/4/2012 21:36 62.8	15/4/2012 14:46 65.4	16/4/2012 19:56 62.0
9/4/2012 14:11 63.5	10/4/2012 19:21 63.4	12/4/2012 20:31 62.5	14/4/2012 21:41 61.3	15/4/2012 14:51 64.5	16/4/2012 20:01 64.3
9/4/2012 14:16 62.2	10/4/2012 19:26 63.6	12/4/2012 20:36 59.6	14/4/2012 21:46 61.7	15/4/2012 14:56 64.9	16/4/2012 20:06 62.9
9/4/2012 14:21 61.0	10/4/2012 19:31 63.4	12/4/2012 20:41 62.7	14/4/2012 21:51 62.0	15/4/2012 15:01 65.3	16/4/2012 20:11 61.8
9/4/2012 14:26 61.4	10/4/2012 19:36 63.5	12/4/2012 20:46 61.7	14/4/2012 21:56 61.5	15/4/2012 15:06 67.3	16/4/2012 20:16 61.9
9/4/2012 14:31 69.5	10/4/2012 19:41 63.3	12/4/2012 20:51 60.9	14/4/2012 22:01 61.9	15/4/2012 15:11 66.5	16/4/2012 20:21 62.0
9/4/2012 14:36 61.2	10/4/2012 19:46 63.7	12/4/2012 20:56 60.9	14/4/2012 22:06 61.0	15/4/2012 15:16 67.3	16/4/2012 20:26 61.3
9/4/2012 14:41 61.6	10/4/2012 19:51 63.0	12/4/2012 21:01 60.4	14/4/2012 22:11 61.8	15/4/2012 15:21 67.5	16/4/2012 20:31 61.7
9/4/2012 14:46 63.6	10/4/2012 19:56 63.1	12/4/2012 21:06 61.5	14/4/2012 22:16 61.3	15/4/2012 15:26 67.3	16/4/2012 20:36 61.5
9/4/2012 14:51 62.5	10/4/2012 20:01 63.0	12/4/2012 21:11 61.1	14/4/2012 22:21 61.9	15/4/2012 15:31 66.3	16/4/2012 20:41 61.1
9/4/2012 14:56 62.5	10/4/2012 20:06 63.7	12/4/2012 21:16 63.1	14/4/2012 22:26 62.1	15/4/2012 15:36 66.8	16/4/2012 20:46 61.3
9/4/2012 15:01 65.0	10/4/2012 20:11 63.8	12/4/2012 21:21 61.6	14/4/2012 22:31 61.5	15/4/2012 15:41 65.3	16/4/2012 20:51 61.2
9/4/2012 15:06 66.0	10/4/2012 20:16 62.9	12/4/2012 21:26 61.2	14/4/2012 22:36 62.1	15/4/2012 15:46 66.0	16/4/2012 20:56 60.8
9/4/2012 15:11 66.0	10/4/2012 20:21 63.1	12/4/2012 21:31 60.7	14/4/2012 22:41 61.3	15/4/2012 15:51 64.2	16/4/2012 21:01 61.2
9/4/2012 15:16 67.8	10/4/2012 20:26 63.2	12/4/2012 21:36 61.5	14/4/2012 22:46 61.9	15/4/2012 15:56 63.1	16/4/2012 21:06 62.6
9/4/2012 15:21 65.3	10/4/2012 20:31 62.9	12/4/2012 21:41 59.5	14/4/2012 22:51 61.8	15/4/2012 16:01 64.2	16/4/2012 21:11 62.2
9/4/2012 15:26 68.0	10/4/2012 20:36 62.9	12/4/2012 21:46 62.4	14/4/2012 22:56 62.0	15/4/2012 16:06 64.9	16/4/2012 21:16 62.6
9/4/2012 15:31 69.1	10/4/2012 20:41 62.7	12/4/2012 21:51 62.3	15/4/2012 7:01 62.1	15/4/2012 16:11 64.3	16/4/2012 21:21 61.5
9/4/2012 15:36 68.9	10/4/2012 20:46 63.4	12/4/2012 21:56 61.3	15/4/2012 7:06 62.6	15/4/2012 16:16 64.1	16/4/2012 21:26 62.0
9/4/2012 15:41 70.6	10/4/2012 20:51 63.5	12/4/2012 22:01 62.3	15/4/2012 7:11 63.6	15/4/2012 16:21 63.7	16/4/2012 21:31 60.8
9/4/2012 15:46 70.1	10/4/2012 20:56 63.1	12/4/2012 22:06 62.3	15/4/2012 7:16 63.0	15/4/2012 16:26 64.8	16/4/2012 21:36 62.1
9/4/2012 15:51 68.9	10/4/2012 21:01 62.5	12/4/2012 22:11 60.9	15/4/2012 7:21 62.8	15/4/2012 16:31 64.5	16/4/2012 21:41 62.1
9/4/2012 15:56 64.1	10/4/2012 21:06 63.6	12/4/2012 22:16 60.9	15/4/2012 7:26 63.5	15/4/2012 16:36 68.3	16/4/2012 21:46 61.6
9/4/2012 16:01 69.6	10/4/2012 21:11 63.4	12/4/2012 22:21 62.4	15/4/2012 7:31 63.3	15/4/2012 16:41 66.0	16/4/2012 21:51 61.6
9/4/2012 16:06 67.7	10/4/2012 21:16 63.4	12/4/2012 22:26 62.5	15/4/2012 7:36 63.3	15/4/2012 16:46 64.9	16/4/2012 21:56 61.5
9/4/2012 16:11 63.9	10/4/2012 21:21 62.9	12/4/2012 22:31 59.5	15/4/2012 7:41 64.1	15/4/2012 16:51 65.1	16/4/2012 22:01 62.1
9/4/2012 16:16 64.0	10/4/2012 21:26 62.9	12/4/2012 22:36 61.2	15/4/2012 7:46 63.9	15/4/2012 16:56 65.0	16/4/2012 22:06 66.2
9/4/2012 16:21 64.6	10/4/2012 21:31 63.5	12/4/2012 22:41 60.4	15/4/2012 7:51 64.1	15/4/2012 17:01 63.9	16/4/2012 22:11 62.2
9/4/2012 16:26 64.1	10/4/2012 21:36 63.3	12/4/2012 22:46 62.5	15/4/2012 7:56 65.0	15/4/2012 17:06 64.5	16/4/2012 22:16 63.2
9/4/2012 16:31 67.1	10/4/2012 21:41 62.7 10/4/2012 21:46 62.7	12/4/2012 22:51 61.3	15/4/2012 8:01 65.1	15/4/2012 17:11 67.7	16/4/2012 22:21 61.6
9/4/2012 16:36 66.6 9/4/2012 16:41 65.7	10/4/2012 21:51 63.0	12/4/2012 22:56 61.2 13/4/2012 19:01 62.4	15/4/2012 8:11 64.9	15/4/2012 17:16 69.2 15/4/2012 17:21 68.2	16/4/2012 22:26 61.7 16/4/2012 22:31 61.6
9/4/2012 16:46 63.4	10/4/2012 21:56 62.9	13/4/2012 19:06 63.5	15/4/2012 8:16 66.9	15/4/2012 17:26 67.8	16/4/2012 22:36 61.7

Real-time Noise Data	RTN2 (Oil Street Community Liaison	on Centre)			
16/4/2012 22:41 61.5	19/4/2012 19:51 62.4	21/4/2012 21:01 61.4	22/4/2012 14:11 62.7	23/4/2012 19:21 63.2	25/4/2012 20:31 65.3
16/4/2012 22:46 61.3	19/4/2012 19:56 63.2	21/4/2012 21:06 61.3	22/4/2012 14:16 62.2	23/4/2012 19:26 63.9	
16/4/2012 22:51 61.5	19/4/2012 19:56 63.2	21/4/2012 21:10 61.3	22/4/2012 14:16 62.2	23/4/2012 19:26 63.9 23/4/2012 19:31 62.4	25/4/2012 20:36 64.8 25/4/2012 20:41 64.3
16/4/2012 22:56 61.2	19/4/2012 20:06 62.1	21/4/2012 21:16 62.0	22/4/2012 14:26 62.2	23/4/2012 19:36 64.5	25/4/2012 20:46 67.8
17/4/2012 19:01 66.3	19/4/2012 20:11 63.1	21/4/2012 21:21 61.4	22/4/2012 14:31 69.5	23/4/2012 19:41 64.1	25/4/2012 20:51 66.8
17/4/2012 19:06 63.4	19/4/2012 20:16 62.4	21/4/2012 21:26 63.7	22/4/2012 14:36 60.5	23/4/2012 19:46 64.5	25/4/2012 20:56 65.5
17/4/2012 19:11 63.3	19/4/2012 20:21 63.1	21/4/2012 21:31 61.1	22/4/2012 14:41 62.0	23/4/2012 19:51 64.0	25/4/2012 21:01 67.1
17/4/2012 19:16 63.7	19/4/2012 20:26 62.2	21/4/2012 21:36 61.1	22/4/2012 14:46 62.8	23/4/2012 19:56 65.1	25/4/2012 21:06 65.7
17/4/2012 19:21 63.4	19/4/2012 20:31 62.5	21/4/2012 21:41 60.0	22/4/2012 14:51 62.8	23/4/2012 20:01 68.4	25/4/2012 21:11 63.9
17/4/2012 19:26 63.6	19/4/2012 20:36 59.6	21/4/2012 21:46 61.8	22/4/2012 14:56 62.3	23/4/2012 20:06 64.4	25/4/2012 21:16 65.6
17/4/2012 19:31 63.4	19/4/2012 20:41 62.7	21/4/2012 21:51 60.5	22/4/2012 15:01 64.1	23/4/2012 20:11 65.5	25/4/2012 21:21 63.0
17/4/2012 19:36 63.5	19/4/2012 20:46 61.7	21/4/2012 21:56 61.0	22/4/2012 15:06 64.5	23/4/2012 20:16 65.5	25/4/2012 21:26 64.7
17/4/2012 19:41 63.3	19/4/2012 20:51 60.9	21/4/2012 22:01 62.1	22/4/2012 15:11 65.6	23/4/2012 20:21 65.2	25/4/2012 21:31 63.5
17/4/2012 19:46 63.7	19/4/2012 20:56 60.9	21/4/2012 22:06 61.4	22/4/2012 15:16 67.6	23/4/2012 20:26 63.7	25/4/2012 21:36 64.7
17/4/2012 19:51 63.0	19/4/2012 21:01 60.4	21/4/2012 22:11 60.7	22/4/2012 15:21 64.6	23/4/2012 20:31 65.0	25/4/2012 21:41 64.9
17/4/2012 19:56 63.1	19/4/2012 21:06 61.5	21/4/2012 22:16 61.2	22/4/2012 15:26 68.2	23/4/2012 20:36 65.6	25/4/2012 21:46 65.3
17/4/2012 20:01 63.0	19/4/2012 21:11 61.1	21/4/2012 22:21 59.9	22/4/2012 15:31 67.0	23/4/2012 20:41 65.0	25/4/2012 21:51 65.5
17/4/2012 20:06 63.7	19/4/2012 21:16 63.1	21/4/2012 22:26 61.8	22/4/2012 15:36 68.2	23/4/2012 20:46 65.8	25/4/2012 21:56 66.1
17/4/2012 20:11 63.8	19/4/2012 21:21 61.6	21/4/2012 22:31 63.1	22/4/2012 15:41 69.4	23/4/2012 20:51 65.1	25/4/2012 22:01 64.9
17/4/2012 20:16 62.9	19/4/2012 21:26 61.2	21/4/2012 22:36 61.2	22/4/2012 15:46 69.0	23/4/2012 20:56 66.4	25/4/2012 22:06 65.1 25/4/2012 22:11 65.9
17/4/2012 20:21 63.1	19/4/2012 21:31 60.7	21/4/2012 22:41 61.1	22/4/2012 15:51 69.2	23/4/2012 21:01 66.5	
17/4/2012 20:26 63.2	19/4/2012 21:36 61.5	21/4/2012 22:46 64.0	22/4/2012 15:56 61.7	23/4/2012 21:06 66.4	25/4/2012 22:16 66.6
17/4/2012 20:31 62.9	19/4/2012 21:41 59.5	21/4/2012 22:51 61.6	22/4/2012 16:01 69.7	23/4/2012 21:11 65.1	25/4/2012 22:21 67.1
17/4/2012 20:36 62.9	19/4/2012 21:46 62.4	21/4/2012 22:56 61.3	22/4/2012 16:06 68.7	23/4/2012 21:16 63.0	25/4/2012 22:26 67.9
17/4/2012 20:41 62.7	19/4/2012 21:51 62.3	22/4/2012 7:01 61.2	22/4/2012 16:11 64.5	23/4/2012 21:21 62.2	25/4/2012 22:31 67.7
17/4/2012 20:46 63.4	19/4/2012 21:56 61.3	22/4/2012 7:06 59.8	22/4/2012 16:16 63.5	23/4/2012 21:26 63.6	25/4/2012 22:36 66.4
17/4/2012 20:51 63.5	19/4/2012 22:01 62.3	22/4/2012 7:11 59.4	22/4/2012 16:21 64.0	23/4/2012 21:31 64.1	25/4/2012 22:41 66.2
17/4/2012 20:56 63.1	19/4/2012 22:06 62.3	22/4/2012 7:16 61.3	22/4/2012 16:26 66.1	23/4/2012 21:36 63.5	25/4/2012 22:46 65.7
17/4/2012 21:01 62.5	19/4/2012 22:11 60.9	22/4/2012 7:21 59.7	22/4/2012 16:31 67.9	23/4/2012 21:41 67.1	25/4/2012 22:51 67.2
17/4/2012 21:06 63.6	19/4/2012 22:16 60.9	22/4/2012 7:26 60.1	22/4/2012 16:36 67.0	23/4/2012 21:46 65.0	25/4/2012 22:56 65.7
17/4/2012 21:11 63.4	19/4/2012 22:21 62.4	22/4/2012 7:31 58.6	22/4/2012 16:41 66.2	23/4/2012 21:51 65.3	26/4/2012 19:01 65.1
17/4/2012 21:16 63.4	19/4/2012 22:26 62.5	22/4/2012 7:36 59.3	22/4/2012 16:46 65.2	23/4/2012 21:56 65.0	26/4/2012 19:06 63.1
17/4/2012 21:21 62.9	19/4/2012 22:31 59.5	22/4/2012 7:41 57.9	22/4/2012 16:51 63.7	23/4/2012 22:01 65.9	26/4/2012 19:11 66.4
17/4/2012 21:26 62.9	19/4/2012 22:36 61.2	22/4/2012 7:46 59.9	22/4/2012 16:56 63.2	23/4/2012 22:06 65.7	26/4/2012 19:16 63.3
17/4/2012 21:31 63.5	19/4/2012 22:41 60.4	22/4/2012 7:51 57.3	22/4/2012 17:01 68.1	23/4/2012 22:11 65.2	26/4/2012 19:21 63.5
17/4/2012 21:36 63.3	19/4/2012 22:46 62.5	22/4/2012 7:56 57.9	22/4/2012 17:06 67.1	23/4/2012 22:16 66.8	26/4/2012 19:26 61.9
17/4/2012 21:41 62.7	19/4/2012 22:51 61.3	22/4/2012 8:01 59.7	22/4/2012 17:11 66.0	23/4/2012 22:21 67.4	26/4/2012 19:31 62.6
17/4/2012 21:46 62.7	19/4/2012 22:56 61.2	22/4/2012 8:06 58.3	22/4/2012 17:16 64.9	23/4/2012 22:26 65.6	26/4/2012 19:36 62.8
17/4/2012 21:51 63.0	20/4/2012 19:01 62.4	22/4/2012 8:11 56.1	22/4/2012 17:21 65.7	23/4/2012 22:31 66.0	26/4/2012 19:41 62.4
17/4/2012 21:56 62.9	20/4/2012 19:06 63.5	22/4/2012 8:16 57.3	22/4/2012 17:26 66.5	23/4/2012 22:36 66.8	26/4/2012 19:46 61.0
17/4/2012 22:01 63.1	20/4/2012 19:11 64.3	22/4/2012 8:21 58.0	22/4/2012 17:31 67.8	23/4/2012 22:41 66.1	26/4/2012 19:51 61.4
17/4/2012 22:06 62.7	20/4/2012 19:16 61.2	22/4/2012 8:26 58.0	22/4/2012 17:36 68.2	23/4/2012 22:46 67.6	26/4/2012 19:56 61.9
17/4/2012 22:11 62.4	20/4/2012 19:21 64.4	22/4/2012 8:31 59.9	22/4/2012 17:41 68.3	23/4/2012 22:51 67.6	26/4/2012 20:01 63.9
17/4/2012 22:16 62.8	20/4/2012 19:26 62.5	22/4/2012 8:36 57.1	22/4/2012 17:46 64.7	23/4/2012 22:56 65.4	26/4/2012 20:06 61.9
17/4/2012 22:21 62.9	20/4/2012 19:31 63.0	22/4/2012 8:41 57.7	22/4/2012 17:51 67.6	24/4/2012 19:01 63.2	26/4/2012 20:11 64.2
17/4/2012 22:26 62.4	20/4/2012 19:36 62.8	22/4/2012 8:46 56.8	22/4/2012 17:56 63.5	24/4/2012 19:06 65.1	26/4/2012 20:16 63.0
17/4/2012 22:31 62.6	20/4/2012 19:41 62.9	22/4/2012 8:51 57.0	22/4/2012 18:01 64.0	24/4/2012 19:11 62.9	26/4/2012 20:21 62.0
17/4/2012 22:36 61.9	20/4/2012 19:46 62.8	22/4/2012 8:56 58.5	22/4/2012 18:06 63.4	24/4/2012 19:16 63.4	26/4/2012 20:26 61.0
17/4/2012 22:41 61.9	20/4/2012 19:51 62.9	22/4/2012 9:01 56.4	22/4/2012 18:11 64.9	24/4/2012 19:21 64.5	26/4/2012 20:31 61.0
17/4/2012 22:46 62.4	20/4/2012 19:56 63.0	22/4/2012 9:06 56.5	22/4/2012 18:16 65.2	24/4/2012 19:26 63.5	26/4/2012 20:36 63.6
17/4/2012 22:51 62.4	20/4/2012 20:01 62.4	22/4/2012 9:11 55.4	22/4/2012 18:21 64.0	24/4/2012 19:31 62.2	26/4/2012 20:41 61.7
17/4/2012 22:56 62.7	20/4/2012 20:06 61.4	22/4/2012 9:16 55.6	22/4/2012 18:26 66.1	24/4/2012 19:36 63.1	26/4/2012 20:46 61.5
18/4/2012 19:01 65.8	20/4/2012 20:11 61.2	22/4/2012 9:21 56.8	22/4/2012 18:31 64.9	24/4/2012 19:41 64.8	26/4/2012 20:51 59.7
18/4/2012 19:06 64.4	20/4/2012 20:16 62.0	22/4/2012 9:26 55.0	22/4/2012 18:36 65.8	24/4/2012 19:46 64.5	26/4/2012 20:56 62.6
18/4/2012 19:11 63.4	20/4/2012 20:21 62.0	22/4/2012 9:31 56.8	22/4/2012 18:41 64.0	24/4/2012 19:51 64.0	26/4/2012 21:01 61.7
18/4/2012 19:16 62.9	20/4/2012 20:26 61.2	22/4/2012 9:36 56.6	22/4/2012 18:46 63.2	24/4/2012 19:56 65.6	26/4/2012 21:06 61.1
18/4/2012 19:21 63.2	20/4/2012 20:31 61.6	22/4/2012 9:41 54.1	22/4/2012 18:51 64.3	24/4/2012 20:01 68.9	26/4/2012 21:11 61.0
18/4/2012 19:26 63.4	20/4/2012 20:36 61.0	22/4/2012 9:46 54.6	22/4/2012 18:56 63.3	24/4/2012 20:06 64.4	26/4/2012 21:16 61.4
18/4/2012 19:31 63.1	20/4/2012 20:41 61.6	22/4/2012 9:51 55.0	22/4/2012 19:01 63.0	24/4/2012 20:11 64.2	26/4/2012 21:21 62.5
18/4/2012 19:36 63.6	20/4/2012 20:46 61.5	22/4/2012 9:56 56.0	22/4/2012 19:06 62.7	24/4/2012 20:16 67.7	26/4/2012 21:26 60.3
18/4/2012 19:41 63.2	20/4/2012 20:51 62.1	22/4/2012 10:01 56.6	22/4/2012 19:11 63.8	24/4/2012 20:21 65.1	26/4/2012 21:31 63.2
18/4/2012 19:46 62.4	20/4/2012 20:56 61.0	22/4/2012 10:06 54.3	22/4/2012 19:16 62.5	24/4/2012 20:26 62.8	26/4/2012 21:36 59.2
18/4/2012 19:51 63.6	20/4/2012 21:01 61.1	22/4/2012 10:11 54.8	22/4/2012 19:21 63.1	24/4/2012 20:31 64.5	26/4/2012 21:41 61.6
18/4/2012 19:56 64.0	20/4/2012 21:06 62.6	22/4/2012 10:16 55.4	22/4/2012 19:26 64.5	24/4/2012 20:36 65.0	26/4/2012 21:46 61.7
18/4/2012 20:01 62.5	20/4/2012 21:11 61.2	22/4/2012 10:21 56.8	22/4/2012 19:31 63.0	24/4/2012 20:41 65.1	26/4/2012 21:51 62.3
18/4/2012 20:06 62.6	20/4/2012 21:16 62.2 20/4/2012 21:21 61.8	22/4/2012 10:26 54.8 22/4/2012 10:31 55.4	22/4/2012 19:36 64.6 22/4/2012 19:41 62.0	24/4/2012 20:46 66.2 24/4/2012 20:51 65.0	26/4/2012 21:56 62.0
18/4/2012 20:11 63.8 18/4/2012 20:16 62.5	20/4/2012 21:26 62.0	22/4/2012 10:36 55.5	22/4/2012 19:46 64.6	24/4/2012 20:56 65.2	26/4/2012 22:01 60.2 26/4/2012 22:06 62.5
18/4/2012 20:21 62.5	20/4/2012 21:31 61.4	22/4/2012 10:41 56.8	22/4/2012 19:51 64.7	24/4/2012 21:01 67.4	26/4/2012 22:11 60.5
18/4/2012 20:26 62.3	20/4/2012 21:36 59.7	22/4/2012 10:46 55.9	22/4/2012 19:56 65.9	24/4/2012 21:06 66.2	26/4/2012 22:16 61.0
18/4/2012 20:31 62.0	20/4/2012 21:41 61.1	22/4/2012 10:51 55.4	22/4/2012 20:01 68.5	24/4/2012 21:11 63.3	26/4/2012 22:21 60.3
18/4/2012 20:36 62.0	20/4/2012 21:46 61.4	22/4/2012 10:56 55.7	22/4/2012 20:06 65.2	24/4/2012 21:16 64.5	26/4/2012 22:26 61.6
18/4/2012 20:41 61.4	20/4/2012 21:51 60.5	22/4/2012 11:01 55.9	22/4/2012 20:11 66.0	24/4/2012 21:21 63.5	26/4/2012 22:31 61.3
18/4/2012 20:46 61.9	20/4/2012 21:56 60.3	22/4/2012 11:06 55.7	22/4/2012 20:16 66.6	24/4/2012 21:26 64.3	26/4/2012 22:36 60.2
18/4/2012 20:51 62.1	20/4/2012 22:01 61.2	22/4/2012 11:11 56.3	22/4/2012 20:21 65.7	24/4/2012 21:31 63.7	26/4/2012 22:41 61.2
18/4/2012 20:56 63.0	20/4/2012 22:06 61.5	22/4/2012 11:16 54.5	22/4/2012 20:26 64.0	24/4/2012 21:36 65.2	26/4/2012 22:46 59.7
18/4/2012 21:01 62.3	20/4/2012 22:11 59.4	22/4/2012 11:21 53.5	22/4/2012 20:31 63.6	24/4/2012 21:41 66.0	26/4/2012 22:51 63.1
18/4/2012 21:06 61.8	20/4/2012 22:16 62.8	22/4/2012 11:26 55.0	22/4/2012 20:36 65.7	24/4/2012 21:46 64.5	26/4/2012 22:56 62.3
18/4/2012 21:11 61.5	20/4/2012 22:21 62.4	22/4/2012 11:31 56.2	22/4/2012 20:41 65.3	24/4/2012 21:51 66.1	27/4/2012 19:01 63.3
18/4/2012 21:16 61.6	20/4/2012 22:26 60.2	22/4/2012 11:36 58.5	22/4/2012 20:46 66.4	24/4/2012 21:56 65.8	27/4/2012 19:06 65.3
18/4/2012 21:21 61.8	20/4/2012 22:31 61.1	22/4/2012 11:41 55.1	22/4/2012 20:51 65.2	24/4/2012 22:01 64.7	27/4/2012 19:11 63.2
18/4/2012 21:26 62.5	20/4/2012 22:36 60.2	22/4/2012 11:46 56.1	22/4/2012 20:56 65.6	24/4/2012 22:06 65.8	27/4/2012 19:16 63.0
18/4/2012 21:31 61.8	20/4/2012 22:41 59.7	22/4/2012 11:51 55.8	22/4/2012 21:01 66.7	24/4/2012 22:11 66.3	27/4/2012 19:21 63.6
18/4/2012 21:36 62.4	20/4/2012 22:46 63.2	22/4/2012 11:56 55.6	22/4/2012 21:06 65.9	24/4/2012 22:16 67.1	27/4/2012 19:26 63.6
18/4/2012 21:41 61.4	20/4/2012 22:51 60.8	22/4/2012 12:01 56.3	22/4/2012 21:11 63.8	24/4/2012 22:21 65.5	27/4/2012 19:31 62.8
18/4/2012 21:46 63.6	20/4/2012 22:56 60.1	22/4/2012 12:06 57.1	22/4/2012 21:16 64.8	24/4/2012 22:26 67.2	27/4/2012 19:36 63.2
18/4/2012 21:51 62.7	21/4/2012 19:01 64.4	22/4/2012 12:11 55.3	22/4/2012 21:21 64.0	24/4/2012 22:31 67.3	27/4/2012 19:41 63.5
18/4/2012 21:56 61.7	21/4/2012 19:06 66.0	22/4/2012 12:16 60.3	22/4/2012 21:26 64.1	24/4/2012 22:36 65.7	27/4/2012 19:46 64.0
18/4/2012 22:01 61.6	21/4/2012 19:11 62.6	22/4/2012 12:21 57.2	22/4/2012 21:31 63.9	24/4/2012 22:41 65.7	27/4/2012 19:51 63.8
18/4/2012 22:06 61.5	21/4/2012 19:16 62.5	22/4/2012 12:26 56.9	22/4/2012 21:36 63.2	24/4/2012 22:46 66.9	27/4/2012 19:56 65.7
18/4/2012 22:11 61.7	21/4/2012 19:21 62.9	22/4/2012 12:31 56.8	22/4/2012 21:41 65.5	24/4/2012 22:51 66.1	27/4/2012 20:01 67.5
18/4/2012 22:16 61.9	21/4/2012 19:26 63.2	22/4/2012 12:36 56.6	22/4/2012 21:46 66.7	24/4/2012 22:56 65.8	27/4/2012 20:06 64.2
18/4/2012 22:21 62.4	21/4/2012 19:31 63.3	22/4/2012 12:41 57.9	22/4/2012 21:51 66.7	25/4/2012 19:01 64.2	27/4/2012 20:11 64.6
18/4/2012 22:26 61.4	21/4/2012 19:36 62.4	22/4/2012 12:46 58.9	22/4/2012 21:56 67.5	25/4/2012 19:06 65.6	27/4/2012 20:16 65.6
18/4/2012 22:31 61.7	21/4/2012 19:41 63.4	22/4/2012 12:51 58.3	22/4/2012 22:01 64.2	25/4/2012 19:11 63.6	27/4/2012 20:21 64.4
18/4/2012 22:36 61.4	21/4/2012 19:46 63.3	22/4/2012 12:56 57.8	22/4/2012 22:06 66.1	25/4/2012 19:16 62.2	27/4/2012 20:26 63.0
18/4/2012 22:41 61.3	21/4/2012 19:51 62.8	22/4/2012 13:01 59.1	22/4/2012 22:11 66.6	25/4/2012 19:21 64.4	27/4/2012 20:31 64.6
18/4/2012 22:46 61.3	21/4/2012 19:56 62.4	22/4/2012 13:06 60.2	22/4/2012 22:16 66.6	25/4/2012 19:26 64.2	27/4/2012 20:36 64.5
18/4/2012 22:51 61.4	21/4/2012 20:01 61.7	22/4/2012 13:11 58.7	22/4/2012 22:21 67.2	25/4/2012 19:31 63.8	27/4/2012 20:41 64.2
18/4/2012 22:56 61.5	21/4/2012 20:06 61.6	22/4/2012 13:16 60.0	22/4/2012 22:26 66.1	25/4/2012 19:36 62.7	27/4/2012 20:46 65.7
19/4/2012 19:01 65.0	21/4/2012 20:11 61.4	22/4/2012 13:21 59.6	22/4/2012 22:31 67.5	25/4/2012 19:41 63.1	27/4/2012 20:51 65.1
19/4/2012 19:06 66.5	21/4/2012 20:16 63.0	22/4/2012 13:26 61.0	22/4/2012 22:36 65.7	25/4/2012 19:46 64.7	27/4/2012 20:56 65.0
19/4/2012 19:11 63.5	21/4/2012 20:21 62.2	22/4/2012 13:31 61.1	22/4/2012 22:41 66.2	25/4/2012 19:51 65.0	27/4/2012 21:01 66.1
19/4/2012 19:16 63.2	21/4/2012 20:26 63.5	22/4/2012 13:36 60.9	22/4/2012 22:46 66.8	25/4/2012 19:56 67.3	27/4/2012 21:06 65.3
19/4/2012 19:21 62.8	21/4/2012 20:31 62.1	22/4/2012 13:41 61.6	22/4/2012 22:51 68.9	25/4/2012 20:01 67.9	27/4/2012 21:11 63.6
19/4/2012 19:26 63.0	21/4/2012 20:36 61.3	22/4/2012 13:46 61.2	22/4/2012 22:56 64.5	25/4/2012 20:06 63.7	27/4/2012 21:16 64.1
19/4/2012 19:31 63.2	21/4/2012 20:41 61.0	22/4/2012 13:51 62.0	23/4/2012 19:01 62.3	25/4/2012 20:11 65.2	27/4/2012 21:21 62.4
19/4/2012 19:36 63.6	21/4/2012 20:46 60.6	22/4/2012 13:56 63.0	23/4/2012 19:06 63.9	25/4/2012 20:16 65.4	27/4/2012 21:26 64.0
19/4/2012 19:41 62.5	21/4/2012 20:51 62.2	22/4/2012 14:01 63.5	23/4/2012 19:11 63.0	25/4/2012 20:21 65.1	27/4/2012 21:31 63.0
19/4/2012 19:46 62.1	21/4/2012 20:56 61.9	22/4/2012 14:06 63.2	23/4/2012 19:16 62.9	25/4/2012 20:26 63.8	27/4/2012 21:36 63.9

Real-time Noise Data RTN	N2 (Oil Street Community Liaiso	n Centre)			
27/4/2012 21:41 65.3	28/3/2012 23:41 60.8	30/3/2012 0:51 58.4	31/3/2012 2:01 57.8	1/4/2012 3:11 55.3	2/4/2012 4:21 54.5
27/4/2012 21:46 64.4	28/3/2012 23:46 60.7	30/3/2012 0:56 59.1	31/3/2012 2:06 56.6	1/4/2012 3:16 56.2	2/4/2012 4:26 54.7
27/4/2012 21:51 65.0	28/3/2012 23:51 61.2	30/3/2012 1:01 58.2	31/3/2012 2:11 55.6	1/4/2012 3:21 56.7	2/4/2012 4:31 55.4
27/4/2012 21:56 64.8	28/3/2012 23:56 59.7	30/3/2012 1:06 58.1	31/3/2012 2:16 55.7	1/4/2012 3:26 56.2	2/4/2012 4:36 54.8
27/4/2012 22:01 64.7	29/3/2012 0:01 60.1	30/3/2012 1:11 58.3	31/3/2012 2:21 56.4	1/4/2012 3:31 53.9	2/4/2012 4:41 57.0
27/4/2012 22:06 64.7	29/3/2012 0:06 59.5	30/3/2012 1:16 59.3	31/3/2012 2:26 56.4	1/4/2012 3:36 56.6	2/4/2012 4:46 55.3
27/4/2012 22:11 65.1	29/3/2012 0:11 61.4	30/3/2012 1:21 58.7	31/3/2012 2:31 55.9	1/4/2012 3:41 55.8	2/4/2012 4:51 55.9
27/4/2012 22:16 65.9	29/3/2012 0:16 59.0	30/3/2012 1:26 58.1	31/3/2012 2:36 56.5	1/4/2012 3:46 56.8	2/4/2012 4:56 54.8
27/4/2012 22:21 65.9	29/3/2012 0:21 60.2	30/3/2012 1:31 58.5	31/3/2012 2:41 57.1	1/4/2012 3:51 54.6	2/4/2012 5:01 54.3
27/4/2012 22:26 66.1	29/3/2012 0:26 60.8	30/3/2012 1:36 57.2	31/3/2012 2:46 57.0	1/4/2012 3:56 55.4	2/4/2012 5:06 56.4
27/4/2012 22:31 66.1	29/3/2012 0:31 60.0	30/3/2012 1:41 56.4	31/3/2012 2:51 54.1	1/4/2012 4:01 56.6	2/4/2012 5:11 55.2
27/4/2012 22:36 65.5	29/3/2012 0:36 59.0	30/3/2012 1:46 58.3	31/3/2012 2:56 55.8	1/4/2012 4:06 56.7	2/4/2012 5:16 57.3
27/4/2012 22:41 65.1	29/3/2012 0:41 58.9	30/3/2012 1:51 55.7	31/3/2012 3:01 55.1	1/4/2012 4:11 54.6	2/4/2012 5:21 55.4
27/4/2012 22:46 66.1	29/3/2012 0:46 57.8	30/3/2012 1:56 57.1	31/3/2012 3:06 56.5	1/4/2012 4:16 55.3	2/4/2012 5:26 58.1
27/4/2012 22:51 66.2	29/3/2012 0:51 59.3	30/3/2012 2:01 58.6	31/3/2012 3:11 57.1	1/4/2012 4:21 56.7	2/4/2012 5:31 55.8
27/4/2012 22:56 64.8	29/3/2012 0:56 59.1	30/3/2012 2:06 56.8	31/3/2012 3:16 55.5	1/4/2012 4:26 54.9	2/4/2012 5:36 56.8
	29/3/2012 1:01 58.4	30/3/2012 2:11 56.3	31/3/2012 3:21 57.0	1/4/2012 4:31 54.4	2/4/2012 5:41 56.9
Night-time 23:00-07:00	29/3/2012 1:06 56.2	30/3/2012 2:16 57.9	31/3/2012 3:26 55.6	1/4/2012 4:36 54.1	2/4/2012 5:46 58.3
28/3/2012 0:01 59.6	29/3/2012 1:11 59.6	30/3/2012 2:21 58.4	31/3/2012 3:31 54.9	1/4/2012 4:41 56.5	2/4/2012 5:51 55.4
28/3/2012 0:06 60.4	29/3/2012 1:16 58.3	30/3/2012 2:26 56.5	31/3/2012 3:36 57.1	1/4/2012 4:46 55.7	2/4/2012 5:56 57.2
28/3/2012 0:11 59.7	29/3/2012 1:21 58.0	30/3/2012 2:31 54.9	31/3/2012 3:41 56.3	1/4/2012 4:51 55.5	2/4/2012 6:01 59.6
28/3/2012 0:16 59.3	29/3/2012 1:26 58.1	30/3/2012 2:36 56.5	31/3/2012 3:46 54.7	1/4/2012 4:56 54.8	2/4/2012 6:06 58.8
28/3/2012 0:21 59.7	29/3/2012 1:31 58.5	30/3/2012 2:41 53.8	31/3/2012 3:51 56.6	1/4/2012 5:01 54.9	2/4/2012 6:11 57.7
28/3/2012 0:26 58.2	29/3/2012 1:36 57.5	30/3/2012 2:46 55.6	31/3/2012 3:56 56.9	1/4/2012 5:06 57.0	2/4/2012 6:16 60.4
28/3/2012 0:31 60.1	29/3/2012 1:41 57.0	30/3/2012 2:51 54.0	31/3/2012 4:01 57.2	1/4/2012 5:11 57.1	2/4/2012 6:21 60.1
28/3/2012 0:36 59.9	29/3/2012 1:46 58.0	30/3/2012 2:56 56.1	31/3/2012 4:06 57.6	1/4/2012 5:16 58.5	2/4/2012 6:26 59.2
28/3/2012 0:41 58.0	29/3/2012 1:51 57.4	30/3/2012 3:01 55.1	31/3/2012 4:11 54.9	1/4/2012 5:21 55.0	2/4/2012 6:31 59.6
28/3/2012 0:46 59.1	29/3/2012 1:56 57.3	30/3/2012 3:06 58.5	31/3/2012 4:16 56.2	1/4/2012 5:26 56.8	2/4/2012 6:36 59.9
28/3/2012 0:51 58.8	29/3/2012 2:01 58.3	30/3/2012 3:11 57.7	31/3/2012 4:21 55.9	1/4/2012 5:31 55.1	2/4/2012 6:41 59.5
28/3/2012 0:56 59.4	29/3/2012 2:06 57.0	30/3/2012 3:16 56.5	31/3/2012 4:26 56.7	1/4/2012 5:36 55.1	2/4/2012 6:46 61.0
28/3/2012 1:01 59.1	29/3/2012 2:11 57.0	30/3/2012 3:21 56.3	31/3/2012 4:31 54.9	1/4/2012 5:41 55.7	2/4/2012 6:51 59.6
28/3/2012 1:06 57.7	29/3/2012 2:16 55.2	30/3/2012 3:26 56.0	31/3/2012 4:36 55.8	1/4/2012 5:46 56.7	2/4/2012 6:56 61.5
28/3/2012 1:11 59.2	29/3/2012 2:21 56.9	30/3/2012 3:31 56.5	31/3/2012 4:41 54.2	1/4/2012 5:51 59.2	2/4/2012 23:01 61.5
28/3/2012 1:16 58.7	29/3/2012 2:26 57.9	30/3/2012 3:36 56.1	31/3/2012 4:46 55.9	1/4/2012 5:56 58.0	2/4/2012 23:06 60.0
28/3/2012 1:21 58.1	29/3/2012 2:31 54.8	30/3/2012 3:41 55.7	31/3/2012 4:51 56.6	1/4/2012 6:01 57.2	2/4/2012 23:11 60.7
28/3/2012 1:26 58.6	29/3/2012 2:36 56.4	30/3/2012 3:46 56.6	31/3/2012 4:56 56.1	1/4/2012 6:06 58.4	2/4/2012 23:16 60.0
28/3/2012 1:31 58.2	29/3/2012 2:41 55.7	30/3/2012 3:51 56.6	31/3/2012 5:01 56.0	1/4/2012 6:11 58.9	2/4/2012 23:21 60.9
28/3/2012 1:36 57.9	29/3/2012 2:46 55.1	30/3/2012 3:56 55.7	31/3/2012 5:06 55.6	1/4/2012 6:16 60.2	2/4/2012 23:26 60.7
28/3/2012 1:41 57.1	29/3/2012 2:51 55.3	30/3/2012 4:01 57.6	31/3/2012 5:11 56.2	1/4/2012 6:21 58.8	2/4/2012 23:31 60.9
28/3/2012 1:46 58.2	29/3/2012 2:56 55.4	30/3/2012 4:06 56.2	31/3/2012 5:16 57.6	1/4/2012 6:26 59.1	2/4/2012 23:36 59.5
28/3/2012 1:51 57.3	29/3/2012 3:01 56.0	30/3/2012 4:11 55.2	31/3/2012 5:21 55.7	1/4/2012 6:31 59.0	2/4/2012 23:41 59.6
28/3/2012 1:56 56.9	29/3/2012 3:06 56.8	30/3/2012 4:16 55.7	31/3/2012 5:26 57.9	1/4/2012 6:36 60.7	2/4/2012 23:46 60.7
28/3/2012 2:01 56.2	29/3/2012 3:11 56.6	30/3/2012 4:21 55.4	31/3/2012 5:31 55.6	1/4/2012 6:41 59.3	2/4/2012 23:51 60.9
28/3/2012 2:06 55.8	29/3/2012 3:16 56.6	30/3/2012 4:26 56.7	31/3/2012 5:36 57.1	1/4/2012 6:46 60.2	2/4/2012 23:56 60.6
28/3/2012 2:11 57.1	29/3/2012 3:21 57.0	30/3/2012 4:31 55.2	31/3/2012 5:41 57.1	1/4/2012 6:51 62.4	3/4/2012 0:01 60.5
28/3/2012 2:16 56.4	29/3/2012 3:26 55.3	30/3/2012 4:36 55.5	31/3/2012 5:46 58.4	1/4/2012 6:56 60.7	3/4/2012 0:06 60.9
28/3/2012 2:21 58.6	29/3/2012 3:31 54.2	30/3/2012 4:41 56.6	31/3/2012 5:51 57.1	1/4/2012 23:01 62.5	3/4/2012 0:11 61.4
28/3/2012 2:26 56.9	29/3/2012 3:36 57.3 29/3/2012 3:41 56.2	30/3/2012 4:46 55.0	31/3/2012 5:56 56.7	1/4/2012 23:06 62.0 1/4/2012 23:11 61.5	3/4/2012 0:16 60.9 3/4/2012 0:21 61.0
28/3/2012 2:36 58.1	29/3/2012 3:46 56.0	30/3/2012 4:56 53.8	31/3/2012 6:01 58.9 31/3/2012 6:06 57.6	1/4/2012 23:16 61.6	3/4/2012 0:26 60.8
28/3/2012 2:41 56.9	29/3/2012 3:51 56.6	30/3/2012 5:01 56.2	31/3/2012 6:11 59.6	1/4/2012 23:21 60.3	3/4/2012 0:31 61.2
28/3/2012 2:46 56.6	29/3/2012 3:56 55.8	30/3/2012 5:06 56.5	31/3/2012 6:16 59.0	1/4/2012 23:26 59.9	3/4/2012 0:36 61.2
28/3/2012 2:51 55.3	29/3/2012 4:01 56.4	30/3/2012 5:11 56.9	31/3/2012 6:21 57.9	1/4/2012 23:31 59.8	3/4/2012 0:41 61.8
28/3/2012 2:56 54.8	29/3/2012 4:06 57.4	30/3/2012 5:16 57.4	31/3/2012 6:26 58.6	1/4/2012 23:36 60.1	3/4/2012 0:46 61.3
28/3/2012 3:01 56.0	29/3/2012 4:11 56.9	30/3/2012 5:21 55.5	31/3/2012 6:31 59.6	1/4/2012 23:41 58.1	3/4/2012 0:51 61.5
28/3/2012 3:06 56.5	29/3/2012 4:16 55.1	30/3/2012 5:26 57.9	31/3/2012 6:36 60.8	1/4/2012 23:46 60.6	3/4/2012 0:56 60.6
28/3/2012 3:11 54.9	29/3/2012 4:21 56.1	30/3/2012 5:31 55.3	31/3/2012 6:41 59.7	1/4/2012 23:51 60.0	3/4/2012 1:01 60.1
28/3/2012 3:16 54.9	29/3/2012 4:26 55.0	30/3/2012 5:36 56.4	31/3/2012 6:46 59.0	1/4/2012 23:56 59.6	3/4/2012 1:06 59.6
28/3/2012 3:21 56.3	29/3/2012 4:31 55.4	30/3/2012 5:41 56.8	31/3/2012 6:51 58.6	2/4/2012 0:01 58.9	3/4/2012 1:11 60.3
28/3/2012 3:26 54.9	29/3/2012 4:36 54.5	30/3/2012 5:46 56.4	31/3/2012 6:56 60.5	2/4/2012 0:06 60.6	3/4/2012 1:16 60.2
28/3/2012 3:31 53.9	29/3/2012 4:41 55.1	30/3/2012 5:51 56.6	31/3/2012 23:01 60.8	2/4/2012 0:11 60.6	3/4/2012 1:21 59.7
28/3/2012 3:36 55.3	29/3/2012 4:46 56.7	30/3/2012 5:56 57.8	31/3/2012 23:06 60.9	2/4/2012 0:16 57.7	3/4/2012 1:26 59.0
28/3/2012 3:41 55.6	29/3/2012 4:51 55.3	30/3/2012 6:01 57.5	31/3/2012 23:11 62.9	2/4/2012 0:21 61.2	3/4/2012 1:31 59.5
28/3/2012 3:46 55.1	29/3/2012 4:56 54.8	30/3/2012 6:06 57.6	31/3/2012 23:16 59.6	2/4/2012 0:26 59.1	3/4/2012 1:36 59.4
28/3/2012 3:51 58.0	29/3/2012 5:01 56.5	30/3/2012 6:11 59.7	31/3/2012 23:21 62.1	2/4/2012 0:31 59.3	3/4/2012 1:41 58.7
28/3/2012 3:56 55.5	29/3/2012 5:06 55.8	30/3/2012 6:16 59.8	31/3/2012 23:26 60.9	2/4/2012 0:36 60.3	3/4/2012 1:46 59.1
28/3/2012 4:01 56.6	29/3/2012 5:11 55.4	30/3/2012 6:21 58.2	31/3/2012 23:31 59.2	2/4/2012 0:41 58.6	3/4/2012 1:51 58.4
28/3/2012 4:06 58.1	29/3/2012 5:16 56.2	30/3/2012 6:26 58.7	31/3/2012 23:36 58.5	2/4/2012 0:46 58.4	3/4/2012 1:56 58.2
28/3/2012 4:11 55.4	29/3/2012 5:21 55.3	30/3/2012 6:31 59.6	31/3/2012 23:41 60.6	2/4/2012 0:51 57.9	3/4/2012 2:01 58.1
28/3/2012 4:16 55.1	29/3/2012 5:26 58.3	30/3/2012 6:36 60.7	31/3/2012 23:46 61.2	2/4/2012 0:56 58.3	3/4/2012 2:06 58.0
28/3/2012 4:21 55.5	29/3/2012 5:31 56.5	30/3/2012 6:41 59.5	31/3/2012 23:51 61.8	2/4/2012 1:01 59.5	3/4/2012 2:11 60.0
28/3/2012 4:26 56.2	29/3/2012 5:36 56.6	30/3/2012 6:46 59.4	31/3/2012 23:56 59.5	2/4/2012 1:06 56.3	3/4/2012 2:16 57.7
28/3/2012 4:31 56.1	29/3/2012 5:41 57.7	30/3/2012 6:51 58.5	1/4/2012 0:01 59.3	2/4/2012 1:11 58.5	3/4/2012 2:21 59.2
28/3/2012 4:36 54.9	29/3/2012 5:46 56.8	30/3/2012 6:56 59.7	1/4/2012 0:06 61.1	2/4/2012 1:16 59.3	3/4/2012 2:26 57.9
28/3/2012 4:41 56.0	29/3/2012 5:51 56.8	30/3/2012 23:01 61.4	1/4/2012 0:11 59.7	2/4/2012 1:21 57.2	3/4/2012 2:31 57.0
28/3/2012 4:46 56.1	29/3/2012 5:56 58.3	30/3/2012 23:06 60.9	1/4/2012 0:16 59.8	2/4/2012 1:26 58.4	3/4/2012 2:36 57.0
28/3/2012 4:51 56.0	29/3/2012 6:01 58.2	30/3/2012 23:11 60.1	1/4/2012 0:21 60.0	2/4/2012 1:31 56.7	3/4/2012 2:41 56.7
28/3/2012 4:56 54.9	29/3/2012 6:06 58.1	30/3/2012 23:16 60.2	1/4/2012 0:26 60.3	2/4/2012 1:36 57.9	3/4/2012 2:46 57.8
28/3/2012 5:01 54.7	29/3/2012 6:11 59.5	30/3/2012 23:21 61.7	1/4/2012 0:31 62.2	2/4/2012 1:41 56.2	3/4/2012 2:51 56.4
28/3/2012 5:06 53.7	29/3/2012 6:16 58.8	30/3/2012 23:26 59.4	1/4/2012 0:36 58.9	2/4/2012 1:46 58.7	3/4/2012 2:56 56.8
28/3/2012 5:11 55.1	29/3/2012 6:21 58.2	30/3/2012 23:31 60.5	1/4/2012 0:41 58.4	2/4/2012 1:51 56.8	3/4/2012 3:01 56.3
28/3/2012 5:16 56.9	29/3/2012 6:26 59.6	30/3/2012 23:36 59.4	1/4/2012 0:46 59.2	2/4/2012 1:56 56.7	3/4/2012 3:06 56.9
28/3/2012 5:21 54.8	29/3/2012 6:31 59.2	30/3/2012 23:41 58.7	1/4/2012 0:51 58.9	2/4/2012 2:01 56.9	3/4/2012 3:11 56.4
28/3/2012 5:26 59.1	29/3/2012 6:36 62.6	30/3/2012 23:46 60.9	1/4/2012 0:56 58.8	2/4/2012 2:06 57.5	3/4/2012 3:16 57.4
28/3/2012 5:31 56.7	29/3/2012 6:41 60.0	30/3/2012 23:51 60.4	1/4/2012 1:01 58.9	2/4/2012 2:11 55.7	3/4/2012 3:21 56.0
28/3/2012 5:36 56.1	29/3/2012 6:46 59.6	30/3/2012 23:56 60.5	1/4/2012 1:06 58.3	2/4/2012 2:16 57.4	3/4/2012 3:26 55.8
28/3/2012 5:41 56.0	29/3/2012 6:51 60.5	31/3/2012 0:01 58.8	1/4/2012 1:11 58.3	2/4/2012 2:21 57.4	3/4/2012 3:31 55.5
28/3/2012 5:46 57.6	29/3/2012 6:56 58.8	31/3/2012 0:06 61.2	1/4/2012 1:16 59.0	2/4/2012 2:26 56.2	3/4/2012 3:36 55.9
28/3/2012 5:51 56.8	29/3/2012 23:01 63.0	31/3/2012 0:11 60.5	1/4/2012 1:21 59.6	2/4/2012 2:31 55.5	3/4/2012 3:41 56.1
28/3/2012 5:56 58.7	29/3/2012 23:06 61.1	31/3/2012 0:16 59.7	1/4/2012 1:26 57.9	2/4/2012 2:36 55.6	3/4/2012 3:46 56.1
28/3/2012 6:01 57.9	29/3/2012 23:11 58.9	31/3/2012 0:21 61.1	1/4/2012 1:31 56.1	2/4/2012 2:41 54.7	3/4/2012 3:51 55.7
28/3/2012 6:06 59.0	29/3/2012 23:16 60.9	31/3/2012 0:26 59.5	1/4/2012 1:36 56.8	2/4/2012 2:46 54.8	3/4/2012 3:56 56.3
28/3/2012 6:11 58.5	29/3/2012 23:21 60.9	31/3/2012 0:31 60.8	1/4/2012 1:41 56.9	2/4/2012 2:51 53.7	3/4/2012 4:01 55.9
28/3/2012 6:16 59.4	29/3/2012 23:26 60.4	31/3/2012 0:36 58.9	1/4/2012 1:46 58.6	2/4/2012 2:56 55.3	3/4/2012 4:06 55.4
28/3/2012 6:21 58.6	29/3/2012 23:31 60.7	31/3/2012 0:41 60.0	1/4/2012 1:51 57.2	2/4/2012 3:01 55.8	3/4/2012 4:11 56.1
28/3/2012 6:26 58.4	29/3/2012 23:36 60.7	31/3/2012 0:46 60.5	1/4/2012 1:56 56.6	2/4/2012 3:06 56.4	3/4/2012 4:16 54.7
28/3/2012 6:31 59.4	29/3/2012 23:41 60.3	31/3/2012 0:51 58.2	1/4/2012 2:01 57.7	2/4/2012 3:11 56.1	3/4/2012 4:21 55.3
28/3/2012 6:36 60.8	29/3/2012 23:46 61.9	31/3/2012 0:56 58.5	1/4/2012 2:06 57.2	2/4/2012 3:16 56.1	3/4/2012 4:26 54.7
28/3/2012 6:41 58.8	29/3/2012 23:51 61.1	31/3/2012 1:01 58.9	1/4/2012 2:11 56.2	2/4/2012 3:21 54.8	3/4/2012 4:31 55.0
28/3/2012 6:46 61.0	29/3/2012 23:56 60.2	31/3/2012 1:06 58.8	1/4/2012 2:16 55.5	2/4/2012 3:26 54.3	3/4/2012 4:36 54.6
28/3/2012 6:51 60.7 28/3/2012 6:56 60.7	30/3/2012 0:01 58.9	31/3/2012 1:11 58.1	1/4/2012 2:21 56.9	2/4/2012 3:31 56.9	3/4/2012 4:41 55.0 3/4/2012 4:46 55.4
28/3/2012 23:01 60.9	30/3/2012 0:11 59.7	31/3/2012 1:21 58.9	1/4/2012 2:26 56.8 1/4/2012 2:31 56.8	2/4/2012 3:41 57.2	3/4/2012 4:51 55.0
28/3/2012 23:06 59.4	30/3/2012 0:16 58.8	31/3/2012 1:26 57.5	1/4/2012 2:36 56.2	2/4/2012 3:46 56.9	3/4/2012 4:56 55.6
28/3/2012 23:11 62.1	30/3/2012 0:21 59.4	31/3/2012 1:31 57.9	1/4/2012 2:41 55.2	2/4/2012 3:51 56.5	3/4/2012 5:01 55.5
28/3/2012 23:16 60.8	30/3/2012 0:26 58.5	31/3/2012 1:36 57.3	1/4/2012 2:46 55.2	2/4/2012 3:56 55.2	3/4/2012 5:06 55.6
28/3/2012 23:21 61.8	30/3/2012 0:31 59.7	31/3/2012 1:41 56.4	1/4/2012 2:51 54.3	2/4/2012 4:01 57.2	3/4/2012 5:11 55.5
28/3/2012 23:26 60.0	30/3/2012 0:36 58.3	31/3/2012 1:46 58.9	1/4/2012 2:56 56.4	2/4/2012 4:06 56.1	3/4/2012 5:16 55.3
28/3/2012 23:31 60.3	30/3/2012 0:41 58.3	31/3/2012 1:51 57.2	1/4/2012 3:01 55.1	2/4/2012 4:11 54.5	3/4/2012 5:21 55.5
28/3/2012 23:36 60.3	30/3/2012 0:46 58.7	31/3/2012 1:56 58.2	1/4/2012 3:06 57.0	2/4/2012 4:16 55.4	3/4/2012 5:26 61.6

Real-time Noise	Data RTI	N2 (Oil Street Commu	unity Liaison (Centre)							
3/4/2012 5:31	57.1		60.7	5/4/2012 23:51	60.8	7/4/2012 1:01	58.9	8/4/2012 2:11	57.2	9/4/2012 3:21	56.1
3/4/2012 5:36 3/4/2012 5:41	56.7 56.1		60.7 63.8	5/4/2012 23:56 6/4/2012 0:01	58.8 59.1	7/4/2012 1:06 7/4/2012 1:11	57.7 58.8	8/4/2012 2:16 8/4/2012 2:21	57.5 60.1	9/4/2012 3:26 9/4/2012 3:31	55.3 56.9
3/4/2012 5:46	56.9		60.7	6/4/2012 0:06	58.6	7/4/2012 1:11	59.8	8/4/2012 2:26	56.7	9/4/2012 3:36	55.1
3/4/2012 5:51 3/4/2012 5:56	56.9 57.4		61.7 62.2	6/4/2012 0:11 6/4/2012 0:16	60.2 59.5	7/4/2012 1:21 7/4/2012 1:26	57.2 58.6	8/4/2012 2:31 8/4/2012 2:36	55.4 56.5	9/4/2012 3:41 9/4/2012 3:46	55.0 55.0
3/4/2012 6:01	57.3		61.5	6/4/2012 0:10	59.7	7/4/2012 1:20	58.9	8/4/2012 2:41	56.3	9/4/2012 3:51	57.2
3/4/2012 6:06 3/4/2012 6:11	55.9 57.7		62.6 62.4	6/4/2012 0:26 6/4/2012 0:31	60.7 60.0	7/4/2012 1:36 7/4/2012 1:41	57.0 55.8	8/4/2012 2:46 8/4/2012 2:51	55.0 56.0	9/4/2012 3:56 9/4/2012 4:01	55.2 55.8
3/4/2012 6:16	56.8	4/4/2012 23:26 6	61.1	6/4/2012 0:36	59.6	7/4/2012 1:46	57.9	8/4/2012 2:56	55.9	9/4/2012 4:06	57.4
3/4/2012 6:21 3/4/2012 6:26	57.0 56.9		61.2 61.4	6/4/2012 0:41 6/4/2012 0:46	60.1 58.6	7/4/2012 1:51 7/4/2012 1:56	56.2 56.8	8/4/2012 3:01 8/4/2012 3:06	55.0 58.3	9/4/2012 4:11 9/4/2012 4:16	54.1 54.6
3/4/2012 6:31	57.2	4/4/2012 23:41 6	61.8	6/4/2012 0:51	58.0	7/4/2012 2:01	57.6	8/4/2012 3:11	54.8	9/4/2012 4:21	56.1
3/4/2012 6:36 3/4/2012 6:41	57.6 56.5		61.5 61.6	6/4/2012 0:56 6/4/2012 1:01	58.4 59.7	7/4/2012 2:06 7/4/2012 2:11	56.2 56.2	8/4/2012 3:16 8/4/2012 3:21	56.0 56.8	9/4/2012 4:26 9/4/2012 4:31	56.5 54.8
3/4/2012 6:46	57.3	4/4/2012 23:56 6	61.9	6/4/2012 1:06	57.8	7/4/2012 2:16	55.7	8/4/2012 3:26	57.0	9/4/2012 4:36	54.6
3/4/2012 6:51 3/4/2012 6:56	59.0 58.2		60.7 60.7	6/4/2012 1:11 6/4/2012 1:16	58.8 58.8	7/4/2012 2:21 7/4/2012 2:26	58.9 56.1	8/4/2012 3:31 8/4/2012 3:36	56.2 56.3	9/4/2012 4:41 9/4/2012 4:46	56.1 54.8
3/4/2012 23:01	61.0	5/4/2012 0:11 6	60.2	6/4/2012 1:21	58.1	7/4/2012 2:31	56.4	8/4/2012 3:41	54.9	9/4/2012 4:51	55.8
3/4/2012 23:06 3/4/2012 23:11	61.2 60.8		60.3 60.4	6/4/2012 1:26 6/4/2012 1:31	58.0 58.2	7/4/2012 2:36 7/4/2012 2:41	55.9 56.1	8/4/2012 3:46 8/4/2012 3:51	55.3 57.4	9/4/2012 4:56 9/4/2012 5:01	55.5 56.1
3/4/2012 23:16	61.3	5/4/2012 0:26 5	59.8	6/4/2012 1:36	57.6	7/4/2012 2:46	55.4	8/4/2012 3:56	56.1	9/4/2012 5:06	56.5
3/4/2012 23:21 3/4/2012 23:26	61.5 61.8		59.9 59.8	6/4/2012 1:41 6/4/2012 1:46	58.1 57.6	7/4/2012 2:51 7/4/2012 2:56	54.2 56.3	8/4/2012 4:01 8/4/2012 4:06	53.8 55.7	9/4/2012 5:11 9/4/2012 5:16	56.7 56.5
3/4/2012 23:31	61.0	5/4/2012 0:41 6	60.9	6/4/2012 1:51	56.4	7/4/2012 3:01	54.4	8/4/2012 4:11	56.2	9/4/2012 5:21	55.3
3/4/2012 23:36 3/4/2012 23:41	60.9 60.9		58.9 60.4	6/4/2012 1:56 6/4/2012 2:01	57.7 57.7	7/4/2012 3:06 7/4/2012 3:11	57.1 56.9	8/4/2012 4:16 8/4/2012 4:21	54.7 54.5	9/4/2012 5:26 9/4/2012 5:31	58.8 56.2
3/4/2012 23:46	60.8		59.3	6/4/2012 2:06	56.9	7/4/2012 3:16	56.1	8/4/2012 4:26	55.6	9/4/2012 5:36	57.4
3/4/2012 23:51 3/4/2012 23:56	60.4 60.5		60.9 59.0	6/4/2012 2:11 6/4/2012 2:16	56.5 56.4	7/4/2012 3:21 7/4/2012 3:26	56.3 56.2	8/4/2012 4:31 8/4/2012 4:36	54.1 54.9	9/4/2012 5:41 9/4/2012 5:46	55.3 56.9
4/4/2012 0:01 4/4/2012 0:06	60.8		59.2	6/4/2012 2:21	57.5	7/4/2012 3:31	55.2	8/4/2012 4:41 8/4/2012 4:46	55.3	9/4/2012 5:51	57.3
4/4/2012 0:06	60.4 60.7		59.2 58.6	6/4/2012 2:26 6/4/2012 2:31	55.6 56.8	7/4/2012 3:36 7/4/2012 3:41	55.3 54.7	8/4/2012 4:46	55.4 56.2	9/4/2012 5:56 9/4/2012 6:01	58.6 57.6
4/4/2012 0:16 4/4/2012 0:21	60.9 61.0		58.8 59.3	6/4/2012 2:36 6/4/2012 2:41	54.8	7/4/2012 3:46	55.4 56.0	8/4/2012 4:56 8/4/2012 5:01	54.8 55.8	9/4/2012 6:06 9/4/2012 6:11	58.1 57.9
4/4/2012 0:21	60.5		59.3 58.5	6/4/2012 2:46	56.7 56.1	7/4/2012 3:51 7/4/2012 3:56	56.0 56.9	8/4/2012 5:01	55.8 57.3	9/4/2012 6:11	57.9 58.5
4/4/2012 0:31	60.0 60.0		59.6	6/4/2012 2:51	55.9	7/4/2012 4:01	55.5	8/4/2012 5:11	56.8	9/4/2012 6:21	59.2
4/4/2012 0:36 4/4/2012 0:41	60.0		59.6 58.3	6/4/2012 2:56 6/4/2012 3:01	55.4 55.0	7/4/2012 4:06 7/4/2012 4:11	56.8 54.9	8/4/2012 5:16 8/4/2012 5:21	56.8 55.0	9/4/2012 6:26 9/4/2012 6:31	60.1 59.8
4/4/2012 0:46 4/4/2012 0:51	59.2 59.4		59.1 58.6	6/4/2012 3:06 6/4/2012 3:11	57.9 55.5	7/4/2012 4:16 7/4/2012 4:21	54.3 57.1	8/4/2012 5:26 8/4/2012 5:31	57.4 54.3	9/4/2012 6:36 9/4/2012 6:41	62.1 58.8
4/4/2012 0:56	60.1	5/4/2012 2:06 5	57.8	6/4/2012 3:16	56.3	7/4/2012 4:26	55.2	8/4/2012 5:36	57.1	9/4/2012 6:46	60.3
4/4/2012 1:01 4/4/2012 1:06	59.9 59.8		58.0 57.7	6/4/2012 3:21 6/4/2012 3:26	54.9 56.8	7/4/2012 4:31 7/4/2012 4:36	55.4 54.5	8/4/2012 5:41 8/4/2012 5:46	57.6 58.4	9/4/2012 6:51 9/4/2012 6:56	60.8 59.5
4/4/2012 1:11	59.5		58.0	6/4/2012 3:31	55.9	7/4/2012 4:30	54.6	8/4/2012 5:51	58.6	9/4/2012 0.30	60.4
4/4/2012 1:16 4/4/2012 1:21	58.8 60.0		58.6 58.2	6/4/2012 3:36 6/4/2012 3:41	55.5 56.0	7/4/2012 4:46 7/4/2012 4:51	55.8 57.2	8/4/2012 5:56 8/4/2012 6:01	58.4 58.4	9/4/2012 23:06 9/4/2012 23:11	60.8 61.0
4/4/2012 1:26	59.8	5/4/2012 2:36 5	57.7	6/4/2012 3:46	55.7	7/4/2012 4:56	55.2	8/4/2012 6:06	57.6	9/4/2012 23:16	60.8
4/4/2012 1:31 4/4/2012 1:36	58.9 58.4		57.0 57.5	6/4/2012 3:51 6/4/2012 3:56	57.3 55.3	7/4/2012 5:01 7/4/2012 5:06	55.6 55.0	8/4/2012 6:11 8/4/2012 6:16	57.9 58.6	9/4/2012 23:21 9/4/2012 23:26	59.6 58.8
4/4/2012 1:41	58.1	5/4/2012 2:51 5	56.6	6/4/2012 4:01	56.6	7/4/2012 5:11	54.4	8/4/2012 6:21	57.6	9/4/2012 23:31	61.6
4/4/2012 1:46 4/4/2012 1:51	58.5 58.9		56.9 56.3	6/4/2012 4:06 6/4/2012 4:11	55.7 55.1	7/4/2012 5:16 7/4/2012 5:21	57.3 55.6	8/4/2012 6:26 8/4/2012 6:31	58.5 59.2	9/4/2012 23:36 9/4/2012 23:41	60.8 58.3
4/4/2012 1:56	58.6	5/4/2012 3:06 5	57.5	6/4/2012 4:16	55.2	7/4/2012 5:26	57.4	8/4/2012 6:36	61.1	9/4/2012 23:46	59.8
4/4/2012 2:01 4/4/2012 2:06	57.8 57.8		57.3 56.9	6/4/2012 4:21 6/4/2012 4:26	56.9 55.8	7/4/2012 5:31 7/4/2012 5:36	57.0 58.3	8/4/2012 6:41 8/4/2012 6:46	59.3 59.9	9/4/2012 23:51 9/4/2012 23:56	61.6 59.4
4/4/2012 2:11	57.8		56.3	6/4/2012 4:31	54.1	7/4/2012 5:41	57.1 57.0	8/4/2012 6:51 8/4/2012 6:56	59.9	10/4/2012 0:01	62.2
4/4/2012 2:16 4/4/2012 2:21	58.3 58.1		57.1 58.5	6/4/2012 4:36 6/4/2012 4:41	55.1 55.1	7/4/2012 5:46 7/4/2012 5:51	57.0 57.8	8/4/2012 0.30	60.8 60.0	10/4/2012 0:06 10/4/2012 0:11	61.6 60.5
4/4/2012 2:26 4/4/2012 2:31	58.1 58.7		57.2 59.2	6/4/2012 4:46 6/4/2012 4:51	55.0 55.8	7/4/2012 5:56 7/4/2012 6:01	59.4 57.8	8/4/2012 23:06 8/4/2012 23:11	59.2 60.8	10/4/2012 0:16 10/4/2012 0:21	61.3 60.2
4/4/2012 2:36	57.8		57.9	6/4/2012 4:56	55.5	7/4/2012 6:06	57.0	8/4/2012 23:16	61.0	10/4/2012 0:26	59.9
4/4/2012 2:41 4/4/2012 2:46	58.3 58.1		56.4 56.7	6/4/2012 5:01 6/4/2012 5:06	55.4 56.9	7/4/2012 6:11 7/4/2012 6:16	58.6 60.6	8/4/2012 23:21 8/4/2012 23:26	61.6 59.7	10/4/2012 0:31 10/4/2012 0:36	59.3 59.9
4/4/2012 2:51	57.4	5/4/2012 4:01 5	57.1	6/4/2012 5:11	55.9	7/4/2012 6:21	59.7	8/4/2012 23:31	59.9	10/4/2012 0:41	59.2
4/4/2012 2:56 4/4/2012 3:01	57.5 57.8		56.3 56.6	6/4/2012 5:16 6/4/2012 5:21	57.8 55.6	7/4/2012 6:26 7/4/2012 6:31	58.8 59.4	8/4/2012 23:36 8/4/2012 23:41	59.8 58.7	10/4/2012 0:46 10/4/2012 0:51	59.2 59.9
4/4/2012 3:06	57.6	5/4/2012 4:16 5	57.2	6/4/2012 5:26	59.2	7/4/2012 6:36	61.1	8/4/2012 23:46	61.2	10/4/2012 0:56	59.5
4/4/2012 3:11 4/4/2012 3:16	57.6 57.8		57.0 57.0	6/4/2012 5:31 6/4/2012 5:36	56.3 56.6	7/4/2012 6:41 7/4/2012 6:46	60.1 60.2	8/4/2012 23:51 8/4/2012 23:56	60.0 60.4	10/4/2012 1:01 10/4/2012 1:06	59.4 59.0
4/4/2012 3:21	57.2	5/4/2012 4:31 5	57.2	6/4/2012 5:41	57.7	7/4/2012 6:51	59.7 59.9	9/4/2012 0:01	59.9 59.8	10/4/2012 1:11	59.4
4/4/2012 3:26 4/4/2012 3:31	57.6 58.0		57.5 57.8	6/4/2012 5:46 6/4/2012 5:51	58.1 57.0	7/4/2012 6:56 7/4/2012 23:01	60.8	9/4/2012 0:06 9/4/2012 0:11	60.5	10/4/2012 1:16 10/4/2012 1:21	58.7 59.4
4/4/2012 3:36 4/4/2012 3:41	57.6 57.8		62.9 58.0	6/4/2012 5:56 6/4/2012 6:01	58.6 57.1	7/4/2012 23:06 7/4/2012 23:11	60.3 60.2	9/4/2012 0:16 9/4/2012 0:21	59.3 60.4	10/4/2012 1:26 10/4/2012 1:31	59.3 58.5
4/4/2012 3:46	58.7	5/4/2012 4:56 5	56.7	6/4/2012 6:06	57.6	7/4/2012 23:16	59.7	9/4/2012 0:26	60.9	10/4/2012 1:36	59.1
4/4/2012 3:51 4/4/2012 3:56	57.2 56.8		57.7 57.5	6/4/2012 6:11 6/4/2012 6:16	58.5 57.9	7/4/2012 23:21 7/4/2012 23:26	60.8 61.7	9/4/2012 0:31 9/4/2012 0:36	60.3 59.0	10/4/2012 1:41 10/4/2012 1:46	58.6 58.8
4/4/2012 4:01	56.7	5/4/2012 5:11 5	57.2	6/4/2012 6:21	57.6	7/4/2012 23:31	60.6	9/4/2012 0:41	57.6	10/4/2012 1:51	58.8
4/4/2012 4:06 4/4/2012 4:11	56.9 56.5		56.3 57.2	6/4/2012 6:26 6/4/2012 6:31	58.2 59.9	7/4/2012 23:36 7/4/2012 23:41	58.4 59.2	9/4/2012 0:46 9/4/2012 0:51	58.5 58.2	10/4/2012 1:56 10/4/2012 2:01	58.8 58.0
4/4/2012 4:16	57.8	5/4/2012 5:26 5	57.6	6/4/2012 6:36	59.7	7/4/2012 23:46	60.2	9/4/2012 0:56	59.7	10/4/2012 2:06	58.0
4/4/2012 4:21 4/4/2012 4:26	58.5 57.6		57.2 56.2	6/4/2012 6:41 6/4/2012 6:46	58.9 60.7	7/4/2012 23:51 7/4/2012 23:56	60.4 58.2	9/4/2012 1:01 9/4/2012 1:06	58.7 58.0	10/4/2012 2:11 10/4/2012 2:16	57.9 58.8
4/4/2012 4:31	57.8	5/4/2012 5:41 5	57.8	6/4/2012 6:51	60.0	8/4/2012 0:01	59.4	9/4/2012 1:11	59.1	10/4/2012 2:21	58.0
4/4/2012 4:36 4/4/2012 4:41	58.1 57.7		58.2 58.4	6/4/2012 6:56 6/4/2012 23:01	60.4 60.6	8/4/2012 0:06 8/4/2012 0:11	60.1 58.9	9/4/2012 1:16 9/4/2012 1:21	59.2 59.2	10/4/2012 2:26 10/4/2012 2:31	58.5 57.9
4/4/2012 4:46 4/4/2012 4:51	58.3 57.5		57.6	6/4/2012 23:06 6/4/2012 23:11	60.5 61.5	8/4/2012 0:16 8/4/2012 0:21	58.7 60.2	9/4/2012 1:26 9/4/2012 1:31	58.0 56.7	10/4/2012 2:36 10/4/2012 2:41	64.9 57.4
4/4/2012 4:56	57.5 57.5		58.1 58.5	6/4/2012 23:16	60.4	8/4/2012 0:26	60.2	9/4/2012 1:36	56.2	10/4/2012 2:46	58.8
4/4/2012 5:01 4/4/2012 5:06	57.3 57.7		59.5 58.7	6/4/2012 23:21 6/4/2012 23:26	61.7 59.9	8/4/2012 0:31 8/4/2012 0:36	59.6 59.2	9/4/2012 1:41 9/4/2012 1:46	56.9 58.3	10/4/2012 2:51 10/4/2012 2:56	58.1 58.4
4/4/2012 5:11	57.0	5/4/2012 6:21 5	59.3	6/4/2012 23:31	60.9	8/4/2012 0:41	58.7	9/4/2012 1:51	56.9	10/4/2012 3:01	57.6
4/4/2012 5:16 4/4/2012 5:21	57.4 56.9		60.7 60.1	6/4/2012 23:36 6/4/2012 23:41	59.6 59.4	8/4/2012 0:46 8/4/2012 0:51	59.0 58.7	9/4/2012 1:56 9/4/2012 2:01	57.2 56.3	10/4/2012 3:06 10/4/2012 3:11	57.3 57.5
4/4/2012 5:26	57.4	5/4/2012 6:36 6	60.5	6/4/2012 23:46	61.4	8/4/2012 0:56	58.0	9/4/2012 2:06	57.9	10/4/2012 3:16	58.0
4/4/2012 5:31 4/4/2012 5:36	57.0 58.3		59.7 60.7	6/4/2012 23:51 6/4/2012 23:56	59.0 60.4	8/4/2012 1:01 8/4/2012 1:06	57.6 57.8	9/4/2012 2:11 9/4/2012 2:16	55.4 57.3	10/4/2012 3:21 10/4/2012 3:26	57.9 57.5
4/4/2012 5:41	59.4	5/4/2012 6:51 5	59.8	7/4/2012 0:01	59.0	8/4/2012 1:11	58.1	9/4/2012 2:21	57.3	10/4/2012 3:31	57.2
4/4/2012 5:46 4/4/2012 5:51	58.5 58.8		60.0 60.6	7/4/2012 0:06 7/4/2012 0:11	59.9 60.4	8/4/2012 1:16 8/4/2012 1:21	58.2 58.3	9/4/2012 2:26 9/4/2012 2:31	56.5 54.9	10/4/2012 3:36 10/4/2012 3:41	56.8 56.9
4/4/2012 5:56	58.8	5/4/2012 23:06 6	61.7	7/4/2012 0:16	58.8	8/4/2012 1:26 8/4/2012 1:31	59.3 56.7	9/4/2012 2:36 9/4/2012 2:41	56.6	10/4/2012 3:46 10/4/2012 3:51	60.0
4/4/2012 6:01 4/4/2012 6:06	58.9 58.7	5/4/2012 23:16 6	60.8 60.5	7/4/2012 0:21 7/4/2012 0:26	61.5 60.4	8/4/2012 1:36	57.5	9/4/2012 2:46	56.5 55.8	10/4/2012 3:56	57.5 57.8
4/4/2012 6:11 4/4/2012 6:16	59.0 59.3	5/4/2012 23:21 6	60.1 60.4	7/4/2012 0:31 7/4/2012 0:36	59.5 58.6	8/4/2012 1:41 8/4/2012 1:46	57.3 57.1	9/4/2012 2:51 9/4/2012 2:56	55.6 56.3	10/4/2012 4:01 10/4/2012 4:06	57.7 57.1
4/4/2012 6:21	60.5	5/4/2012 23:31 6	61.9	7/4/2012 0:41	58.5	8/4/2012 1:51	55.3	9/4/2012 3:01	55.1	10/4/2012 4:11	57.8
4/4/2012 6:26 4/4/2012 6:31	60.5 60.4		59.6 60.3	7/4/2012 0:46 7/4/2012 0:51	58.7 57.6	8/4/2012 1:56 8/4/2012 2:01	58.4 58.0	9/4/2012 3:06 9/4/2012 3:11	56.1 53.6	10/4/2012 4:16 10/4/2012 4:21	64.8 64.3
4/4/2012 6:36	60.7		60.2	7/4/2012 0:56	57.8	8/4/2012 2:06	55.7	9/4/2012 3:16	55.4	10/4/2012 4:26	56.3

Real-time Noise Data RTN	12 (Oil Street Community Liaison	Centre)			
10/4/2012 4:31 56.4	11/4/2012 5:41 59.0	12/4/2012 6:51 62.5	14/4/2012 0:01 61.4	15/4/2012 1:11 59.6	16/4/2012 2:21 58.3
	11/4/2012 5:46 59.2	12/4/2012 6:56 62.5	14/4/2012 0:06 61.3	15/4/2012 1:16 60.2	16/4/2012 2:26 62.9
10/4/2012 4:36 56.1 10/4/2012 4:41 57.7	11/4/2012 5:46 59.2	12/4/2012 6:56 62.5 12/4/2012 23:01 61.0	14/4/2012 0:06 61.3 14/4/2012 0:11 61.2	15/4/2012 1:16 60.2	16/4/2012 2:26 62.9 16/4/2012 2:31 59.0
10/4/2012 4:46 56.4	11/4/2012 5:56 56.1	12/4/2012 23:06 58.9	14/4/2012 0:16 60.5	15/4/2012 1:26 59.3	16/4/2012 2:36 58.6
10/4/2012 4:51 57.8	11/4/2012 6:01 57.7	12/4/2012 23:11 61.9	14/4/2012 0:21 61.5	15/4/2012 1:31 58.6	16/4/2012 2:41 58.6
10/4/2012 4:56 57.2	11/4/2012 6:06 56.4	12/4/2012 23:16 60.2	14/4/2012 0:26 61.4	15/4/2012 1:36 59.2	16/4/2012 2:46 57.5
10/4/2012 5:01 56.8	11/4/2012 6:11 57.8	12/4/2012 23:21 60.3	14/4/2012 0:31 60.7	15/4/2012 1:41 59.1	16/4/2012 2:51 57.7
10/4/2012 5:06 58.0	11/4/2012 6:16 60.6	12/4/2012 23:26 60.7	14/4/2012 0:36 60.5	15/4/2012 1:46 58.0	16/4/2012 2:56 57.6
10/4/2012 5:11 56.5	11/4/2012 6:21 61.1	12/4/2012 23:31 61.3	14/4/2012 0:41 60.2	15/4/2012 1:51 57.8	16/4/2012 3:01 58.2
10/4/2012 5:16 58.3	11/4/2012 6:26 63.4	12/4/2012 23:36 60.1	14/4/2012 0:46 60.9	15/4/2012 1:56 57.1	16/4/2012 3:06 57.9
10/4/2012 5:21 57.4	11/4/2012 6:31 61.9	12/4/2012 23:41 60.2	14/4/2012 0:51 59.9	15/4/2012 2:01 57.6	16/4/2012 3:11 57.6
10/4/2012 5:26 56.1	11/4/2012 6:36 63.0	12/4/2012 23:46 61.9	14/4/2012 0:56 59.6	15/4/2012 2:06 56.3	16/4/2012 3:16 57.2
10/4/2012 5:31 57.7	11/4/2012 6:41 63.5	12/4/2012 23:51 61.2	14/4/2012 1:01 59.9	15/4/2012 2:11 57.1	16/4/2012 3:21 58.4
10/4/2012 5:36 56.1	11/4/2012 6:46 63.0	12/4/2012 23:56 60.8	14/4/2012 1:06 59.7	15/4/2012 2:16 57.1	16/4/2012 3:26 57.0
10/4/2012 5:41 57.7	11/4/2012 6:51 62.3	13/4/2012 0:01 61.3	14/4/2012 1:11 60.3	15/4/2012 2:21 58.2	16/4/2012 3:31 57.1
10/4/2012 5:46 56.4	11/4/2012 6:56 63.7	13/4/2012 0:06 59.7	14/4/2012 1:16 60.2	15/4/2012 2:26 57.5	16/4/2012 3:36 58.6
10/4/2012 5:51 57.8	11/4/2012 23:01 60.8	13/4/2012 0:11 59.5	14/4/2012 1:21 59.9	15/4/2012 2:31 56.9	16/4/2012 3:41 57.1
10/4/2012 5:56 58.5	11/4/2012 23:06 61.1	13/4/2012 0:16 61.9	14/4/2012 1:26 59.4	15/4/2012 2:36 56.1	16/4/2012 3:46 57.1
10/4/2012 6:01 59.5	11/4/2012 23:11 60.9	13/4/2012 0:21 58.8	14/4/2012 1:31 59.5	15/4/2012 2:41 56.3	16/4/2012 3:51 58.6
10/4/2012 6:06 61.0	11/4/2012 23:16 60.3	13/4/2012 0:26 60.0	14/4/2012 1:36 59.3	15/4/2012 2:46 57.5	16/4/2012 3:56 56.9
10/4/2012 6:11 59.2	11/4/2012 23:21 61.1	13/4/2012 0:31 60.3	14/4/2012 1:41 58.9	15/4/2012 2:51 56.8	16/4/2012 4:01 64.5
10/4/2012 6:16 59.5	11/4/2012 23:26 60.9	13/4/2012 0:36 58.9	14/4/2012 1:46 59.0	15/4/2012 2:56 57.6	16/4/2012 4:06 57.6
10/4/2012 6:21 61.9	11/4/2012 23:31 61.3	13/4/2012 0:41 59.2	14/4/2012 1:51 59.0	15/4/2012 3:01 56.1	16/4/2012 4:11 58.7
10/4/2012 6:26 59.1	11/4/2012 23:36 61.0	13/4/2012 0:46 60.3	14/4/2012 1:56 59.1	15/4/2012 3:06 55.7	16/4/2012 4:16 57.9
10/4/2012 6:31 62.6	11/4/2012 23:41 60.7	13/4/2012 0:51 58.2	14/4/2012 2:01 58.6	15/4/2012 3:11 56.5	16/4/2012 4:21 56.1
10/4/2012 6:36 60.3	11/4/2012 23:46 61.1	13/4/2012 0:56 57.9	14/4/2012 2:06 59.1	15/4/2012 3:16 55.9	16/4/2012 4:26 57.7
10/4/2012 6:41 60.8	11/4/2012 23:51 61.0	13/4/2012 1:01 58.7	14/4/2012 2:11 58.8	15/4/2012 3:21 56.3	16/4/2012 4:31 56.1
10/4/2012 6:46 60.2	11/4/2012 23:56 60.4	13/4/2012 1:06 58.9	14/4/2012 2:16 59.4	15/4/2012 3:26 56.5	16/4/2012 4:36 57.7
10/4/2012 6:51 60.2	12/4/2012 0:01 60.9	13/4/2012 1:11 59.5	14/4/2012 2:21 59.6	15/4/2012 3:31 56.6	16/4/2012 4:41 56.4
10/4/2012 6:56 60.7	12/4/2012 0:06 60.5	13/4/2012 1:16 59.1	14/4/2012 2:26 61.4	15/4/2012 3:36 57.4	16/4/2012 4:46 57.8
10/4/2012 23:01 61.9	12/4/2012 0:11 60.7	13/4/2012 1:21 58.8	14/4/2012 2:31 59.7	15/4/2012 3:41 57.4	16/4/2012 4:51 57.5
10/4/2012 23:06 62.0	12/4/2012 0:16 60.7	13/4/2012 1:26 58.8	14/4/2012 2:36 57.9	15/4/2012 3:46 57.5	16/4/2012 4:56 57.6
10/4/2012 23:11 62.1	12/4/2012 0:21 60.8	13/4/2012 1:31 57.8	14/4/2012 2:41 58.7	15/4/2012 3:51 57.3	16/4/2012 5:01 57.9
10/4/2012 23:16 62.0	12/4/2012 0:26 61.3	13/4/2012 1:36 56.9	14/4/2012 2:46 58.6	15/4/2012 3:56 57.3	16/4/2012 5:06 58.0
10/4/2012 23:21 62.2	12/4/2012 0:31 60.0	13/4/2012 1:41 58.3	14/4/2012 2:51 59.0	15/4/2012 4:01 56.6	16/4/2012 5:11 58.1
10/4/2012 23:26 62.0	12/4/2012 0:36 59.8	13/4/2012 1:46 58.9	14/4/2012 2:56 58.2	15/4/2012 4:06 57.2	16/4/2012 5:16 57.8
10/4/2012 23:31 60.9	12/4/2012 0:41 59.9	13/4/2012 1:51 57.1	14/4/2012 3:01 57.6	15/4/2012 4:11 57.9	16/4/2012 5:21 56.1
10/4/2012 23:36 60.9	12/4/2012 0:46 59.0	13/4/2012 1:56 56.2	14/4/2012 3:06 57.9	15/4/2012 4:16 56.6	16/4/2012 5:26 57.7
10/4/2012 23:41 61.6	12/4/2012 0:51 59.2	13/4/2012 2:01 56.7	14/4/2012 3:11 58.3	15/4/2012 4:21 59.4	16/4/2012 5:31 56.4
10/4/2012 23:46 61.4	12/4/2012 0:56 59.4	13/4/2012 2:06 56.7	14/4/2012 3:16 58.9	15/4/2012 4:26 57.9	16/4/2012 5:36 57.8
10/4/2012 23:51 61.9	12/4/2012 1:01 58.4	13/4/2012 2:11 55.5	14/4/2012 3:21 59.6	15/4/2012 4:31 57.9	16/4/2012 5:41 59.6
10/4/2012 23:56 61.2	12/4/2012 1:06 58.6	13/4/2012 2:16 57.0	14/4/2012 3:26 58.1	15/4/2012 4:36 58.0	16/4/2012 5:46 59.7
11/4/2012 0:01 61.8	12/4/2012 1:11 59.4	13/4/2012 2:21 57.8	14/4/2012 3:31 57.9	15/4/2012 4:41 57.8	16/4/2012 5:51 58.8
11/4/2012 0:06 61.9	12/4/2012 1:16 58.6	13/4/2012 2:26 57.4	14/4/2012 3:36 58.1	15/4/2012 4:46 56.8	16/4/2012 5:56 58.9
11/4/2012 0:11 61.7	12/4/2012 1:21 58.7	13/4/2012 2:31 55.5	14/4/2012 3:41 58.4	15/4/2012 4:51 55.9	16/4/2012 6:01 59.5
11/4/2012 0:16 61.6	12/4/2012 1:26 58.1	13/4/2012 2:36 56.8	14/4/2012 3:46 58.9	15/4/2012 4:56 56.9	16/4/2012 6:06 60.4
11/4/2012 0:21 61.3	12/4/2012 1:31 57.7	13/4/2012 2:41 55.2	14/4/2012 3:51 58.9	15/4/2012 5:01 55.9	16/4/2012 6:11 60.3
11/4/2012 0:26 61.2	12/4/2012 1:36 58.7	13/4/2012 2:46 55.8	14/4/2012 3:56 59.3	15/4/2012 5:06 61.2	16/4/2012 6:16 62.2
11/4/2012 0:31 60.9	12/4/2012 1:41 59.0	13/4/2012 2:51 54.8	14/4/2012 4:01 56.1	15/4/2012 5:11 62.6	16/4/2012 6:21 60.6
11/4/2012 0:36 60.8	12/4/2012 1:46 57.8	13/4/2012 2:56 55.8	14/4/2012 4:06 57.7	15/4/2012 5:16 63.8	16/4/2012 6:26 60.4
11/4/2012 0:41 59.7	12/4/2012 1:51 57.6	13/4/2012 3:01 55.5	14/4/2012 4:11 56.4	15/4/2012 5:21 60.4	16/4/2012 6:31 63.4
11/4/2012 0:46 60.0	12/4/2012 1:56 57.6	13/4/2012 3:06 57.1	14/4/2012 4:16 57.8	15/4/2012 5:26 61.7	16/4/2012 6:36 63.7
11/4/2012 0:51 60.0	12/4/2012 2:01 57.3	13/4/2012 3:11 56.1	14/4/2012 4:21 59.4	15/4/2012 5:31 58.0	16/4/2012 6:41 62.9
11/4/2012 0:56 59.6	12/4/2012 2:06 57.0	13/4/2012 3:16 55.7	14/4/2012 4:26 58.7	15/4/2012 5:36 58.4	16/4/2012 6:46 62.0
11/4/2012 1:01 58.7	12/4/2012 2:11 57.4	13/4/2012 3:21 55.6	14/4/2012 4:31 58.8	15/4/2012 5:41 59.1	16/4/2012 6:51 62.1
11/4/2012 1:06 58.5	12/4/2012 2:16 56.2	13/4/2012 3:26 57.0	14/4/2012 4:36 64.1	15/4/2012 5:46 56.1	16/4/2012 6:56 62.2
11/4/2012 1:11 59.0	12/4/2012 2:21 58.1	13/4/2012 3:31 54.6	14/4/2012 4:41 64.9	15/4/2012 5:51 57.7	16/4/2012 23:01 61.4
11/4/2012 1:16 58.9	12/4/2012 2:26 57.0	13/4/2012 3:36 56.8	14/4/2012 4:46 59.2	15/4/2012 5:56 56.4	16/4/2012 23:06 60.9
11/4/2012 1:21 59.0	12/4/2012 2:31 56.3	13/4/2012 3:41 55.5	14/4/2012 4:51 59.0	15/4/2012 6:01 57.8	16/4/2012 23:11 61.4
11/4/2012 1:26 58.5	12/4/2012 2:36 56.6	13/4/2012 3:46 55.5	14/4/2012 4:56 58.8	15/4/2012 6:06 59.6	16/4/2012 23:16 60.8
11/4/2012 1:31 58.3	12/4/2012 2:41 57.2	13/4/2012 3:51 57.7	14/4/2012 5:01 58.5	15/4/2012 6:11 60.4	16/4/2012 23:21 61.1
11/4/2012 1:36 58.2	12/4/2012 2:46 57.9	13/4/2012 3:56 57.0	14/4/2012 5:06 56.1	15/4/2012 6:16 60.9	16/4/2012 23:26 64.6
11/4/2012 1:41 57.9	12/4/2012 2:51 57.0	13/4/2012 4:01 56.7	14/4/2012 5:11 57.7	15/4/2012 6:21 60.7	16/4/2012 23:31 61.5
11/4/2012 1:46 58.7	12/4/2012 2:56 57.0	13/4/2012 4:06 56.9	14/4/2012 5:16 56.1	15/4/2012 6:26 60.7	16/4/2012 23:36 60.6
11/4/2012 1:51 58.0	12/4/2012 3:01 57.5	13/4/2012 4:11 56.3	14/4/2012 5:21 57.7	15/4/2012 6:31 60.9	16/4/2012 23:41 60.8
11/4/2012 1:56 58.5	12/4/2012 3:06 58.6	13/4/2012 4:16 54.1	14/4/2012 5:26 56.4	15/4/2012 6:36 61.9	16/4/2012 23:46 61.2
11/4/2012 2:01 57.8	12/4/2012 3:11 58.4	13/4/2012 4:21 56.4	14/4/2012 5:31 57.8	15/4/2012 6:41 62.1	16/4/2012 23:51 61.1
11/4/2012 2:06 57.0	12/4/2012 3:16 57.1	13/4/2012 4:26 55.7	14/4/2012 5:36 59.7	15/4/2012 6:46 62.6	16/4/2012 23:56 60.5
11/4/2012 2:11 57.3	12/4/2012 3:21 57.0	13/4/2012 4:31 55.8	14/4/2012 5:41 60.4	15/4/2012 6:51 63.0	17/4/2012 0:01 62.2
11/4/2012 2:21 56.8	12/4/2012 3:31 58.4	13/4/2012 4:41 55.2	14/4/2012 5:46 60.5 14/4/2012 5:51 61.6	15/4/2012 23:01 61.2	17/4/2012 0:11 60.5
11/4/2012 2:26 57.0	12/4/2012 3:36 57.9	13/4/2012 4:46 56.6	14/4/2012 5:56 56.1	15/4/2012 23:06 61.5	17/4/2012 0:16 61.3
11/4/2012 2:31 56.8	12/4/2012 3:41 56.0	13/4/2012 4:51 57.2	14/4/2012 6:01 57.7	15/4/2012 23:11 60.7	17/4/2012 0:21 60.2
11/4/2012 2:36 56.4	12/4/2012 3:46 60.9	13/4/2012 4:56 56.1	14/4/2012 6:06 56.4	15/4/2012 23:16 60.7	17/4/2012 0:26 59.9
11/4/2012 2:41 57.3	12/4/2012 3:51 56.3	13/4/2012 5:01 55.0	14/4/2012 6:11 57.8	15/4/2012 23:21 61.0	17/4/2012 0:31 59.3
11/4/2012 2:46 56.0	12/4/2012 3:56 56.2	13/4/2012 5:06 56.2	14/4/2012 6:16 61.5	15/4/2012 23:26 61.1	17/4/2012 0:36 59.9
11/4/2012 2:51 56.8	12/4/2012 4:01 56.2	13/4/2012 5:11 55.9	14/4/2012 6:21 62.6	15/4/2012 23:31 60.9	17/4/2012 0:41 59.2
11/4/2012 2:56 56.8	12/4/2012 4:06 57.1	13/4/2012 5:16 56.3	14/4/2012 6:26 61.9	15/4/2012 23:36 61.5	17/4/2012 0:46 59.2
11/4/2012 3:01 56.6	12/4/2012 4:11 56.7	13/4/2012 5:21 55.6	14/4/2012 6:31 62.8	15/4/2012 23:41 61.1	17/4/2012 0:51 59.9
11/4/2012 3:06 56.0	12/4/2012 4:16 56.9	13/4/2012 5:26 57.2	14/4/2012 6:36 62.4	15/4/2012 23:46 60.6	17/4/2012 0:56 59.5
11/4/2012 3:11 57.1	12/4/2012 4:21 56.4	13/4/2012 5:31 56.3	14/4/2012 6:41 62.3	15/4/2012 23:51 60.8	17/4/2012 1:01 59.4
11/4/2012 3:16 55.5	12/4/2012 4:26 55.1	13/4/2012 5:36 56.0	14/4/2012 6:46 62.9	15/4/2012 23:56 60.5	17/4/2012 1:06 59.0
11/4/2012 3:21 55.5	12/4/2012 4:31 56.9	13/4/2012 5:41 56.2	14/4/2012 6:51 62.4	16/4/2012 0:01 60.9	17/4/2012 1:11 59.4
11/4/2012 3:26 56.8	12/4/2012 4:36 56.0	13/4/2012 5:46 57.4	14/4/2012 6:56 63.9	16/4/2012 0:06 60.6	17/4/2012 1:16 58.7
11/4/2012 3:31 55.0	12/4/2012 4:41 56.5	13/4/2012 5:51 56.7	14/4/2012 23:01 61.2	16/4/2012 0:11 60.3	17/4/2012 1:21 59.4
11/4/2012 3:36 56.9	12/4/2012 4:46 55.6	13/4/2012 5:56 59.6	14/4/2012 23:06 61.4	16/4/2012 0:16 60.5	17/4/2012 1:26 59.3
11/4/2012 3:41 57.3	12/4/2012 4:51 56.0	13/4/2012 6:01 58.9	14/4/2012 23:11 61.7	16/4/2012 0:21 60.1	17/4/2012 1:31 58.5
11/4/2012 3:46 56.6	12/4/2012 4:56 56.9	13/4/2012 6:06 57.3	14/4/2012 23:16 60.7	16/4/2012 0:26 60.5	17/4/2012 1:36 59.1
11/4/2012 3:51 56.9	12/4/2012 5:01 56.0	13/4/2012 6:11 58.8	14/4/2012 23:21 60.8	16/4/2012 0:31 60.6	17/4/2012 1:41 58.6
11/4/2012 3:56 57.4	12/4/2012 5:06 56.5	13/4/2012 6:16 59.5	14/4/2012 23:26 60.8	16/4/2012 0:36 60.2	17/4/2012 1:46 58.8
11/4/2012 4:01 56.8	12/4/2012 5:11 55.8	13/4/2012 6:21 59.3	14/4/2012 23:31 60.7	16/4/2012 0:41 60.1	17/4/2012 1:51 58.8
11/4/2012 4:06 57.2	12/4/2012 5:16 57.6	13/4/2012 6:26 58.2	14/4/2012 23:36 60.6	16/4/2012 0:46 60.3	17/4/2012 1:56 58.8
11/4/2012 4:11 57.9	12/4/2012 5:21 57.2	13/4/2012 6:31 58.0	14/4/2012 23:41 61.2	16/4/2012 0:51 60.2	17/4/2012 2:01 58.0
11/4/2012 4:16 57.6	12/4/2012 5:26 56.9	13/4/2012 6:36 59.8	14/4/2012 23:46 60.9	16/4/2012 0:56 60.0	17/4/2012 2:06 58.0
11/4/2012 4:21 56.2	12/4/2012 5:31 56.0	13/4/2012 6:41 60.4	14/4/2012 23:51 60.7	16/4/2012 1:01 60.0	17/4/2012 2:11 57.9
11/4/2012 4:26 57.4	12/4/2012 5:36 56.5	13/4/2012 6:46 60.2	14/4/2012 23:56 60.3	16/4/2012 1:06 60.4	17/4/2012 2:16 58.8
11/4/2012 4:31 57.1	12/4/2012 5:41 58.1	13/4/2012 6:51 60.9	15/4/2012 0:01 60.3	16/4/2012 1:11 61.0	17/4/2012 2:21 58.0
11/4/2012 4:36 57.8	12/4/2012 5:46 59.9	13/4/2012 6:56 61.0	15/4/2012 0:06 60.3	16/4/2012 1:16 61.2	17/4/2012 2:26 58.5
11/4/2012 4:41 57.7	12/4/2012 5:51 61.5	13/4/2012 23:01 61.2	15/4/2012 0:11 60.1	16/4/2012 1:21 60.2	17/4/2012 2:31 57.9
11/4/2012 4:46 56.2	12/4/2012 5:56 58.4	13/4/2012 23:06 59.3 13/4/2012 23:11 62.3	15/4/2012 0:16 61.2	16/4/2012 1:26 60.0	17/4/2012 2:36 65.0 17/4/2012 2:41 57.4
11/4/2012 4:56 57.8	12/4/2012 6:06 61.7	13/4/2012 23:16 61.5	15/4/2012 0:26 60.0	16/4/2012 1:36 58.9	17/4/2012 2:46 58.8
11/4/2012 5:01 59.7	12/4/2012 6:11 61.3	13/4/2012 23:21 61.3	15/4/2012 0:31 60.3	16/4/2012 1:41 59.5	17/4/2012 2:51 58.1
11/4/2012 5:06 57.9	12/4/2012 6:16 61.7	13/4/2012 23:26 60.7	15/4/2012 0:36 60.1	16/4/2012 1:46 59.0	17/4/2012 2:56 58.4
11/4/2012 5:11 56.9	12/4/2012 6:21 61.3	13/4/2012 23:31 60.9	15/4/2012 0:41 60.0	16/4/2012 1:51 59.6	17/4/2012 3:01 57.6
11/4/2012 5:16 58.3	12/4/2012 6:26 65.0	13/4/2012 23:36 59.7	15/4/2012 0:46 59.4	16/4/2012 1:56 59.1	17/4/2012 3:06 57.3
11/4/2012 5:21 58.0	12/4/2012 6:31 61.2	13/4/2012 23:41 60.3	15/4/2012 0:51 59.0	16/4/2012 2:01 58.9	17/4/2012 3:11 57.5
11/4/2012 5:26 58.0	12/4/2012 6:36 62.6	13/4/2012 23:46 60.3	15/4/2012 0:56 59.3	16/4/2012 2:06 59.0	17/4/2012 3:16 58.0
11/4/2012 5:31 59.2	12/4/2012 6:41 62.2	13/4/2012 23:51 58.5	15/4/2012 1:01 58.7	16/4/2012 2:11 58.9	17/4/2012 3:21 57.9
11/4/2012 5:36 58.4	12/4/2012 6:46 62.2	13/4/2012 23:56 59.1	15/4/2012 1:06 59.2	16/4/2012 2:16 58.3	17/4/2012 3:26 57.5

Real-time Noise Data	RTN2 (Oil Street Community Liaiso	on Centre)			
17/4/2012 3:31 57.2	18/4/2012 4:41 57.7	19/4/2012 5:51 61.5	20/4/2012 23:01 61.2	22/4/2012 0:11 60.2	23/4/2012 1:21 57.2
17/4/2012 3:36 56.8	18/4/2012 4:46 56.2	19/4/2012 5:56 58.4	20/4/2012 23:06 59.3	22/4/2012 0:16 59.5	23/4/2012 1:26 58.6
17/4/2012 3:41 56.9	18/4/2012 4:51 56.9	19/4/2012 6:01 63.1	20/4/2012 23:11 62.3	22/4/2012 0:21 59.7	23/4/2012 1:31 58.9
17/4/2012 3:46 60.0	18/4/2012 4:56 57.8	19/4/2012 6:06 61.7	20/4/2012 23:16 61.5	22/4/2012 0:26 60.7	23/4/2012 1:36 57.0
17/4/2012 3:51 57.5	18/4/2012 5:01 59.7	19/4/2012 6:11 61.3	20/4/2012 23:21 61.3	22/4/2012 0:31 60.0	23/4/2012 1:41 55.8
17/4/2012 3:56 57.8	18/4/2012 5:06 57.9	19/4/2012 6:16 61.7	20/4/2012 23:26 60.7	22/4/2012 0:36 59.6	23/4/2012 1:46 57.9
17/4/2012 4:01 57.7	18/4/2012 5:11 56.9	19/4/2012 6:21 61.3	20/4/2012 23:31 60.9	22/4/2012 0:41 60.1	23/4/2012 1:51 56.2
17/4/2012 4:06 57.1	18/4/2012 5:16 58.3	19/4/2012 6:26 65.3	20/4/2012 23:36 59.7	22/4/2012 0:46 58.6	23/4/2012 1:56 56.8
17/4/2012 4:11 57.8	18/4/2012 5:21 58.0	19/4/2012 6:31 61.2	20/4/2012 23:41 60.3	22/4/2012 0:51 58.0	23/4/2012 2:01 57.6
17/4/2012 4:16 65.0	18/4/2012 5:26 58.0	19/4/2012 6:36 62.6	20/4/2012 23:46 60.3	22/4/2012 0:56 58.4	23/4/2012 2:06 56.2
17/4/2012 4:21 65.0	18/4/2012 5:31 59.2	19/4/2012 6:41 62.2	20/4/2012 23:51 58.5	22/4/2012 1:01 59.7	23/4/2012 2:11 56.2
17/4/2012 4:26 56.3	18/4/2012 5:36 58.4	19/4/2012 6:46 62.2	20/4/2012 23:56 59.1	22/4/2012 1:06 57.8	23/4/2012 2:16 55.7
17/4/2012 4:31 56.4	18/4/2012 5:41 59.0	19/4/2012 6:51 62.5	21/4/2012 0:01 58.8	22/4/2012 1:11 58.8	23/4/2012 2:21 58.9
17/4/2012 4:36 56.1	18/4/2012 5:46 59.2	19/4/2012 6:56 62.5	21/4/2012 0:06 59.9	22/4/2012 1:16 58.8	23/4/2012 2:26 56.1
17/4/2012 4:41 57.7	18/4/2012 5:51 60.9	19/4/2012 23:01 61.0	21/4/2012 0:11 60.3	22/4/2012 1:21 58.1	23/4/2012 2:31 56.4
17/4/2012 4:46 56.4	18/4/2012 5:56 56.1	19/4/2012 23:06 58.9	21/4/2012 0:16 59.4	22/4/2012 1:26 58.0	23/4/2012 2:36 55.9
17/4/2012 4:51 57.8	18/4/2012 6:01 57.7	19/4/2012 23:11 61.9	21/4/2012 0:21 60.9	22/4/2012 1:31 58.2	23/4/2012 2:41 56.1
17/4/2012 4:56 57.2	18/4/2012 6:06 56.4	19/4/2012 23:16 60.2	21/4/2012 0:26 61.2	22/4/2012 1:36 57.6	23/4/2012 2:46 55.4
17/4/2012 5:01 56.8	18/4/2012 6:11 57.8	19/4/2012 23:21 60.3	21/4/2012 0:31 58.7	22/4/2012 1:41 58.1	23/4/2012 2:51 54.2
17/4/2012 5:06 58.0	18/4/2012 6:16 60.6	19/4/2012 23:26 60.7	21/4/2012 0:36 58.0	22/4/2012 1:46 57.6	23/4/2012 2:56 56.3
17/4/2012 5:11 56.5	18/4/2012 6:21 61.1	19/4/2012 23:31 61.3	21/4/2012 0:41 58.8	22/4/2012 1:51 56.4	23/4/2012 3:01 54.4
17/4/2012 5:16 58.3	18/4/2012 6:26 63.4	19/4/2012 23:36 60.1	21/4/2012 0:46 59.2	22/4/2012 1:56 57.7	23/4/2012 3:06 57.1
17/4/2012 5:21 57.4	18/4/2012 6:31 61.9	19/4/2012 23:41 60.2	21/4/2012 0:51 58.3	22/4/2012 2:01 57.7	23/4/2012 3:11 56.9
17/4/2012 5:26 56.1	18/4/2012 6:36 63.0	19/4/2012 23:46 61.9	21/4/2012 0:56 58.3	22/4/2012 2:06 56.9	23/4/2012 3:16 56.1
17/4/2012 5:31 57.7	18/4/2012 6:41 63.5	19/4/2012 23:51 61.2	21/4/2012 1:01 60.1	22/4/2012 2:11 56.5	23/4/2012 3:21 56.3
17/4/2012 5:36 56.1	18/4/2012 6:46 63.0	19/4/2012 23:56 60.8	21/4/2012 1:06 56.7	22/4/2012 2:16 56.4	23/4/2012 3:26 56.2
17/4/2012 5:41 57.7	18/4/2012 6:51 62.3	20/4/2012 0:01 61.3	21/4/2012 1:11 58.9	22/4/2012 2:21 57.5	23/4/2012 3:31 55.2
17/4/2012 5:46 56.4	18/4/2012 6:56 63.7	20/4/2012 0:06 59.7	21/4/2012 1:16 58.7	22/4/2012 2:26 55.6	23/4/2012 3:36 55.3
17/4/2012 5:51 57.8	18/4/2012 23:01 60.8	20/4/2012 0:11 59.5	21/4/2012 1:21 58.5	22/4/2012 2:31 56.8	23/4/2012 3:41 54.7
17/4/2012 5:56 58.5	18/4/2012 23:06 61.1	20/4/2012 0:16 61.9	21/4/2012 1:26 58.9	22/4/2012 2:36 54.8	23/4/2012 3:46 55.4
17/4/2012 6:01 59.5	18/4/2012 23:11 60.9	20/4/2012 0:21 58.8	21/4/2012 1:31 57.5	22/4/2012 2:41 56.7	23/4/2012 3:51 56.0
17/4/2012 6:06 61.0	18/4/2012 23:16 60.3	20/4/2012 0:26 60.0	21/4/2012 1:36 57.7	22/4/2012 2:46 56.1	23/4/2012 3:56 56.9
17/4/2012 6:11 59.2	18/4/2012 23:21 61.1	20/4/2012 0:31 60.3	21/4/2012 1:41 57.9	22/4/2012 2:51 55.9	23/4/2012 4:01 55.5
17/4/2012 6:16 59.5	18/4/2012 23:26 60.9	20/4/2012 0:36 58.9	21/4/2012 1:46 57.0	22/4/2012 2:56 55.4	23/4/2012 4:06 56.8
17/4/2012 6:21 61.9	18/4/2012 23:31 61.3	20/4/2012 0:41 59.2	21/4/2012 1:51 55.9	22/4/2012 3:01 55.0	23/4/2012 4:11 54.9
17/4/2012 6:26 59.1	18/4/2012 23:36 61.0	20/4/2012 0:46 60.3	21/4/2012 1:56 56.9	22/4/2012 3:06 57.9	23/4/2012 4:16 54.3
17/4/2012 6:31 62.6	18/4/2012 23:41 60.7	20/4/2012 0:51 58.2	21/4/2012 2:01 57.5	22/4/2012 3:11 55.5	23/4/2012 4:21 57.1
17/4/2012 6:36 60.3	18/4/2012 23:46 61.1	20/4/2012 0:56 57.9	21/4/2012 2:06 57.7	22/4/2012 3:16 56.3	23/4/2012 4:26 55.2
17/4/2012 6:41 60.8	18/4/2012 23:51 61.0	20/4/2012 1:01 58.7	21/4/2012 2:11 57.4	22/4/2012 3:21 54.9	23/4/2012 4:31 55.4
17/4/2012 6:46 60.2	18/4/2012 23:56 60.4	20/4/2012 1:06 58.9	21/4/2012 2:16 57.0	22/4/2012 3:26 56.8	23/4/2012 4:36 54.5
17/4/2012 6:51 60.2	19/4/2012 0:01 60.9	20/4/2012 1:11 59.5	21/4/2012 2:21 58.2	22/4/2012 3:31 55.9	23/4/2012 4:41 54.6
17/4/2012 6:56 60.7	19/4/2012 0:06 60.5	20/4/2012 1:16 59.1	21/4/2012 2:26 56.2	22/4/2012 3:36 55.5	23/4/2012 4:46 55.8
17/4/2012 23:01 61.9	19/4/2012 0:11 60.7	20/4/2012 1:21 58.8	21/4/2012 2:31 57.5	22/4/2012 3:41 56.0	23/4/2012 4:51 57.2
17/4/2012 23:06 62.0	19/4/2012 0:16 60.7	20/4/2012 1:26 58.8	21/4/2012 2:36 57.1	22/4/2012 3:46 55.7	23/4/2012 4:56 55.2
17/4/2012 23:11 62.1	19/4/2012 0:21 60.8	20/4/2012 1:31 57.8	21/4/2012 2:41 55.4	22/4/2012 3:51 57.3	23/4/2012 5:01 55.6
17/4/2012 23:16 62.0	19/4/2012 0:26 61.3	20/4/2012 1:36 56.9	21/4/2012 2:46 56.3	22/4/2012 3:56 55.3	23/4/2012 5:06 55.0
17/4/2012 23:21 62.2	19/4/2012 0:31 60.0	20/4/2012 1:41 58.3	21/4/2012 2:51 55.7	22/4/2012 4:01 56.6	23/4/2012 5:11 54.4
17/4/2012 23:26 62.0	19/4/2012 0:36 59.8	20/4/2012 1:46 58.9	21/4/2012 2:56 55.2	22/4/2012 4:06 55.7	23/4/2012 5:16 57.3
17/4/2012 23:31 60.9	19/4/2012 0:41 59.9	20/4/2012 1:51 57.1	21/4/2012 3:01 54.0	22/4/2012 4:11 55.1	23/4/2012 5:21 55.6
17/4/2012 23:36 60.9	19/4/2012 0:46 59.0	20/4/2012 1:56 56.2	21/4/2012 3:06 56.1	22/4/2012 4:16 55.2	23/4/2012 5:26 57.4
17/4/2012 23:41 61.6	19/4/2012 0:51 59.2	20/4/2012 2:01 56.7	21/4/2012 3:11 55.7	22/4/2012 4:21 56.9	23/4/2012 5:31 57.0
17/4/2012 23:46 61.4	19/4/2012 0:56 59.4	20/4/2012 2:06 56.7	21/4/2012 3:16 56.9	22/4/2012 4:26 55.8	23/4/2012 5:36 58.3
17/4/2012 23:51 61.9	19/4/2012 1:01 58.4	20/4/2012 2:11 55.5	21/4/2012 3:21 55.0	22/4/2012 4:31 54.1	23/4/2012 5:41 57.1
17/4/2012 23:56 61.2	19/4/2012 1:06 58.6	20/4/2012 2:16 57.0	21/4/2012 3:26 53.1	22/4/2012 4:36 55.1	23/4/2012 5:46 57.0
18/4/2012 0:01 61.8	19/4/2012 1:11 59.4	20/4/2012 2:21 57.8	21/4/2012 3:31 56.4	22/4/2012 4:41 55.1	23/4/2012 5:51 57.8
18/4/2012 0:06 61.9	19/4/2012 1:16 58.6	20/4/2012 2:26 57.4	21/4/2012 3:36 57.5	22/4/2012 4:46 55.0	23/4/2012 5:56 59.4
18/4/2012 0:11 61.7	19/4/2012 1:21 58.7	20/4/2012 2:31 55.5	21/4/2012 3:41 56.3	22/4/2012 4:51 55.8	23/4/2012 6:01 57.8
18/4/2012 0:16 61.6	19/4/2012 1:26 58.1	20/4/2012 2:36 56.8	21/4/2012 3:46 54.6	22/4/2012 4:56 55.5	23/4/2012 6:06 57.2
18/4/2012 0:21 61.3	19/4/2012 1:31 57.7	20/4/2012 2:41 55.2	21/4/2012 3:51 58.0	22/4/2012 5:01 55.4	23/4/2012 6:11 58.6
18/4/2012 0:26 61.2	19/4/2012 1:36 58.7	20/4/2012 2:46 55.8	21/4/2012 3:56 57.3	22/4/2012 5:06 56.9	23/4/2012 6:16 60.6
18/4/2012 0:31 60.9	19/4/2012 1:41 59.0	20/4/2012 2:51 54.8	21/4/2012 4:01 56.5	22/4/2012 5:11 55.9	23/4/2012 6:21 59.7
18/4/2012 0:36 60.8	19/4/2012 1:46 57.8	20/4/2012 2:56 55.8	21/4/2012 4:06 56.1	22/4/2012 5:16 57.8	23/4/2012 6:26 58.8
18/4/2012 0:41 59.7	19/4/2012 1:51 57.6	20/4/2012 3:01 55.5	21/4/2012 4:11 55.8	22/4/2012 5:21 55.6	23/4/2012 6:31 59.4
18/4/2012 0:46 60.0	19/4/2012 1:56 57.6	20/4/2012 3:06 57.1	21/4/2012 4:16 53.8	22/4/2012 5:26 59.2	23/4/2012 6:36 61.1
18/4/2012 0:51 60.0	19/4/2012 2:01 57.3	20/4/2012 3:11 56.1	21/4/2012 4:21 56.3	22/4/2012 5:31 56.3	23/4/2012 6:41 60.1
18/4/2012 0:56 59.6	19/4/2012 2:06 57.0	20/4/2012 3:16 55.7	21/4/2012 4:26 55.7	22/4/2012 5:36 56.6	23/4/2012 6:46 60.2
18/4/2012 1:01 58.7	19/4/2012 2:11 57.4	20/4/2012 3:21 55.6	21/4/2012 4:31 56.4	22/4/2012 5:41 57.7	23/4/2012 6:51 59.7
18/4/2012 1:06 58.5	19/4/2012 2:16 56.2	20/4/2012 3:26 57.0	21/4/2012 4:36 55.7	22/4/2012 5:46 58.1	23/4/2012 6:56 59.9
18/4/2012 1:11 59.0	19/4/2012 2:21 58.1	20/4/2012 3:31 54.6	21/4/2012 4:41 54.7	22/4/2012 5:51 57.0	23/4/2012 23:01 60.8
18/4/2012 1:16 58.9	19/4/2012 2:26 57.0	20/4/2012 3:36 56.8	21/4/2012 4:46 56.3	22/4/2012 5:56 58.6	23/4/2012 23:06 60.3
18/4/2012 1:21 59.0	19/4/2012 2:31 56.3	20/4/2012 3:41 55.5	21/4/2012 4:51 55.8	22/4/2012 6:01 57.1	23/4/2012 23:11 60.2
18/4/2012 1:26 58.5	19/4/2012 2:36 56.6	20/4/2012 3:46 55.5	21/4/2012 4:56 54.7	22/4/2012 6:06 57.6	23/4/2012 23:16 59.7
18/4/2012 1:31 58.3	19/4/2012 2:41 57.2	20/4/2012 3:51 57.7	21/4/2012 5:01 54.6	22/4/2012 6:11 58.5	23/4/2012 23:21 60.8
18/4/2012 1:36 58.2	19/4/2012 2:46 57.9	20/4/2012 3:56 57.0	21/4/2012 5:06 56.0	22/4/2012 6:16 57.9	23/4/2012 23:26 61.7
18/4/2012 1:41 57.9	19/4/2012 2:51 57.0	20/4/2012 4:01 56.7	21/4/2012 5:11 55.4	22/4/2012 6:21 57.6	23/4/2012 23:31 60.6
18/4/2012 1:46 58.7	19/4/2012 2:56 57.0	20/4/2012 4:06 56.9	21/4/2012 5:16 55.7	22/4/2012 6:26 58.2	23/4/2012 23:36 58.4
18/4/2012 1:51 58.0	19/4/2012 3:01 57.5	20/4/2012 4:11 56.3	21/4/2012 5:21 54.5	22/4/2012 6:31 59.9	23/4/2012 23:41 59.2
18/4/2012 1:56 58.5	19/4/2012 3:06 58.6	20/4/2012 4:16 54.1	21/4/2012 5:26 56.9	22/4/2012 6:36 59.7	23/4/2012 23:46 60.2
18/4/2012 2:01 57.8	19/4/2012 3:11 58.4	20/4/2012 4:21 56.4	21/4/2012 5:31 55.0	22/4/2012 6:41 58.9	23/4/2012 23:51 60.4
18/4/2012 2:06 57.0	19/4/2012 3:16 57.1	20/4/2012 4:26 55.7	21/4/2012 5:36 57.2	22/4/2012 6:46 60.7	23/4/2012 23:56 58.2
18/4/2012 2:11 57.3	19/4/2012 3:21 57.0	20/4/2012 4:31 55.8	21/4/2012 5:41 56.9	22/4/2012 6:51 60.0	24/4/2012 0:01 59.4
18/4/2012 2:16 57.2	19/4/2012 3:26 56.2	20/4/2012 4:36 56.2	21/4/2012 5:46 58.0	22/4/2012 6:56 60.4	24/4/2012 0:06 60.1
18/4/2012 2:21 56.8	19/4/2012 3:31 58.4	20/4/2012 4:41 55.2	21/4/2012 5:51 56.7	22/4/2012 23:01 60.6	24/4/2012 0:11 58.9
18/4/2012 2:26 57.0	19/4/2012 3:36 57.9	20/4/2012 4:46 56.6	21/4/2012 5:56 58.3	22/4/2012 23:06 60.5	24/4/2012 0:16 58.7
18/4/2012 2:31 56.8	19/4/2012 3:41 56.0	20/4/2012 4:51 57.2	21/4/2012 6:01 58.3	22/4/2012 23:11 61.5	24/4/2012 0:21 60.2
18/4/2012 2:36 56.4	19/4/2012 3:46 60.9	20/4/2012 4:56 56.1	21/4/2012 6:06 57.5	22/4/2012 23:16 60.4	24/4/2012 0:26 60.2
18/4/2012 2:41 57.3	19/4/2012 3:51 56.3	20/4/2012 5:01 55.0	21/4/2012 6:11 58.8	22/4/2012 23:21 61.7	24/4/2012 0:31 59.6
18/4/2012 2:46 56.0	19/4/2012 3:56 56.2	20/4/2012 5:06 56.2	21/4/2012 6:16 59.4	22/4/2012 23:26 59.9	24/4/2012 0:36 59.2
18/4/2012 2:51 56.8	19/4/2012 4:01 56.2	20/4/2012 5:11 55.9	21/4/2012 6:21 58.1	22/4/2012 23:31 60.9	24/4/2012 0:41 58.7
18/4/2012 2:56 56.8	19/4/2012 4:06 57.1	20/4/2012 5:16 56.3	21/4/2012 6:26 59.4	22/4/2012 23:36 59.6	24/4/2012 0:46 59.0
18/4/2012 3:01 56.6	19/4/2012 4:11 56.7	20/4/2012 5:21 55.6	21/4/2012 6:31 58.8	22/4/2012 23:41 59.4	24/4/2012 0:51 58.7
18/4/2012 3:06 56.0	19/4/2012 4:16 56.9	20/4/2012 5:26 57.2	21/4/2012 6:36 62.0	22/4/2012 23:46 61.4	24/4/2012 0:56 58.0
18/4/2012 3:11 57.1	19/4/2012 4:21 56.4	20/4/2012 5:31 56.3	21/4/2012 6:41 60.3	22/4/2012 23:51 59.0	24/4/2012 1:01 57.6
18/4/2012 3:16 55.5	19/4/2012 4:26 55.1	20/4/2012 5:36 56.0	21/4/2012 6:46 59.4	22/4/2012 23:56 60.4	24/4/2012 1:06 57.8
18/4/2012 3:21 55.5	19/4/2012 4:31 56.9	20/4/2012 5:41 56.2	21/4/2012 6:51 61.5	23/4/2012 0:01 59.0	24/4/2012 1:11 58.1
18/4/2012 3:26 56.8	19/4/2012 4:36 56.0	20/4/2012 5:46 57.4	21/4/2012 6:56 60.1	23/4/2012 0:06 59.9	24/4/2012 1:16 58.2
18/4/2012 3:31 55.0	19/4/2012 4:41 56.5	20/4/2012 5:51 56.7	21/4/2012 23:01 60.3	23/4/2012 0:11 60.4	24/4/2012 1:21 58.3
18/4/2012 3:36 56.9	19/4/2012 4:46 55.6	20/4/2012 5:56 59.6	21/4/2012 23:06 59.6	23/4/2012 0:16 58.8	24/4/2012 1:26 59.3
18/4/2012 3:41 57.3	19/4/2012 4:51 56.0	20/4/2012 6:01 58.9	21/4/2012 23:11 61.1	23/4/2012 0:21 61.5	24/4/2012 1:31 56.7
18/4/2012 3:46 56.6	19/4/2012 4:56 56.9	20/4/2012 6:06 57.3	21/4/2012 23:16 62.6	23/4/2012 0:26 60.4	24/4/2012 1:36 57.5
18/4/2012 3:51 56.9	19/4/2012 5:01 56.0	20/4/2012 6:11 58.8	21/4/2012 23:21 60.0	23/4/2012 0:31 59.5	24/4/2012 1:41 57.3
18/4/2012 3:56 57.4	19/4/2012 5:06 56.5	20/4/2012 6:16 59.5	21/4/2012 23:26 59.0	23/4/2012 0:36 58.6	24/4/2012 1:46 57.1
18/4/2012 4:01 56.8	19/4/2012 5:11 55.8	20/4/2012 6:21 59.3	21/4/2012 23:31 60.6	23/4/2012 0:41 58.5	24/4/2012 1:51 55.3
18/4/2012 4:06 57.2	19/4/2012 5:16 57.6	20/4/2012 6:26 58.2	21/4/2012 23:36 59.4	23/4/2012 0:46 58.7	24/4/2012 1:56 58.4
18/4/2012 4:11 57.9	19/4/2012 5:21 57.2	20/4/2012 6:31 58.0	21/4/2012 23:41 59.8	23/4/2012 0:51 57.6	24/4/2012 2:01 58.0
18/4/2012 4:16 57.6	19/4/2012 5:26 56.9	20/4/2012 6:36 59.8	21/4/2012 23:46 59.2	23/4/2012 0:56 57.8	24/4/2012 2:06 55.7
18/4/2012 4:21 56.2	19/4/2012 5:31 56.0	20/4/2012 6:41 60.4	21/4/2012 23:51 59.5	23/4/2012 1:01 58.9	24/4/2012 2:11 57.2
18/4/2012 4:26 57.4	19/4/2012 5:36 56.5	20/4/2012 6:46 60.2	21/4/2012 23:56 60.6	23/4/2012 1:06 57.7	24/4/2012 2:16 57.5
18/4/2012 4:31 57.1	19/4/2012 5:41 58.1	20/4/2012 6:51 60.9	22/4/2012 0:01 59.1	23/4/2012 1:11 58.8	24/4/2012 2:21 60.1
18/4/2012 4:36 57.8	19/4/2012 5:46 59.9	20/4/2012 6:56 61.0	22/4/2012 0:06 58.6	23/4/2012 1:16 59.8	24/4/2012 2:26 56.7
10/7/2012 4.30 3/.0	13/7/2012 3.40 33.3	12017/2012 0.00 01.0	ZZI 7/ZU 1Z U.UU 30.U	1201712012 1.10 38.0	L T T L U L L L L U D U .


Real-time Noise I	Data RTN	2 (Oil Street Comn	nunity Liaison (`entre\	
24/4/2012 2:31	55.4	25/4/2012 3:41	55.0	26/4/2012 4:51	55.9
24/4/2012 2:36	56.5	25/4/2012 3:46	55.0	26/4/2012 4:56	55.7
24/4/2012 2:41	56.3	25/4/2012 3:51	57.2	26/4/2012 5:01	55.9
24/4/2012 2:46	55.0	25/4/2012 3:56	55.2	26/4/2012 5:06	56.3
24/4/2012 2:51	56.0	25/4/2012 4:01	55.8	26/4/2012 5:11	55.4
24/4/2012 2:56	55.9	25/4/2012 4:06	57.4	26/4/2012 5:16	57.2
24/4/2012 3:01	55.0	25/4/2012 4:11	54.1	26/4/2012 5:21	54.8
24/4/2012 3:06	58.3	25/4/2012 4:16	54.6	26/4/2012 5:26	59.3
24/4/2012 3:11	54.8	25/4/2012 4:21	56.1	26/4/2012 5:31	56.8
24/4/2012 3:16	56.0	25/4/2012 4:26	56.5	26/4/2012 5:36	56.0
24/4/2012 3:21	56.8	25/4/2012 4:31	54.8	26/4/2012 5:41	57.1
24/4/2012 3:26	57.0	25/4/2012 4:36	54.6	26/4/2012 5:46	58.4
24/4/2012 3:31	56.2	25/4/2012 4:41	56.1	26/4/2012 5:51	58.8
24/4/2012 3:36	56.3	25/4/2012 4:46	54.8	26/4/2012 5:56	59.6
24/4/2012 3:41	54.9	25/4/2012 4:51	55.8	26/4/2012 6:01	57.8
24/4/2012 3:46	55.3	25/4/2012 4:56	55.5	26/4/2012 6:06	58.3
24/4/2012 3:51	57.4	25/4/2012 5:01	56.1	26/4/2012 6:11	58.9
24/4/2012 3:56	56.1	25/4/2012 5:06	56.5	26/4/2012 6:16	57.8
24/4/2012 4:01	53.8	25/4/2012 5:11	56.7	26/4/2012 6:21	57.9
24/4/2012 4:06	55.7	25/4/2012 5:16	56.5	26/4/2012 6:26	58.3
24/4/2012 4:11	56.2	25/4/2012 5:21	55.3	26/4/2012 6:31	59.6
24/4/2012 4:16	54.7	25/4/2012 5:26	58.8	26/4/2012 6:36	60.7
24/4/2012 4:21	54.5	25/4/2012 5:31	56.2	26/4/2012 6:41	60.1
24/4/2012 4:26	55.6	25/4/2012 5:36	57.4	26/4/2012 6:46	61.0
24/4/2012 4:31	54.1	25/4/2012 5:41	55.3	26/4/2012 6:51	60.5
24/4/2012 4:36 24/4/2012 4:41	54.9	25/4/2012 5:46 25/4/2012 5:51	56.9 57.3	26/4/2012 6:56 26/4/2012 23:01	60.9
24/4/2012 4:46	55.3 55.4	25/4/2012 5:56	58.6	26/4/2012 23:06	61.5 61.4
24/4/2012 4:51	56.2	25/4/2012 6:01	57.6	26/4/2012 23:11	59.8
24/4/2012 4:56	54.8	25/4/2012 6:06	58.1	26/4/2012 23:16	60.1
24/4/2012 5:01	55.8	25/4/2012 6:11	57.9	26/4/2012 23:21	61.1
24/4/2012 5:06	57.3	25/4/2012 6:16	58.5	26/4/2012 23:26	60.6
24/4/2012 5:11	56.8	25/4/2012 6:21	59.2	26/4/2012 23:31	60.0
24/4/2012 5:16	56.8	25/4/2012 6:26	60.1	26/4/2012 23:36	58.9
24/4/2012 5:21	55.0	25/4/2012 6:31	59.8	26/4/2012 23:41	59.5
24/4/2012 5:26	57.4	25/4/2012 6:36	62.1	26/4/2012 23:46	60.4
24/4/2012 5:31	54.3	25/4/2012 6:41	58.8	26/4/2012 23:51	59.5
24/4/2012 5:36	57.1	25/4/2012 6:46	60.3	26/4/2012 23:56	60.5
24/4/2012 5:41	57.6	25/4/2012 6:51	60.8	27/4/2012 0:01	60.2
24/4/2012 5:46	58.4	25/4/2012 6:56	59.5	27/4/2012 0:06	60.8
24/4/2012 5:51	58.6	25/4/2012 23:01	60.4	27/4/2012 0:11	59.9
24/4/2012 5:56	58.4	25/4/2012 23:06	60.8	27/4/2012 0:16	60.0
24/4/2012 6:01	58.4	25/4/2012 23:11	61.0	27/4/2012 0:21	60.0
24/4/2012 6:06	57.6	25/4/2012 23:16	60.8	27/4/2012 0:26	60.2
24/4/2012 6:11	57.9	25/4/2012 23:21	59.6	27/4/2012 0:31	60.5
24/4/2012 6:16	58.6	25/4/2012 23:26	58.8	27/4/2012 0:36	60.0
24/4/2012 6:21	57.6	25/4/2012 23:31	61.6	27/4/2012 0:41	60.0
24/4/2012 6:26	58.5	25/4/2012 23:36	60.8	27/4/2012 0:46	59.1
24/4/2012 6:31	59.2	25/4/2012 23:41	58.3	27/4/2012 0:51	59.5
24/4/2012 6:36 24/4/2012 6:41	61.1	25/4/2012 23:46	59.8	27/4/2012 0:56 27/4/2012 1:01	59.1
24/4/2012 6:41	59.3 59.9	25/4/2012 23:51 25/4/2012 23:56	61.6 59.4	27/4/2012 1:01	58.3 58.8
24/4/2012 6:51	59.9	26/4/2012 0:01	60.2	27/4/2012 1:11	58.3
24/4/2012 6:56	60.8	26/4/2012 0:06	60.4	27/4/2012 1:16	57.9
24/4/2012 23:01	60.0	26/4/2012 0:11	60.8	27/4/2012 1:21	58.2
24/4/2012 23:06	59.2	26/4/2012 0:16	59.8	27/4/2012 1:26	58.3
24/4/2012 23:11	60.8	26/4/2012 0:21	61.0	27/4/2012 1:31	57.5
24/4/2012 23:16	61.0	26/4/2012 0:26 26/4/2012 0:31	61.3	27/4/2012 1:36 27/4/2012 1:41	57.1 57.6
24/4/2012 23:21 24/4/2012 23:26	61.6 59.7	26/4/2012 0:36	60.8 60.9	27/4/2012 1:41	57.6 57.5
24/4/2012 23:31	59.9	26/4/2012 0:41	59.0	27/4/2012 1:51	57.3
24/4/2012 23:36	59.8	26/4/2012 0:46	60.0	27/4/2012 1:56	57.2
24/4/2012 23:41	58.7	26/4/2012 0:51	57.9	27/4/2012 2:01	57.5
24/4/2012 23:46	61.2	26/4/2012 0:56	60.0	27/4/2012 2:06	57.0
24/4/2012 23:51	60.0	26/4/2012 1:01	59.3	27/4/2012 2:11	57.2
24/4/2012 23:56	60.4	26/4/2012 1:06	59.1	27/4/2012 2:16	56.5
25/4/2012 0:01	59.9	26/4/2012 1:11	58.8	27/4/2012 2:21	57.1
25/4/2012 0:06	59.8	26/4/2012 1:16	58.9	27/4/2012 2:26	56.6
25/4/2012 0:11	60.5	26/4/2012 1:21	57.0	27/4/2012 2:31	57.8
25/4/2012 0:16	59.3	26/4/2012 1:26	59.3	27/4/2012 2:36	56.2
25/4/2012 0:21	60.4	26/4/2012 1:31	56.8	27/4/2012 2:41 27/4/2012 2:46	56.6
25/4/2012 0:26	60.9	26/4/2012 1:36	58.5	27/4/2012 2:46 27/4/2012 2:51	56.4
25/4/2012 0:31	60.3	26/4/2012 1:41	56.8		56.6
25/4/2012 0:36	59.0	26/4/2012 1:46	57.9	27/4/2012 2:56	55.8
25/4/2012 0:41	57.6	26/4/2012 1:51	56.5	27/4/2012 3:01	56.8
25/4/2012 0:46	58.5	26/4/2012 1:56	57.0	27/4/2012 3:06	56.2
25/4/2012 0:51	58.2	26/4/2012 2:01	58.4	27/4/2012 3:11	56.1
25/4/2012 0:56	59.7	26/4/2012 2:06	56.5	27/4/2012 3:16	56.4
25/4/2012 1:01	58.7	26/4/2012 2:11	57.8	27/4/2012 3:21	60.4
25/4/2012 1:06	58.0	26/4/2012 2:16	56.9	27/4/2012 3:26	65.3
25/4/2012 1:11	59.1	26/4/2012 2:21	58.6	27/4/2012 3:31	58.7
25/4/2012 1:16	59.2	26/4/2012 2:26	57.0	27/4/2012 3:36	63.4
25/4/2012 1:21	59.2	26/4/2012 2:31	55.5	27/4/2012 3:41	57.6
25/4/2012 1:26	58.0	26/4/2012 2:36	56.5	27/4/2012 3:46	57.4
25/4/2012 1:31	56.7	26/4/2012 2:41	54.6	27/4/2012 3:51	57.5
25/4/2012 1:36	56.2	26/4/2012 2:46	56.9	27/4/2012 3:56	56.5
25/4/2012 1:41	56.9	26/4/2012 2:51	53.9	27/4/2012 4:01	55.8
25/4/2012 1:46	58.3	26/4/2012 2:56	56.5	27/4/2012 4:06	55.9
25/4/2012 1:51	56.9	26/4/2012 3:01	55.3	27/4/2012 4:11	56.5
25/4/2012 1:56	57.2	26/4/2012 3:06	55.8	27/4/2012 4:16	55.6
25/4/2012 2:01	56.3	26/4/2012 3:11	56.1	27/4/2012 4:21	56.7
25/4/2012 2:06	57.9	26/4/2012 3:16	56.0	27/4/2012 4:26	55.8
25/4/2012 2:11	55.4	26/4/2012 3:21	55.9	27/4/2012 4:31	56.2
25/4/2012 2:16	57.3	26/4/2012 3:26	54.0	27/4/2012 4:36	55.8
25/4/2012 2:21	57.3	26/4/2012 3:31	56.6	27/4/2012 4:41	58.0
25/4/2012 2:26	56.5	26/4/2012 3:36	56.1	27/4/2012 4:46	57.3
25/4/2012 2:31	54.9	26/4/2012 3:41	55.9	27/4/2012 4:51	57.6
25/4/2012 2:36	56.6	26/4/2012 3:46	57.4	27/4/2012 4:56	57.2
25/4/2012 2:41	56.5	26/4/2012 3:51	57.0	27/4/2012 5:01	57.3
25/4/2012 2:46	55.8	26/4/2012 3:56 26/4/2012 4:01	57.2	27/4/2012 5:06	57.9
25/4/2012 2:51	55.6	26/4/2012 4:06	57.0	27/4/2012 5:11	57.5
25/4/2012 2:56	56.3		56.8	27/4/2012 5:16	57.3
25/4/2012 3:01	55.1	26/4/2012 4:11	54.6	27/4/2012 5:21	56.9
25/4/2012 3:06	56.1	26/4/2012 4:16	54.2	27/4/2012 5:26	60.4
25/4/2012 3:11	53.6	26/4/2012 4:21	56.6	27/4/2012 5:31	57.3
25/4/2012 3:16	55.4	26/4/2012 4:26	55.1	27/4/2012 5:36	59.0
25/4/2012 3:21	56.1	26/4/2012 4:31	54.9	27/4/2012 5:41	59.8
25/4/2012 3:26	55.3	26/4/2012 4:36	55.5	27/4/2012 5:46	58.5
25/4/2012 3:31	56.9	26/4/2012 4:41	56.5	27/4/2012 5:51	59.3
25/4/2012 3:36	55.1	26/4/2012 4:46	57.3	27/4/2012 5:56	58.1

27/4/2012 6:01 60.2
27/4/2012 6:06 60.1
27/4/2012 6:16 60.7
27/4/2012 6:16 60.7
27/4/2012 6:21 62.3
27/4/2012 6:23 61.3
27/4/2012 6:36 62.3
27/4/2012 6:36 62.3
27/4/2012 6:36 62.3
27/4/2012 6:36 62.3
27/4/2012 6:56 63.5
27/4/2012 23:01 60.7
27/4/2012 23:01 60.5
27/4/2012 23:11 60.5
27/4/2012 23:21 60.8
27/4/2012 23:31 60.5
27/4/2012 23:31 60.8
27/4/2012 23:31 60.8
27/4/2012 23:31 60.8
27/4/2012 23:31 60.8
27/4/2012 23:31 60.8
27/4/2012 23:31 60.8
27/4/2012 23:31 60.8
27/4/2012 23:31 60.5
27/4/2012 23:31 60.5
27/4/2012 23:31 60.5
27/4/2012 23:31 60.5
27/4/2012 23:31 60.5
27/4/2012 23:35 69.6
27/4/2012 23:55 69.7


*Exceedance recorded during monitoring compliance check with NCO.





Graphic Presentation of Real Time Noise Monitoring Result (Food and Environmental Hygiene Department Depot)













10

28-Mar

31-Mar

3-Apr

6-Apr

9-Apr

12-Apr


15-Apr

18-Apr

21-Apr

24-Apr

27-Apr



Appendix 6.1

Event Action Plans

Event/Action Plan for Construction Noise

EVENT	ACTION				
	ET	IEC	ER	CONTRACTOR	
Action Level being exceeded	 Notify ER, IEC and Contractor; Carry out investigation; Report the results of investigation to the IEC, ER and Contractor; Discuss with the IEC and Contractor on remedial measures required; Increase monitoring frequency to check mitigation effectiveness. (The above actions should be taken within 2 working days after the exceedance is identified) 	1. Review the investigation results submitted by the ET; 2. Review the proposed remedial measures by the Contractor and advise the ER accordingly; 3. Advise the ER on the effectiveness of the proposed remedial measures. (The above actions should be taken within 2 working days after the exceedance is identified)	 Confirm receipt of notification of failure in writing; Notify Contractor; In consolidation with the IEC, agree with the Contractor on the remedial measures to be implemented; Supervise the implementation of remedial measures. (The above actions should be taken within 2 working days after the exceedance is identified) 	Submit noise mitigation proposals to IEC and ER; Implement noise mitigation proposals. (The above actions should be taken within 2 working days after the exceedance is identified)	

am	Lam Geotechnics Limit
	Lam Ocotcominos Linni

EVENT	ACTION						
	ET	IEC	ER	CONTRACTOR			
Limit Level being exceeded	 Inform IEC, ER, Contractor and EPD; Repeat measurements to confirm findings; Increase monitoring frequency; 4. Identify source and investigate the cause of exceedance; 5. Carry out analysis of Contractor's working procedures; 6. Discuss with the IEC, Contractor and ER on remedial measures required; Assess effectiveness of Contractor's remedial actions and keep IEC, EPD and ER informed of the results; If exceedance stops, cease additional monitoring. (The above actions should be taken within 2 working days after the exceedance is identified) 	Discuss amongst ER, ET, and Contractor on the potential remedial actions; Review Contractor's remedial actions whenever necessary to assure their effectiveness and advise the ER accordingly. (The above actions should be taken within 2 working days after the exceedance is identified)	 Confirm receipt of notification of failure in writing; Notify Contractor; In consolidation with the IEC, agree with the Contractor on the remedial measures to be implemented; Supervise the implementation of remedial measures; If exceedance continues, consider stopping the Contractor to continue working on that portion of work which causes the exceedance until the exceedance is abated. The above actions should be taken within 2 working days after the exceedance is identified) 	 Take immediate action to avoid further exceedance; Submit proposals for remedial actions to IEC and ER within 3 working days of notification; Implement the agreed proposals; Submit further proposal if problem still not under control; Stop the relevant portion of works as instructed by the ER until the exceedance is abated. (The above actions should be taken within 2 working days after the exceedance is identified) 			

Event / Action Dian for Construction Air Quality

EVENT	ACTION					
EVENI	ET	IEC	ER	CONTRACTOR		
ACTION LEVEL						
Exceedance for one sample	Identify source, investigate the causes of exceedance and propose remedial measures; Inform IEC and ER; Repeat measurement to confirm finding; Increase monitoring frequency to daily. (The above actions should be taken within 2 working days after the exceedance is identified)	Check monitoring data submitted by ET; Check Contractor's working method. (The above actions should be taken within 2 working days after the exceedance is identified)	Notify Contractor. (The above actions should be taken within 2 working days after the exceedance is identified)	Rectify any unacceptable practice; Amend working methods if appropriate (The above actions should be taken within 2 working days after the exceedance is identified)		
Exceedance for two or more consecutive samples	Identify source; Inform IEC and ER; Advise the ER on the effectiveness of the proposed remedial measures; Repeat measurements to confirm findings; Increase monitoring frequency to daily; Discuss with IEC and Contractor on remedial actions required; If exceedance continues, arrange meeting with IEC and ER; If exceedance stops, cease additional monitoring. (The above actions should be taken within 2 working days after the exceedance is identified)	Check monitoring data submitted by ET; Check Contractor's working method; Discuss with ET and Contractor on possible remedial measures; Advise the ET on the effectiveness of the proposed remedial measures; Supervise Implementation of remedial measures. (The above actions should be taken within 2 working days after the exceedance is identified)	Confirm receipt of notification of failure in writing; Notify Contractor; Ensure remedial measures properly implemented. (The above actions should be taken within 2 working days after the exceedance is identified)	Submit proposals for remedial to ER within 3 working days of notification; Implement the agreed proposals; Amend proposal if appropriate. (The above actions should be taken within 2 working days after the exceedance is identified)		
LIMIT LEVEL						
Exceedance for one sample	Identify source, investigate the causes of exceedance and propose remedial measures; Inform ER, Contractor and EPD; Repeat measurement to confirm finding; Increase monitoring frequency to daily; Assess effectiveness of Contractor's remedial actions and keep IEC, EPD and ER informed of the results. (The above actions should be taken within 2 working days after the exceedance is identified)	Check monitoring data submitted by ET; Check Contractor's working method; Discuss with ET and Contractor on possible remedial measures; Advise the ER on the effectiveness of the proposed remedial measures; Supervise implementation of remedial measures. (The above actions should be taken within 2 working days after the exceedance is identified)	Confirm receipt of notification of failure in writing; Notify Contractor; Ensure remedial measures properly implemented. (The above actions should be taken within 2 working days after the exceedance is identified)	Take immediate action to avoid further exceedance; Submit proposals for remedial actions IEC within 3 working days of notificatio 3. Implement the agreed proposals; Amend proposal if appropriate. (The above actions should be taken within 2 working days after the exceedance is identified)		
Exceedance for two or more consecutive samples	Notify IEC, ER, Contractor and EPD; Identify source; Repeat measurement to confirm findings; Increase monitoring frequency to daily; Carry out analysis of Contractor's working procedures to determine possible mitigation to be implemented; Arrange meeting with IEC and ER to discuss the remedial actions to be taken; Assess effectiveness of Contractor's remedial actions and keep IEC, EPD and ER informed of the results; If exceedance stops, cease additional monitoring. (The above actions should be taken within 2 working days after the exceedance is identified)	Discuss amongst ER, ET, and Contractor on the potential remedial actions; Review Contractor's remedial actions whenever necessary to assure their effectiveness and advise the ER accordingly; Supervise the implementation of remedial measures.	Confirm receipt of notification of failure in writing; Notify Contractor; In consolidation with the IEC, agree with the Contractor on the remedial measures to be implemented; Ensure remedial measures properly implemented; If exceedance continues, consider what portion of the work is responsible and instruct the Contractor to stop that portion of work until the exceedance is abated. (The above actions should be taken within 2 working days after the exceedance is identified)	Take immediate action to avoid further exceedance; Submit proposals for remedial actions to IEC within 3 working days of notification and Implement the agreed proposals; Resubmit proposals if problem still not under control; Stop the relevant portion of works as determined by the ER until the exceedance is abated. (The above actions should be taken within 2 workind days after the exceedance is identified)		



Event and Action Plan for Marine Water Quality

EVENT		ACTION		
	ET	IEC	ER	CONTRACTOR
Action level being exceeded by one sampling day	Repeat in-situ measurement to confirm findings; Identify source(s) of impact; Inform IEC and Contractor; Check monitoring data, all plant, equipment and Contractor's working methods; Discuss mitigation measures with IEC and Contractor; (The above actions should be taken within 1 working day after the exceedance is identified) Repeat measurement on next day of exceedance.	Discuss with ET and Contractor on the mitigation measures; Review proposals on mitigation measures submitted by Contractor and advise the ER accordingly; Assess the effectiveness of the implemented mitigation measures. (The above actions should be taken within 1 working day after the exceedance is identified)	Discuss with IEC on the proposed mitigation measures; Make agreement on the mitigation measures to be implemented. (The above actions should be taken within 1 working day after the exceedance is identified)	Inform the ER and confirm notification of the non-compliance in writing; Rectify unacceptable practice; Check all plant and equipment; Consider changes of working methods; Discuss with ET and IEC and propose mitigation measures to IEC and ER; Implement the agreed mitigation measures. (The above actions should be taken within 1 working day after the exceedance is identified)
Action level being exceeded by more than one consecutive sampling days	Identify source(s) of impact; Inform IEC and Contractor; Check monitoring data, all plant, equipment and Contractor's working methods; Discuss mitigation measures with IEC and Contractor; Ensure mitigation measures are implemented; Prepare to increase the monitoring frequency to daily; (The above actions should be taken within 1 working day after the exceedance is identified) Repeat measurement on next working day of exceedance.	Discuss with ET and Contractor on the mitigation measures; Review proposals on mitigation measures submitted by Contractor and advise the ER accordingly; Assess the effectiveness of the implemented mitigation measures. (The above actions should be taken within 1 working day after the exceedance is identified)	Discuss with IEC on the proposed mitigation measures; Make agreement on the mitigation measures to be implemented; Assess the effectiveness of the implemented mitigation measures. (The above actions should be taken within 1 working day after the exceedance is identified)	Inform the Engineer and confirm notification of the non-compliance in writing; Rectify unacceptable practice; Check all plant and equipment; Consider changes of working methods; Discuss with ET and IEC and propose mitigation measures to IEC and ER within 3 working days; Implement the agreed mitigation measures. (The above actions should be taken within 1 working day after the exceedance is identified)

EVENT		ACTION		
	ET	IEC	ER	CONTRACTOR
Limit level being exceeded by one sampling day	Repeat in-situ measurement to confirm findings; Identify source(s) of impact; Inform IEC, contractor and EPD; Check monitoring data, all plant, equipment and Contractor's working methods; Discuss mitigation measures with IEC, ER and Contractor; Ensure mitigation measures are implemented; Increase the monitoring frequency to daily until no exceedance of Limit level. (The above actions should be taken within 1 working day after the exceedance is identified)	Discuss with ET and Contractor on the mitigation measures; Review proposals on mitigation measures submitted by Contractor and advise the ER accordingly; Assess the effectiveness of the implemented mitigation measures. (The above actions should be taken within 1 working day after the exceedance is identified)	Discuss with IEC, ET and Contractor on the proposed mitigation measures; Request Contractor to critically review the working methods; Make agreement on the mitigation measures to be implemented; Assess the effectiveness of the implemented mitigation measures. (The above actions should be taken within 1 working day after the exceedance is identified)	Inform the Engineer and confirm notification of the non-compliance in writing; Rectify unacceptable practice; Check all plant and equipment; Consider changes of working methods; Discuss with ET, IEC and ER and propose mitigation measures to IEC and ER within 3 working days; Implement the agreed mitigation measures. (The above actions should be taken within 1 working day after the exceedance is identified)
Limit level being exceeded by more than one consecutive sampling days	Identify source(s) of impact; Inform IEC, contractor and EPD; Check monitoring data, all plant, equipment and Contractor's working methods; Discuss mitigation measures with IEC, ER and Contractor; Ensure mitigation measures are implemented; Increase the monitoring frequency to daily until no exceedance of Limit level for two consecutive days. (The above actions should be taken within 1 working day after the exceedance is identified)	Discuss with ET and Contractor on the mitigation measures; Review proposals on mitigation measures submitted by Contractor and advise the ER accordingly; Assess the effectiveness of the implemented mitigation measures. (The above actions should be taken within 1 working day after the exceedance is identified)	Discuss with IEC, ET and Contractor on the proposed mitigation measures; Request Contractor to critically review the working methods; Make agreement on the mitigation measures to be implemented; Assess the effectiveness of the implemented mitigation measures; Consider and instruct, if necessary, the Contractor to slow down or to stop all or part of the marine work until no exceedance of Limit level. (The above actions should be taken within 1 working day after the exceedance is identified)	Inform the ER and confirm notification of the non-compliance in writing; Rectify unacceptable practice; Check all plant and equipment; Consider changes of working methods; Discuss with ET, IEC and ER and propose mitigation measures to IEC and ER within 3working days; Implement the agreed mitigation measures; As directed by the Engineer, to slow down or to stop all or part of the marine work or construction activities. (The above actions should be taken within 1 working day after the exceedance is identified)

Event and Action Plan for Odour Patrol

Event	ACTION									
	Person-in-charge of Odour Monitoring	Implementation Agent Identified by CEDD								
Action Level										
Exceedance of Action Level	Identify source/reason of exceedance; Repeat odour patrol to confirm finding.	 Carry out investigation to identify the source/reason of exceedance; Rectify any unacceptable practice Implement more mitigation measures if necessary; Inform EPD or MD if exceedance is considered to be caused by expedient connections or floating debris. 								
Limit Level		· · ·								
Exceedance of Limit Level	Identify source / reason of exceedance; Repeat odour patrol to confirm findings; Increase odour patrol frequency; If exceedance stops, cease additional odour patrol.	 Carry out investigation to identify the source/reason of exceedance. Investigation shall be completed within 2 weeks; Rectify any unacceptable practice; Formulate remedial actions; Ensure remedial actions properly implemented; If exceedance continues, consider what more/enhanced mitigation measures shall be implemented; Inform EPD or MD if exceedance is considered to be caused by expedient connections or floating debris. 								

Appendix 6.2

Summary for Notification of Exceedance



Ref no.	Date	Tidal	Location	Parameters (Avg.)	Measured	Action Level	Limit Level	Follow-up	
X_W316	7-Apr-12	Mid-Flood	WSD21	DO (mg/L)	3.79	3.17	2.63	Possible reason:	Natural variation or changes of water quality in the vicinity of the water quality monitoring station
				Turbidity	6.16	10.01	11.54	Action taken / to be taken:	Checking with contractor's works on 7 April, the marine works below were undertaken: - Welding at New Ferry Pier - Welding and connection of pipes at WCRs Reviewing the results at the monitoring stations nearer than WSD 21, no exceedance was recorded. Checking with the contractor's inspection record, the silt screen and silt curtain were in proper condition on 7 April.
				Suspended Solid	17.00	16.26	19.74	Remarks / Other Obs:	In view that the water quality at monitoring stations located nearest the marine work site were well below Action level and the silt screen and silt curtain were in proper condition, the exceedance was considered not project related exceedance.
X_W317	10-Apr-12	Mid-Flood	WSD21	DO (mg/L)	5.71	3.17	2.63	Possible reason:	Natural variation or changes of water quality in the vicinity of the water quality monitoring station
				Turbidity	10.90	10.01	11.54	Action taken / to be taken:	Checking with contractor's works on 10 April, the marine works below were undertaken: -Formwork erection and reinforcement fixing inside water tanks in Reprovisioned Wan Chai Ferry Pier - Installation of steel casing for water diversion in WCR2 Area - Sheet piling at the eastern portion of WCR1(near the eastern temporary seawall) Reviewing the results at the monitoring stations nearer than WSD 21, no exceedance was recorded. Checking with the contractor's inspection record, the silt screen and silt curtain were in proper condition on 10 April.
				Suspended Solid	7.00	16.26	19.74	Remarks / Other Obs:	No further exceedance was recorded in the next consecutive monitoring. In view that the water quality at monitoring stations located nearest the marine work site were well below Action level and the silt screen and silt curtain were in proper condition, the exceedance was considered not project related exceedance.
X_W318	10-Apr-12	Mid-ebb	WSD19	DO (mg/L)	6.30	3.17	2.63	Possible reason:	Possible runoff from the non-project related construction activities
				Turbidity	8.26	10.01		Action taken / to be taken:	The tidal direction was moving eastward. Checking with contractor's works on 10 April, the marine works below were undertaken: - Dredging of type 2 sediment at HKCEC water channel Reviewing the results at the monitoring stations nearer than WSD 19, no exceedances of turbidity and SS were recorded. Non-project related construction activities were found around WSD19 during monitoring. Possible runoff from the non-project related construction activities could cause rise in SS level. Checking with the Contractor's inspection record, the silt screen was in proper condition on 10 April
				Suspended Solid	21.00	16.26	19.74	Remarks / Other Obs:	No further exceedance was recorded in the next consecutive monitoring. In view that the water quality at monitoring stations located nearest the marine work site were well below the Action level and the silt screen was in proper condition, the exceedance was considered not project related.
X_W319	27-Apr-12	Mid-flood	WSD21	DO (mg/L)	5.22	3.17	2.63	Possible reason:	Natural variation or changes of water quality in the vicinity of the water quality monitoring station



Ref no.	Date	Tidal	Location	Parameters (Avg.)	Measured	Action Level	Limit Level	Follow-up	
				Turbidity	12.95			Action taken / to be taken:	Checking with contractor's works on 27 April, the marine works below were undertaken: 1. Formwork erection and reinforcement fixing inside water tanks in Reprovisioned Wan Chai Ferry Pier; 2. Installation of steel pipe and driving sheet pile wall at 'Well B' for SHK for reclamation at WCR-2. Reviewing the results at the monitoring stations nearer than WSD 21, no exceedance was recorded. Checking with the contractor's inspection record, the silt screen and silt curtain
				Suspended Solid	16.00	16.26	19.74	Remarks / Other Obs:	were in proper condition on 27 April. In view that the water quality at monitoring stations located nearest the marine work site were well below the Action level and the silt screen was in proper condition, the exceedance was considered not project related.



Ref no.	Date	Tidal	Location	Parameters (Unit)	Measured	Action Level	Limit Level	Follow-up action	
X_10C379	5-Apr-12	Mid-flood	C7	DO (mg/L)	3.37	3.02	2.44	Possible reason:	Trapping unknown debris inside the silt screen
				Turbidity	20.25	11.35	12.71	Action taken / to be taken:	Immediate repeated in-situ measurements were conducted to confirm the exceedances of turbidity. According to the information reported by Contrator HY/2009/15,filling behind seawall block at ME4 was conducted on 5 April 2012. During the daily silt screen and silt curtain inspection conducted by Contractor on 5 April, the floating debris inside silt screen was found and removed immediately after inspection. The silt screen and silt curtain were observed in proper condition during water monitoring.
				Suspended Solid	10.00	18.42	27.54	Remarks / Other Obs:	No further turbidity exceedances was recorded in the next consecutive monitoring. The exceedance was considered in relation to the accumulation of unknown debris inside the silt screen. Thus, it was considered not project related exceedance.
X_10C380	5-Apr-12	Mid-flood	C2	DO (mg/L)	4.35	3.02	2.44	Possible reason:	Natural variation or changes of water quality in the vicinity of the water quality monitoring station
				Turbidity	12.90	11.35	12.71	Action taken / to be taken:	Immediate repeated in-situ measurements were conducted to confirm the exceedances of turbidity. According to the information reported by Contrator HK/2010/06 and Contractor HK/2009/01 on 5 April, drilling of pile head concrete, sheet piling works and welding works at eastern staging platform under HK/2010/06, and backfilling at VIP area and dredging water channel under HK/2009/01were conducted on that day. The silt screen and silt curtain inspection conducted by Contractor and RSS were in proper condition.
				Suspended Solid	3.50	18.42	27.54	Remarks / Other Obs:	No further turbidity exceedance was recorded in the next consecutive monitoring. In view that silt screen and silt curtain were in proper condition for the dredging work. Thus, it was considered not project related exceedances.
X_10C381	5-Apr-12	Mid-Ebb	C4w	DO (mg/L)	2.60	3.02	2.44	Possible reason:	Possible in relation to the low flow and low water depth during ebb tide
				Turbidity	1.75	11.35	12.71	Action taken / to be taken:	Immediate repeated in-situ measurements had conducted to confirm the exceedance. Repeated the measurement to confirm the result. No odour nuisance was detected during DO monitoring. Checked with contractor works, there were backfilling at VIP area and dredging at water channel on 5 April 2012. Silt screen and silt curtain were in proper condition.
				Suspended Solid	<2	18.42	27.54	Remarks / Other Obs:	No further DO exceedance was recorded in the next consecutive monitoring. In view that silt curtains for dredging work were in proper condition and no odour was detected during monitoring, it was considered not related to Project works.

Ref no.	Date	Tidal	Location	Parameters (Unit)	Measured	Action Level I	Limit Level	Follow-up action	
X_10C382	20-Apr-12	Mid- Flood	C5w	DO (mg/L)	5.26	3.02	2.44	Possible reason:	Natural variation or changes of water quality in the vicinity of the water quality monitoring station
				Turbidity	6.38	11.35	12.71	Action taken / to be taken:	Checking the works conducted near the monitoring station, there were marine activites conducted on 20 Apr below undertaken: 1. Formwork erection and reinforcement fixing inside water tanks in Reprovisioned Wan Chai Ferry Pier 2. Welding work for 'Well C' underwater, welding steel tank for outfall pipe1,2 for reclamation at WCR-2. Checking with the contractor's inspection record, the silt screen and silt curtain were in proper condition.
				Suspended Solid	22.50	18.42	27.54	Remarks / Other Obs:	In view that the water quality at monitoring stations located nearest the marine work site at
									WSD21 was well below Action level and the silt screen at C5w was in proper condition, the exceedances was considered not project related.
X_10C383	23-Apr-12	Mid- Flood	C5e	DO (mg/L)	5.29	3.02	2.44	Possible reason:	Possible to inrelation to cleaning of silt screen at SHK and Wan Chai WSD Pumping Station was recorded on 23 Apr 2012.
				Turbidity	3.56	11.35	12.71	Action taken / to be taken:	Checking the works conducted near the monitoring station, there were marine activites conducted on 23 Apr below undertaken: 1. Formwork erection and reinforcement fixing inside water tanks in Reprovisioned Wan Chai Ferry Pier; 2. Cleaning of silt screen at SHK & Wan Chai WSD Pumping Station 3. Installation of steel pipe and plate for reclamation at WCR-2. Checking with the contractor's inspection record, the silt screen and silt curtain were in proper condition.
				Suspended Solid	19.00	18.42	27.54	Remarks / Other Obs:	The exceedances was possibly due to cleaning of silt screen at the SHK and Wan Chai WSD pumping station. Materials from the cleaning of silt screen was unavoidably collected during monitoring. No further exceedance was recorded in the next consecutive monitoring. The exceedance was considered as not project related.
X_10C384	25-Apr-12	Mid- Flood	C5e	DO (mg/L)	5.36	3.02	2.44	Possible reason:	Possible to inrelation to cleaning of silt screen at SHK and Wan Chai WSD Pumping Station was recorded on 25 Apr 2012.
				Turbidity	14.55	11.35	12.71	Action taken / to be taken:	Immediate repeated in-situ measurements were conducted to confirm the exceedances of turbidity. Checking the works conducted near the monitoring station, there were marine activites conducted on 25 Apr below undertaken: 1. Formwork erection and reinforcement fixing inside water tanks in Reprovisioned Wan Chai Ferry Pier 2. Cleaning of silt screen at SHK & Wan Chai WSD Pumping Station 3. Installation of steel box for outfall of SHK and steel pipe for reclamation at WCR-2. Checking with the contractor's inspection record, the silt screen and silt curtain were in proper condition on 25 April.
				Suspended Solid	24.55	18.42	27.54	Remarks / Other Obs:	The exceedances was possibly due to cleaning of silt screen at SHK and Wan Chai WSD pumping station. Materials from the cleaning of silt screen was unavoidably collected during monitoring. No further exceedance was recorded in the next consecutive monitoring. The exceedance was considered as not project related.
X_10C385	25-Apr-12	Mid- Flood	C5w	DO (mg/L)	5.29	3.02	2.44	Possible reason:	Possible inrelation to cleaning of silt screen at SHK and Wan Chai WSD Pumping Station was recorded on 25 Apr 2012.
				Turbidity	13.43	11.35	12.71	Action taken / to be taken:	Immediate repeated in-situ measurements were conducted to confirm the exceedances of turbidity. Checking the works conducted near the monitoring station, there were marine activites conducted on 25 Apr below undertaken: 1. Formwork erection and reinforcement fixing inside water tanks in Reprovisioned Wan Chai Ferry Pier 2. Cleaning of silt screen at SHK & Wan Chai WSD Pumping Station 3. Installation of steel box for outfall of SHK and steel pipe for reclamation at WCR-2. Checking with the contractor's inspection record, the silt screen and silt curtain were in proper condition on 25 April.



Ref no.	Date	Tidal	Location	Parameters (Unit)	Measured	Action Level	Limit Level Follow-up action	
				Suspended Solid	6.4	18.42	2 27.54 Remarks / Other Obs:	The exceedances was possibly due to cleaning of silt screen at the pumping station. Materials from the cleaning of silt screen was unavoidably collected during monitoring. No further exceedance was recorded in the next consecutive monitoring. The exceedance was considered as not project related.

Action Level - Value highlight in blue colour Limit Level - Value highlight in red colour



Ref. No.	Date	Time	Location	Construction Noise Level	Unit	Action Level	Limit Level	Follow-up action	
X_10N089	2-Apr-12		M6 - HK baptist Church henrietta Secondary School		Leq(30-min)	when one documented complaint	65	Possible reason:	No construction activity and traffic nearby was observed during monitoring. Traffic noise contributed as a major noise source during monitoring.
				71		was received.			
								Action taken / to be taken:	Reviewed the trend of noise measurement results and analysis of contractor's working procedure. Review the basline noise level at this monitoring station.
								Remarks / Other Obs:	No construction work for Contract no. HY/2009/19 was conducted during the measurement; it is concluded that the exceedance was not due to the Project but to traffic noise nearby.

Appendix 7.1

Complaint Log

Environmental Complaints Log

Complaint Log No.	Date of Complaint	Received From and Received By	Location of Complainant	Nature of Complaint	Outo	come	Status
100321a	21/3/2010	ICC Case no. 1-224618029, Ms. Tsang	Location near Tin Hau	Complaint regarding the loud noise and dark smoke in the course of dredging works on 21 March 2010 (Sunday).	'	A valid Construction Noise Permit no. GW-RS0119-10 was granted from EPD since 18 th Feb. 2010 for the dredging works which carry out at area for North Point Reclamation.	Closed
					2)	Officer from Marine Department, Police and EPD's officer attended the scene for inspection and investigation.	
						The Contractor (CHEC-CRBC JV) strictly comply all the conditions in CNP and take all mitigation measures in order to minimize the potential impacts to surrounding sensitive receivers. A formal letter was issued out by CHEC-CRBC JV and to explain the status of the recent construction activities.	
					,	No limit level exceedance was recorded on the noise measurement during day time and evening time noise measurement on 23 March 2010. Additional restrict hours noise monitoring at Causeway Bay Community and City Garden was conducted on 5 April 2010 (Public Holiday). No limit level exceedance was recorded in the monitoring.	
					5)	No further complaints were received from Mr. Tsang in the reporting month. The complaint is considered closed.	
100321b	21/3/2010	Unknown	breakwater of the	regarding loud noises emanated from dredging activities on 21/3/2010 (Sunday) until 2220 hours and between 1920-1946 hours in the evening of 22 March		A valid Construction Noise Permit no. GW-RS0119-10 was granted from EPD since 18 th Feb. 2010 for the dredging works at area for North Point Reclamation during general holidays including Sunday between 0700-2300 hours and any day not being a general holiday between 1900-2300hours. It is complied with the condition of CNP.	Closed
				2010(Monday).	2)	Officer from Marine Department, Police and EPD's officer attended the scene for inspection and investigation.	
						No limit level exceedance was recorded on the noise measurement during day time and evening time noise measurement on 23 March 2010. Additional restrict hours noise monitoring at Causeway Bay Community and City Garden was conducted on 5 April 2010 (Public Holiday). No limit level exceedance was recorded in the monitoring.	
						No further complaints were received in the reporting month. The complaint is considered closed.	



Complaint Log No.	Date of Complaint	Received From and Received By	Location of Complainant	Nature of Complaint	Out	tcome	Status
100504	4/5/2010	Public complainant received by ICC (ICC case: 1- 233384048)	Watson Road	Complaint on the noise nuisance due to the large scale of dredging machine (face to Island East Corridor) in particular the hours 1900 to 0800 and request to reduce the noise level.	1)	Contractor for HY/2009/11 was granted valid Construction Noise Permit no. GW-RS0119-10 for their dredging works. Contractor has implemented mitigation measures to reduce the working hour not later than 2230. According to RSS 's record, no more daytime and night time dredging since the departure of the split hopper barge from the workplace on 29 April 2010 at 1900 hrs to 5 May 2010.	Closed
					3)	No further complaints were received in the reporting month. The complaint is considered closed.	
100731	31/7/2010	Mr. Lee received by ICC (CC Case: 1-250702681)		Complaint on the noise nuisance due to the dredging works. Three construction plants were operated concurrently.	1) 2) 3)	Contractor for HY/2009/11 was granted valid Construction Noise Permit no. GW-RS0371-10 for their dredging works. There was only 1 grab dredger operated by Contractor within NPR project site area for dredging works. No noise exceedance was recorded at noise monitoring station at Victoria Centre on 27 July and 3 August 2010 during daytime and evening time period.	Closed
					4)	It is considered as invalid from the EP and CNP point of view.	
100812	12/8/2010	Mr. Wong, Harbour Heights (Management) Ltd.	Harbour Heights	Management office received their resident complained on the noise nuisance from the dredging works at the marine	1)	Contractor for HY/2009/11 was granted valid Construction Noise Permit no. GW-RS0371-10 for their dredging works. Contractor has implemented mitigation measures to reduce the working hour not later than 2230.	Closed
	works area adjacent to the Harbour Height during the period from 0700 to 2200.		2)	No noise exceedance was recorded at noise monitoring station at Victoria Centre on 10 and 17 August 2010 during daytime and evening time period.			
					3)	It is considered as invalid complaint. No further complaints were received in the reporting month. The complaint is considered closed.	



Complaint Log No.	Date of Complaint	Received From and Received By	Location of Complainant	Nature of Complaint	Out	come	Status
101108	8/11/2010	Mr. Nip received by ICC (CC Case)	Sai Wan Ho	Visual concern around the seaside silt screen outside the WSD freshwater intake pump at Sai Wan Ho (Monitoring station ref no WSD15)	1)	Contractor for HY/2009/11has been regular checked of condition and removal of trapped rubbish before the dismantling of the floating silt screen to be replaced by wall mount silt screen.	Closed
					2)	Follow-up action had been immediately carried out to check and clear the floating refuse around the seaside silt screen after receipt of the complaint.	
					3)	Removal of seaside silt screen outside the WSD freshwater intake (WSD15) by contractor HY/2009/11 was checked and confirmed dated 9 November 2010. Silt screen has been deployed into the existing steel frame at WSD15 for the protection of WSD salt water intake.	
101110	10/11/2010	Mr. Wong, Harbour Heights (Management) Ltd.	Harbour Heights	Management office received their resident complained on the noise nuisance from the power mechanical equipment during the 0700 to 2200hrs	,	Contractor for HY/2009/11 was granted valid Construction Noise Permit no. GW-RS0870-10 for their dredging works during evening time. Contractor has implemented mitigation measures to reduce the working hour not later than 2230.	Closed
					2)	No noise exceedance was recorded at noise monitoring station at Victoria Centre on 4 and 10 November 2010 during daytime and evening time period.	
					3)	It is considered as invalid complaint. No further complaints were received in the reporting month. The complaint is considered closed.	
101203	3/12/2010, 01:45a.m.	The resident of Block 11, City Garden by ICC referral from Marine	North Point	Bad odour was generated from the dredging plant off North Point	1)	The first investigation was carried out by Marine Department patrol in the morning on 3 Dec 2010 at around 10:00 and revealed that a few working barges were anchoring in the vicinity without carrying out dredging work.	Closed
		Department			2)	A further specific investigation inspection on contractor's backhoe barge in the vicinity of City Garden was jointly conducted with Engineer Representatives (AECOM/RSS), and ET on 8 Dec 2010 at 11:30. No bad odour was noted during the investigation.	
					3)	Routine dredging operation of the backhoe barge was performed during the jointed investigation inspection and it was revealed that no bad odour was attributed by the dredged materials inspected.	
101206	6/12/2010	Ms Lui, the resident of 27/F, Block 10, City		Two barges were generating noise at 22:00 on 6 December 2010 in which the noise from	1)	ET confirmed the following information with resident site staff on the complaint: • It was referred to the filling operation at North Point	Closed



Complaint Log No.	Date of Complaint	Received From and Received By	Location of Complainant	Nature of Complaint	Outcome	Status
		Garden by ICC (ICC case: 1- 266039336)		filling operation was louder than the traffic noise & visual impact was generated due to the spotlight pointing directly to the complainant flat, suspected the filling operation was part of Wanchai Development Phase II; Complainant also raised the same complaint to District Councillor, Mr. Hui on 7 Dec 2010 regarding the night-time noise and suspected earlier start of work at 06:30. Complaint also requested for limiting the plant operating hours from 09:00-21:00.	Reclamation of Central Wan Chai Bypass site area instead of part of Wanchai Development Phase II; • Two derrick barges were in operation at the time of complaint for placing 400 rockfill onto the excavation trench and for levelling the formation level to receive the pre-cast caisson seawall; • Flood light on the control mast of derrick barge have no lighting shields for the prevention of glare of flood lights; • No starting work on 7 Dec 2010 at 0630hours. 2) PME used in restricted hours were checked and confirmed compliant with valid CNP no. GW-RS0870-10. The noise level recorded on 6 Dec 2010 was complied with the noise criteria during restricted hour; 3) It was found that the occasional noise nuisance might be caused by the hitting or scratching onto the rock surface during loading down the grab onto the Grade 400 rockfill; 4) The absence of the lighting shields at flood light results in visual glare to the complainant at night-time. 5) Contractor was advised to minimize the finishing time of placing Grade 400 rockfill at 2100hrs and switch off all unnecessary flood lights apart from the light for the safety and security purpose; 6) No further complaint was received after implementation of proposed measures	
110415	15/04/2011	The resident, Mr Law at Victoria Centre by ICC (ICC#1- 281451236)	North Point	A dust generation and a concern of mosquitoes breeding complaint in which suspected the filling operation was part of North Point Reclamation.	 The concerned stockpile was a working stockpile under Contract HY/209/15 and was covered at night time after work. Water spraying on the haul road and potential dust generating material at least 4 times a day was conducted by contractor that complies with the requirement. It is considered invalid but preventive actions can be taken because the stockpile is relatively large and easily visible by complainant. It was recommended that increasing the frequency of water spraying shall be conducted to all potential dust generating materials and activities. Besides, Contractor should consider to cover the idle part of the stockpile The concern of mosquitoes breeding is out the scope of EM&A, the follow-up action is not reported in this monthly EM&A report. 	Closed



Complaint Log No.	Date of Complaint	Received From and Received By	Location of Complainant	Nature of Complaint	Out	come	Status
110419	19/04/2011	Ms Chiu at Victoria Centre at Victoria Centre by ICC (ICC# 1- 272874759)	North Point	The episode of night noise on 19/4/11 and 20/4/11 at 2:50 am and the noise lasted for 30 minutes per night.	1) 2) 3)	According to the RSS's record, there was no construction works undertaken under the EP-356/2009 during the concern time period. There was no abnormal real-time noise monitoring data recorded in RTN1 - FEHD Hong Kong Transport Section Whitefield Depot which is next to the Victoria Centre. It is considered as invalid complaint under this Project.	Closed
110617	9/06/2011	Mr. Law from Victoria Centre Management Office	North Point	An odour nuisance suspected generating from the discharge point – Channel T at Watson Road in part of the site area was related to CWB under Contract no. HY/2009/11	0)	The complaint was received by ET on 13 Jun 2011. During the weekly site inspection on 7 and 17 June 2011, there was no any odour impact detected in the site area. According to the site record, there was muddy water discharged from the unknown source at upstream of Channel T during heavy rainstorm. No any site surface runoff to the Channel T and out of site boundary was observed in the inspection.	Closed
					3)	In order to prevent muddy water washing out to the water body under heavy rainstorm, a silt curtain was installed at the outfall of the channel by Contractor. ET confirmed with the Resident Site Staff that a silt curtain was installed at the outfall of the channel to prevent muddy water washing out to the water body under heavy rainstorm. Besides, regular cleaning of refuse in the channel has been conducted by Contractor.	
					4)	A further site investigation on 28 June 2011 revealed that no odour nuisance was detected at the upstream of the Channel T and no source of odour nuisance was identified at site. As such, it was concluded that the source of odour nuisance was not related to the Project works.	
					5)	Although no source of odour nuisance was identified at site, the muddy water and dirt from the unknown source at upstream of Channel T may cause a potential smell during low tide and low water flow. Contractor was reminded to remove the silt curtain at the channel on non-rainy day so as to avoid the accumulation of the sediment and dirt in the water channel.	



Complaint Log No.	Date of Complaint	Received From and Received By	Location of Complainant	Nature of Complaint	Out	come	Status
110709	09/07/2011	Mr. Au from City Garden Management Office	North Point	A complaint letter to Contractor HY/2009/11 was raised by Cayley Property Management Limit on 9 July 2011 regarding a series of pump breakdown events at seawater intake of City Garden on 4, 6, 7 and 8 July 2011. A lot of rubbish such as plastic bags, nylon bags, nylonwire mesh was observed sucking from the seawater intake at the seawater front of Block 7 of City Garden affecting the operation of seawater pump plant.	2)	Contractor conducted formation works for installation of caisson seawall at C27, C28, C29 and C30 on 4, 6, 7 and 8 July 2011 and no dredging work was conducted during this time period Water mitigation measures of an 80m long silt curtain at the site boundary in front of City Garden Relocation of silt curtain and silt curtain at the outfall of the channel were provided and maintained to accommodate the site works. All vessels are equipped with rubbish collection facilities and disposed the rubbish regularly. Also, daily cleaning actions had been taken by contractor to minimize floating refuse within the site boundary. Moreover, it has been reported several times that discharged from outfall pipeline outside the site boundary near the intake of the pump maybe considered as another source of rubbish generation. Referring to the record provided by Cayley Property	Closed
					,	Management Limit, the trapped rubbish was unlikely generated from the construction works. It was considered that complaint is invalid and not related to project.	
110710	09/07/2011	Complainant by ICC (ICC no. 1-301520309	North Point	It was received at 00:56 on 10 July 2011. There was complained a derrick barge unloading rockfill material off the shore facing the Harbour Grant HK Hotel causing noise nuisance.	',	ET confirmed with the Resident Site Staff that the complaint was referred to Contract HY/2009/15 for the loading and unloading of fill material at two barges operation in the sea at around 300m adjacent to Island Eastern Corridor (Oil Street Chainage) where is outside the Site of HY/2009/15 in the period of around 19:45 on 9 July to 1:00 on 10 July 2011.	Closed
					2)	The material loading and unloading operation processed in restricted hours was checked without a valid CNP. It was found that the operation was due to an unexpected water leakage of the hopper barge and considered an incident.	
					3)	According to the incident report provided from RSS on 20 July 2011, around 7:30 pm the barge S22 was inclined slightly and slightly water leakage might occur. Due to marine safety concern, the hopper barge would open the hopper to release the contained materials in order to reduce the weight and stabilize the barge. In consider of slight water leakage, the operator decided to use the nearby Derrick Barge ST32 to help for unload the general fill materials first and the unloading operation was started at around 7:45pm, and end at around 1:00 am. Contractor was reminder to provide frequent check of vessel condition	



Complaint Log No.	Date of Complaint	Received From and Received By	Location of Complainant	Nature of Complaint	Out	tcome	Status
						so as to prevent recurrent by barge defect	
110723a	23/07/2011	Ms. Law at Victoria Centre by ICC no. 1- 303887687	North Point	She concerned that Highways Department published a notice in their Management Office about construction works will be conducted from 0700 hours to 2300 hours during July to December 2011 including Saturday, Sunday and public holiday.	1) 2) 3)	It was referred by AECOM to ET on 28 July 2011 RSS confirmed that the notice was prepared by Victoria Centre's Management office to their resident and the advice was only given on the extension construction works (for Contract HY/2009/15) to 7am-9pm from Monday to Saturday except Public Holidays and Sundays. As a mitigation measure to minimize the noise nuisance in the vicinity of the residents, rock breaking activities will be	
				Holiday.	4)	started at 8am and is expected to be completed by mid-August 2011. No noise exceedance was recorded at construction noise monitoring station at Victoria Centre on 19 and 25 July 2011 during daytime while breaking and excavation works were undertaken during monitoring.	Closed
			5)	In conclusion, it was related to the construction works under Contract HY/2009/15 and mitigation measure was provided. The complainant was satisfied with the arrangement and no further complaint was received after proposed measures.			
110723b	23/07/2011	Ms. Yau at Block	North Point	Reclamation work was conducted at Causeway Bay	1)	It was referred by AECOM to ET on 8 August 2011	
		2, Victoria Centre by ICC no. 1- 304013959		Typhoon Shelter at 7am on 23 July 2011. She complained that the works shall be started later to minimize the noise nuisance	2)	With reference to the construction noise monitoring at Vitoria Centre, no exceedance was recorded on 19 and 25 July 2011 during daytime while breaking and excavation works were undertaken during monitoring	
				to the vicinity of the residents in early morning		Closed	
				4)	In conclusion, it was related to the construction works under Contract HY/2009/15 and mitigation measure was provided. The complainant was satisfied with the arrangement and no further complaint was received after proposed measures.		
110727a	27/07/2011	Mr. Law from Victoria Centre Management Office by ICC no. 1-304616162	North Point	It was complained by Mr. Law from Victoria Centre Management Office on 27 July 2011 regarding construction noise generated by the construction operations of	1) 2) 3)	It was referred by AECOM to ET on 28 July 2011 RSS confirmed to start the rock breaking activities for Contract HY/2009/15 at 8am as a mitigation measure to minimize the noise nuisance in the vicinity of the residents. No noise exceedance was recorded at construction noise	Closed



Complaint Log No.	Date of Complaint	Received From and Received By	Location of Complainant	Nature of Complaint	Outcome	Status
				Central-Wanchai Bypass at noon rather than in morning at 7am.	monitoring station at Victoria Centre on 25 July and 4 August 2011 during daytime while breaking and excavation works were undertaken during monitoring.	
					 In conclusion, it was related to the construction works under Contract HY/2009/15 and mitigation measure was provided. No further complaint from complainant was received after proposed the mitigation measure. 	
110727b	27/07/2011	Ms. Chiu by ICC	North Point	Noise nuisance from the excavation works for the	1) It was referred by AECOM to ET on 28 July 2011	
		no.1-304615409		Highways Department adjacent to the Victoria Centre was conducted from 7am	With reference to the construction noise monitoring at Vitoria Centre, no exceedance was recorded on 25 July and 4 and 10 August 2011 during daytime while breaking and excavation works were undertaken during monitoring.	
					 As a mitigation measure to minimize the noise nuisance in the vicinity of the residents, rock breaking activities will be started at 8am. 	
08/0	08/08/2011	8/2011		4) However, complainant did not satisfy with the response on the noise nuisance from the rock-breaking during morning in front of Victoria Centre and then further complaint via 1823 on 7 August 2011.	Closed	
					5) Highways contacted the complainant on 15 August 2011 that the noisy rock breaking operation had been completed.	
				Remarks: There will be counted as two complaints in this complaint log.		
110810	10/08/2011	Mr. Yip by ICC	North Point	Muddy water was discharged from work site to the seafront	It was referred by AECOM to ET on 17 August 2011. (Closed
	306740207 ne ra pr		near Oil Street during heavy rain. The environmental protection measures were not good enough and are needed to rectify.	2) Confirmed with RE, Muddy water was caused by a heap of earth being washed to the sea by heavy rain. The heap of earth was referred as a small stockpile placed close to the seafront in front of Oil Street within the site area under handover transition period from contract HY/2009/11 to contract HY/2009/19. The necessary mitigation measures to protect the small stockpile against rainfall were missing at the time of complaint.		
			 Due to the missing of mitigation measures to protect the small stockpile during handover transition period, loose material was washed into the harbour when heavy rain came. Muddy water was formed and dispersed in the sea that caused the water quality and visual concern to the public. The complaint was considered as valid. Contractors were advised to relocate the loose materials 			



Complaint Log No.	Date of Complaint	Received From and Received By	Location of Complainant	Nature of Complaint	Out	come	Status
						away from the coastline as far as practicable. Any loose material placed which needed to be placed near the coastline shall be properly compacted or covered as appropriate. To avoid any further environmental deficiency, Contractors shall ensure all necessary environmental mitigation measures will not be missing during site area handover.	
110826	26/08/2011	Grand Hyatt and a complainant by ICC	Wan Chai	Construction noise and vibration nuisance generated from the works at Convention Avenue and inside the HKCEC1 reclamation area.	1) 2) 3)	Confirmed with the Resident Site Staff that the construction works were referred to the Contractor HK/2009/01. The Excavator mounted breaker at Convention Avenue and Drilling rig at HKCEC1 reclamation area were the dominant construction noise source during this period. The drilling rig at HKCEC1 reclamation area and excavator mounted breaker at Convention Avenue were then	
					4)	temporary suspended after received the complaint. Investigation revealed that the erected noise barrier (4m cantilevered movable noise barrier for the drilling rig and 1m movable noise barrier for the excavator mounted breaker) were not located close to the plants to provide adequate noise screening.	Closed
					5)	Contractor was advised to avoid concurrent operation of construction plants at site. Further enhancement of movable noise barriers at HKCEC1 and providing noise enclosure for the excavator mounted breaker at Convention Avenue are needed.	
					6)	Further site investigation and checking on 31 August and 7 September 2011 revealed that the implemented noise mitigation measures were in proper and minimize the noise impact.	
110826A	26/08/2011	A complaint letter from Mr. Au of Cayley Property of City Garden	North Point	Harbor front adjacent to their cooling water intake suction which caused 3 times of system breakdown of the sea water pump on 9, 22 and 25 August 2011.	1)	It was referred by AECOM to ET on 29 August 2011. Confirmed with the Resident Site Staff that the • construction works were referred to the Contractors HY/2009/11 and HY/2009/19. • The pump is located on the site area of HY/2009/19 • A temporary garbage defender was installed on 23 July 2011 by HY/2009/11 and the shape of the defender was adjusted on 8 August 2011 in order to excluse the outfall.	Closed
						 An ad hoc inspection of the effectiveness of garbage defender was conducted with RSS (CWB project 	

111014

14/10/2011

The

complainant,

hotline 1823

complained via

Tam

Wan Chai

Complaint Log No.	Date of Complaint	Received From and Received By	Location of Complainant	Nature of Complaint	Outcome	Status
					team), contractor of HY/200911 and HY/20 IECon 29 August 2011. Inspection report of submitted to RSS on 19 September 2011.	
					 Daily cleaning near the water intake was co twice a day by contractor HY/2009/19. 	nducted
					 In response to City Garden request, the cor have set up the temporary garbage defende function and collect the floating refuses, but eliminate all refuses, in particular the refuse from the seabed 	er in cannot
					 According to the complaint letter from Cayley P the outcomes of the preventive measures were complying wih their expectation. 	
					3) During on-site inspection, floating refuses obse occasionally outside the garbage defender. No could be made for the source of these floating r the other hand, some of the refuses were obser floating behind the garbage defender during inv	conclusion efuses. On ved
					All daily cleaning actions had been taken by comminimize floating refuse inside the construction	
					5) It was noted that the cooling water intake was a to the public. As such, fish breeding and fishing were observed even though a notice has alread Also, tripping of rubbish by the passers-by could a lot of rubbish accumulated around the intake	activities y hoisted. I result in
					6) Referring to the record provided by CPML, there lot of nylon/ plastic bags and nylon wire mesh the matched those rubbishes generated from the practivities.	at
					7) Contractors have fulfilled the requirement of site cleanness and no exceedance was recorded do Water Quality Monitoring. It is consider the cause complaint is not related to project and environment issue in this project as well. No more complaint	ring se of this ental

The polluted fumes and

exhaust from the excavation by

sub-contractor of CEDD on

pedestrian way outside no.25

Harbour Road (in front of the

Harbour Centre)

after ad-hoc inspection

1)

2)

RSS notified ET to carry out investigation on 17 October

ET confirmed with the Resident Site Staff that the location

of the excavator was within site area of Contract no.

reprovision works along the Harbour Road. The plants including the excavator have been checked before using

HK/2009/02 undertaking the water cooling main

Closed

lam	
am	Lam Ge

Complaint Log No.	Date of Complaint	Received From and Received By	Location of Complainant	Nature of Complaint	Outcome	Status
					at the site. However, the polluted fumes and exhausted from the excavator was caused due to insufficient maintenance of the plant after using at site. 3) After receiving the complaint, the excavator was then removal off-site for checking and maintenance works on 17 October 2011. 4) Contractor was reminded to enhance regular checking and maintenance to all plants at site. 5) RSS has replied to the complainant on the arrangement of the measures taken on 17 October 2011. Complainant was satisfied with the response and follow-up action taken by the Contractor.	
111104	04/11/2011	Mr. Liu from LCSD complained via Contractor Complaint Hotline	Wan Chai	Complain about a tree near the site of pipe installation works outside Wan Chai Swimming Pool at Harbour Road, the status is not healthy and roof ball of two trees inside the site near Renaissance Hong Kong Harbour View Hotel at Convention Avenue were half cut.	 ET confirmed with the Resident Site Staff that A tree near the site of pipe installation works outside Wan Chai Swimming Pool at Harbour Road is the Tree no. TA1122 under Contract no. HK/2009/02. Leaves of a branch of this tree were shrivelled. Two trees inside the site near Renaissance Hong Kong Harbour View Hotel at Convention Avenue are the tree nos. A160 and A161 under Contract no. HK/2009/01. Part of roof ball of these two trees was covered by the metal plate. Independent Tree Specialists for these two inspected the trees. Contractor HK/2009/01 has taken the measure as recommend downgrading the soil level around the trunk base. Reinstating of the ground works will be conducted in mid-December 2011. For the tree no. TA1122 under Contract no. HK/2009/02, the brown leaves were removed and fenced the tree with orange net is provided to prevent damage of tree trunk by construction works. The distance between the tree and the edge of the trench is kept approximate 2m. Two Contractors were reminded to carry out regular watering to the trees within their site area. 	Waiting RSS respond
111106	06/11/2011	Police officer	Wan Chai	Construction noise generated from the site at about 6:30 a.m on 6 November 2011 and require to stop the machine operation	According to the information reported by Contractor, one BC cutter and hoist were operated for Diaphragm Wall construction of Shatin-Central Link to inspect bentonite pipes and ensure no damages and all the joints are tightened in good position. Then, the subcontractor for Diaphragm wall, SAMBO Korean foreman stopped the engine of the BC cutter immediately. The police officer recorded the details and HKID number of the foreman and then left. Due to the different language communication between the police officer and the Korean foreman, no	Keep in view for three months from the date of complaint recevied



Complaint Log No.	Date of Complaint	Received From and Received By	Location of Complainant	Nature of Complaint	Ou	tcome	Status
					2)	CNP was checked by the police officer. ET confirmed with the Resident Site Staff that same issue was also raised out by RSS at about 7:00a.m on the same day. Besides, it was confirmed that there is no valid Construction Noise Permit for the conducted construction works in the period between 2300 and 0700.	
					3)	Due to insufficient communication between Contractor HK/2009/01 and their Korean Sub-contractor, Korean Sub-contractor had not notified to Contractor before carrying out the inspection of the BC cutter, hoists and bentonite pipes at about 6:00a.m to ensure no damages and all the pipe joints should be tightened and in good position.	
					4)	Contractor was advised to enhance the communication between Contractor and sub-contractor and provide sufficient environmental training to all foreman and operators on restricted hour operation. Futhermore, Construction Noise Permit should be checked and in place for the construction works during restricted hour	
					5)	This complaint was considered in relation to the conducted construction works during restricted hours without valid Construction Noise Permit. No more construction works were conducted during night time period. The construction works will be conducted in accordance with the time period stated in valid CNP. This complaint will be kept in view of any follow-up action from the relevant government activities.	
120405	05/04/2012	N/A	North Point	A complaint regarding excessive noise from construction sites of CBTS was observed daily before 7:30am except on public holidays, and the noise source was mainly from piling works. The complainant requested that construction works should start after 8:30am to avoid nuisance to nearby residents and a speedy follow-up and reply.	3)	RSS notified ET on 5 April 2012. ET confirmed with the Resident Site Staff that no piling works were performed during the concerned period. After reviewing the results of noise monitoring (M2b and M3a), no exceedance was recorded during daytime period and the noise level was below 75dB(A). Site inspection for HY/2009/15 was conducted on 10 April 2012. The condition of noise mitigation measures around CBTS was found satisfactory. RSS confirmed that no pilings were performed during the concerned period. The major works included drilling, diaphragm wall construction and excavations. HyD made a reply to the complainant on 16 April 2012 via	Closed
					')	1823. HyD replied that the current works at CBTS were drilling, diaphragm wall construction and deep excavations. In order to minimize the noise generated	



Complaint Log No.	Date of Complaint	Received From and Received By	Location of Complainant	Nature of Complaint	Outcome	Status
					from the above works, the Contractor had erected temporary noise barriers and provided noise blankets on plants. RSS would continue to work with the Contractor on the effectiveness of the environmental mitigation measures implemented on site. No further complaint was received after the response.	

Appendix 8.1

Construction Programme of Individual Contracts

	NPR3 ver.9.5 2011_11_21	Executive	Executive Summary			Data Date: 21-Nov-11				
rity ID	Activity Name	Original Duration	Remaining Duration	Start	Finish	Total Float			2011	
Reclam	nation in NPR3 ver.9.5 2011_11_21	115		21-Jul-11 A	19-Dec-11	-39	Sep	Oct	No	v De
Landsi		115	23	05-Aug-11 A	19-Dec-11	-39		!		
	tion Seawall Blocks to B6 and B7	55		13-Aug-11 A	18-Oct-11 A					
	ict the Concrete Coping at B6 and B7	82		13-Aug-11 A	07-Nov-11 A			<u> </u>		
	Geotextile & Filter Material	86		05-Aug-11 A	14-Nov-11 A	_		1	-	
	uct Open Channel U under IEC	33		23-Sep-11 A	30-Oct-11 A					·
	uct Open Channel U outside IEC	32		30-Sep-11 A	15-Dec-11	-36		<u> </u>		
	uct the Drainage Pipeline at West of Open Channel U	34		30-Sep-11 A	31-Oct-11 A		•	<u>¦</u> √ i	-	
	uct the Drainage Pipeline at East of Open Channel U	28		01-Nov-11 A	15-Dec-11	-31		1	-	
	ng Sorted Public Fill behind new seawall	53		15-Aug-11 A	20-Nov-11 A			<u> </u>	i	┥
Reclam	<u> </u>	98		13-Aug-11 A	19-Dec-11	-39				
Seasid	e	100		21-Jul-11 A	19-Dec-11	-39		1	-	-
	uction of Outlet Pipe from City Garden	54	20	12-Oct-11 A	19-Dec-11	-34		-	1	-
	uction of B8	13	13	15-Nov-11 A	09-Dec-11	-31		1	_	
			1					1		
								ı		
								-		
								-		
								-		
	tual Work	nmary	Pa	age 1 of 1	TASK filter: All Acti	ivities				


Contract No. HK/2009/01


Contract Title: Wan Chai Development Phase II - Central - Wan Chai Bypass at HKCEC

Working Programme for Marine Works (Dredging and Backfilling)

ACTIVITY	START	FINISH	2010	2011	2012	2013		
ACTIVITI	JIAKI	FIMSH	Feb Mar Apr Mar Jun Jul Aur Sep Oct No De	Jan Feb MarApaMa Jun Jul Au Sep Oct No De	Jan Feb Ma ApaMa Jun Jul Au Sep Oct No De	Jan Feb Mai AprMai Jun Jul Aus Sep Oct No Dec		
Submissions before Works Commencement								
Submit silt curtain deployment plan	31/3/10	31/3/10	•					
Submit silt screen deployment plan	31/3/10	31/3/10	•					
Submit measures to mitigate noise impact	31/3/10	31/3/10	•					
Cross Harbour Watermains from WCN to TST (DP6)								
Trench dredging for marine watermains installation	29/4/10	28/10/10						
Backfilling for watermain	28/1/11	14/12/11						
Reclamation Works at HKCEC Water Channel (DP3)								
Dredging at HKCEC Water Channel (Western Part)	1/6/10	1/8/10						
Backfilling to +3.5mPD (Western Part)	17/8/10	6/2/11		334				
Dredging at HKCEC Water Channel (Middle Part)	2/8/10	6/1/11						
Backfilling to +3.5mPD (Middle Part)	21/2/11	1/6/11						
Dredging at HKCEC Water Channel (Eastern Part)	1/12/12	31/12/12						
Backfilling to +3.5mPD (Eastern Part)	16/1/13	30/4/13						

Dredging & Reclamation Works Programme Summary (based on Initial Works Programme Rev. 0)





Activity ID	Cal	Activity Description	Orig	Early Start	Early Finish	2010 2011	2012	2013	2014	2015	2016	2017	
CBR1E (T	S1 Area		501	Ottare	Timon								
105	1	TCBR1E(TS1)-dredging+rockfill(prep. for seawall)	86	03DEC10*	26FEB11	TCBR1E(TS	1)-dredging+rock	dill(prep. for se	awall)				
110	1	TCBR1E (TS1)-temporary reclamation	69	28JAN11*	06APR11		TS1)-temporary re	All the second s					
155	TCBR1E (TS1)- removal of temporary reclamation		27 30JAN12*		25FEB12				emporary reclama	ation			
CBR4					*				inporting resident				
100	1	Maintenance dredging for navigation safety for	7	20NOV10*	26NOV10	Maintenance dre	edging for naviga	tion safety for	relocation of RHK	YC mooring at	Area B		
CBR2 + TO	CBR3 (TS2 Area)								y a mooning at			
115	1	TCBR2&TCBR3(TS2)- Maintenance dredging for	5	15NOV10*	19NOV10	ITCBR2&TCBR3(TS2)- Maintenand	ce dredging for	navigation safety	at Area A for r	elocation of com	mercial ve	
117	1	TCBR2&TCBR3(TS2)-dredge+rockfill seabed	64	16DEC11*	17FEB12								
120	1	TCBR2&TCBR3(TS2)temporary reclamation	115	26FEB12*	19JUN12	TCBR2&TCBR3(TS2)-dredge+rockfill seabed (preparation for seawall) TCBR2&TCBR3(TS2)temporary reclamation							
160	1	TCBR2&TCBR3(TS2-removal temporary reclamation	57	18AUG13*	13OCT13				BR2&TCBR3(TS		orary reclamatio	n	
CBR1W (T	S4 Are	a)							•		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	CO.	
125	1	TCBR1W(TS4)-dredging+rockfill(prep. for seawall)	40	19DEC10*	27JAN11	■TCBR1W(TS4)-dredging+rockt	fill(prep. for sea	wall)				
130	1	TCBR1W(TS4)temporary reclamation	68	28JAN11	05APR11	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	S4)temporary						
165	1	TCBR1W(TS4)removal temporary reclamation	26	27OCT13*	21NOV13	■TCBR1W(TS4)removal tempora							
PCWAE										*	•		
135	.1	TPCWAE-dredging+rockfill(prep. for seawall)	55 (03DEC10*	26JAN11	TPCWAE-dree	dging+rockfill(pre	ep. for seawall)					
140	1	TPCWAEtemporary reclamation	77	27JAN11	13APR11	TPCWAE -							
170	1	TPCWAEremoval temporary reclamation	28	28SEP13*	25OCT13			BTE	CWAEremoval	temporary recla	amation		
PCWAW					AV TO THE REAL PROPERTY.								
145	1	TPCWAW-dredging+rockfill(prep. for seawall)	47	28OCT13*	13DEC13				TPCWAW-dredgii	ng+rockfill(prep	o. for seawall)		
150	1	TPCWAWtemporary reclamation	83	14DEC13	06MAR14				TPCWAWte				
175	1	TPCWAWremoval temporary reclamation	50 (02JUL15*	20AUG15		TP		I temporary recla				

