



Location: ACL1 - City Hall

Report on 24-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 163

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
4-May-16	8:00	Fine	015337	2.8250	2.8830	189.25	213.25	24.00	1.18	1.18	1.18	1700	34.1
10-May-16	8:00	Cloudy	015541	2.8193	2.9143	216.25	240.25	24.00	1.18	1.18	1.18	1699	55.9
16-May-16	8:00	Cloudy	015386	2.8473	2.9589	243.25	267.25	24.00	1.18	1.19	1.19	1707	65.4
20-May-16	8:00	Cloudy	015458	2.8433	2.9322	270.25	294.25	24.00	1.14	1.14	1.14	1640	54.2
26-May-16	8:00	Cloudy	015801	2.8307	2.9101	297.25	321.25	24.00	1.14	1.13	1.13	1634	48.6

Report on 1-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 460

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
5-May-16	8:30	Fine	015194	2.8407	2.8440	213.25	214.25	1.00	1.18	1.18	1.18	71	46.7
5-May-16	9:40	Fine	015191	2.8321	2.8357	214.25	215.25	1.00	1.18	1.18	1.18	71	50.9
5-May-16	10:45	Fine	015196	2.8383	2.8406	215.25	216.25	1.00	1.18	1.18	1.18	71	32.5
11-May-16	8:15	Fine	015334	2.8278	2.8315	240.25	241.25	1.00	1.18	1.18	1.18	71	52.2
11-May-16	9:17	Fine	015374	2.8253	2.8287	241.25	242.25	1.00	1.18	1.18	1.18	71	48.0
11-May-16	10:19	Fine	015389	2.8379	2.8445	242.25	243.25	1.00	1.18	1.18	1.18	71	93.1
17-May-16	8:15	Cloudy	015402	2.8479	2.8530	267.25	268.25	1.00	1.19	1.19	1.19	71	71.6
17-May-16	9:18	Cloudy	015399	2.8498	2.8527	268.25	269.25	1.00	1.19	1.19	1.19	71	40.7
17-May-16	10:22	Cloudy	015396	2.8367	2.8399	269.25	270.25	1.00	1.08	1.08	1.08	65	49.6
21-May-16	8:15	Rainy	015475	2.8613	2.8624	294.25	295.25	1.00	1.14	1.14	1.14	68	16.1
21-May-16	9:17	Rainy	015472	2.8517	2.8544	295.25	296.25	1.00	1.14	1.14	1.14	68	39.6
21-May-16	10:19	Rainy	015804	2.8366	2.8383	296.25	297.25	1.00	1.14	1.14	1.14	68	24.9
27-May-16	8:15	Rainy	015798	2.8122	2.8137	321.25	322.25	1.00	1.13	1.13	1.13	68	22.0
27-May-16	9:17	Rainy	015882	2.8844	2.8857	322.25	323.25	1.00	1.13	1.13	1.13	68	19.1
27-May-16	10:19	Rainy	015891	2.8987	2.8997	323.25	324.25	1.00	1.13	1.13	1.13	68	14.7



Location: ACL2a - Contractor HK/2012/08 Site office

Report on 24-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 187.3

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
4-May-16	8:00	Fine	015352	2.8625	2.9409	5358.79	5382.79	24.00	1.12	1.12	1.12	1608	48.7
11-May-16	15:56	Fine	015644	2.7918	2.9249	5403.22	5427.22	24.00	1.01	1.01	1.01	1459	91.2
16-May-16	8:00	Cloudy	015639	2.8083	2.9217	5427.22	5451.22	24.00	1.07	1.07	1.07	1539	73.7
20-May-16	8:00	Cloudy	015487	2.8560	2.9513	5454.22	5478.22	24.00	1.08	1.07	1.07	1547	61.6
26-May-16	8:00	Cloudy	015713	2.8606	2.9581	5481.23	5505.23	24.00	1.07	1.07	1.07	1543	63.2

Remarks: Due to interruption of electricity, the 24hr TSP monitoring was rescheduled from 10 May 2016 to 11 May 2016.

Report on 1-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 300.1

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
5-May-16	8:10	Fine	015579	2.8344	2.8372	5382.79	5383.79	1.00	1.01	1.01	1.01	61	46.2
5-May-16	9:45	Fine	015361	2.8323	2.8368	5383.79	5384.79	1.00	1.12	1.12	1.12	67	67.2
5-May-16	13:00	Fine	015575	2.8304	2.8322	5384.79	5385.79	1.00	1.12	1.12	1.12	67	26.9
11-May-16	8:41	Fine	015654	2.8220	2.8295	5400.22	5401.22	1.00	1.01	1.01	1.01	61	123.5
11-May-16	13:00	Fine	015394	2.8400	2.8464	5401.22	5402.22	1.00	1.01	1.01	1.01	61	105.4
11-May-16	14:00	Fine	015508	2.8683	2.8748	5402.22	5403.22	1.00	1.06	1.06	1.06	64	101.7
17-May-16	8:11	Cloudy	015638	2.8154	2.8186	5451.22	5452.22	1.00	1.02	1.04	1.03	62	51.8
17-May-16	9:40	Cloudy	015566	2.8523	2.8582	5452.22	5453.22	1.00	1.07	1.07	1.07	64	91.9
17-May-16	13:00	Cloudy	015562	2.8444	2.8495	5453.22	5454.22	1.00	1.07	1.07	1.07	64	79.5
21-May-16	8:13	Rainy	015468	2.8514	2.8531	5478.22	5479.22	1.00	1.07	1.07	1.07	64	26.4
21-May-16	9:30	Rainy	015465	2.8757	2.8771	5479.22	5480.22	1.00	1.07	1.07	1.07	64	21.8
21-May-16	13:00	Rainy	015461	2.8355	2.8380	5480.22	5481.22	1.00	1.07	1.07	1.07	64	38.9
27-May-16	8:11	Rainy	015797	2.7831	2.7862	5505.23	5506.23	1.00	1.07	1.07	1.07	64	48.3
27-May-16	9:37	Rainy	015878	2.8895	2.8921	5506.23	5507.23	1.00	1.07	1.07	1.07	64	40.5
27-May-16	10:41	Rainy	015874	2.8899	2.8932	5507.23	5508.23	1.00	1.07	1.07	1.07	64	51.4



Location: ACL1 - City Hall

Report on 24-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 163

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
1-Jun-16	8:00	Fine	015888	2.8858	2.9512	324.25	348.25	24.00	1.13	1.13	1.13	1629	40.2
7-Jun-16	8:00	Cloudy	016018	2.8165	2.9004	351.25	375.25	24.00	1.14	1.14	1.14	1636	51.3
13-Jun-16	8:00	Cloudy	016081	2.8074	2.8908	378.25	402.25	24.00	1.13	1.13	1.13	1626	51.3
18-Jun-16	8:00	Rainy	016149	2.8979	2.9390	405.25	429.25	24.00	1.14	1.13	1.13	1633	25.2
24-Jun-16	8:00	Fine	016123	2.8933	2.9651	432.25	456.25	24.00	1.13	1.13	1.13	1627	44.1
29-Jun-16	8:00	Cloudy	015774	2.8209	2.8789	459.25	483.25	24.00	1.13	1.13	1.13	1633	35.5

Report on 1-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 460

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
2-Jun-16	8:45	Fine	016027	2.8017	2.8031	348.25	349.25	1.00	1.01	1.01	1.01	60	23.2
2-Jun-16	9:50	Fine	016024	2.8081	2.8112	349.25	350.25	1.00	1.13	1.13	1.13	68	45.7
2-Jun-16	10:52	Fine	016021	2.8080	2.8099	350.25	351.25	1.00	1.13	1.13	1.13	68	28.0
8-Jun-16	8:15	Rainy	015885	2.8812	2.8857	375.25	376.25	1.00	1.14	1.14	1.14	68	66.0
8-Jun-16	9:17	Rainy	016087	2.8173	2.8210	376.25	377.25	1.00	1.14	1.14	1.14	68	54.3
8-Jun-16	10:19	Rainy	015084	2.8329	2.8362	377.25	378.25	1.00	1.14	1.14	1.14	68	48.4
14-Jun-16	8:15	Cloudy	016174	2.8839	2.8853	402.25	403.25	1.00	1.13	1.13	1.13	68	20.7
14-Jun-16	9:17	Cloudy	016171	2.8916	2.8943	403.25	404.25	1.00	1.13	1.13	1.13	68	39.9
14-Jun-16	10:19	Cloudy	016102	2.9084	2.9097	404.25	405.25	1.00	1.13	1.13	1.13	68	19.2
20-Jun-16	8:05	Fine	016120	2.9116	2.9138	429.25	430.25	1.00	1.13	1.13	1.13	68	32.4
20-Jun-16	9:17	Fine	016129	2.9024	2.9035	430.25	431.25	1.00	1.13	1.13	1.13	68	16.2
20-Jun-16	10:19	Fine	016126	2.8918	2.8936	431.25	432.25	1.00	1.13	1.13	1.13	68	26.5
25-Jun-16	8:05	Fine	015783	2.8221	2.8255	456.25	457.25	1.00	1.13	1.13	1.13	68	50.1
25-Jun-16	9:11	Fine	015780	2.8195	2.8221	457.25	458.25	1.00	1.13	1.13	1.13	68	38.3
25-Jun-16	10:19	Fine	015777	2.8371	2.8393	458.25	459.25	1.00	1.13	1.13	1.13	68	32.4
30-Jun-16	8:15	Cloudy	016226	2.8282	2.8294	483.25	484.25	1.00	1.13	1.13	1.13	68	17.7
30-Jun-16	9:17	Cloudy	016223	2.8477	2.8493	484.25	485.25	1.00	1.13	1.13	1.13	68	23.5
30-Jun-16	10:19	Cloudy	016220	2.8414	2.8430	485.25	486.25	1.00	1.13	1.13	1.13	68	23.5



Location: ACL2a - Contractor HK/2012/08 Site office

Report on 24-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 187.3

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
1-Jun-16	8:00	Fine	015867	2.8877	2.9663	5508.24	5532.24	24.00	1.07	1.07	1.07	1538	51.1
7-Jun-16	8:00	Cloudy	016006	2.8970	2.9760	5535.24	5559.24	24.00	1.07	1.07	1.07	1544	51.2
13-Jun-16	8:00	Cloudy	016102	2.8407	2.9131	5562.24	5586.24	24.00	1.12	1.12	1.12	1614	44.9
18-Jun-16	8:00	Rainy	016136	2.9002	2.9401	5589.24	5613.24	24.00	1.10	1.10	1.10	1581	25.2
24-Jun-16	8:00	Fine	015791	2.8210	2.8998	5616.24	5640.24	24.00	1.12	1.12	1.12	1615	48.8
29-Jun-16	8:00	Cloudy	016204	2.8774	2.9378	5643.24	5667.24	24.00	1.15	1.15	1.15	1659	36.4

Report on 1-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 300.1

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
2-Jun-16	8:33	Fine	015838	2.8709	2.8754	5532.24	5533.24	1.00	1.09	1.09	1.09	66	68.5
2-Jun-16	10:05	Fine	015835	2.8451	2.8574	5533.24	5534.24	1.00	1.09	1.09	1.09	66	187.3
2-Jun-16	13:00	Fine	016010	2.9048	2.9105	5534.24	5535.24	1.00	1.12	1.12	1.12	67	84.7
8-Jun-16	8:17	Rainy	015998	2.9036	2.9061	5559.24	5560.24	1.00	1.07	1.07	1.07	64	38.9
8-Jun-16	9:44	Rainy	015994	2.8861	2.8896	5560.24	5561.24	1.00	1.13	1.13	1.13	68	51.8
8-Jun-16	11:00	Rainy	015990	2.9006	2.9039	5561.24	5562.24	1.00	1.07	1.07	1.07	64	51.3
14-Jun-16	8:15	Cloudy	016067	2.8083	2.8122	5586.24	5587.24	1.00	1.07	1.07	1.07	64	60.9
14-Jun-16	9:50	Cloudy	016146	2.9007	2.9063	5587.24	5588.24	1.00	1.07	1.07	1.07	64	87.5
14-Jun-16	10:56	Cloudy	016141	2.9143	2.9180	5588.24	5589.24	1.00	1.12	1.12	1.12	67	55.0
20-Jun-16	8:56	Fine	016131	2.9018	2.9038	5613.24	5614.24	1.00	1.07	1.07	1.07	64	31.2
20-Jun-16	10:21	Fine	016116	2.9144	2.9180	5614.24	5615.24	1.00	1.12	1.12	1.12	67	53.4
20-Jun-16	14:23	Fine	015833	2.8701	2.8725	5615.24	5616.24	1.00	1.10	1.10	1.10	66	36.5
25-Jun-16	8:08	Fine	016216	2.8560	2.8593	5640.24	5641.24	1.00	1.12	1.12	1.12	67	49.0
25-Jun-16	9:34	Fine	016212	2.8967	2.9019	5641.24	5642.24	1.00	1.12	1.12	1.12	67	77.3
25-Jun-16	10:37	Fine	016208	2.8849	2.8925	5642.24	5643.24	1.00	1.12	1.12	1.12	67	112.9
30-Jun-16	8:47	Cloudy	015785	2.8393	2.8407	5667.24	5668.24	1.00	1.10	1.10	1.10	66	21.3
30-Jun-16	10:10	Cloudy	015788	2.8382	2.8408	5668.24	5669.24	1.00	1.07	1.07	1.07	64	40.5
30-Jun-16	14:20	Cloudy	015769	2.8239	2.8260	5669.24	5670.24	1.00	1.07	1.07	1.07	64	32.7



Location: ACL1 - City Hall

Report on 24-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 163

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
5-Jul-16	8:00	Cloudy	016233	2.8319	2.8798	486.25	510.25	24.00	1.13	1.14	1.14	1635	29.3
12-Jul-16	15:40	Cloudy	015736	2.8135	2.8799	516.25	540.25	24.00	1.13	1.13	1.13	1631	40.7
16-Jul-16	8:00	Fine	016389	2.8500	2.9186	540.25	564.25	24.00	1.05	1.05	1.05	1510	45.4
22-Jul-16	8:00	Fine	016378	2.8313	2.8958	567.25	591.25	24.00	1.05	1.05	1.05	1514	42.6
28-Jul-16	8:00	Fine	016660	2.8761	2.9222	594.25	618.25	24.00	1.05	1.05	1.05	1514	30.5

Remarks: Due to interruption of electricity, the 24hr TSP was rescheduled from 11 July 2016 to 12 July 2016.

Report on 1-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 460

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
6-Jul-16	8:15	Rainy	015747	2.8312	2.8340	510.25	511.25	1.00	1.14	1.14	1.14	68	41.0
6-Jul-16	9:17	Rainy	015744	2.8203	2.8222	511.25	512.25	1.00	1.14	1.14	1.14	68	27.8
6-Jul-16	10:19	Rainy	015741	2.8090	2.8104	512.25	513.25	1.00	1.14	1.14	1.14	68	20.5
12-Jul-16	8:40	Cloudy	015738	2.8131	2.8209	513.25	514.25	1.00	1.13	1.13	1.13	68	114.7
12-Jul-16	13:00	Cloudy	016309	2.8348	2.8366	514.25	515.25	1.00	1.13	1.13	1.13	68	26.5
12-Jul-16	14:15	Cloudy	015331	2.8449	2.8481	515.25	516.25	1.00	1.13	1.13	1.13	68	47.1
18-Jul-16	8:03	Fine	016369	2.8452	2.8484	564.25	565.25	1.00	1.05	1.05	1.05	63	50.8
18-Jul-16	9:10	Fine	015372	2.8623	2.8646	565.25	566.25	1.00	1.05	1.05	1.05	63	36.5
18-Jul-16	10:14	Fine	016375	2.8398	2.8416	566.25	567.25	1.00	1.05	1.05	1.05	63	28.6
23-Jul-16	8:15	Fine	016381	2.8284	2.8319	591.25	592.25	1.00	1.05	1.05	1.05	63	55.5
23-Jul-16	9:17	Fine	016666	2.9116	2.9162	592.25	593.25	1.00	1.05	1.05	1.05	63	73.0
23-Jul-16	10:19	Fine	016663	2.8785	2.8828	593.25	594.25	1.00	1.05	1.05	1.05	63	68.2
29-Jul-16	8:20	Fine	016447	2.8846	2.8883	618.25	619.25	1.00	1.05	1.05	1.05	63	58.7
29-Jul-16	9:30	Fine	016448	2.8684	2.8710	619.25	620.25	1.00	1.05	1.05	1.05	63	41.2
29-Jul-16	10:35	Fine	016671	2.9176	2.9198	620.25	621.25	1.00	1.05	1.05	1.05	63	34.9



Location: ACL2a - Contractor HK/2012/08 Site office

Report on 24-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 187.3

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
5-Jul-16	8:00	Cloudy	015759	2.8172	2.8867	5670.24	5694.24	24.00	1.12	1.13	1.13	1622	42.9
11-Jul-16	8:00	Cloudy	016433	2.9003	2.9682	5697.24	5721.24	24.00	1.07	1.07	1.07	1539	44.1
16-Jul-16	8:00	Fine	016396	2.8326	2.8980	5724.24	5748.24	24.00	1.07	1.07	1.07	1544	42.3
22-Jul-16	8:00	Fine	015590	2.8321	2.8806	5751.24	5775.24	24.00	1.02	1.02	1.02	1471	33.0
28-Jul-16	8:00	Fine	016650	2.8952	2.9526	5778.24	5802.24	24.00	1.07	1.07	1.07	1547	37.1


Report on 1-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 300.1


Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
6-Jul-16	8:47	Rainy	015755	2.8108	2.8133	5694.24	5695.24	1.00	1.13	1.13	1.13	68	36.9
6-Jul-16	10:26	Rainy	015695	2.8258	2.8269	5695.24	5696.24	1.00	1.13	1.13	1.13	68	16.3
6-Jul-16	13:00	Rainy	015691	2.8253	2.8264	5696.24	5697.24	1.00	1.13	1.13	1.13	68	16.3
12-Jul-16	8:30	Cloudy	016407	2.8296	2.8314	5721.24	5722.24	1.00	1.07	1.07	1.07	64	28.0
12-Jul-16	10:04	Cloudy	016417	2.9257	2.9284	5722.24	5723.24	1.00	1.07	1.07	1.07	64	42.1
12-Jul-16	13:00	Cloudy	016421	2.9271	2.9302	5723.24	5724.24	1.00	1.10	1.10	1.10	66	47.1
18-Jul-16	8:36	Fine	016397	2.8342	2.8370	5748.24	5749.24	1.00	1.05	1.05	1.05	63	44.6
18-Jul-16	10:04	Fine	016363	2.8324	2.8358	5749.24	5750.24	1.00	1.02	1.02	1.02	61	55.5
18-Jul-16	13:00	Fine	016360	2.8192	2.8238	5750.24	5751.24	1.00	1.07	1.07	1.07	64	71.4
23-Jul-16	8:20	Fine	016481	2.9058	2.9101	5775.24	5776.24	1.00	1.07	1.07	1.07	64	66.7
23-Jul-16	9:48	Fine	016482	2.9227	2.9272	5776.24	5777.24	1.00	1.07	1.07	1.07	64	69.8
23-Jul-16	10:53	Fine	016654	2.8951	2.9016	5777.24	5778.24	1.00	1.07	1.07	1.07	64	100.8
29-Jul-16	8:52	Fine	016646	2.8973	2.9015	5802.24	5803.24	1.00	1.07	1.07	1.07	64	65.2
29-Jul-16	13:00	Fine	016625	2.9138	2.9215	5803.24	5804.24	1.00	1.07	1.07	1.07	64	119.5
29-Jul-16	14:23	Fine	016624	2.9210	2.9327	5804.24	5805.24	1.00	1.07	1.07	1.07	64	181.5

**Graphic Presentation of 1 hour TSP Result**



**Graphic Presentation of 24 hour TSP Result**




The construction work during the reporting period include, structural works for tunnel construction, roadworks, drainage works, seawall modification and removal of bulk head wall.


The weather condition during the reporting period ranges from mostly sunny to occasionally rainy.

Generally, the monitoring result indicates a reduction in TSP level during rainfall.

**Graphic Presentation of 1 hour TSP Result**



**Graphic Presentation of 24 hour TSP Result**



The construction work during the reporting period include, structural works for tunnel construction, roadworks, drainage works, seawall modification and removal of bulk head wall.

The weather condition during the reporting period ranges from mostly sunny to occasionally rainy.

Generally, the monitoring result indicates a reduction in TSP level during rainfall.