



Location: ACL1 - City Hall

Report on 24-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 163

Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
2-Nov-16	8:00	Fine	17854	2.8045	2.8923	1065.97	1089.97	24.00	0.97	0.97	0.97	1401	62.7
8-Nov-16	8:00	Cloudy	17996	2.8484	2.9550	1093.02	1117.02	24.00	1.03	1.04	1.04	1491	71.5
14-Nov-16	8:00	Fine	17977	2.8486	3.0336	1120.02	1144.02	24.00	1.03	1.03	1.03	1481	124.9
19-Nov-16	8:00	Cloudy	17939	2.8504	2.9644	1147.03	1171.03	24.00	1.03	1.03	1.03	1477	77.2
25-Nov-16	8:00	Cloudy	17817	2.7292	2.8142	1174.03	1198.03	24.00	1.04	1.05	1.04	1503	56.6

Report on 1-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 460

Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
3-Nov-16	8:15	Fine	17826	2.8054	2.8089	1090.02	1091.02	1.00	0.97	0.97	0.97	58	59.9
3-Nov-16	9:17	Fine	17823	2.8158	2.8189	1091.02	1092.02	1.00	0.91	0.91	0.91	55	56.9
3-Nov-16	10:19	Fine	17820	2.6969	2.6998	1092.02	1093.02	1.00	0.91	0.91	0.91	55	53.2
9-Nov-16	8:13	Cloudy	17974	2.8410	2.8426	1117.02	1118.02	1.00	1.04	1.04	1.04	62	25.6
9-Nov-16	9:17	Cloudy	17983	2.8578	2.8591	1118.02	1119.02	1.00	0.91	0.91	0.91	55	23.8
9-Nov-16	10:19	Cloudy	17980	2.8467	2.8484	1119.02	1120.02	1.00	0.91	0.91	0.91	55	31.1
15-Nov-16	8:15	Fine	17947	2.8572	2.8658	1144.03	1145.03	1.00	1.03	1.03	1.03	62	139.5
15-Nov-16	9:17	Fine	17945	2.8297	2.8372	1145.03	1146.03	1.00	1.03	1.03	1.03	62	121.6
15-Nov-16	10:19	Fine	17942	2.8573	2.8629	1146.03	1147.03	1.00	1.03	1.03	1.03	62	90.8
21-Nov-16	8:30	Cloudy	17813	2.7391	2.7445	1171.03	1172.03	1.00	0.90	0.90	0.90	54	100.1
21-Nov-16	9:40	Cloudy	17897	2.8021	2.8057	1172.03	1173.03	1.00	0.90	0.90	0.90	54	66.7
21-Nov-16	10:45	Cloudy	17842	2.7926	2.7946	1173.03	1174.03	1.00	1.03	1.03	1.03	62	32.4
26-Nov-16	8:15	Rainy	18306	2.6805	2.6824	1198.04	1199.04	1.00	1.05	1.05	1.05	63	30.2
26-Nov-16	9:17	Rainy	18303	2.6847	2.6858	1199.04	1200.04	1.00	0.92	0.92	0.92	55	20.0
26-Nov-16	10:19	Rainy	18300	2.6514	2.6555	1200.04	1201.04	1.00	0.98	0.98	0.98	59	69.6



Location: ACL2a - Contractor HK/2012/08 Site office

Report on 24-hour TSP monitoring
Action Level ($\mu\text{g}/\text{m}^3$) - 187.3
Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
2-Nov-16	8:00	Fine	17827	2.7960	2.9040	6237.58	6261.58	24.00	1.10	1.10	1.10	1581	68.3
8-Nov-16	8:00	Cloudy	17762	2.7249	2.8435	6264.58	6288.58	24.00	1.15	1.16	1.16	1667	71.1
14-Nov-16	8:00	Fine	17955	2.8406	3.0152	6291.58	6315.58	24.00	1.19	1.19	1.19	1708	102.2
19-Nov-16	8:00	Cloudy	17913	2.8220	2.9390	6318.58	6342.58	24.00	1.18	1.18	1.18	1705	68.6
25-Nov-16	8:00	Cloudy	17796	2.7433	2.8375	6345.75	6369.75	24.00	1.14	1.14	1.14	1642	57.4

Report on 1-hour TSP monitoring
Action Level ($\mu\text{g}/\text{m}^3$) - 300.1
Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
3-Nov-16	8:05	Fine	17737	2.7398	2.7467	6261.58	6262.58	1.00	1.10	1.10	1.10	66	104.7
3-Nov-16	9:30	Fine	17777	2.7557	2.7630	6262.58	6263.58	1.00	1.16	1.16	1.16	70	104.9
3-Nov-16	10:50	Fine	17769	2.6888	2.6974	6263.58	6264.58	1.00	1.16	1.16	1.16	70	123.6
9-Nov-16	8:05	Cloudy	18010	2.8434	2.8477	6288.58	6289.58	1.00	1.10	1.10	1.10	66	65.1
9-Nov-16	9:10	Cloudy	17972	2.8517	2.8556	6289.58	6290.58	1.00	1.10	1.10	1.10	66	59.0
9-Nov-16	10:50	Cloudy	17966	2.8490	2.8516	6290.58	6291.58	1.00	1.10	1.10	1.10	66	39.4
15-Nov-16	8:08	Fine	17950	2.8449	2.8553	6315.58	6316.58	1.00	1.13	1.13	1.13	68	153.9
15-Nov-16	9:17	Fine	17926	2.8516	2.8600	6316.58	6317.58	1.00	1.13	1.13	1.13	68	124.3
15-Nov-16	11:00	Fine	17920	2.8028	2.8106	6317.58	6318.58	1.00	1.13	1.13	1.13	68	115.4
21-Nov-16	8:03	Cloudy	17815	2.7172	2.7226	6342.58	6343.58	1.00	1.13	1.13	1.13	68	79.9
21-Nov-16	9:30	Cloudy	17808	2.7106	2.7173	6343.58	6344.58	1.00	1.13	1.13	1.13	68	99.1
21-Nov-16	11:00	Cloudy	17803	2.7409	2.7486	6344.58	6345.58	1.00	1.19	1.19	1.19	71	108.2
26-Nov-16	8:05	Rainy	18097	2.7519	2.7563	6369.75	6370.75	1.00	1.14	1.14	1.14	69	64.1
26-Nov-16	9:40	Rainy	18290	2.6583	2.6613	6370.75	6371.75	1.00	1.14	1.14	1.14	69	43.7
26-Nov-16	10:55	Rainy	18283	2.6428	2.6500	6371.75	6372.75	1.00	1.14	1.14	1.14	69	105.0



Location: ACL1 - City Hall

Report on 24-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 163

Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
1-Dec-16	8:00	Fine	18297	2.6617	2.7678	1201.04	1225.04	24.00	0.91	0.91	0.91	1316	80.6
7-Dec-16	8:00	Cloudy	18123	2.7029	2.9446	1228.04	1252.04	24.00	1.04	1.04	1.04	1502	161.0
13-Dec-16	8:00	Cloudy	18245	2.6839	2.8610	1255.04	1279.04	24.00	1.03	1.04	1.04	1493	118.7
19-Dec-16	8:00	Fine	18121	2.7009	2.8013	1282.04	1306.04	24.00	1.04	1.04	1.04	1499	67.0
23-Dec-16	8:00	Cloudy	18110	2.7260	2.8485	1309.04	1333.04	24.00	1.04	1.05	1.04	1504	81.4
28-Dec-16	8:00	Cloudy	18634	2.6306	2.7043	1336.04	1360.04	24.00	0.99	0.99	0.99	1427	51.7

Report on 1-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 460

Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
2-Dec-16	8:15	Fine	18126	2.7310	2.7321	1225.04	1226.04	1.00	0.91	0.91	0.91	55	20.1
2-Dec-16	9:17	Fine	18125	2.7190	2.7202	1226.04	1227.04	1.00	0.91	0.91	0.91	55	21.9
2-Dec-16	10:19	Fine	18124	2.6975	2.6985	1227.04	1228.04	1.00	0.91	0.91	0.91	55	18.3
8-Dec-16	8:15	Fine	18248	2.7013	2.7031	1252.04	1253.04	1.00	0.91	0.91	0.91	55	32.8
8-Dec-16	9:17	Fine	18247	2.6768	2.6783	1253.04	1254.04	1.00	0.91	0.91	0.91	55	27.4
8-Dec-16	10:19	Fine	18246	2.6660	2.6684	1254.04	1255.04	1.00	0.91	0.91	0.91	55	43.8
14-Dec-16	8:02	Cloudy	18276	2.6450	2.6490	1279.04	1280.04	1.00	1.04	1.04	1.04	62	64.1
14-Dec-16	9:17	Cloudy	18273	2.6411	2.6461	1280.04	1281.04	1.00	0.97	0.97	0.97	58	85.5
14-Dec-16	10:19	Cloudy	18269	2.6567	2.6676	1281.04	1282.04	1.00	1.04	1.04	1.04	62	174.7
20-Dec-16	8:10	Fine	18107	2.7014	2.7068	1306.04	1307.04	1.00	1.04	1.04	1.04	62	86.6
20-Dec-16	9:15	Fine	18116	2.7376	2.7439	1307.04	1308.04	1.00	1.04	1.04	1.04	62	101.1
20-Dec-16	11:00	Fine	18113	2.7115	2.7174	1308.04	1309.04	1.00	1.04	1.04	1.04	62	94.6
24-Dec-16	8:03	Cloudy	17789	2.7542	2.7595	1333.04	1334.04	1.00	1.05	1.05	1.05	63	84.4
24-Dec-16	9:17	Cloudy	18640	2.6339	2.6370	1334.04	1335.04	1.00	1.05	1.05	1.05	63	49.4
24-Dec-16	10:19	Cloudy	18637	2.6170	2.6189	1335.04	1336.04	1.00	0.92	0.92	0.92	55	34.5
29-Dec-16	8:05	Cloudy	18675	2.6922	2.6933	1360.04	1361.04	1.00	1.05	1.05	1.05	63	17.4
29-Dec-16	9:17	Cloudy	18672	2.6698	2.6733	1361.04	1362.04	1.00	1.02	1.02	1.02	61	57.1
29-Dec-16	10:19	Cloudy	18669	2.7247	2.7315	1362.04	1363.04	1.00	1.05	1.05	1.05	63	107.5



Location: ACL2a - Contractor HK/2012/08 Site office

Report on 24-hour TSP monitoring
Action Level ($\mu\text{g}/\text{m}^3$) - 187.3
Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
1-Dec-16	8:00	Fine	18161	2.6471	2.7965	6372.75	6396.75	24.00	1.14	1.14	1.14	1642	91.0
7-Dec-16	8:00	Cloudy	18257	2.6600	2.8832	6399.75	6423.75	24.00	1.14	1.14	1.14	1641	136.0
13-Dec-16	8:00	Cloudy	18145	2.6737	2.8551	6426.75	6450.75	24.00	1.13	1.14	1.13	1633	111.1
19-Dec-16	8:00	Fine	18170	2.6861	2.8288	6453.75	6477.75	24.00	1.14	1.14	1.14	1639	87.1
23-Dec-16	8:00	Cloudy	18445	2.8338	2.9217	6480.75	6504.75	24.00	1.08	1.08	1.08	1557	56.4
28-Dec-16	8:00	Cloudy	18658	2.6381	2.7504	6507.77	6531.77	24.00	1.09	1.09	1.09	1571	71.5

Report on 1-hour TSP monitoring
Action Level ($\mu\text{g}/\text{m}^3$) - 300.1
Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
2-Dec-16	8:15	Fine	18089	2.7841	2.7923	6396.75	6397.75	1.00	1.08	1.08	1.08	65	126.5
2-Dec-16	9:30	Fine	18340	2.6847	2.6926	6397.75	6398.75	1.00	1.08	1.08	1.08	65	121.9
2-Dec-16	11:00	Fine	18836	2.6722	2.6787	6398.75	6399.75	1.00	1.08	1.08	1.08	65	100.3
8-Dec-16	8:05	Fine	18393	2.6489	2.6587	6423.75	6424.75	1.00	1.14	1.14	1.14	68	143.3
8-Dec-16	9:20	Fine	18151	2.6966	2.7069	6424.75	6425.75	1.00	1.14	1.14	1.14	68	150.6
8-Dec-16	10:45	Fine	18148	2.6860	2.6930	6425.75	6426.75	1.00	1.14	1.14	1.14	68	102.3
14-Dec-16	8:10	Cloudy	18545	2.8044	2.8118	6450.75	6451.75	1.00	1.14	1.14	1.14	68	108.5
14-Dec-16	9:20	Cloudy	18547	2.8083	2.8175	6451.75	6452.75	1.00	1.14	1.14	1.14	68	134.9
14-Dec-16	10:40	Cloudy	18541	2.7937	2.8047	6452.75	6453.75	1.00	1.14	1.14	1.14	68	161.2
20-Dec-16	8:10	Fine	18266	2.6797	2.6838	6477.75	6478.75	1.00	1.08	1.08	1.08	65	63.5
20-Dec-16	10:32	Fine	17786	2.7450	2.7500	6478.75	6479.75	1.00	1.08	1.08	1.08	65	77.4
20-Dec-16	13:00	Fine	18438	2.8295	2.8397	6479.75	6480.75	1.00	1.08	1.08	1.08	65	157.9
24-Dec-16	8:05	Cloudy	16582	2.8600	2.8661	6504.75	6505.75	1.00	1.08	1.08	1.08	65	93.8
24-Dec-16	9:25	Cloudy	16575	2.8505	2.8563	6505.75	6506.75	1.00	1.08	1.08	1.08	65	89.2
24-Dec-16	10:30	Cloudy	18632	2.6405	2.6454	6506.75	6507.75	1.00	1.08	1.08	1.08	65	75.4
29-Dec-16	8:05	Cloudy	18382	2.6595	2.6617	6531.77	6532.77	1.00	1.09	1.09	1.09	65	33.6
29-Dec-16	9:25	Cloudy	18468	2.8319	2.8335	6532.77	6533.77	1.00	1.09	1.09	1.09	65	24.5
29-Dec-16	10:40	Cloudy	18465	2.8476	2.8523	6533.77	6534.77	1.00	1.09	1.09	1.09	65	71.9



Location: ACL1 - City Hall

Report on 24-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 163

Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
3-Jan-17	8:00	Fine	18122	2.6976	2.7972	1363.07	1387.07	24.00	0.85	0.85	0.85	1229	81.0
9-Jan-17	8:00	Fine	18492	2.8459	2.9819	1390.07	1414.07	24.00	0.85	0.85	0.85	1226	110.9
14-Jan-17	8:00	Cloudy	18869	2.8422	2.8873	1417.07	1441.07	24.00	0.86	0.86	0.86	1242	36.3
20-Jan-17	8:00	Fine	18821	2.8455	2.9525	1444.07	1468.07	24.00	0.86	0.86	0.86	1241	86.2
26-Jan-17	8:00	Fine	18783	2.6185	2.7040	1471.07	1495.07	24.00	0.73	0.72	0.73	1044	81.9

Report on 1-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 460

Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
4-Jan-17	8:25	Fine	18690	2.6566	2.6601	1387.07	1388.07	1.00	0.85	0.85	0.85	51	68.4
4-Jan-17	9:58	Fine	18709	2.6739	2.6781	1388.07	1389.07	1.00	0.85	0.85	0.85	51	82.1
4-Jan-17	11:00	Fine	18715	2.6654	2.6708	1389.07	1390.07	1.00	0.85	0.85	0.85	51	105.5
10-Jan-17	8:10	Fine	18878	2.8467	2.8511	1414.07	1415.07	1.00	0.72	0.72	0.72	43	102.0
10-Jan-17	9:17	Fine	18875	2.8239	2.8272	1415.07	1416.07	1.00	0.85	0.85	0.85	51	64.4
10-Jan-17	10:19	Fine	18872	2.8581	2.8597	1416.07	1417.07	1.00	0.85	0.85	0.85	51	31.2
16-Jan-17	8:15	Cloudy	18830	2.8273	2.8310	1441.07	1442.07	1.00	0.86	0.86	0.86	52	71.5
16-Jan-17	9:17	Cloudy	18827	2.8510	2.8540	1442.07	1443.07	1.00	0.86	0.86	0.86	52	58.0
16-Jan-17	10:19	Cloudy	18824	2.8517	2.8540	1443.07	1444.07	1.00	0.73	0.73	0.73	44	52.8
21-Jan-17	8:15	Fine	18792	2.6224	2.6311	1468.07	1469.07	1.00	0.86	0.86	0.86	52	167.8
21-Jan-17	9:17	Fine	18789	2.6440	2.6477	1469.07	1470.07	1.00	0.86	0.86	0.86	52	71.4
21-Jan-17	10:19	Fine	18786	2.6379	2.6413	1470.07	1471.07	1.00	0.86	0.86	0.86	52	65.6
27-Jan-17	8:15	Fine	18999	2.8501	2.8525	1495.08	1496.08	1.00	0.72	0.72	0.72	43	55.3
27-Jan-17	9:17	Fine	18996	2.8789	2.8872	1496.08	1497.08	1.00	0.86	0.86	0.86	52	160.8
27-Jan-17	10:19	Fine	18993	2.8769	2.8794	1497.08	1498.08	1.00	0.86	0.86	0.86	52	48.4



Location: ACL2a - Contractor HK/2012/08 Site office

Report on 24-hour TSP monitoring
 Action Level ($\mu\text{g}/\text{m}^3$) - 187.3
 Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
4-Jan-17	14:00	Fine	18721	2.6800	2.7800	6537.77	6561.77	24.00	1.11	1.11	1.11	1594	62.7
9-Jan-17	8:00	Fine	18539	2.7995	2.9419	6561.78	6585.78	24.00	1.10	1.11	1.11	1594	89.3
14-Jan-17	8:00	Cloudy	18845	2.8379	2.9276	6588.78	6612.78	24.00	1.18	1.18	1.18	1700	52.8
20-Jan-17	8:00	Fine	18800	2.6557	2.7908	6615.78	6639.78	24.00	1.18	1.18	1.18	1699	79.5
26-Jan-17	8:00	Fine	18487	2.8375	2.9952	6642.78	6666.78	24.00	1.18	1.18	1.18	1699	92.8


Remarks: Due to interruption of electricity, the 24hr TSP was rescheduled from 3 Jan 2017 to 4 Jan 2017.

Report on 1-hour TSP monitoring
 Action Level ($\mu\text{g}/\text{m}^3$) - 300.1
 Limit Level ($\mu\text{g}/\text{m}^3$) - 500


Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
4-Jan-17	8:00	Fine	18530	2.8096	2.8258	6534.77	6535.77	1.00	1.11	1.11	1.11	67	243.6
4-Jan-17	9:45	Fine	18713	2.7261	2.7362	6535.77	6536.77	1.00	1.11	1.11	1.11	67	151.9
4-Jan-17	11:00	Fine	18716	2.6636	2.6692	6536.77	6537.77	1.00	1.24	1.24	1.24	74	75.5
10-Jan-17	8:10	Fine	18768	2.6585	2.6657	6585.78	6586.78	1.00	1.17	1.17	1.17	70	102.3
10-Jan-17	9:30	Fine	18861	2.8476	2.8576	6586.78	6587.78	1.00	1.17	1.17	1.17	70	142.0
10-Jan-17	10:50	Fine	18853	2.8519	2.8594	6587.78	6588.78	1.00	1.17	1.17	1.17	70	106.5
16-Jan-17	8:05	Cloudy	18764	2.6722	2.6750	6612.78	6613.78	1.00	1.18	1.18	1.18	71	39.5
16-Jan-17	9:30	Cloudy	18835	2.8623	2.8706	6613.78	6614.78	1.00	1.18	1.18	1.18	71	117.1
16-Jan-17	13:00	Cloudy	18807	2.6706	2.6756	6614.78	6615.78	1.00	1.18	1.18	1.18	71	70.6
21-Jan-17	8:10	Fine	18909	2.8254	2.8363	6639.78	6640.78	1.00	1.18	1.18	1.18	71	153.7
21-Jan-17	9:20	Fine	18780	2.6693	2.6768	6640.78	6641.78	1.00	1.18	1.18	1.18	71	105.8
21-Jan-17	10:50	Fine	18450	2.8361	2.8413	6641.78	6642.78	1.00	1.18	1.18	1.18	71	73.3
27-Jan-17	8:02	Fine	19003	2.8278	2.8323	6666.78	6667.78	1.00	1.11	1.11	1.11	67	67.3
27-Jan-17	9:45	Fine	19004	2.8351	2.8432	6667.78	6668.78	1.00	1.18	1.18	1.18	71	114.5
27-Jan-17	10:55	Fine	18986	2.8970	2.9005	6668.78	6669.78	1.00	1.18	1.18	1.18	71	49.5



Graphic Presentation of 1 hour TSP Result




Graphic Presentation of 24 hour TSP Result




The construction work during the reporting period include, roadworks, drainage works, back-filling work at tunnel, reinstatement of culvert K.
The weather condition during the reporting period ranges from mostly sunny to occasionally rainy.
Generally, the monitoring result indicates a reduction in TSP level during rainfall



Graphic Presentation of 1 hour TSP Result



Graphic Presentation of 24 hour TSP Result



The construction work during the reporting period include, roadworks, drainage works, back-filling work at tunnel, reinstatement of culvert K. The weather condition during the reporting period ranges from mostly sunny to occasionally rainy. Generally, the monitoring result indicates a reduction in TSP level during rainfall