



Location: ACL1 - City Hall

Report on 24-hour TSP monitoring
Action Level ($\mu\text{g}/\text{m}^3$) - 163
Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
3-Aug-17	8:00	Rainy	21521	2.8120	2.8469	2362.38	2386.38	24.00	0.93	0.93	0.93	1342	26.0
9-Aug-17	8:00	Cloudy	21630	2.8492	2.8736	2389.38	2413.38	24.00	0.82	0.82	0.82	1186	20.6
15-Aug-17	8:00	Cloudy	1826	2.7859	2.8134	2416.38	2440.38	24.00	0.82	0.83	0.83	1189	23.1
21-Aug-17	8:00	Fine	21098	2.8932	3.0585	2443.38	2467.38	24.00	0.82	0.82	0.82	1178	140.3
26-Aug-17	8:00	Cloudy	21807	2.8639	2.9357	2470.38	2494.38	24.00	0.82	0.83	0.83	1191	60.3

Report on 1-hour TSP monitoring
Action Level ($\mu\text{g}/\text{m}^3$) - 460
Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
4-Aug-17	8:45	Cloudy	21606	2.8092	2.8102	2386.38	2387.38	1.00	0.93	0.93	0.93	56	17.9
4-Aug-17	10:45	Cloudy	21612	2.7945	2.7955	2387.38	2388.38	1.00	0.93	0.93	0.93	56	17.9
4-Aug-17	13:00	Cloudy	21620	2.7875	2.7886	2388.38	2389.38	1.00	0.93	0.93	0.93	56	19.7
10-Aug-17	8:50	Cloudy	21593	2.8031	2.8041	2413.38	2414.38	1.00	0.69	0.69	0.69	42	24.1
10-Aug-17	10:35	Cloudy	21600	2.8332	2.8346	2414.38	2415.38	1.00	0.82	0.82	0.82	49	28.3
10-Aug-17	13:00	Cloudy	1819	2.7851	2.7875	2415.38	2416.38	1.00	0.82	0.82	0.82	49	48.6
16-Aug-17	8:50	Cloudy	21710	2.8302	2.8328	2440.38	2441.38	1.00	0.83	0.83	0.83	50	52.4
16-Aug-17	10:25	Cloudy	21700	2.8620	2.8633	2441.38	2442.38	1.00	0.83	0.83	0.83	50	26.2
16-Aug-17	13:00	Cloudy	21686	2.8441	2.8454	2442.38	2443.38	1.00	0.83	0.83	0.83	50	26.2
22-Aug-17	9:02	Cloudy	21823	2.8476	2.8575	2467.38	2468.38	1.00	0.82	0.82	0.82	49	201.9
22-Aug-17	10:50	Cloudy	21816	2.8493	2.8608	2468.38	2469.38	1.00	0.82	0.82	0.82	49	234.5
22-Aug-17	14:05	Cloudy	21806	2.8515	2.8650	2469.38	2470.38	1.00	0.82	0.82	0.82	49	275.3
28-Aug-17	10:45	Rainy	21897	2.8272	2.8337	2497.47	2498.47	1.00	0.84	0.84	0.84	50	129.4
28-Aug-17	13:30	Rainy	21875	2.8706	2.8747	2498.47	2499.47	1.00	0.77	0.77	0.77	46	88.6
28-Aug-17	15:10	Rainy	21891	2.8582	2.8633	2499.47	2500.47	1.00	0.70	0.70	0.70	42	120.6



Location: ACL1 - City Hall

Report on 24-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 163

Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
4-Sep-17	15:35	Rainy	21932	2.8193	2.8593	2503.53	2527.53	24.00	0.88	0.88	0.88	1265	31.6
7-Sep-17	8:00	Cloudy	22053	2.8605	2.8875	2527.53	2551.53	24.00	0.84	0.85	0.85	1217	22.2
13-Sep-17	8:00	Fine	22110	2.8177	2.8970	2554.54	2578.54	24.00	0.87	0.88	0.87	1260	63.0
19-Sep-17	8:00	Fine	22183	2.8767	2.9517	2581.54	2605.54	24.00	0.88	0.88	0.88	1261	59.5
25-Sep-17	8:00	Fine	21970	2.8457	2.8707	2608.54	2632.54	24.00	0.88	0.87	0.88	1260	19.8
29-Sep-17	8:00	Fine	22138	2.8504	2.8891	2635.54	2659.54	24.00	0.83	0.83	0.83	1195	32.4

Remarks: Due to interruption of electricity, the 24hr TSP monitoring was rescheduled from 1 Sep 2017 to 4 Sep 2017.

Report on 1-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 460

Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
4-Sep-17	9:55	Rainy	21890	2.8180	2.8197	2500.53	2501.53	1.00	0.88	0.88	0.88	53	32.2
4-Sep-17	11:00	Rainy	21933	2.8422	2.8442	2501.53	2502.53	1.00	0.88	0.88	0.88	53	37.9
4-Sep-17	13:30	Rainy	21934	2.8274	2.8284	2502.53	2503.53	1.00	0.88	0.88	0.88	53	18.9
8-Sep-17	9:05	Cloudy	22066	2.8649	2.8666	2551.53	2552.53	1.00	0.88	0.88	0.88	53	32.3
8-Sep-17	10:50	Cloudy	22076	2.7901	2.7911	2552.53	2553.53	1.00	0.88	0.88	0.88	53	19.0
8-Sep-17	13:00	Cloudy	22112	2.8211	2.8221	2553.53	2554.53	1.00	0.88	0.88	0.88	53	19.0
14-Sep-17	9:20	Fine	22176	2.8808	2.8836	2578.54	2579.54	1.00	0.75	0.75	0.75	45	62.0
14-Sep-17	10:25	Fine	22177	2.8802	2.8845	2579.54	2580.54	1.00	0.88	0.88	0.88	53	81.9
14-Sep-17	13:00	Fine	22188	2.8643	2.8673	2580.54	2581.54	1.00	0.88	0.88	0.88	53	57.1
20-Sep-17	8:55	Fine	16340	2.8376	2.8417	2605.54	2606.54	1.00	0.75	0.75	0.75	45	90.8
20-Sep-17	10:10	Fine	21976	2.8624	2.8657	2606.54	2607.54	1.00	0.88	0.88	0.88	53	62.8
20-Sep-17	13:00	Fine	21973	2.8322	2.8353	2607.54	2608.54	1.00	0.88	0.88	0.88	53	59.0
26-Sep-17	9:10	Fine	22227	2.8689	2.8699	2632.54	2633.54	1.00	0.81	0.81	0.81	49	20.5
26-Sep-17	11:00	Fine	22142	2.8777	2.8787	2633.54	2634.54	1.00	0.87	0.87	0.87	52	19.1
26-Sep-17	13:00	Fine	22137	2.8842	2.8852	2634.54	2635.54	1.00	0.87	0.87	0.87	52	19.1
30-Sep-17	8:56	Rainy	22357	2.8472	2.8497	2659.54	2660.54	1.00	0.76	0.76	0.76	46	54.5
30-Sep-17	9:58	Rainy	22267	2.8308	2.8318	2660.54	2661.54	1.00	0.76	0.76	0.76	46	21.8
30-Sep-17	11:00	Rainy	22360	2.8474	2.8507	2661.54	2662.54	1.00	0.83	0.83	0.83	50	66.4

Remarks: Due to interruption of electricity, the 1hr TSP monitoring was rescheduled from 2 Sep 2017 to 4 Sep 2017.



Location: ACL1 - City Hall

Report on 24-hour TSP monitoring
 Action Level ($\mu\text{g}/\text{m}^3$) - 163
 Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
3-Oct-17	8:00	Fine	22350	2.8353	2.8745	2662.58	2686.58	24.00	0.83	0.83	0.83	1193	32.8
7-Oct-17	8:00	Fine	22207	2.8313	2.9058	2689.58	2713.58	24.00	0.83	0.83	0.83	1194	62.4
13-Oct-17	8:00	Fine	22447	2.8538	2.9124	2716.58	2740.58	24.00	0.70	0.70	0.70	1012	57.9
19-Oct-17	8:00	Fine	22522	2.8828	2.9162	2743.58	2767.58	24.00	0.71	0.71	0.71	1021	32.7
25-Oct-17	8:00	Fine	22633	2.8551	2.9744	2770.58	2794.58	24.00	0.84	0.84	0.84	1214	98.2
31-Oct-17	8:00	Fine	22575	2.8798	3.0291	2797.58	2821.58	24.00	0.72	0.72	0.72	1033	144.6

Report on 1-hour TSP monitoring
 Action Level ($\mu\text{g}/\text{m}^3$) - 460
 Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
4-Oct-17	9:15	Fine	22220	2.8611	2.8648	2686.58	2687.58	1.00	0.83	0.83	0.83	50	74.3
4-Oct-17	10:27	Fine	22211	2.8378	2.8401	2687.58	2688.58	1.00	0.77	0.77	0.77	46	50.0
4-Oct-17	13:00	Fine	22213	2.8322	2.8363	2688.58	2689.58	1.00	0.77	0.77	0.77	46	89.2
9-Oct-17	8:40	Fine	22153	2.8577	2.8595	2713.58	2714.58	1.00	0.83	0.83	0.83	50	36.2
9-Oct-17	9:43	Fine	22150	2.8541	2.8555	2714.58	2715.58	1.00	0.70	0.70	0.70	42	33.4
9-Oct-17	10:49	Fine	22215	2.8559	2.8582	2715.58	2716.58	1.00	0.70	0.70	0.70	42	54.8
14-Oct-17	9:05	Fine	22580	2.8694	2.8713	2740.58	2741.58	1.00	0.70	0.70	0.70	42	45.0
14-Oct-17	10:08	Fine	22583	2.8176	2.8204	2741.58	2742.58	1.00	0.70	0.70	0.70	42	66.3
14-Oct-17	13:00	Fine	22421	2.8652	2.8743	2742.58	2743.58	1.00	0.70	0.70	0.70	42	215.4
20-Oct-17	9:35	Fine	22669	2.8331	2.8371	2767.58	2768.58	1.00	0.84	0.84	0.84	50	79.4
20-Oct-17	13:00	Fine	22655	2.8465	2.8507	2768.58	2769.58	1.00	0.84	0.84	0.84	50	83.4
20-Oct-17	14:05	Fine	22653	2.8402	2.8493	2769.58	2770.58	1.00	0.84	0.84	0.84	50	180.6
26-Oct-17	9:20	Fine	22616	2.8515	2.8586	2794.58	2795.58	1.00	0.84	0.84	0.84	51	140.5
26-Oct-17	11:00	Fine	22787	2.7916	2.7982	2795.58	2796.58	1.00	0.84	0.84	0.84	51	130.6
26-Oct-17	13:45	Fine	22574	2.8544	2.8598	2796.58	2797.58	1.00	0.84	0.84	0.84	51	106.9
1-Nov-17	8:45	Fine	22743	2.7848	2.7865	2821.58	2822.58	1.00	0.72	0.72	0.72	43	39.6
1-Nov-17	9:50	Fine	22754	2.7997	2.8038	2822.58	2823.58	1.00	0.72	0.72	0.72	43	95.5
1-Nov-17	10:54	Fine	21109	2.8971	2.9000	2823.58	2824.58	1.00	0.85	0.85	0.85	51	57.2



Location: ACL2a - Contractor HK/2012/08 Site office

Report on 24-hour TSP monitoring
 Action Level ($\mu\text{g}/\text{m}^3$) - 187.3
 Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{in}	Final, Q_{out}	Average		
3-Aug-17	8:00	Rainy	21507	2.8497	2.8932	7562.64	7586.64	24.00	1.23	1.23	1.23	1767	24.6
9-Aug-17	8:00	Cloudy	21522	2.8111	2.8641	7589.69	7613.69	24.00	1.08	1.08	1.08	1557	34.0
15-Aug-17	8:00	Cloudy	21101	2.8970	2.9366	7616.69	7640.69	24.00	1.08	1.08	1.08	1560	25.4
21-Aug-17	8:00	Fine	21100	2.8743	3.0302	7643.71	7667.71	24.00	1.11	1.11	1.11	1595	97.7
26-Aug-17	8:00	Cloudy	21918	2.8366	2.9418	7670.72	7694.72	24.00	1.08	1.09	1.08	1562	67.4

Report on 1-hour TSP monitoring
 Action Level ($\mu\text{g}/\text{m}^3$) - 300.1
 Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{in}	Final, Q_{out}	Average		
4-Aug-17	8:30	Cloudy	21638	2.8361	2.8398	7586.64	7587.64	1.00	1.23	1.23	1.23	74	50.3
4-Aug-17	10:25	Cloudy	21623	2.8480	2.8495	7587.64	7588.64	1.00	1.10	1.10	1.10	66	22.7
4-Aug-17	13:00	Cloudy	21617	2.7970	2.8031	7588.64	7589.64	1.00	1.23	1.23	1.23	74	82.9
10-Aug-17	8:30	Cloudy	21576	2.7907	2.7935	7613.69	7614.69	1.00	1.21	1.21	1.21	72	38.7
10-Aug-17	10:30	Cloudy	1832	2.8103	2.8113	7614.69	7615.69	1.00	1.14	1.14	1.14	69	14.6
10-Aug-17	13:00	Cloudy	1816	2.7736	2.7751	7615.69	7616.69	1.00	1.21	1.21	1.21	72	20.7
16-Aug-17	8:25	Cloudy	21713	2.8556	2.8588	7640.69	7641.69	1.00	1.18	1.18	1.18	71	45.3
16-Aug-17	10:16	Cloudy	21679	2.8463	2.8485	7641.69	7642.69	1.00	1.15	1.15	1.15	69	32.0
16-Aug-17	13:00	Cloudy	21694	2.8294	2.8307	7642.69	7643.69	1.00	1.08	1.08	1.08	65	20.0
22-Aug-17	8:15	Cloudy	21842	2.8928	2.9051	7667.71	7668.71	1.00	1.20	1.20	1.20	72	170.9
22-Aug-17	10:45	Cloudy	21819	2.8664	2.8782	7668.71	7669.71	1.00	1.20	1.20	1.20	72	164.0
22-Aug-17	13:00	Cloudy	21812	2.8787	2.8867	7669.71	7670.71	1.00	1.08	1.08	1.08	65	123.9
28-Aug-17	10:30	Rainy	21871	2.8370	2.8417	7694.72	7695.72	1.00	1.09	1.09	1.09	66	71.7
28-Aug-17	13:00	Rainy	21892	2.8633	2.8670	7695.72	7696.72	1.00	1.09	1.09	1.09	66	56.4
28-Aug-17	14:40	Rainy	21092	2.8942	2.8955	7696.72	7697.72	1.00	1.16	1.16	1.16	69	18.8



Location: ACL2a - Contractor HK/2012/08 Site office

Report on 24-hour TSP monitoring
Action Level ($\mu\text{g}/\text{m}^3$) - 187.3
Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
1-Sep-17	8:00	Cloudy	21880	2.8563	2.9946	7697.73	7721.73	24.00	1.18	1.18	1.18	1696	81.5
7-Sep-17	8:00	Cloudy	21085	2.9165	2.9937	7724.73	7748.73	24.00	1.21	1.21	1.21	1742	44.3
13-Sep-17	8:00	Fine	22106	2.7891	2.9751	7751.73	7775.73	24.00	1.15	1.15	1.15	1651	112.7
19-Sep-17	8:00	Fine	22172	2.8833	3.0087	7778.73	7802.73	24.00	1.15	1.15	1.15	1652	75.9
25-Sep-17	8:00	Fine	22245	2.8365	2.8884	7805.73	7829.73	24.00	1.21	1.21	1.21	1741	29.8
30-Sep-17	14:10	Rainy	21106	2.8880	2.9514	7859.75	7883.75	24.00	1.15	1.16	1.15	1663	38.1

Remarks: Due to interruption of electricity, the 24hr TSP monitoring was rescheduled from 29 Sep 2017 to 30 Sep 2017.

Report on 1-hour TSP monitoring
Action Level ($\mu\text{g}/\text{m}^3$) - 300.1
Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
2-Sep-17	8:30	Cloudy	21946	2.8494	2.8513	7721.73	7722.73	1.00	1.08	1.08	1.08	65	29.2
2-Sep-17	9:55	Cloudy	21959	2.8402	2.8455	7722.73	7723.73	1.00	1.08	1.08	1.08	65	81.5
2-Sep-17	13:00	Cloudy	22039	2.7925	2.7990	7723.73	7724.73	1.00	1.08	1.08	1.08	65	99.9
8-Sep-17	8:50	Cloudy	22061	2.8437	2.8468	7748.73	7749.73	1.00	1.09	1.09	1.09	65	47.5
8-Sep-17	10:40	Cloudy	22072	2.7891	2.7901	7749.73	7750.73	1.00	1.09	1.09	1.09	65	15.3
8-Sep-17	13:00	Cloudy	22079	2.8203	2.8227	7750.73	7751.73	1.00	1.21	1.21	1.21	73	33.0
14-Sep-17	8:42	Fine	22173	2.8596	2.8696	7775.73	7776.73	1.00	1.21	1.21	1.21	73	137.8
14-Sep-17	13:00	Fine	22178	2.8577	2.8665	7776.73	7777.73	1.00	1.15	1.15	1.15	69	127.9
14-Sep-17	16:05	Fine	22180	2.8633	2.8712	7777.73	7778.73	1.00	1.15	1.15	1.15	69	114.8
20-Sep-17	9:33	Fine	22255	2.8309	2.8375	7802.73	7803.73	1.00	1.15	1.15	1.15	69	95.9
20-Sep-17	10:55	Fine	22251	2.8540	2.8656	7803.73	7804.73	1.00	1.15	1.15	1.15	69	168.5
20-Sep-17	13:00	Fine	22271	2.8231	2.8334	7804.73	7805.73	1.00	1.15	1.15	1.15	69	149.7
26-Sep-17	9:05	Fine	22231	2.8558	2.8568	7829.73	7830.73	1.00	1.08	1.08	1.08	65	15.4
26-Sep-17	13:00	Fine	22140	2.8175	2.8190	7830.73	7831.73	1.00	1.21	1.21	1.21	73	20.7
26-Sep-17	15:05	Fine	22129	2.8663	2.8677	7831.73	7832.73	1.00	1.08	1.08	1.08	65	21.5
30-Sep-17	8:50	Rainy	22362	2.8637	2.8664	7856.75	7857.75	1.00	1.12	1.12	1.12	67	40.1
30-Sep-17	10:30	Rainy	22320	2.8591	2.8634	7857.75	7858.75	1.00	1.06	1.06	1.06	64	67.6
30-Sep-17	13:00	Rainy	22349	2.8573	2.8596	7858.75	7859.75	1.00	1.06	1.06	1.06	64	36.1



Location: ACL2a - Contractor HK/2012/08 Site office

Report on 24-hour TSP monitoring
Action Level ($\mu\text{g}/\text{m}^3$) - 187.3
Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
4-Oct-17	12:10	Fine	21755	2.8528	2.9143	7886.75	7910.75	24.00	1.19	1.19	1.19	1708	36.0
7-Oct-17	8:00	Fine	22418	2.8654	3.0087	7910.75	7934.75	24.00	1.19	1.19	1.19	1707	84.0
13-Oct-17	8:00	Fine	22466	2.8621	2.9905	7937.76	7961.76	24.00	1.19	1.19	1.19	1710	75.1
20-Oct-17	16:05	Fine	22645	2.8388	2.9094	7967.77	7991.77	24.00	1.07	1.07	1.07	1540	45.8
25-Oct-17	8:00	Fine	22577	2.8572	2.9435	7991.80	8015.80	24.00	1.20	1.20	1.20	1726	50.0
31-Oct-17	8:00	Fine	22786	2.7831	2.9442	8018.80	8042.80	24.00	1.14	1.14	1.14	1641	98.2


Remarks: Due to interruption of electricity, the 24hr TSP monitoring was rescheduled from 3 and 19 October 2017 to 4 and 20 October 2017 respectively.

Report on 1-hour TSP monitoring
Action Level ($\mu\text{g}/\text{m}^3$) - 300.1
Limit Level ($\mu\text{g}/\text{m}^3$) - 500


Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
4-Oct-17	8:00	Fine	21107	2.8752	2.8801	7883.75	7884.75	1.00	1.19	1.19	1.19	71	68.8
4-Oct-17	9:03	Fine	21740	2.8670	2.8702	7884.75	7885.75	1.00	1.06	1.06	1.06	64	50.2
4-Oct-17	10:58	Fine	21758	2.8811	2.8852	7885.75	7886.75	1.00	1.12	1.12	1.12	67	60.8
9-Oct-17	8:45	Fine	22443	2.8301	2.8365	7934.75	7935.75	1.00	1.18	1.18	1.18	71	90.1
9-Oct-17	10:05	Fine	22431	2.8187	2.8291	7935.75	7936.75	1.00	1.18	1.18	1.18	71	146.4
9-Oct-17	13:00	Fine	22474	2.8538	2.8627	7936.75	7937.75	1.00	1.18	1.18	1.18	71	125.3
14-Oct-17	9:10	Fine	22565	2.8264	2.8349	7961.76	7962.76	1.00	1.06	1.06	1.06	64	133.1
14-Oct-17	10:12	Fine	22556	2.8260	2.8311	7962.76	7963.76	1.00	1.06	1.06	1.06	64	79.9
14-Oct-17	13:00	Fine	22549	2.8265	2.8318	7963.76	7964.76	1.00	1.06	1.06	1.06	64	83.0
20-Oct-17	8:00	Fine	22515	2.8435	2.8476	7964.77	7965.77	1.00	1.07	1.07	1.07	64	63.8
20-Oct-17	10:12	Fine	22667	2.8418	2.8455	7965.77	7966.77	1.00	1.07	1.07	1.07	64	57.6
20-Oct-17	13:00	Fine	22658	2.8514	2.8529	7966.77	7967.77	1.00	1.07	1.07	1.07	64	23.4
26-Oct-17	9:02	Fine	22617	2.8561	2.8625	8015.80	8016.80	1.00	1.14	1.14	1.14	68	94.0
26-Oct-17	10:14	Fine	22608	2.8462	2.8542	8016.80	8017.80	1.00	1.14	1.14	1.14	68	117.5
26-Oct-17	13:00	Fine	22785	2.8104	2.8139	8017.80	8018.80	1.00	1.07	1.07	1.07	64	54.4
1-Nov-17	8:50	Fine	22880	2.6802	2.6852	8042.80	8043.80	1.00	1.14	1.14	1.14	68	73.2
1-Nov-17	9:55	Fine	22879	2.6643	2.6702	8043.80	8044.80	1.00	1.14	1.14	1.14	68	86.4
1-Nov-17	11:00	Fine	22874	2.6658	2.6705	8044.80	8045.80	1.00	1.08	1.08	1.08	65	72.9



Graphic Presentation of 1 hour TSP Result



Graphic Presentation of 24 hour TSP Result




The construction work during the reporting period include, roadworks, back-filling, reinstatement of culvert K, reinstatement of cooling mains, drainage and reinstatement of planter at P1 Road.


The weather condition during the reporting period ranges from mostly sunny to occasionally rainy.

Generally, the monitoring result indicates a reduction in TSP level during rainfall

Graphic Presentation of 1 hour TSP Result



Graphic Presentation of 24 hour TSP Result



The construction work during the reporting period include, roadworks, back-filling, reinstatement of culvert K, reinstatement of cooling mains, drainage and reinstatement of planter at P1 Road.

The weather condition during the reporting period ranges from mostly sunny to occasionally rainy.

Generally, the monitoring result indicates a reduction in TSP level during rainfall