



Location: ACL1 - City Hall

Report on 24-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 163

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
6-Nov-17	8:00	Cloudy	22323	2.8592	2.9643	2824.58	2848.58	24.00	0.84	0.84	0.84	1214	86.5
11-Nov-17	8:00	Cloudy	22990	2.6779	2.7954	2851.58	2875.58	24.00	0.84	0.85	0.84	1212	96.9
17-Nov-17	8:00	Fine	23115	2.6858	2.8478	2878.58	2902.58	24.00	0.84	0.84	0.84	1209	134.0
23-Nov-17	8:00	Fine	23030	2.6801	2.8573	2905.62	2929.62	24.00	0.85	0.85	0.85	1227	144.4
29-Nov-17	8:00	Cloudy	22858	2.6783	2.7494	2932.62	2956.62	24.00	0.84	0.84	0.84	1207	58.9

Report on 1-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 460

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
7-Nov-17	9:20	Cloudy	22739	2.8139	2.8196	2848.58	2849.58	1.00	0.84	0.84	0.84	51	112.8
7-Nov-17	10:55	Cloudy	22729	2.8054	2.8088	2849.58	2850.58	1.00	0.84	0.84	0.84	51	67.3
7-Nov-17	13:00	Cloudy	22993	2.6853	2.6899	2850.58	2851.58	1.00	0.84	0.84	0.84	51	91.0
13-Nov-17	8:41	Cloudy	22862	2.6832	2.6854	2875.58	2876.58	1.00	0.84	0.84	0.84	51	43.4
13-Nov-17	9:44	Cloudy	22959	2.6593	2.6611	2876.58	2877.58	1.00	0.84	0.84	0.84	51	35.5
13-Nov-17	10:48	Cloudy	22956	2.6766	2.6816	2877.58	2878.58	1.00	0.71	0.71	0.71	43	116.6
18-Nov-17	8:05	Fine	23114	2.6836	2.6896	2902.58	2903.58	1.00	0.84	0.84	0.84	50	119.1
18-Nov-17	9:19	Fine	22965	2.6808	2.6858	2903.58	2904.58	1.00	0.84	0.84	0.84	50	99.3
18-Nov-17	10:25	Fine	23033	2.6761	2.6820	2904.58	2905.58	1.00	0.84	0.84	0.84	50	117.1
24-Nov-17	9:45	Fine	23093	2.6778	2.6866	2929.62	2930.62	1.00	0.85	0.85	0.85	51	172.0
24-Nov-17	11:00	Fine	23078	2.6645	2.6722	2930.62	2931.62	1.00	0.85	0.85	0.85	51	150.5
24-Nov-17	15:10	Fine	23194	2.6784	2.6912	2931.62	2932.62	1.00	0.85	0.85	0.85	51	250.2
30-Nov-17	9:00	Cloudy	23177	2.6814	2.6848	2956.62	2957.62	1.00	0.84	0.84	0.84	50	67.4
30-Nov-17	13:00	Cloudy	23163	2.6595	2.6630	2957.62	2958.62	1.00	0.84	0.84	0.84	50	69.4
30-Nov-17	14:02	Cloudy	23171	2.6825	2.6852	2958.62	2959.62	1.00	0.84	0.84	0.84	50	53.5



Location: ACL2a - Contractor HK/2012/08 Site office

Report on 24-hour TSP monitoring  
 Action Level ( $\mu\text{g}/\text{m}^3$ ) - 187.3  
 Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
6-Nov-17	8:00	Cloudy	22426	2.8784	3.0058	8045.80	8069.80	24.00	1.14	1.14	1.14	1636	77.9
11-Nov-17	8:00	Cloudy	22981	2.6557	2.8159	8072.80	8096.80	24.00	1.13	1.14	1.13	1634	98.0
17-Nov-17	8:00	Fine	22864	2.6733	2.7976	8099.80	8123.80	24.00	1.07	1.07	1.07	1541	80.7
23-Nov-17	8:00	Fine	23059	2.6764	2.8235	8126.84	8150.84	24.00	1.22	1.22	1.22	1762	83.5
29-Nov-17	8:00	Cloudy	22857	2.6642	2.7395	8153.84	8177.84	24.00	1.15	1.16	1.15	1661	45.3

Report on 1-hour TSP monitoring  
 Action Level ( $\mu\text{g}/\text{m}^3$ ) - 300.1  
 Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
7-Nov-17	9:02	Cloudy	22740	2.8043	2.8088	8069.80	8070.80	1.00	1.07	1.07	1.07	64	69.9
7-Nov-17	10:45	Cloudy	22736	2.8189	2.8217	8070.80	8071.80	1.00	1.07	1.07	1.07	64	43.5
7-Nov-17	13:00	Cloudy	22721	2.8241	2.8297	8071.80	8072.80	1.00	1.07	1.07	1.07	64	87.0
13-Nov-17	9:05	Cloudy	22939	2.6730	2.6759	8096.80	8097.80	1.00	1.14	1.14	1.14	68	42.5
13-Nov-17	11:00	Cloudy	22859	2.6708	2.6742	8097.80	8098.80	1.00	1.14	1.14	1.14	68	49.8
13-Nov-17	13:00	Cloudy	22666	2.6721	2.6751	8098.80	8099.80	1.00	1.14	1.14	1.14	68	44.0
18-Nov-17	8:55	Fine	23040	2.6571	2.6616	8123.80	8124.80	1.00	1.13	1.13	1.13	68	66.2
18-Nov-17	9:57	Fine	23046	2.6668	2.6709	8124.80	8125.80	1.00	1.13	1.13	1.13	68	60.3
18-Nov-17	10:59	Fine	23055	2.6843	2.6907	8125.80	8126.80	1.00	1.20	1.20	1.20	72	89.3
24-Nov-17	9:30	Fine	23096	2.6811	2.6892	8150.84	8151.84	1.00	1.17	1.17	1.17	70	115.8
24-Nov-17	13:00	Fine	23090	2.6598	2.6665	8151.84	8152.84	1.00	1.17	1.17	1.17	70	95.8
24-Nov-17	14:50	Fine	23199	2.6888	2.6983	8152.84	8153.84	1.00	1.17	1.17	1.17	70	135.9
30-Nov-17	8:55	Cloudy	23178	2.6798	2.6831	8177.85	8178.85	1.00	1.16	1.16	1.16	69	47.6
30-Nov-17	11:00	Cloudy	23176	2.6834	2.6873	8178.85	8179.85	1.00	1.10	1.10	1.10	66	59.3
30-Nov-17	13:00	Cloudy	23168	2.6562	2.6587	8179.85	8180.85	1.00	1.10	1.10	1.10	66	38.0



Location: ACL1 - City Hall

Report on 24-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 163

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
5-Dec-17	8:00	Fine	23280	2.6817	2.8582	2959.62	2983.62	24.00	0.85	0.85	0.85	1222	144.4
11-Dec-17	8:00	Fine	22844	2.6533	2.8150	2986.62	3010.62	24.00	0.85	0.85	0.85	1222	132.3
16-Dec-17	8:00	Fine	22851	2.6673	2.8141	3013.62	3037.62	24.00	0.86	0.87	0.86	1244	118.0
22-Dec-17	8:00	Fine	23225	2.6766	2.8183	3040.63	3064.63	24.00	0.85	0.85	0.85	1226	115.6
28-Dec-17	8:00	Fine	23422	2.6124	2.7399	3067.63	3091.63	24.00	0.85	0.85	0.85	1225	104.0

Report on 1-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 460

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
6-Dec-17	9:15	Fine	23275	2.6620	2.6721	2983.62	2984.62	1.00	0.85	0.85	0.85	51	198.4
6-Dec-17	10:30	Fine	23262	2.6817	2.6917	2984.62	2985.62	1.00	0.85	0.85	0.85	51	196.4
6-Dec-17	13:00	Fine	23253	2.6990	2.7131	2985.62	2986.62	1.00	0.85	0.85	0.85	51	277.0
12-Dec-17	8:30	Cloudy	23235	2.6915	2.6959	3010.62	3011.62	1.00	0.85	0.85	0.85	51	86.3
12-Dec-17	9:48	Cloudy	22946	2.6662	2.6755	3011.62	3012.62	1.00	0.85	0.85	0.85	51	182.3
12-Dec-17	13:00	Cloudy	22841	2.6636	2.6697	3012.62	3013.62	1.00	0.72	0.72	0.72	43	142.0
18-Dec-17	11:00	Fine	23393	2.6808	2.6862	3037.62	3038.62	1.00	0.73	0.73	0.73	44	123.1
18-Dec-17	13:00	Fine	23474	2.6098	2.6165	3038.62	3039.62	1.00	0.87	0.87	0.87	52	128.8
18-Dec-17	14:02	Fine	23473	2.6182	2.6262	3039.62	3040.62	1.00	0.87	0.87	0.87	52	153.8
23-Dec-17	9:11	Fine	23431	2.6013	2.6067	3064.63	3065.63	1.00	0.85	0.85	0.85	51	106.2
23-Dec-17	10:14	Fine	23428	2.6063	2.6105	3065.63	3066.63	1.00	0.71	0.71	0.71	43	98.0
23-Dec-17	13:00	Fine	23426	2.6151	2.6167	3066.63	3067.63	1.00	0.71	0.71	0.71	43	37.4
29-Dec-17	9:05	Fine	23669	2.6581	2.6630	3091.63	3092.63	1.00	0.85	0.85	0.85	51	96.1
29-Dec-17	10:35	Fine	23619	2.5971	2.6031	3092.63	3093.63	1.00	0.85	0.85	0.85	51	117.7
29-Dec-17	13:00	Fine	23663	2.6611	2.6651	3093.63	3094.63	1.00	0.85	0.85	0.85	51	78.4



Location: ACL2a - Contractor HK/2012/08 Site office

Report on 24-hour TSP monitoring  
Action Level ( $\mu\text{g}/\text{m}^3$ ) - 187.3  
Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{\text{in}}$	Final, $Q_{\text{out}}$	Average		
5-Dec-17	8:00	Fine	23279	2.6782	2.8226	8180.85	8204.85	24.00	1.22	1.22	1.22	1758	82.1
11-Dec-17	8:00	Fine	21114	2.9027	3.0723	8207.85	8231.85	24.00	1.22	1.22	1.22	1758	96.5
16-Dec-17	8:00	Fine	23357	2.6863	2.8382	8234.85	8258.85	24.00	1.23	1.24	1.23	1777	85.5
22-Dec-17	8:00	Fine	23467	2.6018	2.7467	8261.85	8285.85	24.00	1.22	1.22	1.22	1757	82.5
28-Dec-17	8:00	Fine	23561	2.6206	2.7734	8288.85	8312.85	24.00	1.22	1.22	1.22	1761	86.8

Report on 1-hour TSP monitoring  
Action Level ( $\mu\text{g}/\text{m}^3$ ) - 300.1  
Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{\text{in}}$	Final, $Q_{\text{out}}$	Average		
6-Dec-17	8:55	Fine	23169	2.6737	2.6806	8204.85	8205.85	1.00	1.22	1.22	1.22	73	94.2
6-Dec-17	10:57	Fine	23264	2.6777	2.6836	8205.85	8206.85	1.00	1.22	1.22	1.22	73	80.6
6-Dec-17	13:00	Fine	23270	2.6673	2.6763	8206.85	8207.85	1.00	1.22	1.22	1.22	73	122.9
12-Dec-17	9:55	Cloudy	23374	2.6490	2.6594	8231.85	8232.85	1.00	1.22	1.22	1.22	73	141.8
12-Dec-17	11:00	Cloudy	22847	2.6835	2.6920	8232.85	8233.85	1.00	1.10	1.10	1.10	66	128.3
12-Dec-17	13:00	Cloudy	23364	2.6908	2.7005	8233.85	8234.85	1.00	1.22	1.22	1.22	73	132.3
18-Dec-17	8:55	Fine	23485	2.6062	2.6137	8258.85	8259.85	1.00	1.24	1.24	1.24	74	101.1
18-Dec-17	10:30	Fine	23477	2.6154	2.6233	8259.85	8260.85	1.00	1.24	1.24	1.24	74	106.4
18-Dec-17	13:35	Fine	23471	2.6208	2.6278	8260.85	8261.85	1.00	1.18	1.18	1.18	71	99.1
23-Dec-17	8:55	Fine	23577	2.6198	2.6277	8285.85	8286.85	1.00	1.22	1.22	1.22	73	107.9
23-Dec-17	9:57	Fine	23573	2.6017	2.6075	8286.85	8287.85	1.00	1.22	1.22	1.22	73	79.2
23-Dec-17	10:59	Fine	23566	2.6112	2.6180	8287.85	8288.85	1.00	1.22	1.22	1.22	73	92.9
29-Dec-17	8:45	Fine	23672	2.6439	2.6499	8312.85	8313.85	1.00	1.22	1.22	1.22	73	81.8
29-Dec-17	10:25	Fine	23615	2.6211	2.6287	8313.85	8314.85	1.00	1.22	1.22	1.22	73	103.7
29-Dec-17	13:00	Fine	23620	2.6091	2.6143	8314.85	8315.85	1.00	1.22	1.22	1.22	73	70.9



Location: ACL1 - City Hall

Report on 24-hour TSP monitoring  
Action Level ( $\mu\text{g}/\text{m}^3$ ) - 163  
Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
3-Jan-18	8:00	Fine	23662	2.6566	2.7492	3094.63	3118.63	24.00	0.85	0.85	0.85	1221	75.9
9-Jan-18	8:00	Cloudy	23636	2.6768	2.7346	3121.63	3145.63	24.00	0.74	0.73	0.73	1057	54.7
13-Jan-18	8:00	Fine	23876	2.6915	2.7731	3148.65	3172.65	24.00	0.73	0.73	0.73	1050	77.7
19-Jan-18	8:00	Cloudy	23750	2.6085	2.7299	3175.65	3199.65	24.00	0.93	0.93	0.93	1342	90.5
25-Jan-18	8:00	Fine	23996	2.6772	2.7904	3202.65	3226.65	24.00	0.94	0.94	0.94	1347	84.0
29-Jan-18	8:00	Cloudy	24076	2.6728	2.7353	3229.65	3253.65	24.00	0.95	0.95	0.95	1371	45.6

Report on 1-hour TSP monitoring  
Action Level ( $\mu\text{g}/\text{m}^3$ ) - 460  
Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
4-Jan-18	9:05	Fine	23646	2.6740	2.6778	3118.63	3119.63	1.00	0.85	0.85	0.85	51	74.8
4-Jan-18	10:27	Fine	23642	2.6642	2.6679	3119.63	3120.63	1.00	0.85	0.85	0.85	51	72.8
4-Jan-18	13:00	Fine	23639	2.6657	2.6682	3120.63	3121.63	1.00	0.71	0.71	0.71	43	58.4
10-Jan-18	8:30	Cloudy	23871	2.6801	2.6812	3145.63	3146.63	1.00	0.73	0.73	0.73	44	25.1
10-Jan-18	9:34	Cloudy	23884	2.6698	2.6732	3146.63	3147.63	1.00	0.80	0.80	0.80	48	71.0
10-Jan-18	10:37	Cloudy	23881	2.6750	2.6785	3147.63	3148.63	1.00	0.87	0.87	0.87	52	67.3
15-Jan-18	10:30	Fine	23385	2.6677	2.6731	3172.65	3173.65	1.00	0.72	0.72	0.72	43	124.5
15-Jan-18	13:00	Fine	23228	2.6922	2.6979	3173.65	3174.65	1.00	0.72	0.72	0.72	43	131.5
15-Jan-18	14:10	Fine	23751	2.6237	2.6301	3174.65	3175.65	1.00	0.72	0.72	0.72	43	147.6
20-Jan-18	8:53	Cloudy	23873	2.6738	2.6789	3199.65	3200.65	1.00	0.81	0.81	0.81	49	104.7
20-Jan-18	9:55	Cloudy	23984	2.6694	2.6728	3200.65	3201.65	1.00	0.93	0.93	0.93	56	60.8
20-Jan-18	10:59	Cloudy	23997	2.6592	2.6633	3201.65	3202.65	1.00	0.93	0.93	0.93	56	73.3
26-Jan-18	8:02	Fine	23991	2.6575	2.6631	3226.65	3227.65	1.00	0.94	0.94	0.94	56	99.7
26-Jan-18	9:06	Fine	23989	2.6775	2.6860	3227.65	3228.65	1.00	0.94	0.94	0.94	56	151.4
26-Jan-18	11:00	Fine	23986	2.6709	2.6798	3228.65	3229.65	1.00	0.94	0.94	0.94	56	158.5
30-Jan-18	9:22	Cloudy	23929	2.6659	2.6688	3253.65	3254.65	1.00	0.95	0.95	0.95	57	50.8
30-Jan-18	10:25	Cloudy	23933	2.6568	2.6593	3254.65	3255.65	1.00	0.89	0.89	0.89	53	46.8
30-Jan-18	13:00	Cloudy	23939	2.6536	2.6567	3255.65	3256.65	1.00	0.95	0.95	0.95	57	54.3



Location: ACL2a - Contractor HK/2012/08 Site office

Report on 24-hour TSP monitoring  
 Action Level ( $\mu\text{g}/\text{m}^3$ ) - 187.3  
 Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260


Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
3-Jan-18	8:00	Fine	23658	2.6705	2.8378	8315.85	8339.85	24.00	1.22	1.22	1.22	1757	95.2
9-Jan-18	8:00	Cloudy	23773	2.5799	2.6726	8342.85	8366.85	24.00	1.24	1.24	1.24	1785	51.9
13-Jan-18	8:00	Fine	23837	2.6567	2.8088	8369.85	8393.85	24.00	1.24	1.23	1.23	1778	85.5
19-Jan-18	8:00	Cloudy	23752	2.6298	2.7184	8396.85	8420.85	24.00	1.21	1.21	1.21	1737	51.0
25-Jan-18	8:00	Fine	23955	2.6539	2.7768	8423.85	8447.85	24.00	1.21	1.21	1.21	1742	70.5
30-Jan-18	14:10	Cloudy	24120	2.6897	2.7454	8453.85	8477.85	24.00	1.23	1.23	1.23	1769	31.5

Remarks: Due to interruption of electricity, the 24hr TSP was rescheduled from 29 January 2018 to 30 January 2018.


Report on 1-hour TSP monitoring  
 Action Level ( $\mu\text{g}/\text{m}^3$ ) - 300.1  
 Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
4-Jan-18	8:30	Fine	23797	2.6204	2.6237	8339.85	8340.85	1.00	1.22	1.22	1.22	73	45.1
4-Jan-18	9:55	Fine	23791	2.6214	2.6249	8340.85	8341.85	1.00	1.22	1.22	1.22	73	47.8
4-Jan-18	13:00	Fine	23786	2.6067	2.6110	8341.85	8342.85	1.00	1.22	1.22	1.22	73	58.8
10-Jan-18	8:30	Cloudy	23819	2.6002	2.6031	8366.85	8367.85	1.00	1.18	1.18	1.18	71	41.1
10-Jan-18	9:55	Cloudy	23868	2.6497	2.6527	8367.85	8368.85	1.00	1.18	1.18	1.18	71	42.5
10-Jan-18	13:00	Cloudy	23861	2.6504	2.6540	8368.85	8369.85	1.00	1.24	1.24	1.24	74	48.5
15-Jan-18	9:15	Fine	23831	2.6529	2.6597	8393.85	8394.85	1.00	1.23	1.23	1.23	74	92.2
15-Jan-18	10:35	Fine	23846	2.6733	2.6805	8394.85	8395.85	1.00	1.23	1.23	1.23	74	97.7
15-Jan-18	13:00	Fine	23756	2.6037	2.6081	8395.85	8396.85	1.00	1.23	1.23	1.23	74	59.7
20-Jan-18	8:23	Cloudy	23978	2.6717	2.6771	8420.85	8421.85	1.00	1.14	1.14	1.14	69	78.8
20-Jan-18	9:46	Cloudy	23973	2.6631	2.6693	8421.85	8422.85	1.00	1.08	1.08	1.08	65	95.8
20-Jan-18	10:50	Cloudy	23966	2.6442	2.6491	8422.85	8423.85	1.00	1.14	1.14	1.14	69	71.5
26-Jan-18	8:10	Fine	24050	2.6844	2.6889	8447.85	8448.85	1.00	1.15	1.15	1.15	69	65.4
26-Jan-18	10:32	Fine	24042	2.6771	2.6843	8448.85	8449.85	1.00	1.15	1.15	1.15	69	104.7
26-Jan-18	13:00	Fine	24027	2.6681	2.6744	8449.85	8450.85	1.00	1.11	1.11	1.11	67	94.3
30-Jan-18	9:33	Cloudy	24088	2.6789	2.6803	8450.85	8451.85	1.00	1.23	1.23	1.23	74	19.0
30-Jan-18	10:57	Cloudy	24058	2.6764	2.6777	8451.85	8452.85	1.00	1.10	1.10	1.10	66	19.7
30-Jan-18	13:00	Cloudy	24055	2.6775	2.6790	8452.85	8453.85	1.00	1.10	1.10	1.10	66	22.8

Graphic Presentation of 1 hour TSP Result



Graphic Presentation of 24 hour TSP Result




The construction work during the reporting period include, roadworks, back-filling, reinstatement of culvert K, reinstatement of cooling mains, drainage and reinstatement of planter at P1 Road.


The weather condition during the reporting period ranges from mostly sunny to occasionally rainy.

Generally, the monitoring result indicates a reduction in TSP level during rainfall

**Graphic Presentation of 1 hour TSP Result**



**Graphic Presentation of 24 hour TSP Result**



The construction work during the reporting period include, roadworks, back-filling, reinstatement of culvert K, reinstatement of cooling mains, drainage and reinstatement of planter at P1 Road.

The weather condition during the reporting period ranges from mostly sunny to occasionally rainy.

Generally, the monitoring result indicates a reduction in TSP level during rainfall