



Location: ACL1 - City Hall

Report on 24-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 163

Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
03-Feb-18	08:00	Fine	24122	2.6492	2.8043	3256.65	3280.65	24.00	0.96	0.96	0.96	1376	112.7
09-Feb-18	08:00	Fine	24182	2.6617	2.7721	3283.65	3307.65	24.00	0.94	0.93	0.94	1347	81.9
14-Feb-18	08:00	Cloudy	24270	2.6579	2.8091	3310.65	3334.65	24.00	0.94	0.93	0.93	1344	112.5
21-Feb-18	11:30	Cloudy	24215	2.6739	2.7506	3340.65	3364.65	24.00	0.93	0.94	0.94	1348	56.9
26-Feb-18	08:00	Fine	24452	2.6763	2.7568	3364.65	3388.65	24.00	0.94	0.93	0.93	1346	59.8

Remarks: Due to interruption of electricity, the 24hr TSP was rescheduled from 20 February 2018 to 21 February 2018.

Report on 1-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 460

Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
05-Feb-18	10:30	Fine	23349	2.6889	2.6955	3280.65	3281.65	1.00	0.96	0.96	0.96	57	115.0
05-Feb-18	13:00	Fine	24188	2.6465	2.6533	3281.65	3282.65	1.00	0.96	0.96	0.96	57	118.5
05-Feb-18	14:30	Fine	24185	2.6626	2.6686	3282.65	3283.65	1.00	0.96	0.96	0.96	57	104.6
10-Feb-18	08:15	Fine	24258	2.6633	2.6709	3307.65	3308.65	1.00	0.93	0.93	0.93	56	135.7
10-Feb-18	09:50	Fine	24155	2.6777	2.6876	3308.65	3309.65	1.00	0.93	0.93	0.93	56	176.7
10-Feb-18	13:00	Fine	24276	2.6703	2.6806	3309.65	3310.65	1.00	0.93	0.93	0.93	56	183.9
15-Feb-18	09:28	Cloudy	24370	2.6737	2.6821	3334.65	3335.65	1.00	0.93	0.93	0.93	56	150.7
15-Feb-18	10:31	Cloudy	24073	2.6675	2.6739	3335.65	3336.65	1.00	0.93	0.93	0.93	56	114.8
15-Feb-18	13:00	Cloudy	24070	2.6762	2.6883	3336.65	3337.65	1.00	0.93	0.93	0.93	56	217.1
21-Feb-18	08:00	Cloudy	24226	2.6671	2.6710	3337.65	3338.65	1.00	0.93	0.93	0.93	56	69.7
21-Feb-18	09:03	Cloudy	24065	2.6728	2.6752	3338.65	3339.65	1.00	0.93	0.93	0.93	56	42.9
21-Feb-18	10:23	Cloudy	24059	2.6675	2.6719	3339.65	3340.65	1.00	0.93	0.93	0.93	56	78.6
27-Feb-18	08:30	Fine	24404	2.6588	2.6643	3388.65	3389.65	1.00	0.93	0.93	0.93	56	98.4
27-Feb-18	09:17	Fine	24223	2.6797	2.6832	3389.65	3390.65	1.00	0.81	0.81	0.81	49	71.8
27-Feb-18	10:41	Fine	24221	2.6786	2.6850	3390.65	3391.65	1.00	0.93	0.93	0.93	56	114.5



Location: ACL2a - Contractor HK/2012/08 Site office

Report on 24-hour TSP monitoring
Action Level ($\mu\text{g}/\text{m}^3$) - 187.3
Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
03-Feb-18	08:00	Fine	24141	2.6736	2.8082	8477.85	8501.85	24.00	1.17	1.17	1.17	1679	80.1
09-Feb-18	08:00	Fine	24180	2.6748	2.7881	8504.85	8528.85	24.00	1.08	1.08	1.08	1558	72.7
14-Feb-18	08:00	Cloudy	24254	2.6575	2.7844	8531.85	8555.85	24.00	1.15	1.14	1.14	1646	77.1
20-Feb-18	08:00	Cloudy	24240	2.6630	2.7157	8558.85	8582.85	24.00	1.14	1.08	1.11	1595	33.0
26-Feb-18	08:00	Fine	24458	2.6751	2.7500	8585.85	8609.85	24.00	1.08	1.08	1.08	1557	48.1

Report on 1-hour TSP monitoring
Action Level ($\mu\text{g}/\text{m}^3$) - 300.1
Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
05-Feb-18	09:25	Fine	24195	2.6734	2.6796	8501.85	8502.85	1.00	1.10	1.10	1.10	66	93.8
05-Feb-18	13:00	Fine	24179	2.6767	2.6820	8502.85	8503.85	1.00	1.17	1.17	1.17	70	75.7
05-Feb-18	14:02	Fine	24172	2.6537	2.6586	8503.85	8504.85	1.00	1.10	1.10	1.10	66	74.1
10-Feb-18	08:02	Fine	24257	2.6535	2.6586	8528.85	8529.85	1.00	1.08	1.08	1.08	65	78.7
10-Feb-18	09:30	Fine	24261	2.6556	2.6623	8529.85	8530.85	1.00	1.08	1.08	1.08	65	103.4
10-Feb-18	10:50	Fine	24281	2.6617	2.6715	8530.85	8531.85	1.00	1.08	1.08	1.08	65	151.2
15-Feb-18	08:05	Cloudy	24366	2.6632	2.6686	8555.85	8556.85	1.00	1.08	1.08	1.08	65	83.7
15-Feb-18	09:36	Cloudy	24361	2.6519	2.6572	8556.85	8557.85	1.00	1.08	1.08	1.08	65	82.1
15-Feb-18	11:00	Cloudy	24356	2.6545	2.6600	8557.85	8558.85	1.00	1.17	1.17	1.17	70	78.3
21-Feb-18	08:06	Cloudy	24372	2.6573	2.6608	8582.85	8583.85	1.00	1.08	1.08	1.08	65	54.1
21-Feb-18	09:15	Cloudy	24350	2.6545	2.6583	8583.85	8584.85	1.00	1.11	1.11	1.11	67	57.0
21-Feb-18	13:00	Cloudy	24463	2.6617	2.6650	8584.85	8585.85	1.00	1.11	1.11	1.11	67	49.5
27-Feb-18	08:10	Fine	24439	2.6647	2.6701	8609.85	8610.85	1.00	1.08	1.08	1.08	65	83.5
27-Feb-18	09:50	Fine	24424	2.6671	2.6727	8610.85	8611.85	1.00	1.21	1.21	1.21	72	77.4
27-Feb-18	10:52	Fine	24417	2.6589	2.6653	8611.85	8612.85	1.00	1.14	1.14	1.14	69	93.4



Location: ACL1 - City Hall

Report on 24-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 163
Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
02-Mar-18	08:00	Cloudy	24214	2.6464	2.8281	3391.65	3415.65	24.00	0.92	0.92	0.92	1330	136.7
08-Mar-18	14:13	Rainy	24675	2.6576	2.7158	3445.51	3469.51	24.00	0.94	0.94	0.94	1357	42.9
13-Mar-18	08:00	Cloudy	24530	2.6745	2.7944	3469.51	3493.51	24.00	0.93	0.93	0.93	1336	89.7
19-Mar-18	08:00	Cloudy	24774	2.6603	2.7845	3496.51	3520.51	24.00	0.81	0.81	0.81	1167	106.4
23-Mar-18	08:00	Sunny	24867	2.6541	2.8102	3523.51	3547.51	24.00	0.82	0.82	0.82	1177	132.6
28-Mar-18	08:00	Fine	24834	2.6629	2.7868	3550.51	3574.51	24.00	0.81	0.81	0.81	1168	106.1

Remarks: Due to interruption of electricity, the 24hr TSP was rescheduled from 7 March 2018 to 8 March 2018.

Report on 1-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 460
Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
03-Mar-18	08:06	Cloudy	24470	2.6501	2.6592	3415.65	3416.65	1.00	0.92	0.92	0.92	55	164.5
03-Mar-18	10:00	Cloudy	24549	2.6824	2.6902	3416.65	3417.65	1.00	0.92	0.92	0.92	55	141.0
03-Mar-18	13:00	Cloudy	24546	2.7013	2.7090	3417.65	3418.65	1.00	0.92	0.92	0.92	55	139.2
08-Mar-18	09:00	Rainy	24544	2.6807	2.6835	3442.51	3443.51	1.00	0.94	0.94	0.94	56	49.6
08-Mar-18	10:10	Rainy	24541	2.6806	2.6823	3443.51	3444.51	1.00	0.94	0.94	0.94	56	30.1
08-Mar-18	13:00	Rainy	24678	2.6495	2.6510	3444.51	3445.51	1.00	0.94	0.94	0.94	56	26.6
14-Mar-18	08:55	Cloudy	24672	2.6669	2.6715	3493.51	3494.51	1.00	0.93	0.93	0.93	56	82.6
14-Mar-18	09:59	Cloudy	24668	2.6651	2.6695	3494.51	3495.51	1.00	0.93	0.93	0.93	56	79.0
14-Mar-18	13:00	Cloudy	24763	2.6525	2.6561	3495.51	3496.51	1.00	0.93	0.93	0.93	56	64.6
20-Mar-18	08:52	Cloudy	24771	2.6661	2.6710	3520.51	3521.51	1.00	0.81	0.81	0.81	49	100.6
20-Mar-18	09:55	Cloudy	24768	2.6457	2.6504	3521.51	3522.51	1.00	0.81	0.81	0.81	49	96.5
20-Mar-18	11:00	Cloudy	24766	2.6407	2.6466	3522.51	3523.51	1.00	0.81	0.81	0.81	49	121.1
24-Mar-18	08:54	Cloudy	24925	2.6514	2.6575	3547.51	3548.51	1.00	0.82	0.82	0.82	49	124.3
24-Mar-18	10:09	Cloudy	24864	2.6472	2.6507	3548.51	3549.51	1.00	0.75	0.75	0.75	45	77.4
24-Mar-18	13:00	Cloudy	24861	2.6515	2.6574	3549.51	3550.51	1.00	0.82	0.82	0.82	49	120.2
29-Mar-18	08:30	Fine	24948	2.6536	2.6574	3574.51	3575.51	1.00	0.68	0.68	0.68	41	92.8
29-Mar-18	09:50	Fine	24945	2.6334	2.6363	3575.51	3576.51	1.00	0.68	0.68	0.68	41	70.8
29-Mar-18	10:55	Fine	24942	2.6460	2.6485	3576.51	3577.51	1.00	0.68	0.68	0.68	41	61.1



Location: ACL2a - Contractor HK/2012/08 Site office

Report on 24-hour TSP monitoring
Action Level ($\mu\text{g}/\text{m}^3$) - 187.3
Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
02-Mar-18	08:00	Cloudy	24407	2.6678	2.7864	8612.85	8636.85	24.00	1.13	1.13	1.13	1632	72.7
07-Mar-18	08:00	Cloudy	24533	2.6896	2.7599	8639.85	8663.85	24.00	1.08	1.09	1.08	1559	45.1
14-Mar-18	14:05	Cloudy	24409	2.6695	2.7786	8669.85	8693.85	24.00	1.08	1.07	1.07	1545	70.6
19-Mar-18	08:00	Cloudy	20418	2.8345	2.9128	8693.85	8717.85	24.00	1.10	1.10	1.10	1584	49.4
23-Mar-18	08:00	Sunny	23525	2.6097	2.7335	8720.85	8744.85	24.00	1.11	1.11	1.11	1593	77.7
28-Mar-18	08:00	Fine	24833	2.6415	2.7507	8747.85	8771.85	24.00	1.10	1.10	1.10	1584	68.9

Remarks: Due to interruption of electricity, the 24hr TSP was rescheduled from 13 March 2018 to 14 March 2018.

Report on 1-hour TSP monitoring
Action Level ($\mu\text{g}/\text{m}^3$) - 300.1
Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
03-Mar-18	08:05	Cloudy	24582	2.6694	2.6748	8636.85	8637.85	1.00	1.07	1.07	1.07	64	84.2
03-Mar-18	09:38	Cloudy	24576	2.6726	2.6775	8637.85	8638.85	1.00	1.07	1.07	1.07	64	76.4
03-Mar-18	13:00	Cloudy	24569	2.6669	2.6735	8638.85	8639.85	1.00	1.16	1.16	1.16	70	94.5
08-Mar-18	08:40	Rainy	24538	2.6916	2.6937	8663.85	8664.85	1.00	1.09	1.09	1.09	65	32.2
08-Mar-18	09:55	Rainy	24665	2.6783	2.6790	8664.85	8665.85	1.00	1.09	1.09	1.09	65	10.7
08-Mar-18	13:00	Rainy	24661	2.6701	2.6717	8665.85	8666.85	1.00	1.09	1.09	1.09	65	24.5
14-Mar-18	08:20	Cloudy	24749	2.6692	2.6755	8666.85	8667.85	1.00	1.08	1.08	1.08	65	97.7
14-Mar-18	10:20	Cloudy	24756	2.6559	2.6592	8667.85	8668.85	1.00	1.08	1.08	1.08	65	51.2
14-Mar-18	11:00	Cloudy	24746	2.6825	2.6847	8668.85	8669.85	1.00	1.08	1.08	1.08	65	34.1
20-Mar-18	08:26	Cloudy	24729	2.6494	2.6546	8717.85	8718.85	1.00	1.10	1.10	1.10	66	78.7
20-Mar-18	09:35	Cloudy	24852	2.6744	2.6774	8718.85	8719.85	1.00	1.10	1.10	1.10	66	45.4
20-Mar-18	10:40	Cloudy	24716	2.6594	2.6625	8719.85	8720.85	1.00	1.10	1.10	1.10	66	46.9
24-Mar-18	08:05	Cloudy	23529	2.6161	2.6227	8744.85	8745.85	1.00	1.11	1.11	1.11	66	99.4
24-Mar-18	13:00	Cloudy	24858	2.6472	2.6543	8745.85	8746.85	1.00	1.11	1.11	1.11	66	107.0
24-Mar-18	14:02	Cloudy	24837	2.6427	2.6502	8746.85	8747.85	1.00	1.11	1.11	1.11	66	113.0
29-Mar-18	13:00	Fine	24979	2.6446	2.6515	8771.85	8772.85	1.00	1.10	1.10	1.10	66	104.6
29-Mar-18	14:50	Fine	25039	2.6537	2.6597	8772.85	8773.85	1.00	1.10	1.10	1.10	66	90.9
29-Mar-18	15:51	Fine	24844	2.6547	2.6599	8773.85	8774.85	1.00	1.10	1.10	1.10	66	78.8



Location: ACL1 - City Hall

Report on 24-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 163

Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
03-Apr-18	08:00	Fine	24939	2.6419	2.6879	3577.51	3601.51	24.00	0.68	0.68	0.68	977	47.1
09-Apr-18	08:00	Cloudy	24814	2.6628	2.8369	3604.51	3628.51	24.00	0.82	0.81	0.81	1170	148.9
14-Apr-18	08:00	Cloudy	25085	2.6414	2.7022	3631.51	3655.51	24.00	0.80	0.81	0.81	1163	52.3
20-Apr-18	08:00	Cloudy	25075	2.6433	2.7008	3658.51	3682.51	24.00	0.68	0.68	0.68	979	58.7
26-Apr-18	08:00	Cloudy	25344	2.6739	2.7713	3685.51	3709.51	24.00	0.81	0.81	0.81	1165	83.6

Report on 1-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 460

Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
04-Apr-18	08:20	Fine	24828	2.6495	2.6549	3601.51	3602.51	1.00	0.81	0.81	0.81	48	111.7
04-Apr-18	09:49	Fine	24820	2.6491	2.6572	3602.51	3603.51	1.00	0.81	0.81	0.81	48	167.6
04-Apr-18	10:53	Fine	24818	2.6565	2.6636	3603.51	3604.51	1.00	0.81	0.81	0.81	48	146.9
10-Apr-18	08:50	Cloudy	25104	2.6648	2.6745	3628.51	3629.51	1.00	0.81	0.81	0.81	49	199.8
10-Apr-18	10:35	Cloudy	25098	2.6467	2.6532	3629.51	3630.51	1.00	0.68	0.68	0.68	41	159.1
10-Apr-18	13:00	Cloudy	25090	2.6555	2.6628	3630.51	3631.51	1.00	0.81	0.81	0.81	49	150.4
16-Apr-18	09:17	Rainy	25164	2.6537	2.6554	3655.51	3656.51	1.00	0.69	0.69	0.69	42	41.0
16-Apr-18	13:00	Rainy	25230	2.6726	2.6759	3656.51	3657.51	1.00	0.69	0.69	0.69	42	79.5
16-Apr-18	16:02	Rainy	25225	2.6791	2.6867	3657.51	3658.51	1.00	0.69	0.69	0.69	42	183.1
21-Apr-18	08:37	Cloudy	24908	2.6473	2.6492	3682.51	3683.51	1.00	0.68	0.68	0.68	41	46.7
21-Apr-18	09:41	Cloudy	25349	2.6605	2.6640	3683.51	3684.51	1.00	0.68	0.68	0.68	41	86.0
21-Apr-18	10:44	Cloudy	25347	2.6752	2.6805	3684.51	3685.51	1.00	0.81	0.81	0.81	48	109.6
27-Apr-18	08:25	Cloudy	25411	2.6901	2.6955	3709.51	3710.51	1.00	0.81	0.81	0.81	48	111.5
27-Apr-18	09:40	Cloudy	25341	2.6627	2.6687	3710.51	3711.51	1.00	0.81	0.81	0.81	48	123.9
27-Apr-18	10:47	Cloudy	25338	2.6689	2.6735	3711.51	3712.51	1.00	0.81	0.81	0.81	48	95.0



Location: ACL2a - Contractor HK/2012/08 Site office

Report on 24-hour TSP monitoring
 Action Level ($\mu\text{g}/\text{m}^3$) - 187.3
 Limit Level ($\mu\text{g}/\text{m}^3$) - 260


Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
03-Apr-18	08:00	Fine	24842	2.6564	2.7408	8774.85	8798.85	24.00	1.10	1.10	1.10	1578	53.5
09-Apr-18	08:00	Cloudy	20946	2.8296	2.9618	8801.85	8825.85	24.00	1.10	1.10	1.10	1586	83.4
14-Apr-18	08:00	Cloudy	24904	2.6596	2.7313	8828.85	8852.85	24.00	1.09	1.10	1.10	1580	45.4
20-Apr-18	08:00	Cloudy	25183	2.6643	2.7637	8855.85	8879.85	24.00	1.10	1.10	1.10	1580	62.9
26-Apr-18	08:00	Cloudy	25193	2.6595	2.7565	8882.85	8906.85	24.00	1.10	1.10	1.10	1581	61.3

Report on 1-hour TSP monitoring
 Action Level ($\mu\text{g}/\text{m}^3$) - 300.1
 Limit Level ($\mu\text{g}/\text{m}^3$) - 500


Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
04-Apr-18	13:00	Fine	25140	2.6462	2.6498	8798.85	8799.85	1.00	1.10	1.10	1.10	66	54.8
04-Apr-18	14:05	Fine	25135	2.6597	2.6633	8799.85	8800.85	1.00	1.10	1.10	1.10	66	54.8
04-Apr-18	15:10	Fine	25130	2.6702	2.6756	8800.85	8801.85	1.00	1.10	1.10	1.10	66	82.2
10-Apr-18	08:25	Cloudy	25107	2.6575	2.6643	8825.85	8826.85	1.00	1.10	1.10	1.10	66	103.2
10-Apr-18	10:25	Cloudy	25099	2.6486	2.6538	8826.85	8827.85	1.00	1.10	1.10	1.10	66	78.9
10-Apr-18	13:00	Cloudy	25093	2.6587	2.6629	8827.85	8828.85	1.00	1.10	1.10	1.10	66	63.7
16-Apr-18	08:20	Rainy	24325	2.6638	2.6666	8852.85	8853.85	1.00	1.11	1.11	1.11	67	42.1
16-Apr-18	09:35	Rainy	24322	2.6541	2.6562	8853.85	8854.85	1.00	1.11	1.11	1.11	67	31.6
16-Apr-18	10:45	Rainy	25078	2.6495	2.6506	8854.85	8855.85	1.00	1.11	1.11	1.11	67	16.5
21-Apr-18	08:02	Cloudy	25185	2.6625	2.6670	8879.85	8880.85	1.00	1.10	1.10	1.10	66	68.5
21-Apr-18	09:15	Cloudy	25209	2.6464	2.6513	8880.85	8881.85	1.00	1.10	1.10	1.10	66	74.6
21-Apr-18	10:17	Cloudy	25203	2.6623	2.6658	8881.85	8882.85	1.00	1.10	1.10	1.10	66	53.3
27-Apr-18	08:10	Cloudy	25423	2.6738	2.6768	8906.85	8907.85	1.00	1.10	1.10	1.10	66	45.6
27-Apr-18	09:45	Cloudy	25293	2.6997	2.7042	8907.85	8908.85	1.00	1.10	1.10	1.10	66	68.4
27-Apr-18	13:00	Cloudy	25325	2.6791	2.6827	8908.85	8909.85	1.00	1.10	1.10	1.10	66	54.7



Graphic Presentation of 1 hour TSP Result




Graphic Presentation of 24 hour TSP Result





Graphic Presentation of 1 hour TSP Result



Graphic Presentation of 24 hour TSP Result

