



Location: ACL1 - City Hall

Report on 24-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 163
 Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
02-Nov-18	8:00	Cloudy	28003	2.6866	2.7519	4604.36	4628.36	24.00	0.89	0.89	0.89	1280	51.0
08-Nov-18	8:00	Cloudy	27129	2.6723	2.8401	4631.36	4655.36	24.00	0.79	0.79	0.79	1132	148.2
14-Nov-18	8:00	Cloudy	28098	2.7275	2.8254	4658.36	4682.36	24.00	0.79	0.79	0.79	1135	86.2
20-Nov-18	8:00	Cloudy	28238	2.6839	2.7570	4685.36	4709.36	24.00	0.79	0.79	0.79	1136	64.4
26-Nov-18	8:00	Cloudy	28339	2.6653	2.7000	4712.36	4736.36	24.00	0.80	0.79	0.80	1146	30.3

Report on 1-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 460
 Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
03-Nov-18	8:15	Cloudy	27153	2.6829	2.6844	4628.36	4629.36	1.00	0.89	0.89	0.89	54	28.0
03-Nov-18	9:45	Cloudy	27972	2.7272	2.7283	4629.36	4630.36	1.00	0.89	0.89	0.89	54	20.6
03-Nov-18	13:00	Cloudy	27970	2.6788	2.6805	4630.36	4631.36	1.00	0.89	0.89	0.89	54	31.8
09-Nov-18	8:25	Cloudy	28103	2.7092	2.7147	4655.36	4656.36	1.00	0.79	0.79	0.79	47	116.6
09-Nov-18	9:29	Cloudy	27124	2.6923	2.6962	4656.36	4657.36	1.00	0.79	0.79	0.79	47	82.7
09-Nov-18	10:32	Cloudy	28101	2.7118	2.7166	4657.36	4658.36	1.00	0.79	0.79	0.79	47	101.7
15-Nov-18	8:30	Cloudy	28208	2.6870	2.6899	4682.36	4683.36	1.00	0.79	0.79	0.79	47	61.2
15-Nov-18	10:25	Cloudy	28217	2.6864	2.6909	4683.36	4684.36	1.00	0.79	0.79	0.79	47	95.0
15-Nov-18	13:00	Cloudy	28227	2.7006	2.7060	4684.36	4685.36	1.00	0.79	0.79	0.79	47	114.0
21-Nov-18	8:59	Cloudy	28094	2.7210	2.7256	4709.36	4710.36	1.00	0.79	0.79	0.79	47	97.4
21-Nov-18	10:03	Cloudy	28090	2.6976	2.7026	4710.36	4711.36	1.00	0.79	0.79	0.79	47	105.8
21-Nov-18	13:00	Cloudy	28337	2.6725	2.6809	4711.36	4712.36	1.00	0.79	0.79	0.79	47	177.8
27-Nov-18	9:27	Cloudy	28328	2.6949	2.6960	4736.36	4737.36	1.00	0.79	0.79	0.79	48	23.1
27-Nov-18	10:35	Cloudy	28325	2.6835	2.6846	4737.36	4738.36	1.00	0.79	0.79	0.79	48	23.1
27-Nov-18	13:00	Cloudy	28344	2.6311	2.6407	4738.36	4739.36	1.00	0.79	0.79	0.79	48	201.5



Location: ACL2a - Contractor HK/2012/08 Site office

Report on 24-hour TSP monitoring
 Action Level ($\mu\text{g}/\text{m}^3$) - 187.3
 Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
02-Nov-18	8:00	Cloudy	27968	2.6947	2.7737	9804.91	9828.91	24.00	1.09	1.09	1.09	1570	50.3
08-Nov-18	8:00	Cloudy	27875	2.6841	2.7789	9831.91	9855.91	24.00	1.12	1.12	1.12	1613	58.8
14-Nov-18	8:00	Cloudy	28178	2.7129	2.7904	9858.91	9882.91	24.00	1.12	1.12	1.12	1616	48.0
20-Nov-18	8:00	Cloudy	28239	2.6621	2.7455	9885.91	9909.91	24.00	1.12	1.12	1.12	1616	51.6
26-Nov-18	8:00	Cloudy	28331	2.6753	2.7088	9912.91	9936.91	24.00	1.13	1.13	1.13	1626	20.6

Report on 1-hour TSP monitoring
 Action Level ($\mu\text{g}/\text{m}^3$) - 300.1
 Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
03-Nov-18	9:50	Cloudy	27949	2.6846	2.6870	9828.91	9829.91	1.00	1.09	1.09	1.09	65	36.7
03-Nov-18	10:58	Cloudy	27133	2.6693	2.6732	9829.91	9830.91	1.00	1.09	1.09	1.09	65	59.6
03-Nov-18	13:00	Cloudy	27130	2.6877	2.6919	9830.91	9831.91	1.00	1.09	1.09	1.09	65	64.2
09-Nov-18	8:09	Cloudy	28104	2.7116	2.7153	9855.91	9856.91	1.00	1.12	1.12	1.12	67	55.0
09-Nov-18	9:45	Cloudy	28150	2.6679	2.6732	9856.91	9857.91	1.00	1.12	1.12	1.12	67	78.8
09-Nov-18	10:46	Cloudy	28196	2.6888	2.6967	9857.91	9858.91	1.00	1.12	1.12	1.12	67	117.5
15-Nov-18	8:15	Cloudy	28265	2.6587	2.6624	9882.91	9883.91	1.00	1.12	1.12	1.12	67	54.9
15-Nov-18	10:05	Cloudy	28264	2.6620	2.6666	9883.91	9884.91	1.00	1.12	1.12	1.12	67	68.3
15-Nov-18	13:00	Cloudy	28223	2.7275	2.7319	9884.91	9885.91	1.00	1.12	1.12	1.12	67	65.3
21-Nov-18	8:05	Cloudy	28162	2.6741	2.6772	9909.91	9910.91	1.00	1.12	1.12	1.12	67	46.1
21-Nov-18	9:50	Cloudy	28258	2.6837	2.6874	9910.91	9911.91	1.00	1.12	1.12	1.12	67	55.0
21-Nov-18	13:10	Cloudy	28305	2.6876	2.6925	9911.91	9912.91	1.00	1.12	1.12	1.12	67	72.8
27-Dec-18	8:05	Cloudy	28365	2.6331	2.6342	9936.91	9937.91	1.00	1.13	1.13	1.13	68	16.3
27-Dec-18	9:30	Cloudy	28410	2.6428	2.6438	9937.91	9938.91	1.00	1.13	1.13	1.13	68	14.8
27-Nov-18	13:00	Cloudy	28378	2.6709	2.6726	9938.91	9939.91	1.00	1.13	1.13	1.13	68	25.1



Location: ACL1 - City Hall

Report on 24-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 163

Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
3-Dec-18	16:00	Cloudy	ACL1_24hr 28445	2.6876	2.7542	4742.71	4766.71	24.00	0.82	0.81	0.82	1174	56.7
7-Dec-18	8:00	Cloudy	ACL1_24hr 206687	2.6581	2.7010	4766.71	4790.71	24.00	0.82	0.83	0.83	1189	36.1
10-Dec-18	8:00	Fine	ACL1_24hr 206693	2.6367	2.7124	4793.74	4817.74	24.00	0.80	0.80	0.80	1153	65.7
15-Dec-18	8:00	Fine	ACL1_24hr 140036	2.6680	2.7692	4820.74	4844.74	24.00	0.80	0.80	0.80	1151	87.9
21-Dec-18	8:00	Fine	ACL1_24hr 140087	2.6634	2.7197	4847.74	4871.74	24.00	0.80	0.80	0.80	1152	48.9
27-Dec-18	8:00	Cloudy	ACL1_24hr 140123	2.6454	2.7172	4874.75	4898.75	24.00	0.80	0.81	0.81	1161	61.9

Remarks: Due to interruption of electricity, the 24hr TSP was rescheduled from 1 December 2018 to 3 December 2018.

Report on 1-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 460

Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
3-Dec-18	8:15	Cloudy	ACL1_1hr_1 28422	2.7027	2.7065	4739.71	4740.71	1.00	0.79	0.79	0.79	47	80.4
3-Dec-18	10:00	Cloudy	ACL1_1hr_2 28458	2.6799	2.6835	4740.71	4741.71	1.00	0.79	0.79	0.79	47	76.1
3-Dec-18	13:30	Cloudy	ACL1_1hr_3 28441	2.7027	2.7070	4741.71	4742.71	1.00	0.87	0.87	0.87	52	82.2
8-Dec-18	9:32	Cloudy	ACL1_1hr_1 28341	2.6669	2.6689	4790.73	4791.73	1.00	0.80	0.80	0.80	48	41.6
8-Dec-18	10:38	Cloudy	ACL1_1hr_2 206689	2.6562	2.6586	4791.73	4792.73	1.00	0.80	0.80	0.80	48	50.0
8-Dec-18	13:00	Cloudy	ACL1_1hr_3 206692	2.6642	2.6647	4792.73	4793.73	1.00	0.80	0.80	0.80	48	10.4
11-Dec-18	9:12	Fine	ACL1_1hr_1 140016	2.6782	2.6802	4817.74	4818.74	1.00	0.80	0.80	0.80	48	41.7
11-Dec-18	10:20	Fine	ACL1_1hr_2 140027	2.6750	2.6764	4818.74	4819.74	1.00	0.80	0.80	0.80	48	29.2
11-Dec-18	13:00	Fine	ACL1_1hr_3 140025	2.6888	2.6925	4819.74	4820.74	1.00	0.80	0.80	0.80	48	77.1
17-Dec-18	8:15	Fine	ACL1_1hr_1 140075	2.6798	2.6804	4844.74	4845.74	1.00	0.80	0.80	0.80	48	12.5
17-Dec-18	9:18	Fine	ACL1_1hr_2 140078	2.6492	2.6505	4845.74	4846.74	1.00	0.80	0.80	0.80	48	27.1
17-Dec-18	10:22	Fine	ACL1_1hr_3 140081	2.7043	2.7052	4846.74	4847.74	1.00	0.80	0.80	0.80	48	18.7
22-Dec-18	9:00	Fine	ACL1_1hr_1 140194	2.6510	2.6560	4871.75	4872.75	1.00	0.80	0.80	0.80	48	104.2
22-Dec-18	11:00	Fine	ACL1_1hr_2 140108	2.6641	2.6669	4872.75	4873.75	1.00	0.80	0.80	0.80	48	58.3
22-Dec-18	13:00	Fine	ACL1_1hr_3 140118	2.6543	2.6570	4873.75	4874.75	1.00	0.80	0.80	0.80	48	56.3
28-Dec-18	9:09	Cloudy	ACL1_1hr_1 140129	2.6858	2.6887	4898.75	4899.75	1.00	0.81	0.81	0.81	49	59.7
28-Dec-18	10:18	Cloudy	ACL1_1hr_2 140132	2.6662	2.6704	4899.75	4900.75	1.00	0.81	0.81	0.81	49	86.4
28-Dec-18	13:00	Cloudy	ACL1_1hr_3 140135	2.6462	2.6540	4900.75	4901.75	1.00	0.81	0.81	0.81	49	160.4



Location: ACL2a - Contractor HK/2012/08 Site office

Report on 24-hour TSP monitoring
Action Level ($\mu\text{g}/\text{m}^3$) - 187.3
Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
1-Dec-18	8:00	Cloudy	ACL2a_24hr 28386	2.6749	2.7972	9939.44	9963.44	24.00	1.13	1.12	1.13	1620	75.5
7-Dec-18	8:00	Cloudy	ACL2a_24hr 206744	2.6808	2.7294	9966.45	9990.45	24.00	1.13	1.13	1.13	1628	29.8
10-Dec-18	8:00	Fine	ACL2a_24hr 206732	2.6852	2.7656	9993.47	10017.47	24.00	1.13	1.13	1.13	1633	49.2
15-Dec-18	8:00	Fine	ACL2a_24hr 140008	2.6810	2.7715	10020.48	10044.48	24.00	1.13	1.13	1.13	1631	55.5
21-Dec-18	8:00	Fine	ACL2a_24hr 140062	2.6625	2.7267	10047.49	10071.49	24.00	0.88	0.88	0.88	1268	50.6
27-Dec-18	8:00	Cloudy	ACL2a_24hr 140119	2.6467	2.7208	10074.49	10098.49	24.00	0.88	0.89	0.89	1277	58.0

Report on 1-hour TSP monitoring
Action Level ($\mu\text{g}/\text{m}^3$) - 300.1
Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
3-Dec-18	8:05	Cloudy	ACL2a_1hr_1 28388	2.6872	2.6886	9963.45	9964.45	1.00	1.12	1.12	1.12	67	20.8
3-Dec-18	9:40	Cloudy	ACL2a_1hr_2 28457	2.6618	2.6642	9964.45	9965.45	1.00	1.12	1.12	1.12	67	35.7
3-Dec-18	13:00	Cloudy	ACL2a_1hr_3 28449	2.6891	2.6923	9965.45	9966.45	1.00	1.12	1.12	1.12	67	47.5
8-Dec-18	8:05	Cloudy	ACL2a_1hr_1 206713	2.6782	2.6793	9990.47	9991.47	1.00	1.13	1.13	1.13	68	16.2
8-Dec-18	9:17	Cloudy	ACL2a_1hr_2 206719	2.6808	2.6824	9991.47	9992.47	1.00	1.13	1.13	1.13	68	23.5
8-Dec-18	10:21	Cloudy	ACL2a_1hr_3 206726	2.6764	2.6779	9992.47	9993.47	1.00	1.13	1.13	1.13	68	22.0
11-Dec-18	13:00	Fine	ACL2a_1hr_1 140023	2.6636	2.6684	10017.48	10018.48	1.00	1.13	1.13	1.13	68	70.6
11-Dec-18	14:20	Fine	ACL2a_1hr_2 140002	2.6813	2.6895	10018.48	10019.48	1.00	1.13	1.13	1.13	68	120.6
11-Dec-18	15:30	Fine	ACL2a_1hr_3 140005	2.7258	2.7330	10019.48	10020.48	1.00	1.13	1.13	1.13	68	105.9
17-Dec-18	10:30	Fine	ACL2a_1hr_1 140082	2.6647	2.6659	10044.48	10045.48	1.00	1.13	1.13	1.13	68	17.6
17-Dec-18	13:00	Fine	ACL2a_1hr_2 140089	2.6483	2.6489	10045.48	10046.48	1.00	1.13	1.13	1.13	68	8.8
17-Dec-18	14:03	Fine	ACL2a_1hr_3 140093	2.6607	2.6626	10046.48	10047.48	1.00	1.13	1.13	1.13	68	27.9
22-Dec-18	8:50	Fine	ACL2a_1hr_1 140198	2.6452	2.6492	10071.49	10072.49	1.00	0.88	0.88	0.88	53	75.7
22-Dec-18	10:20	Fine	ACL2a_1hr_2 140103	2.6557	2.6593	10072.49	10073.49	1.00	0.88	0.88	0.88	53	68.1
22-Dec-18	13:00	Fine	ACL2a_1hr_3 140109	2.6517	2.6545	10073.49	10074.49	1.00	0.88	0.88	0.88	53	53.0
28-Dec-18	13:01	Cloudy	ACL2a_1hr_1 140138	2.6681	2.6715	10098.49	10099.49	1.00	0.89	0.89	0.89	53	63.6
28-Dec-18	14:24	Cloudy	ACL2a_1hr_2 140139	2.6452	2.6488	10099.49	10100.49	1.00	0.89	0.89	0.89	53	67.4
28-Dec-18	15:36	Cloudy	ACL2a_1hr_3 140153	2.6756	2.6793	10100.49	10101.49	1.00	0.89	0.89	0.89	53	69.2



Location: ACL1 - City Hall

Report on 24-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 163
 Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
02-Jan-19	08:00	Cloudy	ACL1_24hr 140159	2.6491	2.7315	4901.75	4925.75	24.00	0.82	0.82	0.82	1176	70.1
08-Jan-19	08:00	Fine	ACL1_24hr 140165	2.6293	2.7648	4928.75	4952.75	24.00	0.81	0.81	0.81	1165	116.3
14-Jan-19	08:00	Cloudy	ACL1_24hr 140244	2.6589	2.7352	4955.75	4979.75	24.00	0.81	0.81	0.81	1162	65.7
18-Jan-19	08:00	Fine	ACL1_24hr 140282	2.6811	2.7816	4982.75	5006.75	24.00	0.81	0.81	0.81	1166	86.2
23-Jan-19	08:00	Fine	ACL1_24hr 140388	2.6491	2.7684	5009.77	5033.77	24.00	0.81	0.81	0.81	1170	102.0
28-Jan-19	08:00	Fine	ACL1_24hr 140339	2.6676	2.7194	5036.77	5060.77	24.00	0.81	0.81	0.81	1165	44.5

Report on 1-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 460
 Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
03-Jan-19	09:30	Cloudy	ACL1_1hr_1 140173	2.6350	2.6377	4925.75	4926.75	1.00	0.82	0.82	0.82	49	55.2
03-Jan-19	10:55	Cloudy	ACL1_1hr_2 206805	2.7224	2.7236	4926.75	4927.75	1.00	0.82	0.82	0.82	49	24.5
03-Jan-19	13:00	Cloudy	ACL1_1hr_3 206810	2.6900	2.6910	4927.75	4928.75	1.00	0.82	0.82	0.82	49	20.4
09-Jan-19	08:25	Fine	ACL1_1hr_1 140213	2.6644	2.6684	4952.75	4953.75	1.00	0.81	0.81	0.81	49	82.3
09-Jan-19	10:10	Fine	ACL1_1hr_2 140223	2.6606	2.6639	4953.75	4954.75	1.00	0.81	0.81	0.81	49	67.9
09-Jan-19	13:00	Fine	ACL1_1hr_3 140207	2.6530	2.6600	4954.75	4955.75	1.00	0.81	0.81	0.81	49	144.0
15-Jan-19	09:55	Cloudy	ACL1_1hr_1 140247	2.6700	2.6734	4979.75	4980.75	1.00	0.81	0.81	0.81	48	70.2
15-Jan-19	11:00	Cloudy	ACL1_1hr_2 140250	2.6716	2.6747	4980.75	4981.75	1.00	0.81	0.81	0.81	48	64.1
15-Jan-19	13:00	Cloudy	ACL1_1hr_3 140253	2.6808	2.6857	4981.75	4982.75	1.00	0.81	0.81	0.81	48	101.2
19-Jan-19	09:02	Fine	ACL1_1hr_1 140255	2.6753	2.6778	5006.76	5007.76	1.00	0.81	0.81	0.81	48	51.6
19-Jan-19	10:42	Fine	ACL1_1hr_2 140307	2.6536	2.6560	5007.76	5008.76	1.00	0.81	0.81	0.81	48	49.6
19-Jan-19	13:00	Fine	ACL1_1hr_3 140391	2.6610	2.6629	5008.76	5009.76	1.00	0.81	0.81	0.81	48	39.2
24-Jan-19	08:13	Fine	ACL1_1hr_1 140321	2.6570	2.6635	5033.77	5034.77	1.00	0.81	0.81	0.81	49	133.6
24-Jan-19	10:01	Fine	ACL1_1hr_2 140323	2.6418	2.6472	5034.77	5035.77	1.00	0.81	0.81	0.81	49	111.0
24-Jan-19	13:14	Fine	ACL1_1hr_3 140347	2.6591	2.6617	5035.77	5036.77	1.00	0.81	0.81	0.81	49	53.4
29-Jan-19	09:35	Fine	ACL1_1hr_1 140360	2.6477	2.6511	5060.77	5061.77	1.00	0.81	0.81	0.81	48	70.1
29-Jan-19	10:55	Fine	ACL1_1hr_2 140368	2.6675	2.6717	5061.77	5062.77	1.00	0.81	0.81	0.81	48	86.7
29-Jan-19	14:30	Fine	ACL1_1hr_3 140408	2.6839	2.6876	5062.77	5063.77	1.00	0.81	0.81	0.81	48	76.3



Location: ACL2a - Contractor HK/2012/08 Site office

Report on 24-hour TSP monitoring
Action Level ($\mu\text{g}/\text{m}^3$) - 187.3
Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{st}	Final, Q_{st}	Average		
03-Jan-19	14:30	Cloudy	ACL2a_24hr 206811	2.6875	2.7559	10128.50	10152.50	24.00	0.90	0.90	0.90	1291	53.0
08-Jan-19	08:00	Fine	ACL2a_24hr 140170	2.6689	2.8016	10152.50	10176.50	24.00	0.89	0.89	0.89	1281	103.6
14-Jan-19	08:00	Cloudy	ACL2a_24hr 140236	2.6681	2.7581	10179.51	10203.51	24.00	0.89	0.89	0.89	1277	70.5
18-Jan-19	08:00	Fine	ACL2a_24hr 140284	2.6782	2.7838	10206.51	10230.51	24.00	0.89	0.89	0.89	1282	82.4
23-Jan-19	08:00	Fine	ACL2a_24hr 140387	2.6547	2.7959	10233.51	10257.51	24.00	0.89	0.89	0.89	1285	109.9
28-Jan-19	08:00	Fine	ACL2a_24hr 140344	2.6569	2.7267	10260.51	10284.51	24.00	0.89	0.89	0.89	1281	54.5


Remarks: Due to interruption of electricity, the 24hr TSP was rescheduled from 2 January 2019 to 3 January 2019.

Report on 1-hour TSP monitoring
Action Level ($\mu\text{g}/\text{m}^3$) - 300.1
Limit Level ($\mu\text{g}/\text{m}^3$) - 500


Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{st}	Final, Q_{st}	Average		
03-Jan-19	08:55	Cloudy	ACL2a_1hr_1 140176	2.6938	2.6975	10125.50	10126.50	1.00	0.90	0.90	0.90	54	68.9
03-Jan-19	10:50	Cloudy	ACL2a_1hr_2 206801	2.7156	2.7160	10126.50	10127.50	1.00	0.90	0.90	0.90	54	7.4
03-Jan-19	13:00	Cloudy	ACL2a_1hr_3 206766	2.6967	2.6973	10127.50	10128.50	1.00	0.90	0.90	0.90	54	11.2
09-Jan-19	08:10	Fine	ACL2a_1hr_1 140209	2.6710	2.6757	10176.50	10177.50	1.00	0.89	0.89	0.89	53	88.0
09-Jan-19	10:00	Fine	ACL2a_1hr_2 140219	2.6632	2.6685	10177.50	10178.50	1.00	0.89	0.89	0.89	53	99.2
09-Jan-19	13:00	Fine	ACL2a_1hr_3 140229	2.6699	2.6770	10178.50	10179.50	1.00	0.89	0.89	0.89	53	132.9
15-Jan-19	09:27	Cloudy	ACL2a_1hr_1 140262	2.6759	2.6790	10203.51	10204.51	1.00	0.89	0.89	0.89	53	58.2
15-Jan-19	10:46	Cloudy	ACL2a_1hr_2 140270	2.6741	2.6775	10204.51	10205.51	1.00	0.89	0.89	0.89	53	63.9
15-Jan-19	13:00	Cloudy	ACL2a_1hr_3 140278	2.6779	2.6836	10205.51	10206.51	1.00	0.89	0.89	0.89	53	107.1
19-Jan-19	08:45	Fine	ACL2a_1hr_1 140293	2.6766	2.6814	10230.51	10231.51	1.00	0.89	0.89	0.89	53	90.1
19-Jan-19	10:22	Fine	ACL2a_1hr_2 140303	2.6789	2.6829	10231.51	10232.51	1.00	0.89	0.89	0.89	53	75.1
19-Jan-19	13:00	Fine	ACL2a_1hr_3 140395	2.6678	2.6711	10232.51	10233.51	1.00	0.89	0.89	0.89	53	62.0
24-Jan-19	08:04	Fine	ACL2a_1hr_1 140315	2.6746	2.6804	10257.51	10258.51	1.00	0.89	0.89	0.89	53	108.5
24-Jan-19	09:50	Fine	ACL2a_1hr_2 140320	2.6577	2.6638	10258.51	10259.51	1.00	0.89	0.89	0.89	53	114.1
24-Jan-19	13:00	Fine	ACL2a_1hr_3 140331	2.6571	2.6615	10259.51	10260.51	1.00	0.89	0.89	0.89	53	82.3
29-Jan-19	09:25	Fine	ACL2a_1hr_1 140357	2.6472	2.6514	10284.51	10285.51	1.00	0.89	0.89	0.89	53	78.8
29-Jan-19	13:00	Fine	ACL2a_1hr_2 140369	2.6320	2.6363	10285.51	10286.51	1.00	0.89	0.89	0.89	53	80.7
29-Jan-19	14:30	Fine	ACL2a_1hr_3 140401	2.6738	2.6775	10286.51	10287.51	1.00	0.89	0.89	0.89	53	69.4



Graphic Presentation of 1 hour TSP Result




Graphic Presentation of 24 hour TSP Result





Graphic Presentation of 1 hour TSP Result



Graphic Presentation of 24 hour TSP Result

