



Location: ACL1 - City Hall

Report on 24-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 163

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
01-Feb-19	08:00	Cloudy	ACL1_24hr 140405	2.6800	2.7510	5063.78	5087.78	24.00	0.81	0.81	0.81	1162	61.1
04-Feb-19	08:00	Cloudy	ACL1_24hr 140428	2.6845	2.7485	5090.78	5114.78	24.00	0.80	0.80	0.80	1155	55.4
13-Feb-19	08:00	Cloudy	ACL1_24hr 140495	2.6929	2.7659	5117.78	5141.78	24.00	0.80	0.81	0.81	1160	62.9
19-Feb-19	08:00	Rainy	ACL1_24hr 140672	2.6142	2.6555	5144.79	5168.79	24.00	0.82	0.82	0.82	1183	34.9
25-Feb-19	08:00	Cloudy	ACL1_24hr 140622	2.6336	2.7016	5171.80	5195.80	24.00	0.83	0.83	0.83	1192	57.0

Report on 1-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 460

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
02-Feb-19	08:15	Cloudy	ACL1_1hr_1 140419	2.6941	2.6968	5087.78	5088.78	1.00	0.81	0.81	0.81	48	55.8
02-Feb-19	09:18	Cloudy	ACL1_1hr_2 140422	2.6843	2.6885	5088.78	5089.78	1.00	0.81	0.81	0.81	48	86.8
02-Feb-19	10:22	Cloudy	ACL1_1hr_3 140425	2.6822	2.6829	5089.78	5090.78	1.00	0.81	0.81	0.81	48	14.5
08-Feb-19	08:06	Cloudy	ACL1_1hr_1 140459	2.6947	2.7005	5114.78	5115.78	1.00	0.80	0.80	0.80	48	121.0
08-Feb-19	09:36	Cloudy	ACL1_1hr_2 140468	2.6918	2.6966	5115.78	5116.78	1.00	0.80	0.80	0.80	48	100.1
08-Feb-19	13:00	Cloudy	ACL1_1hr_3 140463	2.6761	2.6893	5116.78	5117.78	1.00	0.80	0.80	0.80	48	275.4
14-Feb-19	08:31	Cloudy	ACL1_1hr_1 140698	2.6345	2.6363	5141.78	5142.78	1.00	0.81	0.81	0.81	48	37.2
14-Feb-19	10:15	Cloudy	ACL1_1hr_2 140689	2.6337	2.6362	5142.78	5143.78	1.00	0.81	0.81	0.81	48	51.7
14-Feb-19	13:00	Cloudy	ACL1_1hr_3 140681	2.6479	2.6579	5143.78	5144.78	1.00	0.81	0.81	0.81	48	206.8
20-Feb-19	08:35	Cloudy	ACL1_1hr_1 140617	2.6375	2.6400	5168.79	5169.79	1.00	0.82	0.82	0.82	49	50.8
20-Feb-19	10:25	Cloudy	ACL1_1hr_2 140656	2.6176	2.6208	5169.79	5170.79	1.00	0.82	0.82	0.82	49	65.1
20-Feb-19	13:45	Cloudy	ACL1_1hr_3 140642	2.6086	2.6099	5170.79	5171.79	1.00	0.82	0.82	0.82	49	26.4
26-Feb-19	08:25	Cloudy	ACL1_1hr_1 140635	2.6297	2.6325	5195.80	5196.80	1.00	0.83	0.83	0.83	50	56.4
26-Feb-19	10:15	Cloudy	ACL1_1hr_2 140504	2.6551	2.6574	5196.80	5197.80	1.00	0.83	0.83	0.83	50	46.4
26-Feb-19	13:00	Cloudy	ACL1_1hr_3 140516	2.6389	2.6482	5197.80	5198.80	1.00	0.83	0.83	0.83	50	187.5



Location: ACL2a - Contractor HK/2012/08 Site office

Report on 24-hour TSP monitoring  
Action Level ( $\mu\text{g}/\text{m}^3$ ) - 187.3  
Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
01-Feb-19	08:00	Cloudy	ACL2a_24hr 140411	2.6603	2.7353	10287.51	10311.51	24.00	0.89	0.89	0.89	1278	58.7
04-Feb-19	08:00	Cloudy	ACL2a_24hr 140451	2.7040	2.8175	10314.51	10338.51	24.00	0.88	0.88	0.88	1271	89.3
13-Feb-19	08:00	Cloudy	ACL2a_24hr 140604	2.6371	2.7100	10341.51	10365.51	24.00	0.89	0.89	0.89	1276	57.1
19-Feb-19	08:00	Rainy	ACL2a_24hr 140614	2.6278	2.6695	10368.51	10392.51	24.00	1.12	1.11	1.11	1605	26.0
25-Feb-19	08:00	Cloudy	ACL2a_24hr 140626	2.6424	2.7039	10395.51	10419.51	24.00	1.12	1.12	1.12	1612	38.2

Report on 1-hour TSP monitoring  
Action Level ( $\mu\text{g}/\text{m}^3$ ) - 300.1  
Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
02-Feb-19	08:05	Cloudy	ACL2a_1hr_1 140431	2.6803	2.6830	10311.51	10312.51	1.00	0.89	0.89	0.89	53	50.8
02-Feb-19	09:09	Cloudy	ACL2a_1hr_2 140438	2.6624	2.6662	10312.51	10313.51	1.00	0.89	0.89	0.89	53	71.4
02-Feb-19	10:12	Cloudy	ACL2a_1hr_3 140445	2.6745	2.6787	10313.51	10314.51	1.00	0.89	0.89	0.89	53	79.0
08-Feb-19	08:10	Cloudy	ACL2a_1hr_1 140472	2.6759	2.6805	10338.51	10339.51	1.00	0.88	0.88	0.88	53	87.2
08-Feb-19	09:40	Cloudy	ACL2a_1hr_2 140478	2.6859	2.6896	10339.51	10340.51	1.00	0.88	0.88	0.88	53	70.1
08-Feb-19	10:55	Cloudy	ACL2a_1hr_3 140484	2.6818	2.6904	10340.51	10341.51	1.00	0.88	0.88	0.88	53	162.9
14-Feb-19	08:10	Cloudy	ACL2a_1hr_1 140461	2.6929	2.6950	10365.51	10366.51	1.00	0.89	0.89	0.89	53	39.5
14-Feb-19	09:57	Cloudy	ACL2a_1hr_2 140695	2.6527	2.6561	10366.51	10367.51	1.00	0.89	0.89	0.89	53	63.9
14-Feb-19	13:00	Cloudy	ACL2a_1hr_3 140682	2.6480	2.6512	10367.51	10368.51	1.00	0.89	0.89	0.89	53	60.2
20-Feb-19	08:20	Cloudy	ACL2a_1hr_1 140667	2.6035	2.6068	10392.51	10393.51	1.00	1.11	1.11	1.11	67	49.5
20-Feb-19	10:00	Cloudy	ACL2a_1hr_2 140618	2.6411	2.6435	10393.51	10394.51	1.00	1.11	1.11	1.11	67	36.0
20-Feb-19	13:00	Cloudy	ACL2a_1hr_3 140649	2.6335	2.6358	10394.51	10395.51	1.00	1.11	1.11	1.11	67	34.5
26-Feb-19	08:07	Cloudy	ACL2a_1hr_1 140631	2.6012	2.6026	10419.51	10420.51	1.00	1.12	1.12	1.12	67	20.9
26-Feb-19	10:27	Cloudy	ACL2a_1hr_2 140599	2.6425	2.6450	10420.51	10421.51	1.00	1.12	1.12	1.12	67	37.3
26-Feb-19	13:20	Cloudy	ACL2a_1hr_3 140518	2.6395	2.6462	10421.51	10422.51	1.00	1.12	1.12	1.12	67	99.8



Location: ACL1 - City Hall

Report on 24-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 163

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
02-Mar-19	08:00	Cloudy	ACL1_24hr 140598	2.6447	2.7494	5198.83	5222.83	24.00	0.82	0.82	0.82	1177	89.0
08-Mar-19	08:00	Rainy	ACL1_24hr 140542	2.6428	2.6784	5223.83	5249.83	24.00	0.83	0.82	0.83	1190	29.9
14-Mar-19	08:00	Rainy	ACL1_24hr 140743	2.6444	2.7310	5252.83	5276.83	24.00	0.82	0.83	0.82	1187	73.0
20-Mar-19	08:00	Cloudy	ACL1_24hr 140813	2.6608	2.7580	5279.83	5303.83	24.00	0.81	0.81	0.81	1165	83.4
26-Mar-19	08:00	Cloudy	ACL1_24hr 140895	2.6352	2.7099	5306.81	5330.81	24.00	0.82	0.81	0.81	1174	63.7

Report on 1-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 460

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
04-Mar-19	08:50	Rainy	ACL1_1hr_1 140531	2.6390	2.6403	5222.83	5223.83	1.00	0.82	0.82	0.82	49	26.4
04-Mar-19	09:55	Rainy	ACL1_1hr_2 140534	2.6271	2.6284	5223.83	5224.83	1.00	0.82	0.82	0.82	49	26.4
04-Mar-19	13:00	Rainy	ACL1_1hr_3 140538	2.6323	2.6342	5224.83	5225.83	1.00	0.82	0.82	0.82	49	38.6
09-Mar-19	08:22	Rainy	ACL1_1hr_1 140567	2.6290	2.6297	5249.83	5250.83	1.00	0.82	0.82	0.82	49	14.2
09-Mar-19	09:25	Rainy	ACL1_1hr_2 140558	2.6224	2.6242	5250.83	5251.83	1.00	0.82	0.82	0.82	49	36.4
09-Mar-19	10:33	Rainy	ACL1_1hr_3 140563	2.6291	2.6337	5251.83	5252.83	1.00	0.82	0.82	0.82	49	93.1
15-Mar-19	08:30	Cloudy	ACL1_1hr_1 140716	2.6612	2.6616	5276.83	5277.83	1.00	0.83	0.83	0.83	50	8.1
15-Mar-19	10:25	Cloudy	ACL1_1hr_2 140724	2.6551	2.6551	5277.83	5278.83	1.00	0.83	0.83	0.83	50	<0.1
15-Mar-19	13:45	Cloudy	ACL1_1hr_3 140730	2.6532	2.6610	5278.83	5279.83	1.00	0.83	0.83	0.83	50	157.2
21-Mar-19	08:45	Cloudy	ACL1_1hr_1 140855	2.6542	2.6563	5303.83	5304.83	1.00	0.81	0.81	0.81	48	43.4
21-Mar-19	10:25	Cloudy	ACL1_1hr_2 140863	2.6669	2.6693	5304.83	5305.83	1.00	0.81	0.81	0.81	48	49.6
21-Mar-19	13:00	Cloudy	ACL1_1hr_3 140865	2.6583	2.6608	5305.83	5306.83	1.00	0.81	0.81	0.81	48	51.7
27-Mar-19	09:20	Cloudy	ACL1_1hr_1 140765	2.6493	2.6535	5330.81	5331.81	1.00	0.81	0.81	0.81	49	86.0
27-Mar-19	10:30	Cloudy	ACL1_1hr_2 140768	2.6498	2.6518	5331.81	5332.81	1.00	0.81	0.81	0.81	49	41.0
27-Mar-19	13:00	Cloudy	ACL1_1hr_3 140752	2.6705	2.6738	5332.81	5333.81	1.00	0.81	0.81	0.81	49	67.6



Location: ACL2a - Contractor HK/2012/08 Site office

Report on 24-hour TSP monitoring  
Action Level ( $\mu\text{g}/\text{m}^3$ ) - 187.3  
Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
02-Mar-19	08:00	Cloudy	ACL2a_24hr 140597	2.6499	2.7413	10422.51	10446.51	24.00	1.11	1.11	1.11	1599	57.2
08-Mar-19	08:00	Rainy	ACL2a_24hr 140543	2.6194	2.6626	10449.51	10473.51	24.00	1.12	1.12	1.12	1610	26.8
14-Mar-19	08:00	Rainy	ACL2a_24hr 140712	2.6633	2.7377	10476.41	10500.41	24.00	1.11	1.12	1.12	1608	46.3
21-Mar-19	12:45	Cloudy	ACL2a_24hr 140896	2.6377	2.6877	10506.41	10530.41	24.00	1.10	1.10	1.10	1585	31.5
26-Mar-19	08:00	Cloudy	ACL2a_24hr 140891	2.6292	2.7086	10530.41	10554.41	24.00	1.11	1.11	1.11	1596	49.8

Remarks: Due to interruption of electricity, the 24hr TSP was rescheduled from 20 March 2019 to 21 March 2019.

Report on 1-hour TSP monitoring  
Action Level ( $\mu\text{g}/\text{m}^3$ ) - 300.1  
Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
04-Mar-19	08:35	Rainy	ACL2a_1hr_1 140529	2.6356	2.6356	10446.51	10447.51	1.00	1.11	1.11	1.11	67	<0.1
04-Mar-19	09:59	Rainy	ACL2a_1hr_2 140547	2.6193	2.6193	10447.51	10448.51	1.00	1.11	1.11	1.11	67	<0.1
04-Mar-19	13:00	Rainy	ACL2a_1hr_3 140580	2.6554	2.6554	10448.51	10449.51	1.00	1.11	1.11	1.11	67	<0.1
09-Mar-19	08:08	Rainy	ACL2a_1hr_1 140573	2.6302	2.6304	10473.51	10474.51	1.00	1.12	1.12	1.12	67	<0.1
09-Mar-19	09:13	Rainy	ACL2a_1hr_2 140750	2.6404	2.6422	10474.51	10475.51	1.00	1.12	1.12	1.12	67	<0.1
09-Mar-19	10:36	Rainy	ACL2a_1hr_3 140706	2.6434	2.6473	10475.51	10476.51	1.00	1.12	1.12	1.12	67	<0.1
15-Mar-19	08:15	Cloudy	ACL2a_1hr_1 140715	2.6438	2.6452	10500.41	10501.41	1.00	1.12	1.12	1.12	67	20.9
15-Mar-19	10:05	Cloudy	ACL2a_1hr_2 140720	2.6756	2.6763	10501.41	10502.41	1.00	1.12	1.12	1.12	67	10.4
15-Mar-19	13:00	Cloudy	ACL2a_1hr_3 140802	2.6576	2.6633	10502.41	10503.41	1.00	1.12	1.12	1.12	67	84.9
21-Mar-19	08:00	Cloudy	ACL2a_1hr_1 140825	2.6541	2.6572	10503.41	10504.41	1.00	1.10	1.10	1.10	66	46.9
21-Mar-19	10:00	Cloudy	ACL2a_1hr_2 140859	2.6322	2.6355	10504.41	10505.41	1.00	1.10	1.10	1.10	66	50.0
21-Mar-19	13:00	Cloudy	ACL2a_1hr_3 140868	2.6316	2.6357	10505.41	10506.41	1.00	1.10	1.10	1.10	66	62.1
27-Mar-19	08:10	Cloudy	ACL2a_1hr_1 140873	2.6474	2.6492	10554.41	10555.41	1.00	1.11	1.11	1.11	66	27.1
27-Mar-19	09:35	Cloudy	ACL2a_1hr_2 140889	2.6389	2.6414	10555.41	10556.41	1.00	1.11	1.11	1.11	66	37.6
27-Mar-19	10:40	Cloudy	ACL2a_1hr_3 140881	2.6346	2.6368	10556.41	10557.41	1.00	1.11	1.11	1.11	66	33.1



Location: ACL1 - City Hall

Report on 24-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 163

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
1-Apr-19	8:00	Cloudy	ACL1_24hr 140753	2.6399	2.7419	5333.81	5357.81	24.00	0.82	0.82	0.82	1185	86.1
6-Apr-19	8:00	Cloudy	ACL1_24hr 140944	2.6480	2.7320	5360.81	5384.81	24.00	0.81	0.81	0.81	1168	71.9
12-Apr-19	8:00	Cloudy	ACL1_24hr 140758	2.6590	2.6973	5387.85	5411.85	24.00	0.82	0.82	0.82	1177	32.5
17-Apr-19	8:00	Cloudy	ACL1_24hr 141103	2.6523	2.7105	5414.85	5438.85	24.00	0.81	0.81	0.81	1171	49.7
23-Apr-19	8:00	Fine	ACL1_24hr 141011	2.7735	2.7911	5441.86	5465.86	24.00	0.86	0.86	0.86	1233	14.3
29-Apr-19	8:00	Fine	ACL1_24hr 141177	2.6870	2.7429	5468.87	5492.87	24.00	0.86	0.86	0.86	1237	45.2

Report on 1-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 460

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
2-Apr-19	8:30	Cloudy	ACL1_1hr_1 140885	2.6174	2.6185	5357.81	5358.81	1.00	0.82	0.82	0.82	49	22.3
2-Apr-19	10:20	Cloudy	ACL1_1hr_2 140844	2.6664	2.6680	5358.81	5359.81	1.00	0.82	0.82	0.82	49	32.4
2-Apr-19	13:00	Cloudy	ACL1_1hr_3 140950	2.6495	2.6497	5359.81	5360.81	1.00	0.82	0.82	0.82	49	4.1
8-Apr-19	9:20	Cloudy	ACL1_1hr_1 140771	2.6547	2.6566	5384.81	5385.81	1.00	0.81	0.81	0.81	48	39.2
8-Apr-19	10:25	Cloudy	ACL1_1hr_2 140762	2.6556	2.6584	5385.81	5386.81	1.00	0.81	0.81	0.81	48	57.8
8-Apr-19	13:00	Cloudy	ACL1_1hr_3 140761	2.6390	2.6422	5386.81	5387.81	1.00	0.81	0.81	0.81	48	66.0
13-Apr-19	8:35	Cloudy	ACL1_1hr_1 140957	2.7529	2.7529	5411.85	5412.85	1.00	0.82	0.82	0.82	49	<0.1
13-Apr-19	9:40	Cloudy	ACL1_1hr_2 140781	2.6620	2.6633	5412.85	5413.85	1.00	0.82	0.82	0.82	49	26.4
13-Apr-19	10:55	Cloudy	ACL1_1hr_3 140964	2.7816	2.7846	5413.85	5414.85	1.00	0.82	0.82	0.82	49	61.0
18-Apr-19	9:05	Cloudy	ACL1_1hr_1 141004	2.7547	2.7571	5438.85	5439.85	1.00	0.81	0.81	0.81	49	49.3
18-Apr-19	10:10	Cloudy	ACL1_1hr_2 141007	2.7759	2.7777	5439.85	5440.85	1.00	0.81	0.81	0.81	49	36.9
18-Apr-19	13:00	Cloudy	ACL1_1hr_3 141010	2.7793	2.7793	5440.85	5441.85	1.00	0.81	0.81	0.81	49	<0.1
24-Apr-19	13:00	Fine	ACL1_1hr_1 140996	2.7771	2.7965	5465.87	5466.87	1.00	0.86	0.86	0.86	51	377.6
24-Apr-19	14:20	Fine	ACL1_1hr_2 141183	2.6835	2.6844	5466.87	5467.87	1.00	0.86	0.86	0.86	51	17.5
24-Apr-19	15:35	Fine	ACL1_1hr_3 141174	2.7008	2.7008	5467.87	5468.87	1.00	0.86	0.86	0.86	51	<0.1
30-Apr-19	8:25	Fine	ACL1_1hr_1 140965	2.7681	2.7681	5492.87	5493.87	1.00	0.86	0.86	0.86	51	<0.1
30-Apr-19	10:05	Fine	ACL1_1hr_2 140982	2.7434	2.7434	5493.87	5494.87	1.00	0.86	0.86	0.86	51	<0.1
30-Apr-19	14:15	Fine	ACL1_1hr_3 141054	2.6787	2.6809	5494.87	5495.87	1.00	0.86	0.86	0.86	51	42.8



Location: ACL2a - Contractor HK/2012/08 Site office

Report on 24-hour TSP monitoring  
Action Level ( $\mu\text{g}/\text{m}^3$ ) - 187.3  
Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260


Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{\text{in}}$	Final, $Q_{\text{out}}$	Average		
1-Apr-19	8:00	Cloudy	ACL2a_24hr 140910	2.6395	2.7409	10557.41	10581.41	24.00	1.11	1.12	1.12	1606	63.1
6-Apr-19	8:00	Cloudy	ACL2a_24hr 140919	2.6473	2.7347	10584.39	10608.39	24.00	1.11	1.10	1.10	1591	54.9
12-Apr-19	8:00	Cloudy	ACL2a_24hr 140785	2.6526	2.6929	10611.39	10635.39	24.00	1.11	1.11	1.11	1599	25.2
17-Apr-19	8:00	Cloudy	ACL2a_24hr 140967	2.7537	2.8032	10638.39	10662.39	24.00	1.11	1.11	1.11	1594	31.1
23-Apr-19	8:00	Fine	ACL2a_24hr 141145	2.6584	2.6947	10665.39	10689.39	24.00	1.10	1.10	1.10	1584	22.9
29-Apr-19	8:00	Fine	ACL2a_24hr 141169	2.6883	2.7407	10692.39	10716.39	24.00	1.10	1.10	1.10	1586	33.0

Report on 1-hour TSP monitoring  
Action Level ( $\mu\text{g}/\text{m}^3$ ) - 300.1  
Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500


Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{\text{in}}$	Final, $Q_{\text{out}}$	Average		
2-Apr-19	8:10	Cloudy	ACL2a_1hr_1 140544	2.6174	2.6184	10581.41	10582.41	1.00	1.12	1.12	1.12	67	14.9
2-Apr-19	10:07	Cloudy	ACL2a_1hr_2 140841	2.6460	2.6474	10582.41	10583.41	1.00	1.12	1.12	1.12	67	20.9
2-Apr-19	13:00	Cloudy	ACL2a_1hr_3 140913	2.6668	2.6686	10583.41	10584.41	1.00	1.12	1.12	1.12	67	26.9
8-Apr-19	13:00	Cloudy	ACL2a_1hr_1 140782	2.6607	2.6633	10608.39	10609.39	1.00	1.10	1.10	1.10	66	39.3
8-Apr-19	14:15	Cloudy	ACL2a_1hr_2 140791	2.6511	2.6528	10609.39	10610.39	1.00	1.10	1.10	1.10	66	25.7
8-Apr-19	15:30	Cloudy	ACL2a_1hr_3 140786	2.6445	2.6453	10610.39	10611.39	1.00	1.10	1.10	1.10	66	12.1
13-Apr-19	8:16	Cloudy	ACL2a_1hr_1 140954	2.7563	2.7563	10635.39	10636.39	1.00	1.11	1.11	1.11	67	<0.1
13-Apr-19	9:30	Cloudy	ACL2a_1hr_2 140778	2.6466	2.6476	10636.39	10637.39	1.00	1.11	1.11	1.11	67	15.0
13-Apr-19	10:38	Cloudy	ACL2a_1hr_3 140960	2.7601	2.7624	10637.39	10638.39	1.00	1.11	1.11	1.11	67	34.4
18-Apr-19	8:20	Cloudy	ACL2a_1hr_1 141163	2.6903	2.6917	10662.39	10663.39	1.00	1.11	1.11	1.11	66	21.1
18-Apr-19	9:23	Cloudy	ACL2a_1hr_2 141151	2.6917	2.6922	10663.39	10664.39	1.00	1.11	1.11	1.11	66	7.5
18-Apr-19	10:26	Cloudy	ACL2a_1hr_3 141153	2.6865	2.6909	10664.39	10665.39	1.00	1.11	1.11	1.11	66	66.3
24-Apr-19	8:20	Fine	ACL2a_1hr_1 141098	2.6872	2.6872	10689.39	10690.39	1.00	1.10	1.10	1.10	66	<0.1
24-Apr-19	9:23	Fine	ACL2a_1hr_2 141099	2.6827	2.6827	10690.39	10691.39	1.00	1.10	1.10	1.10	66	<0.1
24-Apr-19	10:25	Fine	ACL2a_1hr_3 141167	2.6848	2.6856	10691.39	10692.39	1.00	1.10	1.10	1.10	66	12.1
30-Apr-19	8:51	Fine	ACL2a_1hr_1 140998	2.7690	2.7690	10716.39	10717.39	1.00	1.10	1.10	1.10	66	<0.1
30-Apr-19	9:56	Fine	ACL2a_1hr_2 140981	2.7517	2.7517	10717.39	10718.39	1.00	1.10	1.10	1.10	66	<0.1
30-Apr-19	13:00	Fine	ACL2a_1hr_3 141053	2.6681	2.6713	10718.39	10719.39	1.00	1.10	1.10	1.10	66	48.5



Graphic Presentation of 1 hour TSP Result




Graphic Presentation of 24 hour TSP Result





Graphic Presentation of 1 hour TSP Result



Graphic Presentation of 24 hour TSP Result

