



Location: ACL1 - City Hall

Report on 24-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 163

Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
3-Nov-14	8:00	Cloudy	010311	2.7828	2.8503	3522.49	3546.49	24.00	1.00	1.00	1.00	1434	47
8-Nov-14	8:00	Cloudy	010217	2.7685	2.8153	3549.49	3573.49	24.00	1.00	1.00	1.00	1438	33
14-Nov-14	8:00	Cloudy	010142	2.7673	2.8625	3577.48	3601.48	24.00	1.13	1.12	1.12	1620	59
20-Nov-14	8:00	Fine	010146	2.7796	2.9027	3604.48	3628.48	24.00	1.03	1.03	1.03	1481	83
26-Nov-14	8:00	Cloudy	010530	2.7289	2.8700	3631.49	3655.49	24.00	0.99	1.00	0.99	1432	99

Report on 1-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 460

Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
4-Nov-14	8:51	Cloudy	010238	2.7716	2.7796	3546.49	3547.49	1.00	0.93	0.93	0.93	56	143
4-Nov-14	10:05	Cloudy	010241	2.7597	2.7638	3547.49	3548.49	1.00	0.93	0.93	0.93	56	73
4-Nov-14	13:00	Cloudy	010242	2.7522	2.7589	3548.49	3549.49	1.00	0.93	0.93	0.93	56	120
10-Nov-14	8:50	Cloudy	010234	2.7541	2.7572	3573.49	3574.49	1.00	0.99	0.99	0.99	60	52
10-Nov-14	9:54	Cloudy	010313	2.7650	2.7684	3574.49	3575.49	1.00	0.99	0.99	0.99	60	57
10-Nov-14	10:56	Cloudy	010316	2.7668	2.7695	3575.49	3576.49	1.00	0.99	0.99	0.99	60	45
15-Nov-14	8:45	Cloudy	010143	2.7648	2.7708	3601.48	3602.48	1.00	1.03	1.03	1.03	62	97
15-Nov-14	9:49	Cloudy	010144	2.7733	2.7783	3602.48	3603.48	1.00	1.00	1.06	1.03	62	81
15-Nov-14	10:55	Cloudy	010145	2.7688	2.7750	3603.48	3604.48	1.00	1.00	1.03	1.01	61	102
21-Nov-14	8:06	Fine	010539	2.7346	2.7372	3628.48	3629.48	1.00	1.03	1.06	1.04	63	42
21-Nov-14	9:15	Fine	010534	2.7441	2.7480	3629.48	3630.48	1.00	1.00	1.06	1.03	62	63
21-Nov-14	11:00	Fine	010535	2.7242	2.7293	3630.48	3631.48	1.00	1.06	1.06	1.06	64	80
27-Nov-14	8:15	Cloudy	010666	2.8013	2.8117	3655.49	3656.49	1.00	1.00	1.00	1.00	60	174
27-Nov-14	9:36	Cloudy	010669	2.8025	2.8169	3656.49	3657.49	1.00	1.00	1.00	1.00	60	241
27-Nov-14	10:45	Cloudy	010672	2.7593	2.7634	3657.49	3658.49	1.00	1.00	1.00	1.00	60	69



Location: ACL2a - Contractor HK/2012/08 Site office

Report on 24-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 187.3

Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
3-Nov-14	8:00	Cloudy	010177	2.7587	2.9213	2656.38	2680.38	24.00	0.99	0.99	0.99	1430	114
8-Nov-14	8:00	Cloudy	010218	2.7510	2.8051	2683.38	2707.38	24.00	1.12	1.12	1.12	1609	34
14-Nov-14	8:00	Cloudy	010389	2.7673	2.9413	2710.37	2734.37	24.00	1.12	1.12	1.12	1611	108
21-Nov-14	14:30	Fine	010473	2.7454	2.9101	2740.37	2764.37	24.00	1.05	1.05	1.05	1519	108
26-Nov-14	8:00	Cloudy	010475	2.7429	2.9438	2764.37	2788.37	24.00	1.11	1.11	1.11	1603	125

* Due to interruption of electricity supply, the 24hr TSP was rescheduled from 20 November 2014 to 21 November 2014.

Report on 1-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 300.1

Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
4-Nov-14	13:00	Cloudy	010243	2.7689	2.7817	2680.39	2681.39	1.00	1.05	1.05	1.05	63	203
4-Nov-14	14:05	Cloudy	010246	2.7788	2.7920	2681.39	2682.39	1.00	0.99	0.99	0.99	60	222
4-Nov-14	15:14	Cloudy	010249	2.7737	2.7886	2682.39	2683.39	1.00	0.99	0.99	0.99	60	250
10-Nov-14	9:36	Cloudy	010221	2.7699	2.7768	2707.38	2708.38	1.00	1.11	1.11	1.11	67	103
10-Nov-14	13:30	Cloudy	010382	2.7865	2.7947	2708.38	2709.38	1.00	1.05	1.05	1.05	63	130
10-Nov-14	14:45	Cloudy	010385	2.7614	2.7669	2709.38	2710.38	1.00	1.05	1.05	1.05	63	87
15-Nov-14	13:00	Cloudy	010496	2.7155	2.7251	2734.37	2735.37	1.00	1.06	1.06	1.06	63	151
15-Nov-14	14:05	Cloudy	010519	2.7552	2.7643	2735.37	2736.37	1.00	1.06	1.06	1.06	63	144
15-Nov-14	15:11	Cloudy	010516	2.7590	2.7702	2736.37	2737.37	1.00	1.06	1.06	1.06	63	177
21-Nov-14	8:09	Fine	010204	2.7512	2.7575	2737.37	2738.37	1.00	1.05	1.05	1.05	63	100
21-Nov-14	9:40	Fine	010570	2.7343	2.7428	2738.37	2739.37	1.00	1.05	1.05	1.05	63	134
21-Nov-14	13:00	Fine	010566	2.7617	2.7661	2739.37	2740.37	1.00	1.05	1.05	1.05	63	70
27-Nov-14	8:06	Cloudy	010591	2.7336	2.7415	2788.37	2789.37	1.00	1.11	1.11	1.11	67	118
27-Nov-14	9:15	Cloudy	010593	2.7459	2.7546	2789.37	2790.37	1.00	1.11	1.11	1.11	67	130
27-Nov-14	10:20	Cloudy	010680	2.7837	2.7905	2790.37	2791.37	1.00	1.11	1.11	1.11	67	102



Location: ACL1 - City Hall

Report on 24-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 163

Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
2-Dec-14	8:00	Cloudy	010675	2.7940	2.9268	3658.48	3682.48	24.00	1.07	1.07	1.07	1541	86
8-Dec-14	8:00	Fine	010577	2.7249	2.8713	20458.06	20482.06	24.00	1.22	1.21	1.21	1750	84
13-Dec-14	8:00	Fine	010556	2.7334	2.9659	20485.19	20509.19	24.00	1.23	1.22	1.22	1762	132
19-Dec-14	8:00	Cloudy	010512	2.7194	2.8327	20512.19	20536.19	24.00	1.23	1.22	1.23	1764	64
23-Dec-14	8:00	Cloudy	010775	2.7216	2.8819	20539.18	20563.18	24.00	1.22	1.21	1.22	1754	91
29-Dec-14	8:00	Fine	010796	2.7294	2.8562	20566.18	20590.18	24.00	1.22	1.22	1.22	1761	72

Report on 1-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 460

Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
3-Dec-14	8:20	Cloudy	010696	2.7872	2.7922	3682.48	3683.48	1.00	1.00	1.00	1.00	60	83
3-Dec-14	9:45	Cloudy	010699	2.7760	2.7803	3683.48	3684.48	1.00	1.07	1.07	1.07	64	67
3-Dec-14	10:50	Cloudy	010702	2.7808	2.7857	3684.48	3685.48	1.00	1.07	1.07	1.07	64	77
9-Dec-14	8:46	Fine	010552	2.7572	2.7625	20482.07	20483.07	1.00	1.15	1.15	1.15	69	77
9-Dec-14	9:50	Fine	010555	2.7418	2.7499	20483.15	20484.15	1.00	1.21	1.21	1.21	73	111
9-Dec-14	11:00	Fine	009943	2.7285	2.7375	20484.15	20485.15	1.00	1.21	1.21	1.21	73	124
15-Dec-14	8:12	Fine	010434	2.7328	2.7373	20509.19	20510.19	1.00	1.15	1.15	1.15	69	65
15-Dec-14	9:15	Fine	010437	2.7428	2.7515	20510.19	20511.19	1.00	1.21	1.21	1.21	73	119
15-Dec-14	10:45	Fine	010440	2.7260	2.7338	20511.19	20512.19	1.00	1.21	1.21	1.21	73	107
20-Dec-14	8:35	Fine	010761	2.7216	2.7278	20536.19	20537.19	1.00	1.22	1.22	1.22	73	85
20-Dec-14	9:38	Fine	010764	2.7128	2.7165	20537.19	20538.19	1.00	1.22	1.22	1.22	73	50
20-Dec-14	10:45	Fine	010767	2.7174	2.7212	20538.19	20539.19	1.00	1.22	1.22	1.22	73	52
24-Dec-14	8:45	Cloudy	010513	2.7197	2.7233	20563.18	20564.18	1.00	1.21	1.21	1.21	73	49
24-Dec-14	9:50	Cloudy	010507	2.7430	2.7511	20564.18	20565.18	1.00	1.21	1.21	1.21	73	111
24-Dec-14	10:55	Cloudy	010793	2.7205	2.7265	20565.18	20566.18	1.00	1.21	1.21	1.21	73	82
30-Dec-14	8:25	Fine	010944	2.7590	2.7698	20590.18	20591.18	1.00	1.22	1.22	1.22	73	147
30-Dec-14	9:30	Fine	010947	2.7675	2.7711	20591.18	20592.18	1.00	1.22	1.22	1.22	73	49
30-Dec-14	10:35	Fine	010799	2.7136	2.7169	20592.18	20593.18	1.00	1.22	1.22	1.22	73	45



Location: ACL2a - Contractor HK/2012/08 Site office

Report on 24-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 187.3

Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
2-Dec-14	8:00	Cloudy	010686	2.7713	2.9004	2791.37	2815.37	24.00	1.07	1.06	1.06	1533	84
8-Dec-14	8:00	Fine	010449	2.7296	2.9304	2818.37	2842.37	24.00	1.19	1.19	1.19	1709	118
15-Dec-14	15:00	Fine	010581	2.7232	2.9849	2848.38	2872.38	24.00	1.19	1.19	1.19	1712	153
19-Dec-14	8:00	Cloudy	010755	2.7296	2.8378	2872.38	2896.38	24.00	1.22	1.22	1.22	1757	62
23-Dec-14	8:00	Cloudy	010730	2.7312	2.9325	2899.37	2923.37	24.00	1.22	1.21	1.21	1748	115
29-Dec-14	8:00	Fine	010829	2.7825	2.8923	2926.37	2950.37	24.00	1.22	1.22	1.22	1754	63

* Due to interruption of electricity supply, the 24hr TSP was rescheduled from 13 December 2014 to 15 December 2014.

Report on 1-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 300.1

Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
3-Dec-14	9:31	Cloudy	010691	2.7813	2.7879	2815.37	2816.37	1.00	1.12	1.12	1.12	67	98
3-Dec-14	13:00	Cloudy	010693	2.7892	2.7947	2816.37	2817.37	1.00	1.12	1.12	1.12	67	82
3-Dec-14	14:18	Cloudy	010713	2.7683	2.7787	2817.37	2818.37	1.00	1.25	1.25	1.25	75	139
9-Dec-14	8:30	Fine	010648	2.7895	2.8012	2842.37	2843.37	1.00	1.19	1.19	1.19	71	164
9-Dec-14	9:45	Fine	010651	2.7985	2.8083	2843.37	2844.37	1.00	1.19	1.19	1.19	71	138
9-Dec-14	10:56	Fine	010559	2.7506	2.7686	2844.37	2845.37	1.00	1.19	1.19	1.19	71	253
15-Dec-14	9:30	Fine	010772	2.7038	2.7114	2845.37	2846.37	1.00	1.19	1.19	1.19	71	107
15-Dec-14	10:36	Fine	010583	2.7293	2.7401	2846.37	2847.37	1.00	1.19	1.19	1.19	71	152
15-Dec-14	13:00	Fine	010582	2.7300	2.7409	2847.37	2848.37	1.00	1.19	1.19	1.19	71	153
20-Dec-14	8:55	Fine	010728	2.7132	2.7196	2896.38	2897.38	1.00	1.22	1.22	1.22	73	88
20-Dec-14	9:57	Fine	010787	2.7080	2.7146	2897.38	2898.38	1.00	1.22	1.22	1.22	73	90
20-Dec-14	10:59	Fine	010729	2.7549	2.7613	2898.38	2899.38	1.00	1.22	1.22	1.22	73	88
24-Dec-14	9:10	Cloudy	010820	2.7774	2.7832	2923.37	2924.37	1.00	1.21	1.21	1.21	73	80
24-Dec-14	13:00	Cloudy	010823	2.7648	2.7712	2924.37	2925.37	1.00	1.21	1.21	1.21	73	88
24-Dec-14	14:05	Cloudy	010827	2.7614	2.7704	2925.37	2926.37	1.00	1.21	1.21	1.21	73	124
30-Dec-14	8:28	Fine	010969	2.7738	2.7808	2950.37	2951.37	1.00	1.22	1.22	1.22	73	96
30-Dec-14	13:00	Fine	010966	2.7709	2.7785	2951.37	2952.37	1.00	1.22	1.22	1.22	73	104
30-Dec-14	14:05	Fine	010803	2.7266	2.7346	2952.37	2953.37	1.00	1.22	1.22	1.22	73	110



Location: ACL1 - City Hall

Report on 24-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 163

Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
3-Jan-15	8:00	Fine	010802	2.7168	2.8463	20593.18	20617.18	24.00	1.22	1.22	1.22	1754	74.0
9-Jan-15	8:00	Fine	010061	2.7701	2.9572	20620.18	20644.18	24.00	1.22	1.22	1.22	1760	106.3
15-Jan-15	8:00	Fine	010930	2.7520	2.8740	20647.17	20671.17	24.00	1.22	1.22	1.22	1758	69.4
21-Jan-15	8:00	Fine	010986	2.7478	3.1371	20674.17	20698.17	24.00	1.25	1.25	1.25	1800	216.3
27-Jan-15	8:00	Cloudy	010869	2.7702	2.9053	20701.17	20725.17	24.00	1.21	1.22	1.22	1750	77.2

Report on 1-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 460

Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
5-Jan-15	8:05	Cloudy	010960	2.7772	2.7811	20617.18	20618.18	1.00	1.21	1.21	1.21	73	54.0
5-Jan-15	9:13	Cloudy	009880	2.7576	2.7654	20618.18	20619.18	1.00	1.21	1.21	1.21	73	107.0
5-Jan-15	10:25	Cloudy	009883	2.7774	2.7841	20619.18	20620.18	1.00	1.21	1.21	1.21	73	92.0
10-Jan-15	9:06	Fine	011009	2.7934	2.8015	20644.18	20645.18	1.00	1.22	1.22	1.22	73	110.5
10-Jan-15	13:00	Fine	011012	2.7586	2.7641	20645.18	20646.18	1.00	1.22	1.22	1.22	73	75.1
10-Jan-15	14:16	Fine	011015	2.7363	2.7446	20646.18	20647.18	1.00	1.22	1.22	1.22	73	113.3
16-Jan-15	8:04	Fine	011018	2.7452	2.7487	20671.17	20672.17	1.00	1.22	1.22	1.22	73	47.9
16-Jan-15	9:10	Fine	010980	2.7509	2.7530	20672.17	20673.17	1.00	1.22	1.22	1.22	73	28.7
16-Jan-15	10:13	Fine	010983	2.7322	2.7336	20674.17	20675.17	1.00	1.22	1.22	1.22	73	19.1
22-Jan-15	8:06	Fine	010860	2.7645	2.7705	20698.17	20699.17	1.00	1.25	1.25	1.25	75	80.0
22-Jan-15	9:12	Fine	010863	2.7655	2.7698	20699.17	20700.17	1.00	1.25	1.25	1.25	75	57.3
22-Jan-15	10:19	Fine	010866	2.7844	2.7885	20700.17	20701.17	1.00	1.25	1.25	1.25	75	54.7
28-Jan-15	9:29	Cloudy	010989	2.7500	2.7533	20725.17	20726.17	1.00	1.18	1.18	1.18	71	46.4
28-Jan-15	10:35	Cloudy	009581	2.8333	2.8385	20726.17	20727.17	1.00	1.18	1.18	1.18	71	73.1
28-Jan-15	13:00	Cloudy	009583	2.8207	2.8253	20727.17	20728.17	1.00	1.18	1.18	1.18	71	64.7



Location: ACL2a - Contractor HK/2012/08 Site office

Report on 24-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 187.3

Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
3-Jan-15	8:00	Fine	010682	2.7695	2.9431	2953.40	2977.40	24.00	1.19	1.18	1.19	1707	102.0
9-Jan-15	8:00	Fine	010833	2.7959	2.9954	2980.40	3004.40	24.00	1.10	1.10	1.10	1590	125.4
15-Jan-15	8:00	Fine	010928	2.7517	2.8612	3007.40	3031.40	24.00	1.11	1.10	1.10	1589	68.9
21-Jan-15	8:00	Fine	010887	2.7824	3.1021	3034.40	3058.40	24.00	1.10	1.10	1.10	1586	201.6
27-Jan-15	8:00	Cloudy	010884	2.7779	2.8992	3061.40	3085.40	24.00	1.13	1.13	1.13	1623	74.7


Report on 1-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 300.1


Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
5-Jan-15	9:14	Cloudy	010963	2.7798	2.7873	2977.40	2978.40	1.00	1.21	1.21	1.21	72	104.0
5-Jan-15	10:16	Cloudy	010958	2.7789	2.7844	2978.40	2979.40	1.00	1.21	1.21	1.21	72	76.0
5-Jan-15	13:00	Cloudy	010955	2.7643	2.7742	2979.40	2980.40	1.00	1.21	1.21	1.21	72	137.0
10-Jan-15	9:22	Fine	010917	2.7546	2.7666	3004.40	3005.40	1.00	1.10	1.10	1.10	66	181.2
10-Jan-15	13:00	Fine	011023	2.7424	2.7483	3005.40	3006.40	1.00	1.10	1.10	1.10	66	89.1
10-Jan-15	14:05	Fine	010939	2.7538	2.7688	3006.40	3007.40	1.00	1.10	1.10	1.10	66	226.5
16-Jan-15	8:06	Fine	010990	2.7709	2.7740	3031.40	3032.40	1.00	1.10	1.10	1.10	66	46.9
16-Jan-15	9:11	Fine	010947	2.7669	2.7721	3032.40	3033.40	1.00	1.10	1.10	1.10	66	78.7
16-Jan-15	10:20	Fine	011021	2.7344	2.7455	3033.40	3034.40	1.00	1.10	1.10	1.10	66	167.9
22-Jan-15	13:00	Fine	010900	2.7819	2.7931	3058.40	3059.40	1.00	1.10	1.10	1.10	66	169.4
22-Jan-15	14:06	Fine	010878	2.7548	2.7627	3059.40	3060.40	1.00	1.10	1.10	1.10	66	119.5
22-Jan-15	15:13	Fine	010881	2.7852	2.7934	3060.40	3061.40	1.00	1.10	1.10	1.10	66	124.1
28-Jan-15	8:25	Cloudy	010903	2.7694	2.7759	3085.40	3086.40	1.00	1.16	1.16	1.16	69	93.7
28-Jan-15	9:33	Cloudy	010852	2.7641	2.7754	3086.40	3087.40	1.00	1.16	1.16	1.16	69	162.9
28-Jan-15	10:42	Cloudy	010855	2.7708	2.7842	3087.40	3088.40	1.00	1.16	1.16	1.16	69	193.2

Graphic Presentation of 1 hour TSP Result




Graphic Presentation of 24 hour TSP Result





Graphic Presentation of 1 hour TSP Result



Graphic Presentation of 24 hour TSP Result

