



Location: ACL1 - City Hall

Report on 24-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 163

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
5-May-15	8:00	Fine	011587	2.7211	2.8200	21225.30	21249.30	24.00	1.13	1.13	1.13	1627	60.8
11-May-15	8:00	Fine	011842	2.7083	2.7503	21252.30	21276.30	24.00	1.13	1.13	1.13	1631	25.8
16-May-15	8:00	Rainy	012001	2.8151	2.9658	21279.31	21303.31	24.00	1.16	1.16	1.16	1672	90.1
22-May-15	8:00	Cloudy	012045	2.8354	2.8829	21306.31	21330.31	24.00	1.26	1.26	1.26	1810	26.2
28-May-15	8:00	Fine	011900	2.7338	2.8075	21333.32	21357.32	24.00	1.12	1.12	1.12	1616	45.6

Report on 1-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 460

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
6-May-15	8:15	Fine	011864	2.7279	2.7308	21249.30	21250.30	1.00	1.13	1.13	1.13	68	42.8
6-May-15	9:33	Fine	011836	2.7227	2.7267	21250.30	21251.30	1.00	1.13	1.13	1.13	68	59.0
6-May-15	10:40	Fine	011839	2.7175	2.7243	21251.30	21252.30	1.00	1.13	1.13	1.13	68	100.3
12-May-15	8:25	Fine	011652	2.7790	2.7815	21776.30	21777.30	1.00	1.13	1.13	1.13	68	36.8
12-May-15	9:30	Fine	011654	2.7724	2.7740	21277.30	21278.30	1.00	1.13	1.13	1.13	68	23.5
12-May-15	10:35	Fine	011655	2.7636	2.7703	21278.30	21279.30	1.00	1.13	1.13	1.13	68	98.5
18-May-15	8:25	Cloudy	012036	2.8406	2.8439	21303.31	21304.31	1.00	1.19	1.19	1.19	71	46.3
18-May-15	9:30	Cloudy	012039	2.8497	2.8508	21304.31	21305.31	1.00	1.19	1.19	1.19	71	15.4
18-May-15	10:35	Cloudy	012042	2.8320	2.8349	21305.31	21306.31	1.00	1.19	1.19	1.19	71	40.7
23-May-15	9:31	Rainy	011893	2.7038	2.7085	21330.31	21331.31	1.00	1.26	1.26	1.26	75	62.4
23-May-15	10:35	Rainy	011895	2.7231	2.7263	21331.31	21332.31	1.00	1.26	1.26	1.26	75	42.5
23-May-15	13:00	Rainy	011898	2.7223	2.7301	21332.31	21333.31	1.00	1.26	1.26	1.26	75	103.6
29-May-15	8:15	Fine	012153	2.8091	2.8120	21357.48	21358.48	1.00	1.12	1.12	1.12	67	43.0
29-May-15	9:20	Fine	012156	2.7967	2.8017	21358.48	21359.48	1.00	1.12	1.12	1.12	67	74.2
29-May-15	10:35	Fine	012159	2.7986	2.8070	21359.48	21360.48	1.00	1.12	1.12	1.12	67	124.7



Location: ACL2a - Contractor HK/2012/08 Site office

Report on 24-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 187.3

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
5-May-15	8:00	Fine	011825	2.7449	2.8772	3547.15	3571.15	24.00	1.00	1.00	1.00	1437	92.1
12-May-15	17:00	Fine	011889	2.7169	2.8362	3577.16	3601.16	24.00	1.06	1.06	1.06	1527	78.1
16-May-15	8:00	Rainy	011819	2.7166	2.7874	3601.16	3625.16	24.00	1.00	1.00	1.00	1438	49.2
22-May-15	8:00	Cloudy	012056	2.8525	2.9234	3628.16	3652.16	24.00	1.12	1.12	1.12	1613	44.0
28-May-15	8:00	Fine	012120	2.8267	2.9193	3655.18	3679.18	24.00	1.05	1.05	1.05	1512	61.3

Due to interruption of electricity supply, the 24hr TSP was rescheduled from 11 May 2015 to 12 May 2015.

Report on 1-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 300.1

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
6-May-15	8:43	Fine	011644	2.7829	2.7862	3571.15	3572.15	1.00	1.00	1.00	1.00	60	55.1
6-May-15	9:49	Fine	011831	2.7244	2.7297	3572.15	3573.15	1.00	1.00	1.00	1.00	60	88.5
6-May-15	10:55	Fine	011912	2.7297	2.7395	3573.15	3574.15	1.00	1.00	1.00	1.00	60	163.7
12-May-15	8:15	Fine	011875	2.7274	2.7337	3574.16	3575.16	1.00	1.06	1.06	1.06	64	99.0
12-May-15	9:25	Fine	010966	2.8280	2.8328	3575.16	3576.16	1.00	1.06	1.06	1.06	64	75.4
12-May-15	10:35	Fine	010803	2.8158	2.8215	3576.16	3577.16	1.00	1.06	1.06	1.06	64	89.6
18-May-15	10:49	Cloudy	011954	2.8035	2.8072	3625.16	3626.16	1.00	1.00	1.00	1.00	60	62.0
18-May-15	13:00	Cloudy	012033	2.8448	2.8479	3626.16	3627.16	1.00	1.00	1.00	1.00	60	51.9
18-May-15	14:05	Cloudy	012034	2.8396	2.8437	3627.16	3628.16	1.00	1.05	1.05	1.05	63	64.8
23-May-15	8:15	Rainy	012059	2.8424	2.8508	3652.18	3653.18	1.00	1.12	1.12	1.12	67	125.2
23-May-15	10:25	Rainy	012092	2.8337	2.8396	3653.18	3654.18	1.00	1.12	1.12	1.12	67	87.9
23-May-15	13:00	Rainy	012093	2.8359	2.8485	3654.18	3655.18	1.00	1.12	1.12	1.12	67	187.8
29-May-15	10:40	Fine	012181	2.8410	2.8484	3679.18	3680.18	1.00	0.99	0.99	0.99	59	124.4
29-May-15	13:00	Fine	012185	2.8268	2.8311	3680.18	3681.18	1.00	0.99	0.99	0.99	59	72.3
29-May-15	14:10	Fine	011726	2.8296	2.8389	3681.18	3682.18	1.00	0.99	0.99	0.99	59	156.3



Location: ACL1 - City Hall

Report on 24-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 163

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
3-Jun-15	8:00	Fine	011737	2.8385	2.8734	21360.48	21384.48	24.00	1.12	1.12	1.12	1619	21.6
8-Jun-15	8:00	Cloudy	011738	2.8225	2.8590	21387.48	21411.48	24.00	1.14	1.14	1.14	1642	22.2
12-Jun-15	8:00	Cloudy	011764	2.8487	2.8836	21414.48	21438.48	24.00	1.20	1.20	1.20	1732	20.2
18-Jun-15	8:00	Fine	012321	2.8318	2.8727	21441.55	21465.55	24.00	1.14	1.14	1.14	1637	25.0
23-Jun-15	8:00	Fine	011941	2.8186	2.9004	21468.54	21492.54	24.00	1.14	1.14	1.14	1645	49.7
29-Jun-15	8:00	Fine	012334	2.8405	2.8990	21495.55	21519.55	24.00	1.14	1.14	1.14	1639	35.7

Report on 1-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 460

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
4-Jun-15	9:09	Fine	012168	2.8214	2.8221	21384.48	21385.48	1.00	1.12	1.12	1.12	67	10.4
4-Jun-15	10:12	Fine	012171	2.8302	2.8345	21385.48	21386.48	1.00	1.12	1.12	1.12	67	63.7
4-Jun-15	13:00	Fine	012174	2.8257	2.8259	21386.48	21387.48	1.00	1.12	1.12	1.12	67	3.0
9-Jun-15	8:05	Cloudy	012099	2.8394	2.8420	21411.48	21412.48	1.00	1.14	1.14	1.14	68	38.0
9-Jun-15	9:15	Cloudy	012048	2.8414	2.8447	21412.48	21413.48	1.00	1.14	1.14	1.14	68	48.3
9-Jun-15	10:17	Cloudy	011770	2.8323	2.8376	21413.48	21414.48	1.00	1.14	1.14	1.14	68	77.5
13-Jun-15	9:08	Cloudy	011746	2.8106	2.8141	21438.48	21439.48	1.00	1.20	1.20	1.20	72	48.6
13-Jun-15	10:11	Cloudy	011743	2.8230	2.8277	21439.48	21440.48	1.00	1.20	1.20	1.20	72	65.2
13-Jun-15	13:00	Cloudy	012314	2.8114	2.8139	21440.48	21441.48	1.00	1.20	1.20	1.20	72	34.7
19-Jun-15	8:05	Fine	012264	2.8515	2.8552	21465.55	21466.55	1.00	1.14	1.14	1.14	68	54.2
19-Jun-15	9:15	Fine	012265	2.8410	2.8456	21466.55	21467.55	1.00	1.14	1.14	1.14	68	67.4
19-Jun-15	10:20	Fine	012140	2.8113	2.8153	21467.55	21468.55	1.00	1.14	1.14	1.14	68	58.6
24-Jun-15	8:15	Fine	011958	2.8107	2.8159	21492.54	21493.54	1.00	1.14	1.14	1.14	69	75.9
24-Jun-15	9:20	Fine	012271	2.8214	2.8268	21493.54	21494.54	1.00	1.14	1.14	1.14	69	78.8
24-Jun-15	10:25	Fine	012274	2.8079	2.8144	21494.54	21495.54	1.00	1.14	1.14	1.14	69	94.9
30-Jun-15	8:15	Fine	012486	2.8216	2.8239	21519.55	21520.55	1.00	1.14	1.14	1.14	68	33.7
30-Jun-15	9:20	Fine	012483	2.8292	2.8326	21520.55	21521.55	1.00	1.14	1.14	1.14	68	49.8
30-Jun-15	10:25	Fine	012277	2.8107	2.8145	21521.55	21522.55	1.00	1.14	1.14	1.14	68	55.6



Location: ACL2a - Contractor HK/2012/08 Site office

Report on 24-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 187.3

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
3-Jun-15	8:00	Fine	012188	2.8363	2.8727	3682.05	3706.05	24.00	0.99	0.99	0.99	1430	25.5
9-Jun-15	16:25	Cloudy	011846	2.7162	2.7913	3731.56	3755.56	24.00	1.05	1.05	1.05	1513	49.7
12-Jun-15	8:00	Cloudy	011848	2.7136	2.7622	3755.57	3779.57	24.00	1.06	1.05	1.05	1518	32.0
19-Jun-15	16:50	Fine	011979	2.8331	2.8482	3785.68	3809.68	24.00	1.00	1.00	1.00	1436	10.5
23-Jun-15	8:00	Fine	011972	2.8492	2.9036	3809.68	3833.68	24.00	1.06	1.05	1.06	1519	35.8
30-Jun-15	16:30	Fine	012466	2.8227	2.8958	3839.68	3863.68	24.00	1.00	1.00	1.00	1436	50.9

Due to interruption of electricity supply, the 24hr TSP was rescheduled from 8, 18 and 29 June 2015 to 9, 19 and 30 June 2015 respectively.

Report on 1-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 300.1

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
4-Jun-15	13:00	Fine	012192	2.8061	2.8075	3706.05	3707.05	1.00	0.99	0.99	0.99	60	23.5
4-Jun-15	14:17	Fine	011741	2.8143	2.8193	3707.05	3708.05	1.00	0.99	0.99	0.99	60	84.0
4-Jun-15	15:20	Fine	011761	2.8100	2.8126	3708.05	3709.05	1.00	0.99	0.99	0.99	60	43.7
9-Jun-15	13:00	Cloudy	011768	2.8248	2.8294	3728.56	3729.56	1.00	0.99	0.99	0.99	59	77.3
9-Jun-15	14:15	Cloudy	012136	2.8300	2.8325	3729.56	3730.56	1.00	1.05	1.05	1.05	63	39.7
9-Jun-15	15:20	Cloudy	012139	2.8178	2.8230	3730.56	3731.56	1.00	1.05	1.05	1.05	63	82.5
13-Jun-15	8:30	Cloudy	011982	2.8301	2.8328	3779.57	3780.57	1.00	1.05	1.05	1.05	63	42.7
13-Jun-15	9:40	Cloudy	011985	2.8018	2.8053	3780.57	3781.57	1.00	1.05	1.05	1.05	63	55.4
13-Jun-15	10:44	Cloudy	012325	2.8150	2.8179	3781.57	3782.57	1.00	1.05	1.05	1.05	63	45.9
19-Jun-15	10:50	Fine	011993	2.8258	2.8367	3782.67	3783.67	1.00	1.00	1.00	1.00	60	182.3
19-Jun-15	13:00	Fine	011962	2.8169	2.8225	3783.67	3784.67	1.00	1.00	1.00	1.00	60	93.6
19-Jun-15	15:12	Fine	011968	2.8316	2.8376	3784.67	3785.67	1.00	1.00	1.00	1.00	60	100.3
24-Jun-15	13:00	Fine	012337	2.8289	2.8321	3833.68	3834.68	1.00	1.00	1.00	1.00	60	53.4
24-Jun-15	14:08	Fine	012288	2.8143	2.8189	3834.68	3835.68	1.00	1.00	1.00	1.00	60	76.6
24-Jun-15	15:10	Fine	012283	2.8123	2.8175	3835.68	3836.68	1.00	1.00	1.00	1.00	60	86.6
30-Jun-15	13:00	Fine	012477	2.7972	2.7996	3833.68	3834.68	1.00	1.05	1.05	1.05	63	38.1
30-Jun-15	14:10	Fine	012474	2.8225	2.8257	3837.68	3838.68	1.00	1.05	1.05	1.05	63	50.7
30-Jun-15	15:20	Fine	012469	2.8254	2.8283	3838.68	3839.68	1.00	1.05	1.05	1.05	63	46.0



Location: ACL1 - City Hall

Report on 24-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 163

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
4-Jul-15	8:00	Fine	012280	2.8230	2.8963	21522.56	21546.56	24.00	1.14	1.14	1.14	1636	44.8
10-Jul-15	8:00	Cloudy	012524	2.8429	2.9480	21549.56	21573.56	24.00	1.14	1.14	1.14	1637	64.2
16-Jul-15	8:00	Cloudy	012613	2.8150	2.9220	21576.55	21600.55	24.00	1.14	1.14	1.14	1637	65.3
22-Jul-15	8:00	Rainy	012581	2.8215	2.9047	21603.56	21627.56	24.00	1.27	1.27	1.27	1826	45.6
28-Jul-15	8:00	Fine	012736	2.8133	2.8599	21630.56	21654.56	24.00	1.14	1.15	1.14	1649	28.3

Report on 1-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 460

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
6-Jul-15	8:15	Fine	012533	2.8287	2.8350	21546.56	21547.56	1.00	1.14	1.14	1.14	68	92.3
6-Jul-15	9:17	Fine	012530	2.8575	2.8711	21547.56	21548.56	1.00	1.14	1.14	1.14	68	199.0
6-Jul-15	10:20	Fine	012527	2.8381	2.8558	21548.56	21549.56	1.00	1.14	1.14	1.14	68	259.0
11-Jul-15	8:40	Fine	012387	2.8050	2.8140	21573.56	21574.56	1.00	1.14	1.14	1.14	68	132.1
11-Jul-15	9:44	Fine	012619	2.8385	2.8457	21574.56	21575.56	1.00	1.14	1.14	1.14	68	105.7
11-Jul-15	10:47	Fine	012616	2.8150	2.8238	21575.56	21576.56	1.00	1.14	1.14	1.14	68	129.2
17-Jul-15	8:15	Cloudy	012508	2.8373	2.8407	21600.55	21601.55	1.00	1.14	1.14	1.14	68	49.8
17-Jul-15	9:17	Cloudy	012300	2.8149	2.8187	21601.55	21602.55	1.00	1.14	1.14	1.14	68	55.6
17-Jul-15	10:20	Cloudy	012303	2.8248	2.8297	21602.55	21603.55	1.00	1.14	1.14	1.14	68	71.7
23-Jul-15	8:15	Rainy	012578	2.8195	2.8237	21627.56	21628.56	1.00	1.27	1.27	1.27	76	55.2
23-Jul-15	9:18	Rainy	012575	2.8537	2.8553	21628.56	21629.56	1.00	1.27	1.27	1.27	76	21.0
23-Jul-15	10:25	Rainy	012706	2.8253	2.8328	21629.56	21630.56	1.00	1.27	1.27	1.27	76	98.7
29-Jul-15	9:20	Fine	012436	2.8046	2.8117	21654.56	21655.56	1.00	1.15	1.15	1.15	69	103.3
29-Jul-15	10:26	Fine	012433	2.8193	2.8220	21655.56	21656.56	1.00	1.15	1.15	1.15	69	39.3
29-Jul-15	13:00	Fine	012430	2.8030	2.8069	21656.56	21657.56	1.00	1.15	1.15	1.15	69	56.7



Location: ACL2a - Contractor HK/2012/08 Site office

Report on 24-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 187.3

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
4-Jul-15	8:00	Fine	012358	2.8345	2.8979	3863.68	3887.68	24.00	1.00	1.00	1.00	1436	44.1
10-Jul-15	8:00	Cloudy	012395	2.8287	2.9620	3890.69	3914.69	24.00	1.11	1.10	1.10	1589	83.9
16-Jul-15	8:00	Cloudy	012511	2.8247	2.9431	3917.69	3941.69	24.00	1.10	1.10	1.10	1589	74.5
22-Jul-15	8:00	Rainy	012690	2.8279	2.8410	3944.69	3968.69	24.00	1.00	1.00	1.00	1445	9.1
28-Jul-15	8:00	Fine	012726	2.8330	2.9130	3971.69	3995.69	24.00	1.11	1.11	1.11	1600	50.0


Report on 1-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 300.1


Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
6-Jul-15	13:10	Fine	012498	2.8648	2.8730	3887.69	3888.69	1.00	1.00	1.00	1.00	60	136.9
6-Jul-15	14:15	Fine	012401	2.8154	2.8255	3888.69	3889.69	1.00	1.00	1.00	1.00	60	168.6
6-Jul-15	15:18	Fine	012398	2.8345	2.8427	3889.69	3890.69	1.00	1.00	1.00	1.00	60	136.9
11-Jul-15	8:25	Fine	012491	2.8500	2.8583	3914.69	3915.69	1.00	1.10	1.10	1.10	66	125.5
11-Jul-15	9:42	Fine	012518	2.8348	2.8462	3915.69	3916.69	1.00	1.05	1.05	1.05	63	181.2
11-Jul-15	10:45	Fine	012514	2.8515	2.8625	3916.69	3917.69	1.00	1.05	1.05	1.05	63	174.8
17-Jul-15	13:00	Cloudy	012585	2.8269	2.8332	3941.69	3942.69	1.00	1.10	1.10	1.10	66	95.0
17-Jul-15	14:20	Cloudy	012587	2.8138	2.8191	3942.69	3943.69	1.00	1.00	1.00	1.00	60	88.5
17-Jul-15	15:43	Cloudy	012589	2.8366	2.8419	3943.69	3944.69	1.00	1.05	1.05	1.05	63	84.0
23-Jul-15	11:00	Rainy	012716	2.8389	2.8427	3968.69	3969.69	1.00	1.00	1.00	1.00	60	63.2
23-Jul-15	13:00	Rainy	012719	2.8248	2.8352	3969.69	3970.69	1.00	1.00	1.00	1.00	60	172.9
23-Jul-15	14:10	Rainy	012722	2.8378	2.8425	3970.69	3971.69	1.00	1.00	1.00	1.00	60	78.1
29-Jul-15	13:00	Fine	012428	2.8166	2.8234	3995.69	3996.69	1.00	1.06	1.06	1.06	63	107.1
29-Jul-15	14:03	Fine	012425	2.8095	2.8169	3996.69	3997.69	1.00	1.11	1.11	1.11	67	110.9
29-Jul-15	15:15	Fine	012827	2.8667	2.8701	3997.69	3998.69	1.00	1.06	1.06	1.06	63	53.5

**Graphic Presentation of 1 hour TSP Result**




**Graphic Presentation of 24 hour TSP Result**




The construction work during the reporting period include, removal of L-shaped, installation of caisson seawall, construction of ELS, construction of pipe pile wall, roadworks, drainage works and P1 road paving. The weather condition during the reporting period ranges from mostly sunny to occasionally rainy. Generally, the monitoring result indicates a reduction in TSP level during rainfall.



Graphic Presentation of 1 hour TSP Result



Graphic Presentation of 24 hour TSP Result



The construction work during the reporting period include, removal of L-shaped, installation of caisson seawall, construction of ELS, construction of pipe pile wall, roadworks, drainage works and P1 road paving. The weather condition during the reporting period ranges from mostly sunny to occasionally rainy. Generally, the monitoring result indicates a reduction in TSP level during rainfall.