



Location: ACL1 - City Hall

Report on 24-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 163

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
3-Aug-15	8:00	Fine	012744	2.8355	2.9164	21657.55	21681.55	24.00	1.15	1.15	1.15	1656	48.9
8-Aug-15	8:00	Fine	012449	2.8326	2.9768	21684.54	21708.54	24.00	1.14	1.14	1.14	1640	87.9
14-Aug-15	8:00	Cloudy	012928	2.7947	2.9460	21711.54	21735.54	24.00	1.15	1.15	1.15	1662	91.0
20-Aug-15	8:00	Cloudy	012809	2.8306	2.9517	21738.53	21762.53	24.00	1.15	1.14	1.15	1651	73.4
26-Aug-15	8:00	Cloudy	013010	2.7914	2.8879	21765.54	21789.54	24.00	1.15	1.15	1.15	1656	58.3

Report on 1-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 460

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
4-Aug-15	8:15	Fine	012709	2.8291	2.8321	21681.55	21682.55	1.00	1.15	1.15	1.15	69	43.5
4-Aug-15	9:26	Fine	012712	2.8190	2.8229	21682.55	21683.55	1.00	1.15	1.15	1.15	69	56.5
4-Aug-15	10:30	Fine	012654	2.8175	2.8214	21683.55	21684.55	1.00	1.15	1.15	1.15	69	56.5
10-Aug-15	8:35	Fine	012937	2.7921	2.8007	21708.54	21709.54	1.00	1.15	1.15	1.15	69	124.6
10-Aug-15	10:17	Fine	012934	2.8177	2.8236	21709.54	21710.54	1.00	1.15	1.15	1.15	69	85.5
10-Aug-15	13:00	Fine	012931	2.7969	2.8027	21710.54	21711.54	1.00	1.15	1.15	1.15	69	84.0
15-Aug-15	8:13	Rainy	012815	2.8831	2.8914	21735.54	21736.54	1.00	1.15	1.15	1.15	69	119.8
15-Aug-15	9:17	Rainy	012812	2.8241	2.8309	21736.54	21737.54	1.00	1.15	1.15	1.15	69	98.1
15-Aug-15	10:25	Rainy	012447	2.8363	2.8431	21737.54	21738.54	1.00	1.15	1.15	1.15	69	98.1
21-Aug-15	8:15	Cloudy	013019	2.8177	2.8257	21762.54	21763.54	1.00	1.14	1.14	1.14	69	116.5
21-Aug-15	9:19	Cloudy	013016	2.8196	2.8276	21763.54	21764.54	1.00	1.14	1.14	1.14	69	116.5
21-Aug-15	10:25	Cloudy	013013	2.7793	2.7881	21764.54	21765.54	1.00	1.14	1.14	1.14	69	128.2
27-Aug-15	8:15	Cloudy	012966	2.8338	2.8399	21789.54	21790.54	1.00	1.22	1.22	1.22	73	83.3
27-Aug-15	9:17	Cloudy	012978	2.7987	2.8073	21790.54	21791.54	1.00	1.29	1.29	1.29	77	111.1
27-Aug-15	10:19	Cloudy	012975	2.8165	2.8249	21791.54	21792.54	1.00	1.29	1.29	1.29	77	108.5



Location: ACL2a - Contractor HK/2012/08 Site office

Report on 24-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 187.3

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
3-Aug-15	8:00	Fine	012830	2.8600	2.9858	3998.68	4022.68	24.00	1.11	1.11	1.11	1596	78.8
8-Aug-15	8:00	Fine	012749	2.8218	3.0382	4025.66	4049.66	24.00	1.14	1.14	1.14	1645	131.6
15-Aug-15	13:00	Rainy	012656	2.8156	2.9527	4055.70	4079.70	24.00	1.16	1.15	1.15	1663	82.5
21-Aug-15	14:15	Cloudy	012999	2.8179	3.0073	4082.72	4106.72	24.00	1.15	1.15	1.15	1650	114.8
27-Aug-15	8:00	Cloudy	012988	2.7737	2.8851	4109.73	4133.73	24.00	1.04	1.04	1.04	1493	74.6

Remarks: Due to interruption of electricity, the 24hr TSP was rescheduled from 14, 20 and 26 August 2015 to 15, 21 and 27 August 2015 respectively.

Report on 1-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 300.1

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
4-Aug-15	13:00	Fine	012461	2.8211	2.8246	4022.68	4023.68	1.00	1.11	1.11	1.11	66	52.6
4-Aug-15	14:10	Fine	012683	2.8268	2.8294	4023.68	4024.68	1.00	1.11	1.11	1.11	66	39.1
4-Aug-15	15:15	Fine	012746	2.8424	2.8486	4024.68	4025.68	1.00	1.11	1.11	1.11	66	93.2
10-Aug-15	9:07	Fine	012751	2.8329	2.8410	4049.66	4050.66	1.00	1.15	1.15	1.15	69	117.2
10-Aug-15	10:46	Fine	012452	2.8209	2.8272	4050.66	4051.66	1.00	1.15	1.15	1.15	69	91.1
10-Aug-15	13:02	Fine	012437	2.7974	2.8082	4051.66	4052.66	1.00	1.15	1.15	1.15	69	156.2
15-Aug-15	8:34	Rainy	012671	2.8209	2.8251	4052.70	4053.70	1.00	1.16	1.16	1.16	69	60.5
15-Aug-15	9:47	Rainy	012417	2.8113	2.8200	4053.70	4054.70	1.00	1.10	1.10	1.10	66	132.0
15-Aug-15	10:51	Rainy	012412	2.8027	2.8114	4054.70	4055.70	1.00	1.16	1.16	1.16	69	125.4
21-Aug-15	8:00	Cloudy	012662	2.8077	2.8221	4079.71	4080.71	1.00	1.15	1.15	1.15	69	209.3
21-Aug-15	10:40	Cloudy	012986	2.8051	2.8149	4080.71	4081.71	1.00	1.15	1.15	1.15	69	142.4
21-Aug-15	13:00	Cloudy	013030	2.8003	2.8148	4081.71	4082.71	1.00	1.15	1.15	1.15	69	210.7
27-Aug-15	10:35	Cloudy	012458	2.8323	2.8449	4106.73	4107.73	1.00	1.04	1.04	1.04	62	202.7
27-Aug-15	13:00	Cloudy	013026	2.8011	2.8090	4107.73	4108.73	1.00	1.04	1.04	1.04	62	127.1
27-Aug-15	15:00	Cloudy	012971	2.7993	2.8079	4108.73	4109.73	1.00	1.04	1.04	1.04	62	138.3



Location: ACL1 - City Hall

## Report on 24-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 163Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
1-Sep-15	8:00	Cloudy	012972	2.8044	2.8866	21792.54	21816.54	24.00	1.15	1.16	1.16	1665	49.4
7-Sep-15	8:00	Cloudy	013142	2.8426	2.8710	21819.54	21843.54	24.00	1.15	1.15	1.15	1659	17.1
12-Sep-15	8:00	Cloudy	013128	2.8276	2.9010	21846.54	21870.54	24.00	1.15	1.16	1.16	1663	44.1
18-Sep-15	8:00	Fine	013343	2.8092	2.9395	21873.54	21897.54	24.00	1.15	1.15	1.15	1663	78.4
24-Sep-15	8:00	Fine	013375	2.8023	2.8819	21900.54	21924.54	24.00	1.15	1.15	1.15	1653	48.2
29-Sep-15	8:00	Fine	013422	2.8324	2.9885	21927.54	21951.54	24.00	1.15	1.15	1.15	1654	94.4

## Report on 1-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 460Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
2-Sep-15	8:15	Cloudy	013277	2.8411	2.8485	21816.54	21817.54	1.00	1.16	1.16	1.16	69	106.5
2-Sep-15	9:18	Cloudy	012969	2.8144	2.8192	21817.54	21818.54	1.00	1.16	1.16	1.16	69	69.1
2-Sep-15	10:21	Cloudy	013288	2.8743	2.8810	21818.54	21819.54	1.00	1.16	1.16	1.16	69	96.4
8-Sep-15	8:14	Cloudy	013137	2.8323	2.8349	21843.54	21844.54	1.00	1.15	1.15	1.15	69	37.6
8-Sep-15	9:17	Cloudy	013134	2.8269	2.8295	21844.54	21845.54	1.00	1.15	1.15	1.15	69	37.6
8-Sep-15	10:20	Cloudy	013131	2.8196	2.8248	21845.54	21846.54	1.00	1.15	1.15	1.15	69	75.2
14-Sep-15	8:45	Fine	013348	2.8035	2.8067	21870.54	21871.54	1.00	1.15	1.15	1.15	69	46.2
14-Sep-15	9:50	Fine	013347	2.7988	2.8042	21871.54	21872.54	1.00	1.15	1.15	1.15	69	77.9
14-Sep-15	10:55	Fine	013346	2.7942	2.7997	21872.54	21873.54	1.00	1.15	1.15	1.15	69	79.4
19-Sep-15	8:41	Fine	013382	2.8063	2.8186	21897.54	21898.54	1.00	1.15	1.15	1.15	69	177.5
19-Sep-15	9:46	Fine	013381	2.7972	2.8095	21898.54	21899.54	1.00	1.15	1.15	1.15	69	177.5
19-Sep-15	10:52	Fine	013378	2.7813	2.7931	21899.54	21900.54	1.00	1.15	1.15	1.15	69	170.3
25-Sep-15	8:36	Fine	013307	2.8384	2.8439	21924.53	21925.53	1.00	1.15	1.15	1.15	69	80.0
25-Sep-15	9:41	Fine	013416	2.8509	2.8554	21925.53	21926.53	1.00	1.15	1.15	1.15	69	65.4
25-Sep-15	10:48	Fine	013419	2.8354	2.8389	21926.53	21927.53	1.00	1.15	1.15	1.15	69	50.9
30-Sep-15	8:14	Cloudy	013340	2.8215	2.8243	21951.54	21952.54	1.00	1.22	1.22	1.22	73	38.3
30-Sep-15	9:17	Cloudy	013337	2.8248	2.8314	21952.54	21953.54	1.00	1.22	1.22	1.22	73	90.2
30-Sep-15	10:20	Cloudy	013082	2.8006	2.8034	21953.54	21954.54	1.00	1.22	1.22	1.22	73	38.3



Location: ACL2a - Contractor HK/2012/08 Site office

Report on 24-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 187.3

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
1-Sep-15	8:00	Cloudy	012992	2.8155	2.8866	4133.73	4157.73	24.00	1.04	1.04	1.04	1499	47.4
7-Sep-15	8:00	Cloudy	013276	2.8745	2.9865	4160.73	4184.73	24.00	1.10	1.10	1.10	1578	71.0
12-Sep-15	8:00	Cloudy	013165	2.8270	3.0129	4187.73	4211.73	24.00	1.16	1.16	1.16	1666	111.6
18-Sep-15	8:00	Fine	013246	2.8374	2.9735	4214.73	4238.73	24.00	1.04	1.04	1.04	1497	90.9
24-Sep-15	8:00	Fine	013334	2.8136	2.8887	4241.73	4265.73	24.00	1.15	1.15	1.15	1656	45.3
29-Sep-15	8:00	Fine	013432	2.8467	3.0500	4268.73	4292.73	24.00	1.15	1.15	1.15	1657	122.7

Report on 1-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 300.1

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
2-Sep-15	9:03	Cloudy	013162	2.8047	2.8121	4157.73	4158.73	1.00	1.04	1.04	1.04	63	118.3
2-Sep-15	10:15	Cloudy	013157	2.7953	2.8033	4158.73	4159.73	1.00	1.04	1.04	1.04	63	127.9
2-Sep-15	13:00	Cloudy	013151	2.8208	2.8271	4159.73	4160.73	1.00	1.04	1.04	1.04	63	100.7
8-Sep-15	13:00	Cloudy	013094	2.8070	2.8149	4184.73	4185.73	1.00	1.10	1.10	1.10	66	120.1
8-Sep-15	14:05	Cloudy	013092	2.7991	2.8085	4185.73	4186.73	1.00	1.10	1.10	1.10	66	142.9
8-Sep-15	15:08	Cloudy	013113	2.7827	2.7919	4186.73	4187.73	1.00	1.10	1.10	1.10	66	139.8
14-Sep-15	8:35	Fine	013265	2.8760	2.8852	4211.73	4212.73	1.00	1.10	1.10	1.10	66	139.6
14-Sep-15	9:46	Fine	013260	2.8150	2.8237	4212.73	4213.73	1.00	1.04	1.04	1.04	62	139.4
14-Sep-15	10:56	Fine	013255	2.8333	2.8430	4213.73	4214.73	1.00	1.10	1.10	1.10	66	147.2
19-Sep-15	8:22	Fine	013312	2.8521	2.8633	4238.73	4239.73	1.00	1.10	1.10	1.10	66	170.0
19-Sep-15	9:51	Fine	013294	2.8552	2.8640	4239.73	4240.73	1.00	1.16	1.16	1.16	69	126.8
19-Sep-15	11:00	Fine	013298	2.8359	2.8467	4240.73	4241.73	1.00	1.16	1.16	1.16	69	155.6
25-Sep-15	14:10	Fine	013424	2.8584	2.8640	4265.73	4266.73	1.00	1.15	1.15	1.15	69	81.3
25-Sep-15	15:15	Fine	013427	2.8594	2.8635	4266.73	4267.73	1.00	1.15	1.15	1.15	69	59.5
25-Sep-15	16:20	Fine	013429	2.8530	2.8574	4267.73	4268.73	1.00	1.15	1.15	1.15	69	63.8
30-Sep-15	8:50	Cloudy	013387	2.8126	2.8179	4292.73	4293.73	1.00	1.04	1.04	1.04	62	85.3
30-Sep-15	10:04	Cloudy	013392	2.7917	2.8020	4293.73	4294.73	1.00	1.09	1.09	1.09	66	156.9
30-Sep-15	13:00	Cloudy	013396	2.7898	2.7951	4294.73	4295.73	1.00	1.15	1.15	1.15	69	76.7



Location: ACL1 - City Hall

## Report on 24-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 163Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
5-Oct-15	8:00	Rainy	013479	2.8734	2.9408	21954.54	21978.54	24.00	1.14	1.14	1.14	1641	41.1
12-Oct-15	13:00	Cloudy	013178	2.8061	2.9070	21998.81	22022.81	24.00	1.15	1.15	1.15	1652	61.1
16-Oct-15	8:00	Fine	012964	2.7805	2.8716	22022.81	22046.81	24.00	1.14	1.14	1.14	1641	55.5
22-Oct-15	8:00	Fine	012916	2.8262	2.9745	22049.81	22073.81	24.00	1.14	1.14	1.14	1637	90.6
28-Oct-15	8:00	Cloudy	013578	2.8031	2.9257	22076.81	22100.81	24.00	1.14	1.14	1.14	1644	74.6

Remarks: Due to interruption of electricity, the 24hr TSP was rescheduled from 10 October 2015 to 12 October 2015.

## Report on 1-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 460Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
6-Oct-15	8:15	Cloudy	013077	2.7977	2.8038	21978.54	21979.54	1.00	1.14	1.14	1.14	68	89.2
6-Oct-15	9:18	Cloudy	013168	2.8026	2.8046	21979.54	21980.54	1.00	1.14	1.14	1.14	68	29.2
6-Oct-15	10:22	Cloudy	013171	2.8077	2.8104	21980.54	21981.54	1.00	1.14	1.14	1.14	68	39.5
12-Oct-15	8:15	Cloudy	012962	2.8019	2.8062	21995.78	21996.78	1.00	1.15	1.15	1.15	69	62.3
12-Oct-15	9:17	Cloudy	012959	2.7962	2.7988	21996.78	21997.78	1.00	1.15	1.15	1.15	69	37.7
12-Oct-15	10:20	Cloudy	013177	2.8099	2.8123	21997.78	21998.78	1.00	1.15	1.15	1.15	69	34.8
17-Oct-15	8:25	Fine	012926	2.8020	2.8120	22046.81	22047.81	1.00	1.14	1.14	1.14	68	146.3
17-Oct-15	9:29	Fine	012915	2.8302	2.8401	22047.81	22048.81	1.00	1.14	1.14	1.14	68	144.8
17-Oct-15	10:51	Fine	008369	2.8651	2.8747	22048.81	22049.81	1.00	1.14	1.14	1.14	68	140.4
23-Oct-15	8:48	Fine	013587	2.8014	2.8097	22073.81	22074.81	1.00	1.14	1.14	1.14	68	121.6
23-Oct-15	9:52	Fine	013584	2.8070	2.8145	22074.81	22075.81	1.00	1.14	1.14	1.14	68	109.9
23-Oct-15	11:00	Fine	013581	2.8138	2.8230	22075.81	22076.81	1.00	1.14	1.14	1.14	68	134.8
29-Oct-15	8:05	Cloudy	013538	2.8011	2.8084	22100.81	22101.81	1.00	1.14	1.14	1.14	69	106.5
29-Oct-15	9:17	Cloudy	013535	2.8161	2.8223	22101.81	22102.81	1.00	1.14	1.14	1.14	69	90.4
29-Oct-15	10:20	Cloudy	012422	2.8248	2.8327	22102.81	22103.81	1.00	1.14	1.14	1.14	69	115.2



Location: ACL2a - Contractor HK/2012/08 Site office

Report on 24-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 187.3

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
6-Oct-15	14:30	Rainy	013464	2.8382	2.9042	4298.73	4322.73	24.00	1.16	1.16	1.16	1673	39.5
10-Oct-15	8:00	Cloudy	013461	2.8427	2.9585	4322.73	4346.73	24.00	1.24	1.25	1.24	1786	64.8
16-Oct-15	8:00	Fine	013181	2.8185	3.0054	4349.73	4373.73	24.00	1.09	1.09	1.09	1573	118.8
22-Oct-15	8:00	Fine	013242	2.8519	3.0472	4376.81	4400.81	24.00	1.09	1.09	1.09	1569	124.4
28-Oct-15	8:00	Cloudy	013598	2.7904	3.0132	4403.81	4427.81	24.00	1.23	1.23	1.23	1775	125.6

Remarks: Due to interruption of electricity, the 24hr TSP was rescheduled from 5 October 2015 to 6 October 2015.


Report on 1-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 300.1


Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
6-Oct-15	8:16	Cloudy	013478	2.8579	2.8590	4295.73	4296.73	1.00	1.09	1.09	1.09	66	16.8
6-Oct-15	10:38	Cloudy	013473	2.8576	2.8595	4296.73	4297.73	1.00	1.16	1.16	1.16	70	27.3
6-Oct-15	13:00	Cloudy	013468	2.8470	2.8484	4297.73	4298.73	1.00	1.09	1.09	1.09	66	21.4
12-Oct-15	8:35	Cloudy	012952	2.7980	2.8072	4346.73	4347.73	1.00	1.10	1.10	1.10	66	139.1
12-Oct-15	10:05	Cloudy	013409	2.7900	2.7957	4347.73	4348.73	1.00	1.10	1.10	1.10	66	86.2
12-Oct-15	13:00	Cloudy	013407	2.7881	2.7933	4348.73	4349.73	1.00	1.24	1.24	1.24	74	69.8
17-Oct-15	8:54	Fine	013562	2.7873	2.7969	4373.81	4374.81	1.00	1.23	1.23	1.23	74	130.1
17-Oct-15	10:05	Fine	013558	2.7746	2.7840	4374.81	4375.81	1.00	1.23	1.23	1.23	74	127.3
17-Oct-15	13:00	Fine	013608	2.7761	2.7862	4375.81	4376.81	1.00	1.23	1.23	1.23	74	136.8
23-Oct-15	10:08	Fine	013550	2.7969	2.8071	4400.81	4401.81	1.00	1.23	1.23	1.23	74	138.4
23-Oct-15	13:00	Fine	013576	2.8135	2.8240	4401.81	4402.81	1.00	1.23	1.23	1.23	74	142.5
23-Oct-15	14:13	Fine	013573	2.7989	2.8101	4402.81	4403.81	1.00	1.23	1.23	1.23	74	152.0
29-Oct-15	8:45	Cloudy	013567	2.7911	2.7999	4427.81	4428.81	1.00	1.16	1.16	1.16	70	125.9
29-Oct-15	9:55	Cloudy	013592	2.7836	2.7918	4428.81	4429.81	1.00	1.23	1.23	1.23	74	110.8
29-Oct-15	11:00	Cloudy	013525	2.8152	2.8249	4429.81	4430.81	1.00	1.23	1.23	1.23	74	131.0

Graphic Presentation of 1 hour TSP Result



Graphic Presentation of 24 hour TSP Result




The construction works during the reporting period include, construction of ELS, construction of pipe pile wall, roadworks, drainage works, P1 road paving and P1 road planter construction.


The weather condition during the reporting period range from mostly sunny to occasionally rainy.

Generally, the monitoring result indicates a reduction in TSP level during rainfall.

**Graphic Presentation of 1 hour TSP Result**



**Graphic Presentation of 24 hour TSP Result**



The construction work during the reporting period include, construction of ELS, construction of pipe pile wall, roadworks and drainage works.

The weather condition during the reporting period ranges from mostly sunny to occasionally rainy.

Generally, the monitoring result indicates a reduction in TSP level during rainfall.