



Location: ACL1 - City Hall

Report on 24-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 163

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
3-Nov-15	8:00	Cloudy	011487	2.7513	2.8631	22103.81	22127.81	24.00	1.15	1.14	1.15	1651	67.7
9-Nov-15	8:00	Cloudy	013649	2.7991	2.9035	22130.81	22154.81	24.00	1.14	1.14	1.14	1644	63.5
14-Nov-15	8:00	Cloudy	013637	2.7947	2.8750	22157.81	22181.81	24.00	1.14	1.14	1.14	1649	48.7
20-Nov-15	8:00	Cloudy	013753	2.7678	2.8766	22184.81	22208.81	24.00	1.14	1.14	1.14	1647	66.0
26-Nov-15	8:00	Fine	014060	2.8634	2.9309	22211.82	22235.82	24.00	1.16	1.16	1.16	1673	40.3

Report on 1-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 460

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
4-Nov-15	8:13	Cloudy	013658	2.8228	2.8285	22127.81	22128.81	1.00	1.14	1.14	1.14	69	83.0
4-Nov-15	9:17	Cloudy	013653	2.8059	2.8081	22128.81	22129.81	1.00	1.14	1.14	1.14	69	32.0
4-Nov-15	10:20	Cloudy	013652	2.7890	2.7927	22129.81	22130.81	1.00	1.14	1.14	1.14	69	53.9
10-Nov-15	8:15	Cloudy	013646	2.8100	2.8168	22154.81	22155.81	1.00	1.14	1.14	1.14	69	99.1
10-Nov-15	9:18	Cloudy	013643	2.8036	2.8109	22155.81	22156.81	1.00	1.14	1.14	1.14	69	106.3
10-Nov-15	10:21	Cloudy	013640	2.8063	2.8158	22156.81	22157.81	1.00	1.14	1.14	1.14	69	138.4
16-Nov-15	8:15	Cloudy	013739	2.7966	2.8013	22181.81	22182.81	1.00	1.14	1.14	1.14	69	68.6
16-Nov-15	9:18	Cloudy	013736	2.7716	2.7796	22182.81	22183.81	1.00	1.14	1.14	1.14	69	116.7
16-Nov-15	10:21	Cloudy	013733	2.7912	2.8029	22183.81	22184.81	1.00	1.14	1.14	1.14	69	170.7
21-Nov-15	8:15	Cloudy	014069	2.8728	2.8761	22208.81	22209.81	1.00	1.28	1.28	1.28	77	42.8
21-Nov-15	9:18	Cloudy	014066	2.8857	2.8898	22209.81	22210.81	1.00	1.28	1.28	1.28	77	53.2
21-Nov-15	10:21	Cloudy	014063	2.8767	2.8804	22210.81	22211.81	1.00	1.28	1.28	1.28	77	48.0
27-Nov-15	8:15	Fine	013728	2.7770	2.7855	22235.82	22236.82	1.00	1.16	1.16	1.16	70	121.9
27-Nov-15	9:18	Fine	013724	2.7954	2.8007	22236.82	22237.82	1.00	1.16	1.16	1.16	70	76.0
27-Nov-15	10:21	Fine	013721	2.7930	2.8015	22237.82	22238.82	1.00	1.16	1.16	1.16	70	121.9



Location: ACL2a - Contractor HK/2012/08 Site office

Report on 24-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 187.3

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
3-Nov-15	8:00	Cloudy	013519	2.7953	3.0558	4430.81	4454.81	24.00	1.10	1.10	1.10	1583	164.6
9-Nov-15	8:00	Cloudy	013774	2.8183	3.0206	4457.81	4481.81	24.00	1.23	1.24	1.23	1775	114.0
14-Nov-15	8:00	Cloudy	013747	2.7887	2.9976	4484.81	4508.81	24.00	1.24	1.24	1.24	1780	117.4
20-Nov-15	8:00	Cloudy	013708	2.8376	3.0600	4511.83	4535.83	24.00	1.24	1.24	1.24	1779	125.0
26-Nov-15	8:00	Fine	014017	2.8841	3.0158	4538.84	4562.84	24.00	1.25	1.25	1.25	1807	72.9

Report on 1-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 300.1

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
4-Nov-15	8:49	Cloudy	013665	2.8192	2.8377	4454.81	4455.81	1.00	1.10	1.10	1.10	66	281.0
4-Nov-15	9:55	Cloudy	013660	2.8279	2.8410	4455.81	4456.81	1.00	1.10	1.10	1.10	66	198.9
4-Nov-15	10:02	Cloudy	013779	2.7867	2.8010	4456.81	4457.81	1.00	1.10	1.10	1.10	66	217.2
10-Nov-15	8:49	Cloudy	013772	2.7971	2.8061	4481.81	4482.81	1.00	1.17	1.17	1.17	70	128.6
10-Nov-15	10:52	Cloudy	013631	2.8126	2.8229	4482.81	4483.81	1.00	1.24	1.24	1.24	74	139.0
10-Nov-15	13:00	Cloudy	013761	2.7807	2.7917	4483.81	4484.81	1.00	1.17	1.17	1.17	70	157.2
16-Nov-15	13:00	Cloudy	013731	2.7715	2.7808	4508.81	4509.81	1.00	1.23	1.23	1.23	74	125.7
16-Nov-15	14:20	Cloudy	013710	2.8268	2.8374	4509.81	4510.81	1.00	1.23	1.23	1.23	74	143.3
16-Nov-15	15:25	Cloudy	013755	2.7849	2.7995	4510.81	4511.81	1.00	1.16	1.16	1.16	70	209.0
21-Nov-15	8:32	Cloudy	014033	2.8927	2.9018	4535.83	4536.83	1.00	1.24	1.24	1.24	74	122.8
21-Nov-15	9:37	Cloudy	014038	2.9100	2.9208	4536.83	4537.83	1.00	1.24	1.24	1.24	74	145.7
21-Nov-15	10:40	Cloudy	014042	2.9018	2.9121	4537.83	4538.83	1.00	1.17	1.17	1.17	70	147.2
27-Nov-15	8:12	Fine	014051	2.8572	2.8649	4562.84	4563.84	1.00	1.18	1.18	1.18	71	108.3
27-Nov-15	9:19	Fine	014055	2.8721	2.8820	4563.84	4564.84	1.00	1.25	1.25	1.25	75	131.5
27-Nov-15	13:00	Fine	013880	2.8075	2.8180	4564.84	4565.84	1.00	1.25	1.25	1.25	75	139.4



Location: ACL1 - City Hall

## Report on 24-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 163Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
2-Dec-15	8:00	Cloudy	013874	2.7880	2.9240	22238.87	22262.87	24.00	1.16	1.16	1.16	1670	81.4
8-Dec-15	8:00	Cloudy	013862	2.8471	2.9454	22265.88	22289.88	24.00	1.17	1.17	1.17	1684	58.4
14-Dec-15	8:00	Cloudy	013859	2.8469	2.9191	22292.88	22316.88	24.00	1.16	1.17	1.17	1679	43.0
18-Dec-15	8:00	Fine	014210	2.8079	2.9152	22319.88	22343.88	24.00	1.18	1.18	1.18	1699	63.2
23-Dec-15	8:00	Cloudy	014059	2.8617	3.0079	22346.88	22370.88	24.00	1.16	1.16	1.16	1671	87.5
29-Dec-15	8:00	Cloudy	014256	2.8745	2.9778	22373.88	22397.88	24.00	1.17	1.18	1.17	1691	61.1

## Report on 1-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 460Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
3-Dec-15	8:15	Cloudy	013871	2.8000	2.8072	22262.87	22263.87	1.00	1.16	1.16	1.16	70	103.2
3-Dec-15	9:18	Cloudy	013868	2.8087	2.8142	22263.87	22264.87	1.00	1.16	1.16	1.16	70	78.8
3-Dec-15	10:25	Cloudy	013865	2.8050	2.8120	22264.87	22265.87	1.00	1.16	1.16	1.16	70	100.4
9-Dec-15	8:15	Rainy	013807	2.8042	2.8129	22289.88	22290.88	1.00	1.31	1.31	1.31	79	110.7
9-Dec-15	9:18	Rainy	013812	2.8010	2.8100	22290.88	22291.88	1.00	1.31	1.31	1.31	79	114.5
9-Dec-15	10:22	Rainy	013816	2.8035	2.8135	22291.88	22292.88	1.00	1.31	1.31	1.31	79	127.2
15-Dec-15	8:15	Cloudy	013856	2.8402	2.8460	22316.88	22317.88	1.00	1.17	1.17	1.17	70	82.7
15-Dec-15	9:19	Cloudy	013853	2.8421	2.8470	22317.88	22318.88	1.00	1.17	1.17	1.17	70	69.9
15-Dec-15	10:23	Cloudy	013850	2.8386	2.8451	22318.88	22319.88	1.00	1.17	1.17	1.17	70	92.7
19-Dec-15	8:10	Fine	013846	2.8057	2.8110	22343.88	22344.88	1.00	1.18	1.18	1.18	71	75.0
19-Dec-15	9:17	Fine	014222	2.8690	2.8736	22344.88	22345.88	1.00	1.18	1.18	1.18	71	65.1
19-Dec-15	10:19	Fine	014219	2.8744	2.8790	22345.88	22346.88	1.00	1.18	1.18	1.18	71	65.1
24-Dec-15	8:15	Cloudy	013813	2.8049	2.8077	22370.88	22371.88	1.00	1.16	1.16	1.16	70	40.3
24-Dec-15	9:19	Cloudy	014214	2.8048	2.8090	22371.88	22372.88	1.00	1.16	1.16	1.16	70	60.4
24-Dec-15	10:29	Cloudy	014303	2.9131	2.9173	22372.88	22373.88	1.00	1.16	1.16	1.16	70	60.4
30-Dec-15	8:13	Cloudy	014324	2.8110	2.8156	22397.88	22398.88	1.00	1.18	1.18	1.18	71	65.2
30-Dec-15	9:17	Cloudy	014327	2.8233	2.8268	22398.88	22399.88	1.00	1.18	1.18	1.18	71	49.6
30-Dec-15	10:20	Cloudy	014330	2.8146	2.8171	22399.88	22400.88	1.00	1.18	1.18	1.18	71	35.5



Location: ACL2a - Contractor HK/2012/08 Site office

Report on 24-hour TSP monitoring  
 Action Level ( $\mu\text{g}/\text{m}^3$ ) - 187.3  
 Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
2-Dec-15	8:00	Cloudy	013999	2.8325	2.9982	4565.90	4589.90	24.00	1.06	1.06	1.06	1523	108.8
8-Dec-15	8:00	Cloudy	013984	2.8366	3.0042	4592.92	4616.92	24.00	1.12	1.12	1.12	1615	103.8
14-Dec-15	8:00	Cloudy	013805	2.7938	2.9225	4619.92	4643.92	24.00	1.12	1.12	1.12	1611	79.9
18-Dec-15	8:00	Fine	014173	2.8232	3.0129	4646.92	4670.92	24.00	1.13	1.13	1.13	1628	116.5
23-Dec-15	8:00	Cloudy	014110	2.8780	3.1368	4673.92	4697.92	24.00	1.12	1.11	1.11	1604	161.3
29-Dec-15	8:00	Cloudy	014259	2.8882	3.1169	4700.92	4724.92	24.00	1.13	1.13	1.13	1622	141.0

Report on 1-hour TSP monitoring  
 Action Level ( $\mu\text{g}/\text{m}^3$ ) - 300.1  
 Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
3-Dec-15	8:40	Cloudy	013888	2.8156	2.8234	4589.91	4590.91	1.00	1.06	1.06	1.06	64	122.7
3-Dec-15	10:06	Cloudy	013843	2.8244	2.8331	4590.91	4591.91	1.00	1.00	1.00	1.00	60	144.5
3-Dec-15	13:00	Cloudy	013839	2.8146	2.8241	4591.91	4592.91	1.00	1.12	1.12	1.12	67	141.9
9-Dec-15	8:55	Rainy	013827	2.7981	2.8080	4616.92	4617.92	1.00	1.06	1.06	1.06	64	155.1
9-Dec-15	10:56	Rainy	013831	2.8048	2.8149	4617.92	4618.92	1.00	1.06	1.06	1.06	64	158.2
9-Dec-15	13:00	Rainy	013820	2.8127	2.8229	4618.92	4619.92	1.00	1.12	1.12	1.12	67	151.8
15-Dec-15	9:09	Cloudy	014197	2.8187	2.8237	4643.92	4644.92	1.00	1.07	1.07	1.07	64	78.2
15-Dec-15	10:45	Cloudy	013799	2.8064	2.8126	4644.92	4645.92	1.00	1.07	1.07	1.07	64	97.0
15-Dec-15	13:00	Cloudy	014178	2.8217	2.8274	4645.92	4646.92	1.00	1.07	1.07	1.07	64	89.2
19-Dec-15	9:20	Fine	013823	2.7923	2.7989	4670.92	4671.92	1.00	1.13	1.13	1.13	68	97.5
19-Dec-15	10:27	Fine	014115	2.8352	2.8409	4671.92	4672.92	1.00	1.13	1.13	1.13	68	84.2
19-Dec-15	13:00	Fine	014111	2.8854	2.8910	4672.92	4673.92	1.00	1.13	1.13	1.13	68	82.7
24-Dec-15	8:45	Cloudy	014105	2.8781	2.8857	4697.92	4698.92	1.00	1.00	1.00	1.00	60	126.5
24-Dec-15	9:55	Cloudy	014266	2.8904	2.8994	4698.92	4699.92	1.00	1.11	1.11	1.11	67	134.8
24-Dec-15	11:00	Cloudy	014262	2.8871	2.8928	4699.92	4700.92	1.00	1.11	1.11	1.11	67	85.4
30-Dec-15	8:30	Cloudy	014097	2.9021	2.9120	4724.92	4725.92	1.00	1.13	1.13	1.13	68	146.4
30-Dec-15	9:35	Cloudy	014343	2.8336	2.8449	4725.92	4726.92	1.00	1.13	1.13	1.13	68	167.2
30-Dec-15	13:00	Cloudy	014346	2.8507	2.8629	4726.92	4727.92	1.00	1.13	1.13	1.13	68	180.5



Location: ACL1 - City Hall

Report on 24-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 163

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
4-Jan-16	8:00	Cloudy	014333	2.8046	2.8700	22400.88	22424.88	24.00	1.16	1.16	1.16	1673	39.1
9-Jan-16	8:00	Cloudy	014288	2.8895	3.0499	22427.88	22451.88	24.00	1.17	1.17	1.17	1683	95.3
15-Jan-16	8:00	Rainy	014354	2.8127	2.8673	22454.88	22478.88	24.00	1.17	1.17	1.17	1687	32.4
21-Jan-16	8:00	Cloudy	014568	2.8398	2.9313	22481.88	22505.88	24.00	1.17	1.18	1.18	1692	54.1
27-Jan-16	8:00	Cloudy	014451	2.7774	2.8367	22508.88	22532.88	24.00	1.18	1.17	1.18	1696	35.0

Report on 1-hour TSP monitoring

Action Level ( $\mu\text{g}/\text{m}^3$ ) - 460

Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
5-Jan-16	8:15	Rainy	014298	2.9148	2.9181	22424.88	22425.88	1.00	1.16	1.16	1.16	70	47.4
5-Jan-16	9:18	Rainy	014294	2.8819	2.8849	22425.88	22426.88	1.00	1.16	1.16	1.16	70	43.1
5-Jan-16	10:23	Rainy	014291	2.8795	2.8838	22426.88	22427.88	1.00	1.16	1.16	1.16	70	61.7
11-Jan-16	8:15	Rainy	014285	2.8766	2.8780	22451.88	22452.88	1.00	1.17	1.17	1.17	70	20.0
11-Jan-16	9:19	Rainy	014336	2.8249	2.8266	22452.88	22453.88	1.00	1.17	1.17	1.17	70	24.3
11-Jan-16	10:25	Rainy	014351	2.8015	2.8028	22453.88	22454.88	1.00	1.17	1.17	1.17	70	18.6
16-Jan-16	8:30	Cloudy	014571	2.8329	2.8376	22478.88	22479.88	1.00	1.17	1.17	1.17	70	67.0
16-Jan-16	9:40	Cloudy	014570	2.8378	2.8410	22479.88	22480.88	1.00	1.17	1.17	1.17	70	45.6
16-Jan-16	10:50	Cloudy	014569	2.8404	2.8440	22480.88	22481.88	1.00	1.17	1.17	1.17	70	51.3
22-Jan-16	8:15	Rainy	014460	2.7988	2.8026	22505.88	22506.88	1.00	1.18	1.18	1.18	71	53.8
22-Jan-16	9:17	Rainy	014457	2.7660	2.7674	22506.88	22507.88	1.00	1.18	1.18	1.18	71	19.8
22-Jan-16	10:19	Rainy	014454	2.7951	2.7962	22507.88	22508.88	1.00	1.18	1.18	1.18	71	15.6
28-Jan-16	8:15	Rainy	014448	2.7860	2.7901	22532.88	22533.88	1.00	1.17	1.17	1.17	70	58.3
28-Jan-16	9:18	Rainy	014445	2.7848	2.7904	22533.88	22534.88	1.00	1.17	1.17	1.17	70	79.6
28-Jan-16	10:22	Rainy	014442	2.7869	2.7912	22534.88	22535.88	1.00	1.17	1.17	1.17	70	61.1



Location: ACL2a - Contractor HK/2012/08 Site office


Report on 24-hour TSP monitoring  
Action Level ( $\mu\text{g}/\text{m}^3$ ) - 187.3  
Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
4-Jan-16	8:00	Cloudy	014143	2.7957	2.9572	4727.92	4751.92	24.00	1.12	1.11	1.11	1605	100.6
9-Jan-16	8:00	Cloudy	014378	2.8228	3.0454	4754.92	4778.92	24.00	1.12	1.12	1.12	1615	137.9
15-Jan-16	8:00	Rainy	014475	2.8066	2.8893	4781.92	4805.92	24.00	1.12	1.12	1.12	1618	51.1
21-Jan-16	8:00	Cloudy	014480	2.7967	2.9155	4808.92	4832.92	24.00	1.12	1.13	1.13	1622	73.2
27-Jan-16	8:00	Cloudy	014524	2.8594	2.9842	4835.92	4859.92	24.00	1.13	1.12	1.13	1626	76.8


Report on 1-hour TSP monitoring  
Action Level ( $\mu\text{g}/\text{m}^3$ ) - 300.1  
Limit Level ( $\mu\text{g}/\text{m}^3$ ) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, $\text{m}^3/\text{min}$			Total Volume, $\text{m}^3$	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, $Q_{si}$	Final, $Q_{sf}$	Average		
5-Jan-16	8:54	Rainy	014131	2.8158	2.8257	4751.92	4752.92	1.00	1.11	1.11	1.11	67	148.1
5-Jan-16	9:58	Rainy	014126	2.8112	2.8179	4752.92	4753.92	1.00	1.11	1.11	1.11	67	100.2
5-Jan-16	13:00	Rainy	014121	2.7887	2.8022	4753.92	4754.92	1.00	1.73	1.73	1.73	104	130.1
11-Jan-16	8:29	Rainy	014495	2.8033	2.8066	4778.92	4779.92	1.00	1.12	1.12	1.12	67	49.1
11-Jan-16	11:00	Rainy	014492	2.7959	2.8013	4779.92	4780.92	1.00	1.12	1.12	1.12	67	80.4
11-Jan-16	13:00	Rainy	014487	2.8018	2.8075	4780.92	4781.92	1.00	1.12	1.12	1.12	67	84.8
16-Jan-16	8:31	Cloudy	014502	2.7974	2.8038	4805.92	4806.92	1.00	1.12	1.12	1.12	67	95.1
16-Jan-16	9:41	Cloudy	014506	2.8078	2.8143	4806.92	4807.92	1.00	1.12	1.12	1.12	67	96.5
16-Jan-16	11:00	Cloudy	014510	2.8311	2.8422	4807.92	4808.92	1.00	1.12	1.12	1.12	67	164.9
22-Jan-16	8:20	Rainy	014519	2.8828	2.8843	4832.92	4833.92	1.00	1.13	1.13	1.13	68	22.1
22-Jan-16	9:55	Rainy	014389	2.8168	2.8189	4833.92	4834.92	1.00	1.13	1.13	1.13	68	31.0
22-Jan-16	11:00	Rainy	014393	2.8172	2.8232	4834.92	4835.92	1.00	1.13	1.13	1.13	68	88.6
28-Jan-16	8:23	Rainy	014189	2.8135	2.8192	4859.92	4860.92	1.00	1.12	1.12	1.12	67	84.5
28-Jan-16	9:48	Rainy	014185	2.8162	2.8236	4860.92	4861.92	1.00	1.12	1.12	1.12	67	109.7
28-Jan-16	10:59	Rainy	014161	2.7973	2.8041	4861.92	4862.92	1.00	1.12	1.12	1.12	67	100.8

Graphic Presentation of 1 hour TSP Result



Graphic Presentation of 24 hour TSP Result




The construction work during the reporting period include, excavation and lateral support for tunnel construction, roadworks, drainage works, installation of caisson seawall, P1 Road pedestrian road reinstatement and P1 Road Landscaping Works.


The weather condition during the reporting period ranges from mostly sunny to occasionally rainy.

Generally, the monitoring result indicates a reduction in TSP level during rainfall.

**Graphic Presentation of 1 hour TSP Result**



**Graphic Presentation of 24 hour TSP Result**



The construction work during the reporting period include, excavation and lateral support for tunnel construction, roadworks, drainage works, installation of caisson seawall, P1 Road pedestrian road reinstatement and P1 Road Landscaping Works.

The weather condition during the reporting period ranges from mostly sunny to occasionally rainy.

Generally, the monitoring result indicates a reduction in TSP level during rainfall.