



**Water Monitoring Result at C7 - Windsor House  
Mid-Flood Tide**

Date	Time	Weather Condition	Sampling Depth m	Water Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		Suspended Solids mg/L								
				Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average							
16/09/2020	17:27	Fine	Middle	2.5	28.90	28.80	28.95	7.29	7.30	7.36	30.23	30.24	30.24	60.6	61.5	61.6	4.02	4.10	4.11	4.02	4.01	4.00	<2	<2
	17:29		Middle	2.5	29.10	29.00		7.41	7.42		30.30	30.20		61.7	62.4		4.12	4.21		3.99	3.98		<2	
18/09/2020	19:25	Cloudy	Middle	1.5	28.30	28.30	28.30	7.76	7.76	7.76	30.04	30.04	30.04	68.5	70.5	70.3	4.51	4.64	4.63	2.55	2.52	2.42	3	3.50
	19:29		Middle	1.5	28.30	28.30		7.76	7.76		30.04	30.04		70.9	71.1		4.67	4.68		2.31	2.30		4	
21/09/2020	09:20	Fine	Middle	2.0	28.60	28.60	28.70	7.59	7.59	7.66	29.01	29.01	29.01	79.4	79.2	79.1	5.23	5.21	5.21	8.13	8.15	8.14	22	<u>23.00</u>
	09:22		Middle	2.0	28.80	28.80		7.72	7.72		29.01	29.01		79.2	78.7		5.21	5.18		8.14	8.13		24	
23/09/2020	11:20	Fine	Middle	1.5	29.80	29.80	29.90	7.92	7.92	7.95	29.82	29.82	29.82	87.6	85.2	85.1	5.63	5.48	5.47	3.52	3.49	3.48	6	6.00
	11:22		Middle	1.5	30.00	30.00		7.97	7.97		29.82	29.82		84.0	83.5		5.40	5.37		3.45	3.46		6	
25/09/2020	02:46	Cloudy	Middle	1.5	27.70	27.70	27.70	7.55	7.55	7.56	28.46	28.46	28.46	76.0	76.9	76.7	5.11	5.17	5.16	1.61	1.66	1.63	4	4.50
	02:48		Middle	1.5	27.70	27.70		7.55	7.58		28.46	28.46		76.7	77.1		5.16	5.19		1.60	1.64		5	

Remarks:  
Single underline denotes exceedance over Action Level.  
Double underline denotes exceedance over Limit Level.



**Water Monitoring Result at C7 - Windsor House  
Mid-Ebb Tide**

Date	Time	Weather Condition	Sampling Depth		Water Temperature		pH			Salinity			DO Saturation		DO		Turbidity		Suspended Solids					
					°C		-			ppt			%		mg/L		NTU		mg/L					
					Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average				
16/09/2020	11:09	Fine	Middle	2	28.00	28.00	28.05	7.59	7.60	7.64	31.15	31.15	31.15	73.4	71.8	71.6	4.83	4.72	4.71	5.35	5.34	5.33	5	5.50
	11:10		Middle	2	28.10	28.10		7.68	7.68		31.15	31.15		71.5	69.6		4.70	4.58		5.32	5.31		6	
18/09/2020	11:30	Cloudy	Middle	2	28.50	28.50	28.50	7.72	7.72	7.78	30.08	30.08	30.09	95.7	93.8	94.0	6.29	6.16	6.17	3.47	3.47	3.48	3	3.50
	11:32		Middle	2	28.50	28.50		7.83	7.83		30.10	30.10		92.8	93.7		6.10	6.12		3.48	3.48		4	
21/09/2020	14:25	Rainy	Middle	2	28.70	28.70	28.70	8.00	8.00	8.03	20.65	20.60	20.63	70.8	70.6	70.8	4.88	4.86	4.88	14.44	14.45	<u>14.45</u>	8	9.00
	14:27		Middle	2	28.70	28.70		8.05	8.05		20.63	20.63		70.9	71.0		4.89	4.90		14.47	14.45		10	
23/09/2020	04:18	Cloudy	Middle	2	27.80	27.80	27.75	7.66	7.67	7.68	27.38	27.38	27.38	64.0	63.5	63.8	4.32	4.29	4.31	1.59	1.64	1.63	2	2.00
	04:20		Middle	2	27.70	27.70		7.69	7.69		27.38	27.38		63.3	64.3		4.28	4.34		1.68	1.62		2	
26/09/2020	09:50	Fine	Middle	2	28.60	28.60	28.55	7.68	7.68	7.73	31.15	31.15	31.15	75.5	75.3	75.2	4.92	4.91	4.91	2.82	2.82	2.79	5	5.00
	09:52		Middle	2	28.50	28.50		7.77	7.77		31.15	31.15		75.1	75.0		4.90	4.89		2.77	2.76		5	

Remarks:  
Single underline denotes exceedance over Action Level.  
Double underline denotes exceedance over Limit Level.



**Water Monitoring Result at C7 - Windsor House  
Mid-Flood Tide**

Date	Time	Weater Condition	Sampling Depth m	Water Temperature °C		pH -		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		Suspended Solids mg/L									
				Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average								
				28/09/2020	17:08	Cloudy	Middle	2.0	28.70	28.70	28.70	8.12	8.12	8.12	29.49	29.49	29.48	74.9	74.9	74.7	4.92	4.92	4.91	9.90	9.89
17:10	Middle	2.0	28.70	28.70	28.70		8.12	8.12	8.12	29.47	29.47	29.48	75.1	73.8	74.7	4.93	4.85	4.91	9.84	9.85	9.87	5	5.50		
30/09/2020	17:10	Fine	Middle	2.0	30.20	30.20	30.25	8.05	8.05	8.05	29.60	29.60	29.60	44.45	74.7	74.2	73.7	4.79	4.76	4.73	3.94	3.92	3.88	3	3.50
17:12	Middle		2.0	30.30	30.30	30.30	8.05	8.05	8.05	29.30	29.30	29.30	44.45	73.0	73.0	73.7	4.68	4.67	4.73	3.82	3.82	3.88	4	3.50	

Remarks:  
Single underline denotes exceedance over Action Level.  
Double underline denotes exceedance over Limit Level.



**Water Monitoring Result at C7 - Windsor House  
Mid-Ebb Tide**

Date	Time	Weather Condition	Sampling Depth		Water Temperature		pH			Salinity		DO Saturation		DO		Turbidity		Suspended Solids						
					°C		-			ppt		%		mg/L		NTU		mg/L						
					Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average				
28/09/2020	11:20	Fine	Middle	2	28.50	28.50	28.45	7.56	7.58	7.64	31.77	31.77	31.77	74.5	75.3	74.9	4.85	4.91	4.88	6.34	6.36	6.36	11	11.50
	11:22		Middle	2	28.40	28.40		7.70	7.70		31.77	31.77		74.4	75.3		4.84	4.91		6.37	6.37		12	
30/09/2020	11:00	Fine	Middle	2	29.90	29.90	30.05	7.48	7.50	7.60	30.97	30.97	30.98	102.1	99.4	98.4	6.51	6.33	6.27	3.37	3.37	3.33	4	4.00
	11:02		Middle	2	30.20	30.20		7.70	7.70		30.98	30.98		96.6	95.5		6.15	6.07		3.23	3.36		4	

Remarks:  
 Single underline denotes exceedance over Action Level.  
 Double underline denotes exceedance over Limit Level.



**Water Monitoring Result at C7 - Windsor House  
Mid-Flood Tide**

Date	Time	Weather Condition	Sampling Depth		Water Temperature		pH		Salinity		DO Saturation		DO		Turbidity		Suspended Solids							
					°C		-		ppt		%		mg/L		NTU		mg/L							
					Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average				
03/10/2020	07:00	Cloudy	Middle	1.5	27.10	27.10	27.05	7.82	7.82	7.83	29.68	29.68	29.69	72.0	71.7	73.1	4.86	4.84	4.94	1.78	1.60	1.61	4	4.00
	07:02		Middle	1.5	27.00	27.00	27.05	7.84	7.84	7.83	29.69	29.69	29.69	73.6	75.2	73.1	4.97	5.08	4.94	1.54	1.50	1.61	4	
05/10/2020	-	Amber Rainstorm Warning Signal	Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-		Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
07/10/2020	10:10	Cloudy	Middle	1.5	27.00	27.00	26.95	8.00	8.00	8.03	30.81	30.81	30.81	88.1	88.1	87.3	5.91	5.92	5.86	3.39	3.38	3.39	4	4.00
	10:12		Middle	1.5	26.90	26.90	26.95	8.06	8.06	8.03	30.81	30.81	30.81	86.8	86.0	87.3	5.83	5.78	5.86	3.39	3.39	3.39	4	
09/10/2020	15:10	Fine	Middle	1.5	28.60	28.60	28.80	7.92	7.92	7.96	32.36	32.36	32.35	85.1	84.5	84.3	5.49	5.45	5.44	1.74	1.71	1.74	3	3.50
	15:12		Middle	1.5	29.00	29.00	28.80	7.99	7.99	7.96	32.34	32.34	32.35	83.8	83.9	84.3	5.40	5.40	5.44	1.74	1.75	1.74	4	
12/10/2020	16:36	Fine	Middle	2.0	29.50	29.50	29.70	8.11	8.11	8.11	31.64	31.64	31.62	81.0	81.3	80.9	5.17	5.18	5.16	2.08	2.09	2.08	5	5.50
	16:38		Middle	2.0	29.90	29.90	29.70	8.11	8.11	8.11	31.60	31.60	31.62	80.8	80.4	80.9	5.15	5.12	5.16	2.10	2.04	2.08	6	
14/10/2020	16:40	Fine	Middle	2.0	26.90	26.90	26.90	8.08	8.08	8.09	30.78	30.78	30.79	77.0	76.0	76.0	5.17	5.11	5.11	3.68	3.72	3.72	5	5.00
	16:42		Middle	2.0	26.90	26.90	26.90	8.10	8.10	8.09	30.80	30.80	30.79	75.9	75.2	76.0	5.10	5.05	5.11	3.74	3.75	3.72	5	
16/10/2020	17:00	Fine	Middle	2.0	28.80	28.80	28.95	8.08	8.08	8.08	31.13	31.13	31.12	80.0	79.0	79.0	5.18	5.12	5.12	3.59	3.59	3.58	5	4.50
	17:02		Middle	2.0	29.10	29.10	28.95	8.08	8.08	8.08	31.11	31.11	31.12	79.0	78.1	79.0	5.11	5.06	5.12	3.57	3.58	3.58	4	
19/10/2020	09:42	Fine	Middle	1.5	25.70	25.70	25.65	8.16	8.16	8.17	31.50	31.50	31.35	50.9	50.7	50.7	5.91	5.73	5.72	3.43	3.41	3.41	8	7.50
	09:43		Middle	1.5	25.60	25.60	25.65	8.17	8.17	8.17	31.20	31.20	31.35	50.8	50.4	50.7	5.66	5.56	5.72	3.39	3.40	3.41	7	
21/10/2020	11:43	Fine	Middle	1.5	26.10	26.10	26.10	8.16	8.16	8.17	31.64	31.64	31.65	64.3	64.5	66.3	4.44	4.45	4.53	3.83	3.84	3.85	3	3.00
	11:45		Middle	1.5	26.10	26.10	26.10	8.18	8.18	8.17	31.65	31.65	31.65	68.4	68.0	66.3	4.64	4.60	4.53	3.86	3.87	3.85	3	
23/10/2020	-	Strong wind signal No. 3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Remarks:  
 Single underline denotes exceedance over Action Level.  
 Double underline denotes exceedance over Limit Level.  
 Water Quality Monitoring on 5 October 2020 during flood tide was cancelled due to the hoisting of amber rainstorm warning signal, and safety consideration under adverse weather condition.  
 Water Quality Monitoring on 23 October 2020 during flood tide was cancelled due to the hoisting of strong wind signal No. 3, and safety consideration under adverse weather condition.



**Water Monitoring Result at C7 - Windsor House  
Mid-Ebb Tide**

Date	Time	Weater Condition	Sampling Depth		Water Temperature		pH			Salinity		DO Saturation		DO		Turbidity		Suspended Solids						
					°C		-			ppt		%		mg/L		NTU		mg/L						
					Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average				
03/10/2020	11:25	Fine	Middle	2	28.60	28.60	28.60	7.75	7.75	7.78	30.72	30.72	30.72	87.0	87.0	86.9	5.68	5.68	5.68	2.03	2.03	2.04	6	6.50
	11:27		Middle	2	28.60	28.60		7.80	7.80		30.72	30.72		86.6	87.1		5.68	5.69		2.04	2.05		7	
05/10/2020	15:00	Fine	Middle	3	29.60	29.60	29.60	7.05	7.05	7.05	28.45	28.45	28.44	107.1	106.3	101.5	7.23	7.11	6.59	1.93	1.92	1.83	6	6.00
	15:01		Middle	3	29.60	29.60		7.05	7.05		28.43	28.43		96.1	96.3		5.99	6.03		1.72	1.73		6	
07/10/2020	19:55	Cloudy	Middle	2	26.50	26.50	26.50	7.84	7.84	7.85	28.65	28.65	28.66	70.8	70.9	70.9	4.84	4.85	4.85	4.36	4.41	4.40	4	3.50
	19:57		Middle	2	26.50	26.50		7.86	7.86		28.67	28.67		71.2	70.7		4.88	4.84		4.42	4.40		3	
10/10/2020	05:05	Fine	Middle	2	25.30	25.30	25.30	7.87	7.87	7.89	29.63	29.62	29.62	69.2	70.1	69.6	4.81	4.88	4.87	1.61	1.67	1.72	4	3.50
	05:07		Middle	2	25.30	25.30		7.90	7.90		29.62	29.62		68.9	70.3		4.89	4.91		1.81	1.78		3	
12/10/2020	09:25	Fine	Middle	2	27.70	27.70	27.70	7.79	7.81	7.86	32.56	32.57	32.62	118.0	110.4	107.5	7.74	7.23	7.09	3.70	3.80	3.78	6	6.50
	09:27		Middle	2	27.70	27.70		7.92	7.93		32.68	32.68		101.2	100.2		6.83	6.57		3.81	3.81		7	
14/10/2020	11:25	Cloudy	Middle	2	26.80	26.80	26.75	8.15	8.16	8.17	32.58	32.58	32.58	93.6	91.9	91.8	6.24	6.13	6.12	3.33	3.33	3.31	8	8.50
	11:27		Middle	2	26.70	26.70		8.18	8.19		32.58	32.58		91.5	90.3		6.10	6.02		3.28	3.28		9	
16/10/2020	11:40	Fine	Middle	2	27.70	27.90	27.95	8.18	8.19	8.22	32.83	32.83	32.84	108.1	106.1	104.3	7.04	6.91	6.79	3.87	3.86	3.86	8	7.50
	11:42		Middle	2	28.10	28.10		8.25	8.25		32.84	32.84		102.3	100.7		6.66	6.56		3.85	3.84		7	
19/10/2020	14:40	Fine	Middle	2	27.70	27.70	27.75	8.22	8.22	8.23	31.32	31.32	31.33	90.7	90.1	90.1	5.98	5.95	5.95	2.97	2.96	2.96	10	10.50
	14:42		Middle	2	27.80	27.80		8.23	8.23		31.33	31.33		89.7	89.9		5.92	5.93		2.95	2.95		11	
21/10/2020	03:01	Fine	Middle	2	24.30	24.30	24.25	7.82	7.82	7.85	27.40	27.40	27.41	81.8	82.0	81.2	5.86	5.88	5.82	3.81	3.73	3.73	3	3.00
	03:03		Middle	2	24.20	24.20		7.87	7.87		27.42	27.42		80.6	80.4		5.78	5.76		3.70	3.66		3	
23/10/2020	-	Strong wind signal No. 3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Remarks:  
 Single underline denotes exceedance over Action Level.  
 Double underline denotes exceedance over Limit Level.  
 Water Quality Monitoring on 23 October 2020 during ebb tide was cancelled due to the hoisting of strong wind signal No. 3, and safety consideration under adverse weather condition.



**Water Monitoring Result at C7 - Windsor House  
Mid-Flood Tide**

Date	Time	Weather Condition	Sampling Depth		Water Temperature			pH			Salinity			DO Saturation			DO		Turbidity			Suspended Solids		
					°C		-		ppt		%		mg/L		NTU		mg/L							
					Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average				
27/10/2020	15:20	Fine	Middle	2.0	27.50	27.50	27.35	8.08	8.08	8.09	32.25	32.25	32.25	94.2	92.1	91.7	6.20	6.06	6.03	3.57	3.35	3.37	5	4.50
	15:22		Middle	2.0	27.20	27.20		8.10	8.10		32.25	32.25		91.1	89.4		5.99	5.88		3.33	3.21		4	
29/10/2020	17:00	Fine	Middle	2.0	26.40	26.40	26.40	8.09	8.09	8.09	31.80	31.80	31.79	80.1	81.3	81.5	5.43	5.57	5.54	3.66	3.64	3.65	4	3.50
	17:02		Middle	2.0	26.40	26.40		8.09	8.09		31.77	31.77		82.4	82.1		5.58	5.56		3.64	3.64		3	
31/10/2020	17:00	Fine	Middle	2.0	25.50	25.50	25.60	8.08	8.08	8.08	31.65	34.65	32.40	88.9	88.7	88.1	6.12	6.05	6.02	2.83	2.80	2.80	<2	<2
	17:02		Middle	2.0	25.70	25.70		8.08	8.08		31.64	31.64		88.6	86.1		6.04	5.87		2.79	2.76		<2	
02/11/2020	17:25	Fine	Middle	2.0	25.50	25.50	25.50	8.03	8.03	8.03	30.05	30.05	30.05	77.0	77.6	77.6	5.32	5.36	5.36	4.09	4.10	4.09	4	4.00
	17:27		Middle	2.0	25.50	25.50		8.03	8.03		30.04	30.04		77.7	77.9		5.36	5.39		4.09	4.09		4	
04/11/2020	09:15	Fine	Middle	1.5	24.30	24.30	24.25	8.08	8.08	8.10	33.14	33.14	33.14	79.9	81.3	80.9	5.54	5.63	5.61	5.90	5.88	5.72	14	<u>28.00</u>
	09:17		Middle	1.5	24.20	24.20		8.12	8.12		33.14	33.14		81.2	81.1		5.62	5.63		5.99	5.11		42	
06/11/2020	11:45	Fine	Middle	1.5	25.20	25.10	25.23	8.01	8.02	8.05	33.14	33.15	33.15	117.7	104.3	107.7	8.03	7.12	7.18	3.46	3.45	3.46	6	5.50
	11:47		Middle	1.5	25.30	25.30		8.09	8.09		33.16	33.16		110.9	97.8		6.88	6.67		3.46	3.47		5	
09/11/2020	19:06	Cloudy	Middle	1.5	23.90	23.90	23.90	8.00	8.00	8.01	31.77	31.77	31.78	86.4	88.2	87.5	6.07	6.19	6.14	1.20	1.26	1.20	3	2.50
	19:08		Middle	1.5	23.90	23.90		8.02	8.02		31.79	31.79		88.3	87.1		6.20	6.11		1.16	1.18		2	
11/11/2020	15:00	Fine	Middle	2.0	25.60	25.60	25.90	7.60	7.60	7.61	31.54	31.54	31.53	91.1	91.2	90.8	6.31	6.29	6.30	3.17	3.00	3.04	4	4.50
	15:02		Middle	2.0	26.20	26.20		7.61	7.61		31.52	31.52		90.4	90.4		6.30	6.30		2.99	2.99		5	
13/11/2020	16:45	Cloudy	Middle	2.0	23.60	23.60	23.70	7.93	7.93	7.97	31.74	31.74	31.74	89.3	89.8	90.2	6.29	6.33	6.36	3.93	3.80	3.83	8	8.00
	16:47		Middle	2.0	23.80	23.80		8.00	8.00		31.73	31.73		90.9	90.8		6.41	6.40		3.81	3.79		8	
16/11/2020	16:50	Fine	Middle	2.0	25.00	25.00	25.20	8.11	8.11	8.11	31.32	31.32	31.32	85.6	85.8	86.1	5.87	5.88	5.91	3.22	3.76	3.66	3	3.50
	16:52		Middle	2.0	25.40	25.40		8.11	8.11		31.32	31.32		86.2	86.8		5.91	5.98		3.77	3.88		4	
18/11/2020	19:45	Fine	Middle	1.5	24.60	24.60	24.60	7.95	7.95	7.95	31.49	31.49	31.50	74.4	76.1	75.8	5.15	5.27	5.25	1.68	1.67	1.70	3	3.50
	19:47		Middle	1.5	24.60	24.60		7.95	7.95		31.50	31.50		76.8	76.0		5.31	5.26		1.72	1.73		4	
20/11/2020	15:02	Fine	Middle	1.5	28.00	28.00	28.00	7.93	7.93	7.94	31.93	31.93	31.94	67.9	68.1	68.0	4.49	4.51	4.50	3.16	3.17	3.19	2	2.00
	15:04		Middle	1.5	28.00	28.00		7.94	7.94		31.94	31.94		67.9	68.2		4.49	4.52		3.22	3.22		2	
23/11/2020	14:00	Fine	Middle	2.0	24.20	24.20	24.30	7.94	7.94	7.94	30.94	30.94	30.96	78.0	78.0	77.3	5.47	5.47	5.42	4.08	4.16	4.15	3	3.50
	14:02		Middle	2.0	24.40	24.40		7.94	7.94		30.98	30.98		77.0	76.1		5.40	5.33		4.17	4.17		4	
25/11/2020	10:15	Fine	Middle	2.0	26.60	26.60	26.80	8.01	8.01	8.01	30.37	30.37	16.87	88.5	86.4	85.4	5.97	5.82	5.75	2.82	2.89	2.95	<2	<2
	10:17		Middle	2.0	27.00	27.00		8.01	8.01		3.36	3.36		84.0	82.6		5.66	5.56		2.99	3.09		<2	

Remarks:  
Single underline denotes exceedance over Action Level.  
Double underline denotes exceedance over Limit Level.



**Water Monitoring Result at C7 - Windsor House  
Mid-Ebb Tide**

Date	Time	Weather Condition	Sampling Depth		Water Temperature		pH			Salinity		DO Saturation		DO		Turbidity		Suspended Solids						
					°C		-			ppt		%		mg/L		NTU		mg/L						
					Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average				
27/10/2020	11:15	Fine	Middle	2	26.80	26.80	26.80	7.96	7.97	8.00	33.19	33.19	33.19	87.8	86.9	86.0	5.83	5.77	5.71	5.06	5.06	5.03	7	7.00
	11:17		Middle	2	26.80	26.80		8.04	8.04		33.19	33.19		84.6	84.6		5.62	5.62		4.97	5.02		7	
29/10/2020	11:10	Fine	Middle	2	25.80	25.80	25.90	7.83	7.84	7.90	33.21	33.21	33.22	132.5	126.4	124.6	8.93	8.51	8.39	3.05	3.05	3.14	5	5.00
	11:12		Middle	2	26.00	26.00		7.96	7.96		33.23	33.23		121.1	118.3		8.15	7.96		3.28	3.19		5	
31/10/2020	11:30	Fine	Middle	2	24.60	24.60	24.60	8.08	8.08	8.11	33.35	33.36	33.36	110.7	105.6	104.6	7.63	7.27	7.21	2.94	2.97	2.97	4	4.50
	11:32		Middle	2	24.60	24.60		8.14	8.14		33.36	33.36		102.7	99.4		7.07	6.85		2.99	2.97		5	
02/11/2020	12:00	Fine	Middle	2	25.80	25.90	25.98	7.95	7.96	7.96	33.15	33.15	33.15	113.4	112.1	111.1	7.84	7.72	7.64	6.64	6.69	6.66	14	31.50
	12:02		Middle	2	26.10	26.10		7.96	7.96		33.15	33.15		110.3	108.7		7.58	7.49		6.69	6.62		49	
04/11/2020	17:05	Fine	Middle	2	25.00	25.00	25.10	8.09	8.09	8.09	31.58	31.58	31.57	84.0	83.0	82.8	5.79	5.72	5.71	3.26	3.27	3.28	<2	<2
	17:07		Middle	2	25.20	25.20		8.09	8.09		31.56	31.56		82.3	82.0		5.67	5.65		3.28	3.29		<2	
06/11/2020	19:28	Fine	Middle	2	24.80	24.80	24.80	7.89	7.89	7.89	30.48	30.48	30.48	86.2	85.7	85.2	6.01	5.97	5.93	2.51	2.60	2.52	<2	<2
	19:30		Middle	2	24.80	24.80		7.89	7.89		30.48	30.48		83.9	84.9		5.84	5.91		2.54	2.44		<2	
09/11/2020	05:34	Cloudy	Middle	2	22.00	22.00	22.00	7.81	7.81	7.82	29.25	29.25	29.25	72.3	72.2	72.5	5.33	5.33	5.35	1.67	1.66	1.63	2	2.00
	05:36		Middle	2	22.00	22.00		7.83	7.83		29.25	29.25		72.6	72.9		5.37	5.38		1.61	1.59		2	
11/11/2020	09:30	Fine	Middle	2	23.10	23.10	23.10	8.07	8.08	8.10	32.47	32.47	32.48	91.2	91.4	91.1	6.48	6.49	6.47	1.30	1.32	1.32	9	8.50
	09:32		Middle	2	23.10	23.10		8.13	8.13		32.49	32.49		91.2	90.7		6.48	6.44		1.36	1.31		8	
13/11/2020	10:30	Fine	Middle	2	23.90	23.90	23.90	7.77	7.78	7.84	32.20	32.21	32.21	89.2	87.9	88.4	6.26	6.17	6.20	2.89	2.91	2.92	11	10.50
	10:32		Middle	2	23.90	23.90		7.91	7.91		32.21	32.21		88.4	88.1		6.20	6.17		2.93	2.95		10	
16/11/2020	11:22	Fine	Middle	2	24.60	24.60	24.75	7.81	7.82	7.86	32.27	32.26	32.26	80.2	81.5	80.7	5.54	5.63	5.57	2.74	2.75	2.75	4	4.50
	11:24		Middle	2	24.90	24.90		7.91	7.91		32.26	32.26		80.9	80.2		5.58	5.53		2.75	2.75		5	
18/11/2020	10:45	Fine	Middle	2	24.50	24.60	24.78	7.78	7.79	7.82	32.04	32.04	32.03	71.8	72.2	71.9	4.96	4.98	4.96	4.07	4.15	4.14	6	6.50
	10:47		Middle	2	25.00	25.00		7.86	7.86		32.01	32.01		71.7	71.7		4.95	4.94		4.16	4.16		7	
20/11/2020	03:42	Cloudy	Middle	2	24.20	24.20	24.25	7.82	7.82	7.81	28.51	28.51	28.50	58.7	58.9	59.2	4.17	4.19	4.20	1.12	1.04	1.09	<2	<2
	03:44		Middle	2	24.30	24.30		7.80	7.80		28.48	28.48		59.7	59.3		4.24	4.21		1.10	1.08		<2	
23/11/2020	06:40	Cloudy	Middle	2	23.70	23.70	23.70	7.65	7.65	7.67	31.05	31.05	31.05	58.2	59.7	59.4	4.12	4.23	4.21	0.73	0.71	0.79	<2	<2
	06:42		Middle	2	23.70	23.70		7.69	7.69		31.05	31.04		59.7	60.1		4.23	4.26		0.91	0.79		<2	
25/11/2020	10:20	Fine	Middle	2	24.00	24.10	24.08	7.90	7.91	7.92	31.54	31.54	31.54	72.2	72.9	72.8	5.07	5.12	5.11	4.82	4.81	4.80	4	4.50
	10:22		Middle	2	24.10	24.10		7.93	7.93		31.54	31.54		73.0	72.9		5.12	5.11		4.79	4.78		5	

Remarks:  
Single underline denotes exceedance over Action Level.  
Double underline denotes exceedance over Limit Level.





## Graphic Presentation of Water Quality Result of C7 - Windsor House

