



**Water Monitoring Result at C7 - Windsor House
Mid-Flood Tide**

Date	Time	Weather Condition	Sampling Depth	m	Water Temperature			pH			Salinity			DO Saturation			DO			Turbidity			Suspended Solids	
					°C			-			ppt			%			mg/L			NTU			mg/L	
					Value	Average		Value	Average		Value	Average		Value	Average		Value	Average		Value	Average		Value	Average
27/11/2020	16:00	Fine	Middle	2.0	25.60	25.60	25.80	7.97	7.97	7.97	30.59	30.59	30.58	77.7	77.9	76.3	5.32	5.33	5.32	1.87	1.84	1.83	<2	<2
	16:02		Middle	2.0	26.00	26.00		7.97	7.97		30.56	30.56		71.6	78.0		5.31	5.33		1.82	1.80			
30/11/2020	16:15	Fine	Middle	2.0	23.90	23.90	24.00	8.01	8.01	8.05	30.60	30.60	30.62	81.4	81.2	82.5	5.14	5.13	5.52	2.11	2.11	2.10	7	6.50
	16:17		Middle	2.0	24.10	24.10		8.09	8.09		30.64	30.64		83.7	83.7		5.91	5.91		2.11	2.05		6	
02/12/2020	09:20	Fine	Middle	1.5	22.00	22.00	22.00	8.13	8.13	8.14	31.92	31.92	31.92	79.3	76.3	74.7	5.76	5.54	5.43	5.86	5.72	5.76	10	9.50
	09:22		Middle	1.5	22.00	22.00		8.14	8.14		31.91	31.91		72.7	70.4		5.28	5.12		5.71	5.76		9	
04/12/2020	10:00	Fine	Middle	1.5	20.60	20.60	20.50	8.02	8.02	8.04	31.76	31.76	31.76	79.1	80.0	80.0	5.90	5.98	5.98	4.86	4.87	4.86	9	8.50
	10:02		Middle	1.5	20.40	20.40		8.05	8.05		31.76	31.76		80.2	80.7		5.99	6.03		4.84	4.86		8	
07/12/2020	17:30	Cloudy	Middle	2.0	23.00	23.00	23.10	8.00	8.00	8.04	30.41	30.41	30.41	82.2	82.6	82.1	5.91	5.93	5.90	2.02	2.01	2.01	5	5.00
	17:32		Middle	2.0	23.20	23.20		8.07	8.07		30.41	30.41		82.1	81.5		5.89	5.85		2.01	2.00		5	
09/12/2020	15:35	Cloudy	Middle	2.0	22.10	22.10	22.10	8.10	8.10	8.11	30.74	30.74	30.75	90.6	90.5	90.1	6.61	6.61	6.58	2.88	2.88	2.86	<2	<2
	15:37		Middle	2.0	22.10	22.10		8.11	8.11		30.75	30.75		89.9	89.4		6.56	6.53		2.90	2.76		<2	
11/12/2020	16:10	Cloudy	Middle	2.0	23.20	23.20	23.30	8.08	8.08	8.10	30.77	30.77	30.77	81.4	81.1	81.2	5.82	5.80	5.80	3.75	3.65	3.69	3	3.50
	16:12		Middle	2.0	23.40	23.40		8.11	8.11		30.76	30.76		81.2	80.9		5.80	5.78		3.65	3.70		4	
14/12/2020	16:15	Cloudy	Middle	1.5	20.90	20.90	20.95	7.94	7.94	7.95	31.54	31.54	31.54	61.4	61.2	66.1	5.14	5.12	5.17	3.71	3.72	3.66	6	6.50
	16:17		Middle	1.5	21.00	21.00		7.95	7.95		31.54	31.54		71.0	70.9		5.22	5.21		3.60	3.61		7	
17/12/2020	10:15	Cloudy	Middle	1.5	18.90	18.90	18.90	7.99	7.99	7.99	31.22	31.22	31.21	72.4	73.1	73.2	5.84	5.87	5.87	4.65	4.64	4.59	3	3.00
	10:17		Middle	1.5	18.90	18.90		7.99	7.99		31.20	31.20		73.2	74.2		5.84	5.92		4.56	4.51		3	
19/12/2020	11:50	Cloudy	Middle	2.0	20.00	20.00	20.05	8.10	8.10	8.10	30.19	30.19	30.19	77.2	76.7	77.4	5.87	5.83	5.88	7.05	7.03	7.09	7	7.00
	11:52		Middle	2.0	20.10	20.10		8.10	8.10		30.19	30.19		77.6	78.0		5.90	5.93		7.12	7.14		7	
21/12/2020	11:44	Fine	Middle	1.5	19.80	19.80	19.80	7.91	7.92	7.93	30.52	30.52	30.52	71.0	71.0	71.1	5.42	5.42	5.42	5.20	5.21	5.14	11	11.50
	11:46		Middle	1.5	19.80	19.80		7.94	7.94		30.51	30.51		71.1	71.1		5.42	5.42		5.10	5.04		12	
23/12/2020	13:05	Fine	Middle	1.5	20.10	20.10	20.15	7.75	7.75	7.78	31.05	31.05	31.06	81.3	81.2	81.0	6.14	6.13	6.11	5.71	5.71	5.73	7	7.00
	13:07		Middle	1.5	20.20	20.20		7.80	7.80		31.07	31.07		80.4	80.9		6.07	6.10		5.75	5.76		7	

Remarks:
Single underline denotes exceedance over Action Level.
Double underline denotes exceedance over Limit Level.



**Water Monitoring Result at C7 - Windsor House
Mid-Ebb Tide**

Date	Time	Weather Condition	Sampling Depth		Water Temperature		pH			Salinity		DO Saturation		DO		Turbidity		Suspended Solids						
					°C		-			ppt		%		mg/L		NTU		mg/L						
					Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average				
27/11/2020	11:40	Fine	Middle	2	24.30	24.30	24.35	7.90	7.90	7.91	31.69	31.69	31.69	71.7	72.8	72.2	5.00	5.08	5.04	3.80	3.82	3.85	3	3.00
	11:42		Middle	2	24.40	24.40		7.92	7.92		31.69	31.69		72.1	72.2		5.03	5.04		3.89	3.90		3	
30/11/2020	00:05	Cloudy	Middle	2	21.60	21.60	21.55	7.59	7.59	7.59	27.35	27.35	27.35	56.3	57.4	57.0	4.25	4.33	4.30	2.15	2.29	2.22	3	3.00
	00:07		Middle	2	21.50	21.50		7.59	7.59		27.35	27.35		57.2	57.0		4.30	4.30		2.17	2.26		3	
02/12/2020	00:54	Fine	Middle	2	21.00	20.90	20.93	7.52	7.52	7.53	25.76	25.76	25.77	65.8	65.3	65.7	5.07	5.04	5.06	3.22	3.09	3.13	7	7.50
	00:56		Middle	2	20.90	20.90		7.53	7.53		25.77	25.77		65.9	65.7		5.08	5.06		3.08	3.14		8	
04/12/2020	01:39	Fine	Middle	2	19.40	19.40	19.40	7.93	7.93	7.93	26.12	26.12	26.12	69.0	68.8	68.6	5.46	5.44	5.43	2.85	2.98	2.94	2	2.50
	01:41		Middle	2	19.40	19.40		7.93	7.93		26.12	26.12		68.2	68.2		5.40	5.40		3.03	2.88		3	
07/12/2020	03:59	Fine	Middle	2	20.20	20.20	20.15	7.61	7.61	7.62	28.23	28.23	28.23	60.9	61.8	61.3	4.69	4.76	4.72	1.08	1.11	1.10	<2	<2
	04:01		Middle	2	20.10	20.10		7.63	7.63		28.23	28.23		60.7	61.6		4.68	4.74		1.10	1.09		<2	
09/12/2020	06:55	Cloudy	Middle	2	20.40	20.40	20.35	7.77	7.77	7.79	30.69	30.69	30.69	69.1	69.5	69.4	5.21	5.24	5.24	1.67	1.65	1.69	<2	<2
	06:57		Middle	2	20.30	20.30		7.81	7.81		30.69	30.69		69.3	69.6		5.23	5.26		1.71	1.74		<2	
11/12/2020	10:30	Fine	Middle	2	20.60	20.60	20.65	7.62	7.62	7.61	31.81	31.81	31.82	82.6	82.5	82.5	5.85	5.84	5.83	6.01	6.02	6.00	11	11.50
	10:32		Middle	2	20.70	20.70		7.60	7.60		31.82	31.82		82.4	82.3		5.82	5.81		5.97	5.98		12	
15/12/2020	00:14	Cloudy	Middle	2	19.90	19.90	19.85	7.78	7.78	7.77	28.63	28.63	28.63	64.2	63.2	63.6	4.95	4.88	4.91	1.77	1.75	1.79	4	3.50
	00:16		Middle	2	19.80	19.80		7.75	7.75		28.62	28.62		63.7	63.3		4.91	4.88		1.79	1.83		3	
17/12/2020	01:47	Cloudy	Middle	2	18.00	18.00	18.20	7.60	7.60	7.60	26.41	26.41	26.41	60.7	61.9	61.4	4.93	5.03	4.99	2.70	2.85	2.70	<2	<2
	01:49		Middle	2	17.90	18.90		7.60	7.60		26.41	26.41		61.2	61.7		4.98	5.02		2.63	2.61		<2	
19/12/2020	03:19	Cloudy	Middle	2	17.40	17.40	17.25	7.50	7.50	7.52	26.18	26.18	26.18	60.0	59.8	60.0	4.95	4.94	4.95	2.78	2.70	2.74	3	3.00
	03:21		Middle	2	17.10	17.10		7.53	7.53		26.17	26.18		59.9	60.2		4.95	4.97		2.72	2.75		3	
21/12/2020	04:41	Cloudy	Middle	2	17.00	17.00	16.85	7.53	7.53	7.53	26.16	26.16	26.16	59.0	59.8	59.5	4.91	4.98	4.95	2.12	2.10	2.16	2	2.00
	04:43		Middle	2	16.70	16.70		7.53	7.53		26.15	26.15		59.7	59.3		4.97	4.94		2.20	2.22		2	
23/12/2020	06:21	Cloudy	Middle	2	18.90	18.90	18.85	7.80	7.80	7.81	29.68	29.68	29.68	60.9	61.0	60.5	4.75	4.76	4.72	0.84	0.87	0.97	3	3.50
	06:23		Middle	2	18.80	18.80		7.81	7.81		29.68	29.68		60.2	59.9		4.70	4.68		1.17	0.99		4	

Remarks:
Single underline denotes exceedance over Action Level.
Double underline denotes exceedance over Limit Level.



**Water Monitoring Result at C7 - Windsor House
Mid-Flood Tide**

Date	Time	Weather Condition	Sampling Depth		Water Temperature			pH			Salinity			DO Saturation		DO		Turbidity		Suspended Solids				
					°C			-			ppt			%		mg/L		NTU		mg/L				
			m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	
28/12/2020	13:15	Fine	Middle	1.5	20.80	20.90	21.13	7.84	7.85	7.86	31.05	31.04	31.03	83.8	83.4	83.3	6.21	6.17	6.16	4.12	4.12	4.13	3	3.00
	13:17		Middle	1.5	21.40	21.40		7.88	7.88		31.02	31.02		82.8	83.2		6.12	6.15		4.12	4.14		3	
30/12/2020	16:35	Fine	Middle	1.5	18.20	18.20	18.20	7.92	7.92	7.92	30.74	30.74	30.74	78.4	78.5	78.4	6.32	6.33	6.32	4.73	4.72	4.72	6	6.00
	16:37		Middle	1.5	18.20	18.20		7.92	7.92		30.74	30.74		78.3	78.4		6.31	6.32		4.72	4.72		6	
02/01/2021	10:20	Fine	Middle	1.5	17.60	17.50	17.43	7.98	7.98	8.00	30.98	30.98	30.98	85.2	84.9	85.0	6.78	6.76	6.77	4.00	3.97	3.96	4	4.50
	10:22		Middle	1.5	17.30	17.30		8.01	8.01		30.97	30.97		84.9	84.8		6.76	6.76		3.94	3.94		5	
05/01/2021	13:10	Fine	Middle	2.0	19.60	19.60	19.80	7.90	7.90	7.92	31.02	31.03	31.03	84.6	85.1	85.0	6.44	6.47	6.46	7.89	7.98	7.96	10	10.00
	13:12		Middle	2.0	20.00	20.00		7.93	7.93		31.03	31.04		85.4	84.9		6.48	6.44		7.99	7.98		10	
07/01/2021	13:45	Cloudy	Middle	2.0	18.80	18.80	19.15	7.24	7.24	7.25	30.09	30.09	30.33	90.5	91.0	91.0	7.03	7.07	7.07	4.24	4.24	4.24	4	5.00
	13:47		Middle	2.0	19.50	19.50		7.25	7.25		30.57	30.57		91.3	91.3		7.09	7.09		4.24	4.24		6	
09/01/2021	14:02	Cloudy	Middle	2.0	15.70	15.70	15.65	7.29	7.29	7.40	29.94	29.94	54.96	95.5	95.1	94.9	7.90	7.87	7.86	4.83	4.83	4.83	5	5.00
	14:04		Middle	2.0	15.60	15.60		7.51	7.51		79.97	79.97		94.6	94.5		7.83	7.83		4.83	4.83		5	
11/01/2021	14:30	Cloudy	Middle	1.5	14.30	14.30	14.30	8.12	8.12	8.12	30.47	30.47	44.83	90.2	89.6	88.9	8.66	7.58	7.80	2.73	2.72	2.60	2	2.00
	14:32		Middle	1.5	14.30	14.30		8.12	8.12		30.47	87.90		87.9	87.8		7.47	7.48		2.47	2.48		2	
13/01/2021	17:02	Fine	Middle	2.0	17.50	17.50	17.60	7.37	7.37	7.38	30.31	30.31	30.28	128.3	106.1	111.2	8.61	8.44	8.44	2.84	2.86	2.87	<2	<2
	17:04		Middle	2.0	17.70	17.70		7.39	7.39		30.24	30.24		105.3	105.0		8.37	8.35		2.87	2.89		<2	
16/01/2021	10:00	Fine	Middle	1.5	17.80	17.80	17.80	7.97	7.97	7.97	28.58	28.58	28.58	93.2	93.1	88.7	7.41	7.39	7.22	3.75	3.74	3.68	4	4.00
	10:02		Middle	1.5	17.80	17.80		7.97	7.97		28.57	28.57		84.3	84.2		7.05	7.04		3.62	3.62		4	
18/01/2021	10:45	Fine	Middle	2.0	16.70	16.70	16.70	8.08	8.08	8.09	31.06	31.06	31.06	98.5	98.4	98.1	7.94	7.93	7.91	3.47	3.46	3.44	3	3.00
	10:47		Middle	2.0	16.70	16.70		8.10	8.10		31.06	31.06		98.0	97.6		7.89	7.86		3.44	3.38		3	
20/01/2021	12:45	Fine	Middle	2.0	17.90	17.90	17.90	7.90	7.90	7.94	31.18	31.18	31.12	105.7	105.8	104.0	8.20	8.21	8.18	2.28	2.28	2.29	<2	<2
	12:47		Middle	2.0	17.90	17.90		7.98	7.98		31.06	31.06		102.1	102.2		8.15	8.16		2.29	2.29		<2	
22/01/2021	14:00	Fine	Middle	2.0	21.50	21.50	21.75	7.96	7.96	7.97	29.73	29.73	29.73	95.8	101.5	98.5	7.06	7.40	7.22	3.59	3.48	3.47	3	3.50
	14:02		Middle	2.0	22.00	22.00		7.98	7.98		29.73	29.73		99.3	97.3		7.29	7.14		3.41	3.40		4	
25/01/2021	10:00	Fine	Middle	2.0	18.30	18.30	18.30	7.78	7.78	7.78	29.93	29.93	29.92	86.6	86.0	86.8	6.86	6.84	6.87	2.19	2.18	2.21	<2	<2
	10:02		Middle	2.0	18.30	18.30		7.78	7.78		29.91	29.91		87.1	87.4		6.88	6.89		2.22	2.25		<2	

Remarks:
 Single underline denotes exceedance over Action Level.
 Double underline denotes exceedance over Limit Level.



**Water Monitoring Result at C7 - Windsor House
Mid-Ebb Tide**

Date	Time	Weather Condition	Sampling Depth		Water Temperature		pH			Salinity		DO Saturation		DO		Turbidity		Suspended Solids						
					°C		-			ppt		%		mg/L		NTU		mg/L						
					Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average				
28/12/2020	23:13	Cloudy	Middle	2	19.80	19.80	19.80	7.73	7.73	7.74	28.31	28.31	28.31	68.4	69.2	68.3	5.27	5.34	5.27	2.61	2.51	2.51	2	2.00
	23:15		Middle	2	19.80	19.80		7.75	7.75		28.31	28.31		68.1	67.5		5.26	5.21		2.45	2.47		2	
31/12/2020	00:45	Fine	Middle	2	15.90	15.90	15.85	7.75	7.75	7.76	29.27	29.27	29.27	71.2	71.8	71.8	5.90	5.96	5.96	2.71	2.69	2.56	2	2.00
	00:47		Middle	2	15.80	15.80		7.77	7.77		29.27	29.27		72.0	72.0		5.98	5.98		2.47	2.38		2	
02/01/2021	02:01	Fine	Middle	2	14.60	14.60	14.60	7.63	7.63	7.63	29.10	29.10	29.10	70.8	69.2	69.2	6.02	5.95	5.94	2.68	2.65	2.63	<2	<2
	02:03		Middle	2	14.60	14.60		7.62	7.62		29.09	29.09		68.3	68.5		5.89	5.91		2.61	2.59		<2	
05/01/2021	04:11	Cloudy	Middle	2	18.10	18.10	18.10	7.78	7.78	7.78	29.45	29.45	29.45	72.4	71.9	72.5	5.74	5.72	5.75	2.01	2.02	2.00	4	3.50
	04:13		Middle	2	18.10	18.10		7.78	7.78		29.45	29.45		72.9	72.7		5.78	5.76		1.99	1.97		3	
07/01/2021	06:28	Cloudy	Middle	2	17.10	17.10	17.10	7.71	7.71	7.72	29.62	29.62	29.62	73.9	73.3	73.4	5.97	5.92	5.93	0.70	0.73	0.75	4	4.00
	06:30		Middle	2	17.10	17.10		7.73	7.73		29.61	29.61		73.0	73.4		5.90	5.93		0.82	0.74		4	
09/01/2021	21:45	Cloudy	Middle	2	15.60	15.60	15.50	7.44	7.44	7.44	29.08	29.08	29.08	84.0	83.3	83.0	6.53	6.46	6.45	2.42	2.46	2.48	2	2.50
	21:47		Middle	2	15.40	15.40		7.44	7.43		29.08	29.08		82.7	82.1		6.42	6.40		2.53	2.51		3	
11/01/2021	23:23	Fine	Middle	2	13.50	13.50	13.45	7.38	7.38	7.35	28.40	28.40	28.42	79.4	78.7	78.9	6.96	6.89	6.92	3.48	3.50	3.54	<2	<2
	23:25		Middle	2	13.40	13.40		7.32	7.32		28.43	28.43		78.6	79.0		6.89	6.94		3.56	3.62		<2	
14/01/2021	00:52	Fine	Middle	2	14.60	14.60	14.58	7.30	7.30	7.30	29.60	29.60	29.60	86.8	86.0	85.9	7.38	7.32	7.31	1.84	1.81	1.80	<2	<2
	00:54		Middle	2	14.50	14.60		7.30	7.30		29.60	29.60		85.7	85.0		7.29	7.23		1.75	1.79		<2	
16/01/2021	02:14	Fine	Middle	2	15.90	15.90	15.90	7.60	7.60	7.60	29.67	29.67	29.68	83.1	84.5	83.2	6.86	6.97	6.87	1.94	1.90	1.88	4	3.50
	02:16		Middle	2	15.90	15.90		7.60	7.60		29.69	29.70		82.8	82.4		6.83	6.80		1.82	1.86		3	
18/01/2021	03:24	Fine	Middle	2	14.30	14.30	14.25	7.60	7.60	7.62	27.67	27.67	27.70	83.9	83.8	82.8	7.25	7.24	7.15	4.27	4.11	4.19	4	4.00
	03:26		Middle	2	14.20	14.20		7.63	7.63		27.72	27.72		82.4	81.0		7.12	7.00		4.23	4.15		4	
20/01/2021	03:53	Cloudy	Middle	2	16.20	16.20	16.20	8.03	8.03	8.04	31.20	31.20	31.22	91.2	92.7	91.5	7.41	7.54	7.44	2.95	2.93	2.97	<2	<2
	03:55		Middle	2	16.20	16.20		8.05	8.05		31.23	31.23		90.5	91.4		7.36	7.44		2.99	3.02		<2	
22/01/2021	21:04	Fine	Middle	2	18.50	18.50	18.50	8.08	8.08	8.09	30.34	30.34	30.30	94.4	93.5	93.9	7.33	7.26	7.29	1.25	1.23	1.22	<2	<2
	21:06		Middle	2	18.50	18.50		8.10	8.11		30.25	30.25		94.7	93.0		7.35	7.21		1.20	1.21		<2	
25/01/2021	22:46	Fine	Middle	2	17.90	17.80	17.88	8.11	8.12	8.15	29.58	29.58	29.58	65.3	67.7	66.5	5.19	5.36	5.27	1.25	1.24	1.28	<2	<2
	22:48		Middle	2	17.90	17.90		8.18	8.18		29.58	29.58		66.3	66.5		5.25	5.27		1.30	1.32		<2	

Remarks:
Single underline denotes exceedance over Action Level.
Double underline denotes exceedance over Limit Level.



**Water Monitoring Result at C7 - Windsor House
Mid-Flood Tide**

Date	Time	Weather Condition	Sampling Depth		Water Temperature			pH			Salinity		DO Saturation		DO		Turbidity		Suspended Solids					
					°C			-			ppt		%		mg/L		NTU		mg/L					
			m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average			
27/1/2021	15:15	Fine	Middle	2.0	20.90	20.90	21.30	7.07	7.07	7.05	30.80	30.80	30.46	102.4	101.1	101.5	7.59	7.52	7.52	3.29	3.41	3.36	3	3.50
	15:17		Middle	2.0	21.70	21.70		7.02	7.02		30.12	30.12		101.8	100.7		7.53	7.44		3.38	3.37		4	
29/1/2021	16:40	Fine	Middle	2.0	19.50	19.50	19.80	7.07	7.07	7.08	30.22	30.22	30.21	95.1	95.4	95.1	7.24	7.26	7.23	2.09	2.06	2.06	2	2.00
	16:42		Middle	2.0	20.10	20.10		7.08	7.08		30.19	30.19		95.3	94.4		7.24	7.18		2.04	2.03		2	
1/2/2021	10:45	Fine	Middle	2.0	19.30	19.40	19.58	7.73	7.74	7.78	31.51	31.51	31.52	92.5	92.5	92.2	7.04	7.04	7.01	3.69	3.77	3.75	4	3.50
	10:47		Middle	2.0	19.80	19.80		7.82	7.82		31.52	31.52		92.7	90.9		7.05	6.91		3.78	3.77		3	
3/2/2021	11:55	Fine	Middle	2.0	18.80	18.80	18.80	7.80	7.80	7.80	31.80	31.80	31.80	81.5	80.9	84.0	2.88	2.86	4.87	7.80	7.80	7.80	<2	<2
	11:57		Middle	2.0	18.80	18.80		7.80	7.80		31.80	31.80		87.1	86.5		6.89	6.85		7.80	7.80		<2	
5/2/2021	11:45	Fine	Middle	2.0	19.60	19.70	19.78	7.53	7.54	7.57	31.61	31.60	31.61	94.3	94.2	94.1	7.13	7.13	7.12	6.62	6.68	6.64	8	8.00
	11:47		Middle	2.0	19.90	19.90		7.60	7.60		31.61	31.61		94.0	94.0		7.11	7.11		6.64	6.63		8	
8/2/2021	15:15	Cloudy	Middle	2.0	20.30	20.30	20.30	7.79	7.79	7.79	31.28	31.28	31.28	96.1	95.7	95.9	7.22	7.19	7.20	4.62	4.60	4.60	4	4.00
	15:17		Middle	2.0	20.30	20.30		7.79	7.79		31.28	31.28		95.9	95.8		7.20	7.20		4.59	4.60		4	
10/2/2021	17:40	Rainy	Middle	2.5	18.10	18.10	18.15	7.23	7.23	7.24	25.73	25.73	25.72	41.9	41.2	66.2	7.44	7.38	7.38	9.00	9.00	8.98	8	8.00
	17:42		Middle	2.5	18.20	18.20		7.25	7.25		25.70	25.70		91.4	90.4		7.39	7.32		8.98	8.95		8	
16/2/2021	10:45	Fine	Middle	2.0	20.20	20.30	20.38	8.14	8.14	8.15	31.09	31.10	31.11	81.3	81.4	81.2	6.10	6.10	6.09	4.47	4.47	4.47	3	3.00
	10:47		Middle	2.0	20.50	20.50		8.15	8.15		31.13	31.13		81.0	80.9		6.07	6.07		4.47	4.47		3	
18/2/2021	10:25	Fine	Middle	1.5	19.70	19.80	19.83	8.16	8.16	8.16	31.44	31.43	31.44	80.5	80.8	80.8	6.10	6.12	6.12	4.03	4.01	4.05	5	4.50
	10:27		Middle	1.5	19.90	19.90		8.15	8.15		31.44	31.44		80.8	81.0		6.12	6.14		4.01	4.16		4	
20/2/2021	12:00	Fine	Middle	1.5	21.20	21.20	21.30	8.10	8.10	8.10	29.49	29.49	29.49	82.1	82.2	82.1	6.13	6.13	6.12	6.00	5.78	5.90	6	6.00
	12:02		Middle	1.5	21.40	21.40		8.10	8.10		29.49	29.49		81.9	82.0		6.11	6.12		5.85	5.95		6	
22/2/2021	10:15	Fine	Middle	1.5	21.00	21.00	21.15	8.04	8.04	8.04	31.09	31.09	31.09	64.7	65.1	65.2	4.78	4.81	4.82	5.70	5.73	5.74	8	7.50
	10:17		Middle	1.5	21.30	21.30		8.04	8.04		31.09	31.09		65.5	65.6		4.84	4.85		5.74	5.77		7	
24/2/2021	11:30	Fine	Middle	2.0	20.10	20.10	20.10	8.09	8.09	8.09	31.76	31.76	31.77	72.1	72.1	72.2	5.42	5.42	5.43	3.84	3.82	3.82	2	2.50
	11:32		Middle	2.0	20.10	20.10		8.09	8.09		31.77	31.77		72.2	72.4		5.43	5.45		3.81	3.80		3	
26/2/2021	16:15	Cloudy	Middle	2.0	22.70	22.70	23.25	7.88	7.88	7.94	30.57	30.57	30.58	77.6	77.7	77.4	5.53	5.53	5.52	3.08	3.60	3.51	<2	<2
	16:17		Middle	2.0	23.80	23.80		8.00	8.00		30.59	30.59		78.3	76.1		5.61	5.42		3.68	3.69		<2	

Remarks:
Single underline denotes exceedance over Action Level.
Double underline denotes exceedance over Limit Level.



**Water Monitoring Result at C7 - Windsor House
Mid-Ebb Tide**

Date	Time	Weather Condition	Sampling Depth		Water Temperature		pH			Salinity		DO Saturation		DO		Turbidity		Suspended Solids						
					°C		-			ppt		%		mg/L		NTU		mg/L						
					Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average				
27/1/2021	23:56	Fine	Middle	2	18.30	18.30	18.25	8.27	8.28	8.30	29.26	29.30	29.27	44.3	44.1	44.6	3.51	3.48	3.53	2.28	2.27	2.24	4	3.50
	23:58		Middle	2	18.20	18.20		8.32	8.32		29.25	29.25		44.7	45.4		3.53	3.59		2.22	2.17		3	
30/1/2021	01:55	Fine	Middle	2	17.20	17.20	17.25	8.27	8.27	8.28	29.05	29.05	29.06	86.7	89.0	87.8	7.14	7.33	7.23	1.83	1.79	1.82	<2	<2
	01:57		Middle	2	17.30	17.30		8.28	8.28		29.06	29.06		88.5	86.9		7.29	7.16		1.81	1.86		<2	
1/2/2021	02:35	Fine	Middle	2	17.60	17.60	17.60	7.98	7.98	7.97	31.36	31.36	31.36	89.7	89.7	88.7	7.09	7.09	7.01	1.94	1.99	1.94	<2	<2
	02:37		Middle	2	17.60	17.60		7.96	7.96		31.36	31.36		87.3	88.0		6.90	6.96		1.88	1.93		<2	
3/2/2021	17:00	Fine	Middle	2	20.00	20.00	20.05	7.90	7.90	7.90	31.16	31.16	31.16	93.7	94.6	94.5	7.08	7.14	7.13	2.20	2.19	2.19	<2	<2
	17:02		Middle	2	20.10	20.10		7.90	7.90		31.16	31.16		94.9	94.6		7.16	7.15		2.18	2.17		<2	
5/2/2021	19:06	Fine	Middle	2	19.00	19.00	19.05	7.79	7.79	7.81	31.43	31.43	31.43	91.0	91.1	90.4	7.00	7.01	6.96	2.28	2.21	2.28	3	3.00
	19:08		Middle	2	19.10	19.10		7.83	7.83		31.43	31.43		89.7	89.9		6.90	6.91		2.34	2.29		3	
8/2/2021	22:33	Cloudy	Middle	2	19.00	19.00	19.10	7.87	7.87	7.87	28.17	28.17	28.15	44.7	44.5	44.7	3.48	3.46	3.48	2.93	2.85	2.84	<2	<2
	22:35		Middle	2	19.20	19.20		7.87	7.87		28.12	28.12		44.9	44.8		3.50	3.49		2.83	2.74		<2	
11/2/2021	23:59	Cloudy	Middle	2	17.20	17.20	17.15	7.74	7.74	7.75	28.04	28.04	28.08	87.0	87.9	86.1	7.07	7.15	7.04	3.60	3.64	3.71	7	6.50
	00:01		Middle	2	17.10	17.10		7.75	7.75		28.22	28.02		84.5	85.0		6.91	7.01		3.78	3.80		6	
16/2/2021	17:00	Fine	Middle	2	21.30	21.30	21.55	7.14	7.14	7.15	30.28	30.28	30.26	83.2	83.7	83.3	6.15	6.18	6.15	2.97	2.94	2.94	<2	<2
	17:02		Middle	2	21.80	21.80		7.15	7.15		30.24	30.24		83.2	83.1		6.14	6.13		2.92	2.91		<2	
18/2/2021	17:05	Fine	Middle	2	20.70	20.70	20.85	7.35	7.35	7.36	30.57	30.57	30.54	87.6	86.9	86.8	6.56	6.50	6.47	2.37	2.38	2.39	<2	<2
	17:07		Middle	2	21.00	21.00		7.36	7.36		30.50	30.50		86.5	86.1		6.43	6.39		2.39	2.40		<2	
20/2/2021	19:44	Fine	Middle	2	19.20	19.20	19.15	7.63	7.63	7.74	32.08	32.08	32.08	84.7	85.0	83.5	6.46	6.48	6.37	1.14	1.15	1.16	<2	<2
	19:46		Middle	2	19.20	19.00		7.84	7.84		32.08	32.08		82.2	82.1		6.27	6.26		1.12	1.22		<2	
22/2/2021	21:28	Fine	Middle	2	20.40	20.40	20.40	7.02	7.02	7.03	31.39	31.39	31.39	84.8	86.5	85.2	6.34	6.48	6.38	1.45	1.44	1.49	4	4.00
	21:30		Middle	2	20.40	20.40		7.03	7.03		31.39	31.39		83.9	85.5		6.30	6.40		1.55	1.53		4	
24/2/2021	23:52	Cloudy	Middle	2	20.10	20.10	20.10	7.63	7.63	7.65	30.99	30.99	31.02	79.4	79.0	78.5	5.99	5.96	5.92	2.45	2.72	2.62	3	2.50
	23:54		Middle	2	20.10	20.10		7.67	7.67		31.05	31.05		76.7	78.7		5.79	5.94		2.70	2.61		2	
27/2/2021	00:15	Cloudy	Middle	2	21.10	21.10	21.15	7.68	7.68	7.69	26.02	26.02	26.02	77.3	78.1	77.4	5.90	5.96	5.91	8.27	8.61	8.45	6	6.00
	00:17		Middle	2	21.20	21.20		7.70	7.70		26.02	26.02		76.4	77.9		5.83	5.94		8.51	8.42		6	

Remarks:
Single underline denotes exceedance over Action Level.
Double underline denotes exceedance over Limit Level.



Graphic Presentation of Water Quality Result of C7 - Windsor House

