



Location: CMA1b - Harbour Grand Hotel Boundary Wall

Report on 24-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 176.7

Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
28-Dec-19	08:00	Cloudy	CMA1b_24hr_002085	2.6828	2.8432	14804.31	14828.31	24.00	1.34	1.33	1.34	1923	83.4
02-Jan-20	08:00	Fine	CMA1b_24hr_002383	2.6893	2.8434	14831.31	14855.31	24.00	1.34	1.34	1.34	1926	80.0
07-Jan-20	08:00	Cloudy	CMA1b_24hr_002801	2.7045	2.8606	14858.31	14882.31	24.00	1.33	1.33	1.33	1915	81.5
13-Jan-20	08:00	Fine	CMA1b_24hr_002808	2.7019	2.8336	14885.31	14909.31	24.00	1.34	1.33	1.34	1922	68.5
17-Jan-20	08:00	Fine	CMA1b_24hr_002836	2.6961	2.8202	14912.31	14936.31	24.00	1.34	1.34	1.34	1924	64.5
22-Jan-20	08:00	Cloudy	CMA1b_24hr_002976	2.6736	2.7989	14939.31	14963.31	24.00	1.33	1.33	1.33	1917	65.3

Report on 1-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 320.1

Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
30-Dec-19	08:15	Cloudy	CMA1b_1hr_1_002361	2.6469	2.6546	14828.31	14829.31	1.00	1.33	1.33	1.33	80	96.2
30-Dec-19	09:17	Cloudy	CMA1b_1hr_2_002363	2.6577	2.6645	14829.31	14830.31	1.00	1.33	1.33	1.33	80	85.0
30-Dec-19	10:19	Cloudy	CMA1b_1hr_3_002365	2.6665	2.6737	14830.31	14831.31	1.00	1.33	1.33	1.33	80	90.0
03-Jan-20	08:09	Fine	CMA1b_1hr_1_002385	2.6878	2.6951	14855.31	14856.31	1.00	1.34	1.34	1.34	80	91.0
03-Jan-20	09:11	Fine	CMA1b_1hr_2_002386	2.6900	2.6976	14856.31	14857.31	1.00	1.34	1.34	1.34	80	94.8
03-Jan-20	10:13	Fine	CMA1b_1hr_3_002387	2.6873	2.6954	14857.31	14858.31	1.00	1.34	1.34	1.34	80	101.0
08-Jan-20	08:05	Cloudy	CMA1b_1hr_1_002589	2.6632	2.6692	14882.31	14883.31	1.00	1.33	1.33	1.33	80	75.1
08-Jan-20	09:07	Cloudy	CMA1b_1hr_2_002591	2.6477	2.6543	14883.31	14884.31	1.00	1.33	1.33	1.33	80	82.7
08-Jan-20	10:09	Cloudy	CMA1b_1hr_3_002570	2.6570	2.6654	14884.31	14885.31	1.00	1.33	1.33	1.33	80	105.2
14-Jan-20	08:11	Fine	CMA1b_1hr_1_002809	2.7015	2.7121	14909.31	14910.31	1.00	1.33	1.33	1.33	80	132.4
14-Jan-20	09:13	Fine	CMA1b_1hr_2_002811	2.7117	2.7188	14910.31	14911.31	1.00	1.33	1.33	1.33	80	88.7
14-Jan-20	10:15	Fine	CMA1b_1hr_3_002813	2.7080	2.7182	14911.31	14912.31	1.00	1.33	1.33	1.33	80	127.4
18-Jan-20	08:09	Fine	CMA1b_1hr_1_002837	2.6833	2.6894	14936.31	14937.31	1.00	1.34	1.34	1.34	80	76.1
18-Jan-20	09:15	Fine	CMA1b_1hr_2_002841	2.6745	2.6802	14937.31	14938.31	1.00	1.34	1.34	1.34	80	71.1
18-Jan-20	10:20	Fine	CMA1b_1hr_3_002842	2.6723	2.6791	14938.31	14939.31	1.00	1.34	1.34	1.34	80	84.8
23-Jan-20	08:10	Fine	CMA1b_1hr_1_002978	2.6764	2.6829	14963.31	14964.31	1.00	1.33	1.33	1.33	80	81.4
23-Jan-20	09:14	Fine	CMA1b_1hr_2_002979	2.6661	2.6700	14964.31	14965.31	1.00	1.33	1.33	1.33	80	48.9
23-Jan-20	10:17	Fine	CMA1b_1hr_3_002980	2.6640	2.6676	14965.31	14966.31	1.00	1.33	1.33	1.33	80	45.1



Location: CMA2a - Causeway Bay Community Centre

Report on 24-hour TSP monitoring
Action Level ($\mu\text{g}/\text{m}^3$) - 169.5
Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
28-Dec-19	08:00	Cloudy	CMA2a 24hr 002084	2.7057	2.8603	1275.14	1299.14	24.00	1.27	1.27	1.27	1825	84.7
02-Jan-20	08:00	Fine	CMA2a 24hr 002384	2.6673	2.7596	1302.14	1326.14	24.00	1.27	1.27	1.27	1828	50.5
07-Jan-20	08:00	Cloudy	CMA2a 24hr 002802	2.7053	2.7597	1329.14	1353.14	24.00	1.26	1.26	1.26	1818	29.9
13-Jan-20	08:00	Fine	CMA2a 24hr 002888	2.6949	2.8266	1356.14	1380.14	24.00	1.27	1.27	1.27	1824	72.2
17-Jan-20	08:00	Fine	CMA2a 24hr 002864	2.6786	2.7662	1383.14	1407.14	24.00	1.27	1.27	1.27	1825	48.0
22-Jan-20	08:00	Cloudy	CMA2a 24hr 002901	2.6421	2.7577	1410.14	1434.14	24.00	1.26	1.26	1.26	1819	63.5

Report on 1-hour TSP monitoring
Action Level ($\mu\text{g}/\text{m}^3$) - 323.4
Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
30-Dec-19	08:10	Cloudy	CMA2a 1hr 1 002362	2.6757	2.6814	1299.14	1300.14	1.00	1.27	1.27	1.27	76	75.1
30-Dec-19	09:12	Cloudy	CMA2a 1hr 2 002364	2.6644	2.6674	1300.14	1301.14	1.00	1.27	1.27	1.27	76	39.5
30-Dec-19	10:14	Cloudy	CMA2a 1hr 3 002366	2.6789	2.6823	1301.14	1302.14	1.00	1.27	1.27	1.27	76	44.8
03-Jan-20	08:04	Fine	CMA2a 1hr 1 002388	2.6878	2.6922	1326.14	1327.14	1.00	1.27	1.27	1.27	76	57.8
03-Jan-20	09:06	Fine	CMA2a 1hr 2 002389	2.6909	2.6952	1327.14	1328.14	1.00	1.27	1.27	1.27	76	56.5
03-Jan-20	10:08	Fine	CMA2a 1hr 3 002390	2.6928	2.6972	1328.14	1329.14	1.00	1.27	1.27	1.27	76	57.8
08-Jan-20	08:10	Cloudy	CMA2a 1hr 1 002590	2.6600	2.6633	1353.14	1354.14	1.00	1.26	1.26	1.26	76	43.6
08-Jan-20	09:12	Cloudy	CMA2a 1hr 2 002592	2.6605	2.6629	1354.14	1355.14	1.00	1.26	1.26	1.26	76	31.7
08-Jan-20	10:15	Cloudy	CMA2a 1hr 3 002571	2.6328	2.6382	1355.14	1356.14	1.00	1.26	1.26	1.26	76	71.3
14-Jan-20	08:05	Fine	CMA2a 1hr 1 002810	2.7034	2.7085	1380.14	1381.14	1.00	1.27	1.27	1.27	76	67.1
14-Jan-20	09:07	Fine	CMA2a 1hr 2 002812	2.7043	2.7089	1381.14	1382.14	1.00	1.27	1.27	1.27	76	60.5
14-Jan-20	10:10	Fine	CMA2a 1hr 3 002814	2.7058	2.7113	1382.14	1383.14	1.00	1.27	1.27	1.27	76	72.4
18-Jan-20	08:05	Fine	CMA2a 1hr 1 002840	2.6746	2.6790	1407.14	1408.14	1.00	1.27	1.27	1.27	76	57.8
18-Jan-20	09:10	Fine	CMA2a 1hr 2 002838	2.6765	2.6786	1408.14	1409.14	1.00	1.27	1.27	1.27	76	27.6
18-Jan-20	10:15	Fine	CMA2a 1hr 3 002839	2.6813	2.6847	1409.14	1410.14	1.00	1.27	1.27	1.27	76	44.7
23-Jan-20	08:06	Fine	CMA2a 1hr 1 002981	2.6823	2.6876	1434.14	1435.14	1.00	1.26	1.26	1.26	76	70.0
23-Jan-20	09:10	Fine	CMA2a 1hr 2 002982	2.6520	2.6569	1435.14	1436.14	1.00	1.26	1.26	1.26	76	64.7
23-Jan-20	10:13	Fine	CMA2a 1hr 3 002983	2.6549	2.6571	1436.14	1437.14	1.00	1.26	1.26	1.26	76	29.0



Location: CMA3a - CWB PRE Site Office Area

Report on 24-hour TSP monitoring
 Action Level ($\mu\text{g}/\text{m}^3$) - 171
 Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
28-Dec-19	08:00	Cloudy	CMA3a 24hr 002407	2.8017	2.9740	11659.95	11683.95	24.00	1.21	1.21	1.21	1738	99.2
02-Jan-20	08:00	Fine	CMA3a 24hr 002563	2.6549	2.7319	11686.95	11710.95	24.00	1.21	1.21	1.21	1741	44.2
07-Jan-20	08:00	Cloudy	CMA3a 24hr 002568	2.6811	2.7664	11713.95	11737.95	24.00	1.20	1.20	1.20	1728	49.4
13-Jan-20	08:00	Fine	CMA3a 24hr 002501	2.6671	2.7862	11740.95	11764.95	24.00	1.21	1.21	1.21	1737	68.6
17-Jan-20	08:00	Fine	CMA3a 24hr 002843	2.6674	2.7334	11767.95	11791.95	24.00	1.21	1.21	1.21	1738	38.0
22-Jan-20	08:00	Cloudy	CMA3a 24hr 002985	2.6612	2.7606	11794.95	11818.95	24.00	1.20	1.20	1.20	1730	57.4

Report on 1-hour TSP monitoring
 Action Level ($\mu\text{g}/\text{m}^3$) - 311.3
 Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
30-Dec-19	09:08	Cloudy	CMA3a 1hr 1 002557	2.6444	2.6482	11683.95	11684.95	1.00	1.20	1.20	1.20	72	52.6
30-Dec-19	10:10	Cloudy	CMA3a 1hr 2 002559	2.6682	2.6699	11684.95	11685.95	1.00	1.20	1.20	1.20	72	23.5
30-Dec-19	13:00	Cloudy	CMA3a 1hr 3 002561	2.6502	2.6538	11685.95	11686.95	1.00	1.20	1.20	1.20	72	49.8
03-Jan-20	08:57	Fine	CMA3a 1hr 1 002587	2.6541	2.6569	11710.95	11711.95	1.00	1.21	1.21	1.21	72	38.6
03-Jan-20	09:59	Fine	CMA3a 1hr 2 002565	2.6635	2.6666	11711.95	11712.95	1.00	1.21	1.21	1.21	72	42.8
03-Jan-20	11:00	Fine	CMA3a 1hr 3 002567	2.6671	2.6693	11712.95	11713.95	1.00	1.21	1.21	1.21	72	30.3
08-Jan-20	10:05	Cloudy	CMA3a 1hr 1 002898	2.6409	2.6455	11737.95	11738.95	1.00	1.20	1.20	1.20	72	63.9
08-Jan-20	13:00	Cloudy	CMA3a 1hr 2 002893	2.6865	2.6921	11738.95	11739.95	1.00	1.20	1.20	1.20	72	77.7
08-Jan-20	16:00	Cloudy	CMA3a 1hr 3 002818	2.6904	2.7026	11739.95	11740.95	1.00	1.20	1.20	1.20	72	169.4
14-Jan-20	09:35	Fine	CMA3a 1hr 1 002875	2.6957	2.7022	11764.95	11765.95	1.00	1.21	1.21	1.21	72	89.8
14-Jan-20	10:37	Fine	CMA3a 1hr 2 002871	2.6568	2.6618	11765.95	11766.95	1.00	1.21	1.21	1.21	72	69.1
14-Jan-20	13:00	Fine	CMA3a 1hr 3 002868	2.6648	2.6701	11766.95	11767.95	1.00	1.21	1.21	1.21	72	73.3
18-Jan-20	09:30	Fine	CMA3a 1hr 1 002999	2.5389	2.5422	11791.95	11792.95	1.00	1.21	1.21	1.21	72	45.6
18-Jan-20	10:32	Fine	CMA3a 1hr 2 002995	2.6610	2.6648	11792.95	11793.95	1.00	1.21	1.21	1.21	72	52.5
18-Jan-20	13:00	Fine	CMA3a 1hr 3 002990	2.6387	2.6447	11793.95	11794.95	1.00	1.21	1.21	1.21	72	82.8
23-Jan-20	09:25	Fine	CMA3a 1hr 1 002953	2.6516	2.6558	11818.95	11819.95	1.00	1.20	1.20	1.20	72	58.3
23-Jan-20	10:27	Fine	CMA3a 1hr 2 002947	2.6558	2.6583	11819.95	11820.95	1.00	1.20	1.20	1.20	72	34.7
23-Jan-20	13:00	Fine	CMA3a 1hr 3 002944	2.6395	2.6432	11820.95	11821.95	1.00	1.20	1.20	1.20	72	51.4



Location: CMA4a - SPCA

Report on 24-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 171.2
Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
28-Dec-19	08:00	Cloudy	CMA4a 24hr 002406	2.7754	2.9199	28598.45	28622.45	24.00	1.29	1.29	1.29	1862	77.6
02-Jan-20	08:00	Fine	CMA4a 24hr 002562	2.6572	2.7618	28625.45	28649.45	24.00	1.30	1.29	1.30	1865	56.1
07-Jan-20	08:00	Cloudy	CMA4a 24hr 002569	2.6649	2.7887	28652.45	28676.45	24.00	1.29	1.29	1.29	1855	66.7
13-Jan-20	08:00	Fine	CMA4a 24hr 002593	2.6607	2.7749	28679.45	28703.45	24.00	1.29	1.29	1.29	1862	61.3
17-Jan-20	08:00	Fine	CMA4a 24hr 002860	2.6956	2.7823	28706.45	28730.45	24.00	1.29	1.29	1.29	1863	46.5
22-Jan-20	08:00	Cloudy	CMA4a 24hr 002984	2.6503	2.7391	28733.45	28757.45	24.00	1.29	1.29	1.29	1857	47.8

Report on 1-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 312.5
Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
30-Dec-19	08:53	Cloudy	CMA4a 1hr 1 002574	2.6643	2.6673	28622.45	28623.45	1.00	1.29	1.29	1.29	77	38.7
30-Dec-19	09:56	Cloudy	CMA4a 1hr 2 002558	2.6604	2.6629	28623.45	28624.45	1.00	1.29	1.29	1.29	77	32.3
30-Dec-19	10:59	Cloudy	CMA4a 1hr 3 002560	2.6662	2.6695	28624.45	28625.45	1.00	1.29	1.29	1.29	77	42.6
03-Jan-20	08:40	Fine	CMA4a 1hr 1 002588	2.6539	2.6586	28649.45	28650.45	1.00	1.29	1.29	1.29	78	60.5
03-Jan-20	09:42	Fine	CMA4a 1hr 2 002564	2.6673	2.6719	28650.45	28651.45	1.00	1.29	1.29	1.29	78	59.2
03-Jan-20	10:45	Fine	CMA4a 1hr 3 002566	2.6880	2.6934	28651.45	28652.45	1.00	1.29	1.29	1.29	78	69.5
08-Jan-20	10:15	Cloudy	CMA4a 1hr 1 002807	2.6952	2.7005	28676.45	28677.45	1.00	1.29	1.29	1.29	77	68.5
08-Jan-20	13:00	Cloudy	CMA4a 1hr 2 002894	2.6801	2.6846	28677.45	28678.45	1.00	1.29	1.29	1.29	77	58.2
08-Jan-20	16:15	Cloudy	CMA4a 1hr 3 002819	2.6893	2.6959	28678.45	28679.45	1.00	1.29	1.29	1.29	77	85.3
14-Jan-20	09:45	Fine	CMA4a 1hr 1 002874	2.7180	2.7258	28703.45	28704.45	1.00	1.29	1.29	1.29	78	100.6
14-Jan-20	10:47	Fine	CMA4a 1hr 2 002870	2.6766	2.6823	28704.45	28705.45	1.00	1.29	1.29	1.29	78	73.5
14-Jan-20	13:00	Fine	CMA4a 1hr 3 002867	2.6741	2.6783	28705.45	28706.45	1.00	1.29	1.29	1.29	78	54.1
18-Jan-20	09:37	Fine	CMA4a 1hr 1 003000	2.5364	2.5412	28730.45	28731.45	1.00	1.29	1.29	1.29	78	61.8
18-Jan-20	10:38	Fine	CMA4a 1hr 2 002994	2.6584	2.6610	28731.45	28732.45	1.00	1.29	1.29	1.29	78	33.5
18-Jan-20	13:00	Fine	CMA4a 1hr 3 002988	2.6470	2.6522	28732.45	28733.45	1.00	1.29	1.29	1.29	78	67.0
23-Jan-20	09:33	Fine	CMA4a 1hr 1 002952	2.6529	2.6560	28757.45	28758.45	1.00	1.29	1.29	1.29	77	40.1
23-Jan-20	10:42	Fine	CMA4a 1hr 2 002946	2.6582	2.6610	28758.45	28759.45	1.00	1.29	1.29	1.29	77	36.2
23-Jan-20	13:00	Fine	CMA4a 1hr 3 002943	2.6456	2.6493	28759.45	28760.45	1.00	1.29	1.29	1.29	77	47.9



Location: CMA5b - Pedestrian Plaza

Report on 24-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 181
Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
28-Dec-19	08:00	Cloudy	CMA5b 24hr 002408	2.7631	2.8328	13206.22	13230.22	24.00	1.16	1.16	1.16	1674	41.6
03-Jan-20	16:15	Fine	CMA5b 24hr 002268	2.8023	2.9286	13241.23	13265.23	24.00	1.16	1.16	1.16	1675	75.4
07-Jan-20	08:00	Cloudy	CMA5b 24hr 002803	2.7155	2.8370	13265.23	13289.23	24.00	1.16	1.16	1.16	1666	72.9
13-Jan-20	08:00	Fine	CMA5b 24hr 002502	2.6746	2.8037	13292.23	13316.23	24.00	1.26	1.16	1.21	1742	74.1
17-Jan-20	08:00	Fine	CMA5b 24hr 002861	2.6812	2.7775	13319.23	13343.23	24.00	1.16	1.16	1.16	1675	57.5
22-Jan-20	08:00	Cloudy	CMA5b 24hr 002986	2.6387	2.7509	13346.23	13370.23	24.00	1.16	1.16	1.16	1668	67.2

Remarks: Due to interruption of electricity, the 24hr TSP was rescheduled from 2 Jan 2020 to 3 Jan 2020.

Report on 1-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 332
Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
30-Dec-19	13:00	Cloudy	CMA5b 1hr 1 002583	2.6695	2.6740	13230.22	13231.22	1.00	1.16	1.16	1.16	70	64.6
30-Dec-19	14:05	Cloudy	CMA5b 1hr 2 002584	2.6476	2.6511	13231.22	13232.22	1.00	1.16	1.16	1.16	70	50.3
30-Dec-19	15:10	Cloudy	CMA5b 1hr 3 002585	2.6458	2.6505	13232.22	13233.22	1.00	1.16	1.16	1.16	70	67.5
03-Jan-20	13:00	Fine	CMA5b 1hr 1 002096	2.6979	2.7038	13238.23	13239.23	1.00	1.16	1.16	1.16	70	84.5
03-Jan-20	14:03	Fine	CMA5b 1hr 2 002072	2.6849	2.6964	13239.23	13240.23	1.00	1.16	1.16	1.16	70	164.7
03-Jan-20	15:05	Fine	CMA5b 1hr 3 002073	2.6991	2.7091	13240.23	13241.23	1.00	1.16	1.16	1.16	70	143.2
08-Jan-20	13:35	Cloudy	CMA5b 1hr 1 002895	2.6861	2.6947	13289.23	13290.23	1.00	1.16	1.16	1.16	69	123.8
08-Jan-20	15:40	Cloudy	CMA5b 1hr 2 002817	2.6872	2.6952	13290.23	13291.23	1.00	1.16	1.16	1.16	69	115.2
08-Jan-20	16:42	Cloudy	CMA5b 1hr 3 002834	2.6898	2.6980	13291.23	13292.23	1.00	1.16	1.16	1.16	69	118.0
14-Jan-20	09:20	Fine	CMA5b 1hr 1 002876	2.7075	2.7150	13316.23	13317.23	1.00	1.26	1.26	1.26	75	99.4
14-Jan-20	10:22	Fine	CMA5b 1hr 2 002835	2.6963	2.7022	13317.23	13318.23	1.00	1.26	1.26	1.26	75	78.2
14-Jan-20	13:00	Fine	CMA5b 1hr 3 002869	2.6663	2.6735	13318.23	13319.23	1.00	1.26	1.26	1.26	75	95.4
18-Jan-20	09:15	Fine	CMA5b 1hr 1 002951	2.6505	2.6554	13343.23	13344.23	1.00	1.16	1.16	1.16	70	70.2
18-Jan-20	10:17	Fine	CMA5b 1hr 2 002996	2.6649	2.6723	13344.23	13345.23	1.00	1.16	1.16	1.16	70	106.0
18-Jan-20	13:00	Fine	CMA5b 1hr 3 002991	2.6590	2.6641	13345.23	13346.23	1.00	1.16	1.16	1.16	70	73.1
23-Jan-20	09:13	Fine	CMA5b 1hr 1 002954	2.6652	2.6704	13370.23	13371.23	1.00	1.16	1.16	1.16	69	74.9
23-Jan-20	10:15	Fine	CMA5b 1hr 2 002948	2.6505	2.6542	13371.23	13372.23	1.00	1.16	1.16	1.16	69	53.3
23-Jan-20	13:00	Fine	CMA5b 1hr 3 002945	2.6550	2.6630	13372.23	13373.23	1.00	1.16	1.16	1.16	69	115.2



Location: MA1e - International Finance Centre (Eastern Wing)

Report on 24-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 173.4
Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
28-Dec-19	08:00	Cloudy	MA1e 24hr 002409	2.8062	2.9836	25467.10	25491.10	24.00	1.31	1.31	1.31	1886	94.1
03-Jan-20	11:25	Fine	MA1e 24hr 002070	2.6861	2.8114	25497.10	25521.10	24.00	1.31	1.31	1.31	1886	66.4
07-Jan-20	08:00	Cloudy	MA1e 24hr 002804	2.6952	2.8234	25521.10	25545.10	24.00	1.23	1.23	1.23	1776	72.2
13-Jan-20	08:00	Fine	MA1e 24hr 002889	2.6888	2.8111	25548.10	25572.10	24.00	1.31	1.31	1.31	1885	64.9
17-Jan-20	08:00	Fine	MA1e 24hr 002863	2.6818	2.7961	25575.10	25599.10	24.00	1.31	1.31	1.31	1886	60.6
22-Jan-20	08:00	Cloudy	MA1e 24hr 002987	2.6536	2.7582	25602.10	25626.10	24.00	1.31	1.30	1.31	1881	55.6

Remarks: Due to interruption of electricity, the 24hr TSP was rescheduled from 2 Jan 2020 to 3 Jan 2020.

Report on 1-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 325.1
Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
30-Dec-19	08:32	Cloudy	MA1e 1hr 1 002575	2.6640	2.6690	25491.10	25492.10	1.00	1.24	1.24	1.24	74	67.4
30-Dec-19	09:34	Cloudy	MA1e 1hr 2 002577	2.6606	2.6627	25492.10	25493.10	1.00	1.24	1.24	1.24	74	28.3
30-Dec-19	10:36	Cloudy	MA1e 1hr 3 002579	2.6632	2.6655	25493.10	25494.10	1.00	1.24	1.24	1.24	74	31.0
03-Jan-20	08:00	Fine	MA1e 1hr 1 002581	2.6732	2.6848	25494.10	25495.10	1.00	1.24	1.24	1.24	74	156.1
03-Jan-20	09:02	Fine	MA1e 1hr 2 002223	2.8198	2.8244	25495.10	25496.10	1.00	1.24	1.24	1.24	74	61.9
03-Jan-20	10:07	Fine	MA1e 1hr 3 002068	2.6784	2.6845	25496.10	25497.10	1.00	1.24	1.24	1.24	74	82.1
08-Jan-20	08:46	Cloudy	MA1e 1hr 1 002266	2.7809	2.7882	25545.10	25546.10	1.00	1.31	1.31	1.31	78	93.2
08-Jan-20	10:40	Cloudy	MA1e 1hr 2 002896	2.6784	2.6849	25546.10	25547.10	1.00	1.31	1.31	1.31	78	83.0
08-Jan-20	14:00	Cloudy	MA1e 1hr 3 002891	2.6892	2.6942	25547.10	25548.10	1.00	1.31	1.31	1.31	78	63.8
14-Jan-20	08:55	Fine	MA1e 1hr 1 002824	2.6708	2.6758	25572.10	25573.10	1.00	1.31	1.31	1.31	79	63.7
14-Jan-20	09:58	Fine	MA1e 1hr 2 002873	2.7100	2.7173	25573.10	25574.10	1.00	1.31	1.31	1.31	79	92.9
14-Jan-20	13:20	Fine	MA1e 1hr 3 002865	2.6723	2.6775	25574.10	25575.10	1.00	1.31	1.31	1.31	79	66.2
18-Jan-20	08:52	Fine	MA1e 1hr 1 002852	2.6960	2.6995	25599.10	25600.10	1.00	1.31	1.31	1.31	79	44.5
18-Jan-20	09:54	Fine	MA1e 1hr 2 002998	2.5524	2.5557	25600.10	25601.10	1.00	1.31	1.31	1.31	79	42.0
18-Jan-20	10:56	Fine	MA1e 1hr 3 002992	2.6436	2.6453	25601.10	25602.10	1.00	1.31	1.31	1.31	79	21.6
23-Jan-20	08:50	Fine	MA1e 1hr 1 002967	2.6420	2.6470	25626.10	25627.10	1.00	1.30	1.30	1.30	78	63.9
23-Jan-20	09:55	Fine	MA1e 1hr 2 002949	2.6380	2.6435	25627.10	25628.10	1.00	1.30	1.30	1.30	78	70.2
23-Jan-20	13:15	Fine	MA1e 1hr 3 002902	2.6511	2.6563	25628.10	25629.10	1.00	1.30	1.30	1.30	78	66.4



Location: MA1w - International Finance Centre (Western Wing)

Report on 24-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 173.4
Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
28-Dec-19	08:00	Cloudy	MA1w_24hr_002410	2.7837	2.9826	25185.41	25209.41	24.00	0.72	1.11	0.91	1315	151.3
03-Jan-20	11:15	Fine	MA1w_24hr_002071	2.6823	2.8220	25215.41	25239.41	24.00	0.73	1.11	0.92	1321	105.7
08-Jan-20	15:00	Cloudy	MA1w_24hr_002890	2.6993	2.8153	25251.18	25275.18	24.00	0.73	1.19	0.96	1378	84.2
13-Jan-20	08:00	Fine	MA1w_24hr_002594	2.6376	2.8057	25275.18	25299.18	24.00	0.72	1.19	0.96	1376	122.2
17-Jan-20	08:00	Fine	MA1w_24hr_002862	2.6814	2.8539	25302.18	25326.18	24.00	0.71	1.11	0.91	1308	131.9
22-Jan-20	08:00	Cloudy	MA1w_24hr_002989	2.6515	2.7948	25329.18	25353.18	24.00	0.78	1.18	0.98	1414	101.4

Remarks: Due to interruption of electricity, the 24hr TSP were rescheduled from 2 Jan 2020 to 3 Jan 2020 and 7 Jan 2020 to 8 Jan 2020.




Report on 1-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 325.1
Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
30-Dec-19	08:43	Cloudy	MA1w_1hr_1_002576	2.6499	2.6562	25209.41	25210.41	1.00	1.11	1.11	1.11	66	95.0
30-Dec-19	09:45	Cloudy	MA1w_1hr_2_002578	2.6591	2.6633	25210.41	25211.41	1.00	1.11	1.11	1.11	66	63.3
30-Dec-19	10:47	Cloudy	MA1w_1hr_3_002580	2.6608	2.6638	25211.41	25212.41	1.00	1.11	1.11	1.11	66	45.2
03-Jan-20	08:00	Fine	MA1w_1hr_1_002582	2.6549	2.6678	25212.41	25213.41	1.00	1.11	1.11	1.11	66	194.0
03-Jan-20	09:06	Fine	MA1w_1hr_2_00222	2.8165	2.8228	25213.41	25214.41	1.00	1.11	1.11	1.11	66	94.8
03-Jan-20	10:12	Fine	MA1w_1hr_3_002069	2.6823	2.6896	25214.41	25215.41	1.00	1.11	1.11	1.11	66	109.8
08-Jan-20	09:35	Cloudy	MA1w_1hr_1_002806	2.6906	2.7030	25248.18	25249.18	1.00	1.18	1.18	1.18	71	174.7
08-Jan-20	10:45	Cloudy	MA1w_1hr_2_002897	2.6362	2.6442	25249.18	25250.18	1.00	1.18	1.18	1.18	71	112.7
08-Jan-20	13:55	Cloudy	MA1w_1hr_3_002892	2.6652	2.6717	25250.18	25251.18	1.00	1.18	1.18	1.18	71	91.6
14-Jan-20	09:03	Fine	MA1w_1hr_1_002825	2.6930	2.7017	25299.18	25300.18	1.00	1.19	1.19	1.19	71	122.1
14-Jan-20	10:05	Fine	MA1w_1hr_2_002872	2.6502	2.6589	25300.18	25301.18	1.00	1.19	1.19	1.19	71	122.1
14-Jan-20	13:10	Fine	MA1w_1hr_3_002866	2.6819	2.6905	25301.18	25302.18	1.00	1.19	1.19	1.19	71	120.7
18-Jan-20	08:56	Fine	MA1w_1hr_1_002832	2.6910	2.6969	25326.18	25327.18	1.00	1.11	1.11	1.11	66	88.8
18-Jan-20	09:58	Fine	MA1w_1hr_2_002997	2.5667	2.5722	25327.18	25328.18	1.00	1.11	1.11	1.11	66	82.8
18-Jan-20	10:00	Fine	MA1w_1hr_3_002993	2.6528	2.6579	25328.18	25329.18	1.00	1.11	1.11	1.11	66	76.7
23-Jan-20	08:56	Fine	MA1w_1hr_1_002968	2.6300	2.6402	25353.18	25354.18	1.00	1.18	1.18	1.18	71	143.7
23-Jan-20	09:59	Fine	MA1w_1hr_2_002950	2.6539	2.6609	25354.18	25355.18	1.00	1.18	1.18	1.18	71	98.6
23-Jan-20	13:07	Fine	MA1w_1hr_3_002903	2.6552	2.6618	25355.18	25356.18	1.00	1.18	1.18	1.18	71	93.0






Graphic Presentation of 1 hour TSP Result






Graphic Presentation of 1 hour TSP Result











Graphic Presentation of 1 hour TSP Result



Graphic Presentation of 24 hour TSP Result



Graphic Presentation of 24 hour TSP Result



Graphic Presentation of 24 hour TSP Result

