



Location: CMA1b - Harbour Grand Hotel Boundary Wall

Report on 24-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 176.7

Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
03-Feb-20	12:30	Cloudy	CMA1b 24hr 002972	2.6483	2.7293	15016.88	15040.88	24.00	1.15	1.15	1.15	1652	49.0
07-Feb-20	08:00	Cloudy	CMA1b 24hr 002536	2.6529	2.7664	15040.88	15064.88	24.00	1.15	1.15	1.15	1652	68.7
13-Feb-20	08:00	Rainy	CMA1b 24hr 002711	2.6965	2.7623	15067.88	15091.88	24.00	1.25	1.24	1.24	1792	36.7
19-Feb-20	08:00	Fine	CMA1b 24hr 003249	2.6949	2.7951	15094.88	15118.88	24.00	1.26	1.25	1.26	1808	55.4
25-Feb-20	10:55	Fine	CMA1b 24hr 003114	2.6878	2.7508	15124.43	15148.43	24.00	1.14	1.14	1.14	1640	38.4

Remarks: Due to interruption of electricity, the 24hr TSP were rescheduled from 2 Feb 2020 to 3 Feb 2020.

Report on 1-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 320.1

Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
03-Feb-20	08:08	Cloudy	CMA1b 1hr 1 002936	2.6504	2.6550	15013.88	15014.88	1.00	1.15	1.15	1.15	69	66.9
03-Feb-20	09:13	Cloudy	CMA1b 1hr 2 002938	2.6327	2.6369	15014.88	15015.88	1.00	1.15	1.15	1.15	69	61.0
03-Feb-20	10:18	Cloudy	CMA1b 1hr 3 002939	2.6288	2.6328	15015.88	15016.88	1.00	1.15	1.15	1.15	69	58.1
08-Feb-20	08:15	Cloudy	CMA1b 1hr 1 002521	2.6407	2.6443	15064.88	15065.88	1.00	1.15	1.15	1.15	69	52.2
08-Feb-20	09:17	Cloudy	CMA1b 1hr 2 002532	2.6523	2.6561	15065.88	15066.88	1.00	1.15	1.15	1.15	69	55.1
08-Feb-20	10:20	Cloudy	CMA1b 1hr 3 002533	2.6297	2.6333	15066.88	15067.88	1.00	1.15	1.15	1.15	69	52.2
14-Feb-20	08:07	Rainy	CMA1b 1hr 1 003216	2.7044	2.7149	15091.88	15092.88	1.00	1.24	1.24	1.24	75	140.7
14-Feb-20	09:10	Rainy	CMA1b 1hr 2 003214	2.7372	2.7470	15092.88	15093.88	1.00	1.24	1.24	1.24	75	131.3
14-Feb-20	10:15	Rainy	CMA1b 1hr 3 003212	2.7056	2.7138	15093.88	15094.88	1.00	1.24	1.24	1.24	75	109.9
20-Feb-20	08:10	Fine	CMA1b 1hr 1 003251	2.6867	2.6951	15118.88	15119.88	1.00	1.25	1.25	1.25	75	111.6
20-Feb-20	09:13	Fine	CMA1b 1hr 2 003252	2.7151	2.7216	15119.88	15120.88	1.00	1.25	1.25	1.25	75	86.4
20-Feb-20	10:16	Fine	CMA1b 1hr 3 003256	2.7001	2.7087	15120.88	15121.88	1.00	1.25	1.25	1.25	75	114.3
26-Feb-20	10:58	Fine	CMA1b 1hr 1 003115	2.6898	2.6937	15148.43	15149.43	1.00	1.14	1.14	1.14	68	57.1
26-Feb-20	13:00	Fine	CMA1b 1hr 2 003119	2.6768	2.6808	15149.43	15150.43	1.00	1.14	1.14	1.14	68	58.6
26-Feb-20	14:05	Fine	CMA1b 1hr 3 003210	2.7020	2.7077	15150.43	15151.43	1.00	1.14	1.14	1.14	68	83.5



Location: CMA2a - Causeway Bay Community Centre

Report on 24-hour TSP monitoring
 Action Level ($\mu\text{g}/\text{m}^3$) - 169.5
 Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
03-Feb-20	12:40	Cloudy	CMA2a 24hr 002973	2.6656	2.7359	1489.72	1513.72	24.00	1.21	1.21	1.21	1747	40.2
07-Feb-20	08:00	Cloudy	CMA2a 24hr 002537	2.6574	2.7216	1513.72	1537.72	24.00	1.21	1.21	1.21	1747	36.7
13-Feb-20	08:00	Rainy	CMA2a 24hr 003217	2.7111	2.7565	1540.72	1564.72	24.00	1.21	1.21	1.21	1738	26.1
19-Feb-20	08:00	Fine	CMA2a 24hr 003248	2.6710	2.6796	1567.72	1591.72	24.00	1.22	1.22	1.22	1751	4.9
25-Feb-20	08:00	Fine	CMA2a 24hr 003113	2.6978	2.7096	1594.72	1618.72	24.00	1.21	1.20	1.20	1735	6.8

Remarks: Due to interruption of electricity, the 24hr TSP were rescheduled from 2 Feb 2020 to 3 Feb 2020.

Report on 1-hour TSP monitoring
 Action Level ($\mu\text{g}/\text{m}^3$) - 323.4
 Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
03-Feb-20	08:05	Cloudy	CMA2a 1hr 1 002937	2.6424	2.6452	1486.72	1487.72	1.00	1.21	1.21	1.21	73	38.5
03-Feb-20	09:10	Cloudy	CMA2a 1hr 2 002941	2.6378	2.6398	1487.72	1488.72	1.00	1.21	1.21	1.21	73	27.5
03-Feb-20	10:15	Cloudy	CMA2a 1hr 3 002940	2.6236	2.6261	1488.72	1489.72	1.00	1.21	1.21	1.21	73	34.4
08-Feb-20	08:10	Cloudy	CMA2a 1hr 1 002522	2.6382	2.6398	1537.72	1538.72	1.00	1.21	1.21	1.21	73	22.0
08-Feb-20	09:12	Cloudy	CMA2a 1hr 2 002530	2.6584	2.6609	1538.72	1539.72	1.00	1.21	1.21	1.21	73	34.3
08-Feb-20	10:15	Cloudy	CMA2a 1hr 3 002531	2.6494	2.6512	1539.72	1540.72	1.00	1.21	1.21	1.21	73	24.7
14-Feb-20	08:04	Rainy	CMA2a 1hr 1 003215	2.7169	2.7311	1564.72	1565.72	1.00	1.21	1.21	1.21	72	196.2
14-Feb-20	09:06	Rainy	CMA2a 1hr 2 003213	2.7124	2.7207	1565.72	1566.72	1.00	1.21	1.21	1.21	72	114.7
14-Feb-20	10:10	Rainy	CMA2a 1hr 3 003211	2.6983	2.7024	1566.72	1567.72	1.00	1.21	1.21	1.21	72	56.7
20-Feb-20	08:04	Fine	CMA2a 1hr 1 003254	2.7081	2.7096	1591.72	1592.72	1.00	1.22	1.22	1.22	73	20.6
20-Feb-20	09:08	Fine	CMA2a 1hr 2 003255	2.6949	2.6965	1592.72	1593.72	1.00	1.22	1.22	1.22	73	21.9
20-Feb-20	10:13	Fine	CMA2a 1hr 3 003253	2.7008	2.7023	1593.72	1594.72	1.00	1.22	1.22	1.22	73	20.6
26-Feb-20	11:00	Fine	CMA2a 1hr 1 003116	2.6901	2.6919	1618.72	1619.72	1.00	1.20	1.20	1.20	72	24.9
26-Feb-20	13:00	Fine	CMA2a 1hr 2 003117	2.6891	2.6901	1619.72	1620.72	1.00	1.20	1.20	1.20	72	13.8
26-Feb-20	14:02	Fine	CMA2a 1hr 3 003118	2.6907	2.6927	1620.72	1621.72	1.00	1.20	1.20	1.20	72	27.7



Location: CMA3a - CWB PRE Site Office Area

Report on 24-hour TSP monitoring
Action Level ($\mu\text{g}/\text{m}^3$) - 171
Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
03-Feb-20	16:20	Cloudy	CMA3a 24hr_002833	2.6875	2.7615	11852.19	11876.19	24.00	1.12	1.12	1.12	1617	45.8
07-Feb-20	08:00	Cloudy	CMA3a 24hr_002525	2.6771	2.7542	11876.19	11900.19	24.00	1.12	1.13	1.12	1618	47.7
13-Feb-20	08:00	Rainy	CMA3a 24hr_002706	2.6861	2.7417	11903.19	11927.19	24.00	1.12	1.11	1.12	1606	34.6
19-Feb-20	08:00	Fine	CMA3a 24hr_003235	2.6949	2.7616	11930.19	11954.19	24.00	1.13	1.13	1.13	1623	41.1
25-Feb-20	08:00	Fine	CMA3a 24hr_003273	2.7079	2.8119	11957.19	11981.19	24.00	1.11	1.11	1.11	1601	64.9

Remarks: Due to interruption of electricity, the 24hr TSP were rescheduled from 2 Feb 2020 to 3 Feb 2020.

Report on 1-hour TSP monitoring
Action Level ($\mu\text{g}/\text{m}^3$) - 311.3
Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
03-Feb-20	09:33	Cloudy	CMA3a 1hr_1_002920	2.6484	2.6527	11849.19	11850.19	1.00	1.12	1.12	1.12	67	63.9
03-Feb-20	10:38	Cloudy	CMA3a 1hr_2_002915	2.6446	2.6494	11850.19	11851.19	1.00	1.12	1.12	1.12	67	71.3
03-Feb-20	13:00	Cloudy	CMA3a 1hr_3_002912	2.6599	2.6645	11851.19	11852.19	1.00	1.12	1.12	1.12	67	68.3
08-Feb-20	08:02	Cloudy	CMA3a 1hr_1_002289	2.8256	2.8291	11900.19	11901.19	1.00	1.13	1.13	1.13	68	51.8
08-Feb-20	09:04	Cloudy	CMA3a 1hr_2_002294	2.8060	2.8085	11901.19	11902.19	1.00	1.13	1.13	1.13	68	37.0
08-Feb-20	10:08	Cloudy	CMA3a 1hr_3_002701	2.6800	2.6812	11902.19	11903.19	1.00	1.13	1.13	1.13	68	17.8
14-Feb-20	08:40	Rainy	CMA3a 1hr_1_003219	2.7023	2.7065	11927.19	11928.19	1.00	1.11	1.11	1.11	67	62.9
14-Feb-20	09:42	Rainy	CMA3a 1hr_2_003250	2.6985	2.7015	11928.19	11929.19	1.00	1.11	1.11	1.11	67	44.9
14-Feb-20	10:44	Rainy	CMA3a 1hr_3_003228	2.7033	2.7068	11929.19	11930.19	1.00	1.11	1.11	1.11	67	52.4
20-Feb-20	09:55	Fine	CMA3a 1hr_1_003259	2.7085	2.7111	11954.19	11955.19	1.00	1.13	1.13	1.13	68	38.5
20-Feb-20	10:58	Fine	CMA3a 1hr_2_003264	2.7048	2.7101	11955.19	11956.19	1.00	1.13	1.13	1.13	68	78.4
20-Feb-20	13:00	Fine	CMA3a 1hr_3_003267	2.6876	2.6921	11956.19	11957.19	1.00	1.13	1.13	1.13	68	66.6
26-Feb-20	09:54	Fine	CMA3a 1hr_1_003125	2.6819	2.6890	11981.19	11982.19	1.00	1.11	1.11	1.11	67	106.6
26-Feb-20	10:55	Fine	CMA3a 1hr_2_003129	2.6834	2.6895	11982.19	11983.19	1.00	1.11	1.11	1.11	67	91.5
26-Feb-20	13:00	Fine	CMA3a 1hr_3_003130	2.6786	2.6820	11983.19	11984.19	1.00	1.11	1.11	1.11	67	51.0



Location: CMA4a - SPCA

Report on 24-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 171.2
 Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
03-Feb-20	16:00	Cloudy	CMA4a 24hr 002975	2.6745	2.7534	28811.44	28835.44	24.00	1.16	1.16	1.16	1676	47.1
07-Feb-20	08:00	Cloudy	CMA4a 24hr 002526	2.6679	2.7396	28835.44	28859.44	24.00	1.16	1.17	1.16	1676	42.8
13-Feb-20	08:00	Rainy	CMA4a 24hr 002707	2.6944	2.7449	28862.44	28886.44	24.00	1.16	1.16	1.16	1667	30.3
19-Feb-20	08:00	Fine	CMA4a 24hr 003234	2.6857	2.7629	28889.44	28913.44	24.00	1.17	1.17	1.17	1680	46.0
25-Feb-20	08:00	Fine	CMA4a 24hr 003123	2.6877	2.7687	28916.44	28940.44	24.00	1.16	1.15	1.16	1664	48.7

Remarks: Due to interruption of electricity, the 24hr TSP were rescheduled from 2 Feb 2020 to 3 Feb 2020.

Report on 1-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 312.5
 Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
03-Feb-20	09:45	Cloudy	CMA4a 1hr 1_002919	2.6591	2.6649	28808.44	28809.44	1.00	1.16	1.16	1.16	70	83.1
03-Feb-20	10:47	Cloudy	CMA4a 1hr 2_002914	2.6513	2.6554	28809.44	28810.44	1.00	1.16	1.16	1.16	70	58.8
03-Feb-20	13:00	Cloudy	CMA4a 1hr 3_002911	2.6492	2.6532	28810.44	28811.44	1.00	1.16	1.16	1.16	70	57.3
08-Feb-20	08:06	Cloudy	CMA4a 1hr 1_002290	2.8076	2.8106	28859.44	28860.44	1.00	1.17	1.17	1.17	70	42.9
08-Feb-20	09:08	Cloudy	CMA4a 1hr 2_002295	2.8372	2.8399	28860.44	28861.44	1.00	1.17	1.17	1.17	70	38.6
08-Feb-20	10:10	Cloudy	CMA4a 1hr 3_002702	2.6991	2.7011	28861.44	28862.44	1.00	1.17	1.17	1.17	70	28.6
14-Feb-20	08:53	Rainy	CMA4a 1hr 1_003220	2.7234	2.7295	28886.44	28887.44	1.00	1.16	1.16	1.16	69	87.9
14-Feb-20	09:56	Rainy	CMA4a 1hr 2_003224	2.7007	2.7035	28887.44	28888.44	1.00	1.16	1.16	1.16	69	40.3
14-Feb-20	10:58	Rainy	CMA4a 1hr 3_003229	2.6944	2.6977	28888.44	28889.44	1.00	1.16	1.16	1.16	69	47.5
20-Feb-20	09:50	Fine	CMA4a 1hr 1_003260	2.6933	2.6996	28913.44	28914.44	1.00	1.17	1.17	1.17	70	90.1
20-Feb-20	10:53	Fine	CMA4a 1hr 2_003265	2.6918	2.6982	28914.44	28915.44	1.00	1.17	1.17	1.17	70	91.5
20-Feb-20	13:00	Fine	CMA4a 1hr 3_003268	2.7012	2.7179	28915.44	28916.44	1.00	1.17	1.17	1.17	70	238.8
26-Feb-20	09:59	Fine	CMA4a 1hr 1_003126	2.6976	2.6993	28940.44	28941.44	1.00	1.15	1.15	1.15	69	24.5
26-Feb-20	11:00	Fine	CMA4a 1hr 2_003131	2.6670	2.6705	28941.44	28942.44	1.00	1.15	1.15	1.15	69	50.5
26-Feb-20	13:00	Fine	CMA4a 1hr 3_003136	2.6890	2.6943	28942.44	28943.44	1.00	1.15	1.15	1.15	69	76.5



Location: CMA5b - Pedestrian Plaza

Report on 24-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 181
 Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
03-Feb-20	15:20	Cloudy	CMA5b 24hr 002974	2.6679	2.7599	13424.88	13448.88	24.00	1.23	1.23	1.23	1770	52.0
07-Feb-20	08:00	Cloudy	CMA5b 24hr 002527	2.6468	2.7288	13448.88	13472.88	24.00	1.23	1.23	1.23	1770	46.3
13-Feb-20	08:00	Rainy	CMA5b 24hr 002708	2.6716	2.7247	13475.88	13499.88	24.00	1.22	1.22	1.22	1763	30.1
19-Feb-20	08:00	Fine	CMA5b 24hr 003233	2.6809	2.7689	13502.88	13526.88	24.00	1.23	1.23	1.23	1774	49.6
25-Feb-20	08:00	Fine	CMA5b 24hr 003122	2.6780	2.8027	13529.88	13553.88	24.00	1.22	1.22	1.22	1760	70.9

Remarks: Due to interruption of electricity, the 24hr TSP were rescheduled from 2 Feb 2020 to 3 Feb 2020.

Report on 1-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 332
 Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
03-Feb-20	09:23	Cloudy	CMA5b 1hr 1 002907	2.6575	2.6652	13421.88	13422.88	1.00	1.23	1.23	1.23	74	104.5
03-Feb-20	10:24	Cloudy	CMA5b 1hr 2 002916	2.6539	2.6578	13422.88	13423.88	1.00	1.23	1.23	1.23	74	52.9
03-Feb-20	13:00	Cloudy	CMA5b 1hr 3 002913	2.6616	2.6683	13423.88	13424.88	1.00	1.23	1.23	1.23	74	90.9
08-Feb-20	08:15	Cloudy	CMA5b 1hr 1 002291	2.8503	2.8526	13472.88	13473.88	1.00	1.23	1.23	1.23	74	31.2
08-Feb-20	09:17	Cloudy	CMA5b 1hr 2 002296	2.8446	2.8479	13473.88	13474.88	1.00	1.23	1.23	1.23	74	44.7
08-Feb-20	10:23	Cloudy	CMA5b 1hr 3 002705	2.6834	2.6863	13474.88	13475.88	1.00	1.23	1.23	1.23	74	39.3
14-Feb-20	08:26	Rainy	CMA5b 1hr 1 003218	2.7055	2.7103	13499.88	13500.88	1.00	1.22	1.22	1.22	73	65.4
14-Feb-20	09:28	Rainy	CMA5b 1hr 2 003223	2.7103	2.7142	13500.88	13501.88	1.00	1.22	1.22	1.22	73	53.1
14-Feb-20	10:29	Rainy	CMA5b 1hr 3 003227	2.6893	2.6916	13501.88	13502.88	1.00	1.22	1.22	1.22	73	31.3
20-Feb-20	09:40	Fine	CMA5b 1hr 1 003258	2.7066	2.7159	13526.88	13527.88	1.00	1.23	1.23	1.23	74	125.9
20-Feb-20	10:43	Fine	CMA5b 1hr 2 003263	2.7155	2.7244	13527.88	13528.88	1.00	1.23	1.23	1.23	74	120.5
20-Feb-20	13:00	Fine	CMA5b 1hr 3 003266	2.6766	2.6921	13528.88	13529.88	1.00	1.23	1.23	1.23	74	209.9
26-Feb-20	09:52	Fine	CMA5b 1hr 1 003124	2.6861	2.6906	13553.88	13554.88	1.00	1.22	1.22	1.22	73	61.4
26-Feb-20	10:53	Fine	CMA5b 1hr 2 003128	2.7058	2.7127	13554.88	13555.88	1.00	1.22	1.22	1.22	73	94.2
26-Feb-20	13:00	Fine	CMA5b 1hr 3 003132	2.6774	2.6838	13555.88	13556.88	1.00	1.22	1.22	1.22	73	87.3



Location: MA1e - International Finance Centre (Eastern Wing)

Report on 24-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 173.4
Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
03-Feb-20	14:57	Cloudy	MA1e 24hr 002908	2.6618	2.7316	25677.60	25701.60	24.00	1.36	1.36	1.36	1961	35.6
07-Feb-20	08:00	Cloudy	MA1e 24hr 002529	2.6509	2.7346	25701.60	25725.60	24.00	1.36	1.36	1.36	1961	42.7
13-Feb-20	08:00	Rainy	MA1e 24hr 002710	2.6904	2.7620	25728.60	25752.60	24.00	1.46	1.46	1.46	2106	34.0
20-Feb-20	14:02	Fine	MA1e 24hr 003271	2.6672	2.7431	25758.60	25782.60	24.00	1.36	1.36	1.36	1963	38.7
25-Feb-20	08:00	Fine	MA1e 24hr 003121	2.6975	2.7800	25782.60	25806.60	24.00	1.46	1.46	1.46	2102	39.2

Remarks: Due to interruption of electricity, the 24hr TSP were rescheduled from 2 Feb 2020 to 3 Feb 2020 and 19 Feb 2020 to 20 Feb 2020

Report on 1-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 325.1
Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
03-Feb-20	08:57	Cloudy	MA1e 1hr 1 002969	2.6481	2.6515	25674.60	25675.60	1.00	1.36	1.36	1.36	82	41.6
03-Feb-20	10:02	Cloudy	MA1e 1hr 2 002917	2.6485	2.6524	25675.60	25676.60	1.00	1.36	1.36	1.36	82	47.8
03-Feb-20	13:35	Cloudy	MA1e 1hr 3 002909	2.6599	2.6636	25676.60	25677.60	1.00	1.36	1.36	1.36	82	45.3
08-Feb-20	08:26	Cloudy	MA1e 1hr 1 002292	2.8074	2.8084	25725.60	25726.60	1.00	1.36	1.36	1.36	82	12.2
08-Feb-20	09:33	Cloudy	MA1e 1hr 2 003302	2.6952	2.6980	25726.60	25727.60	1.00	1.36	1.36	1.36	82	34.2
08-Feb-20	10:35	Cloudy	MA1e 1hr 3 002703	2.6826	2.6846	25727.60	25728.60	1.00	1.36	1.36	1.36	82	24.5
14-Feb-20	08:09	Rainy	MA1e 1hr 1 003275	2.7141	2.7210	25752.60	25753.60	1.00	1.46	1.46	1.46	88	78.7
14-Feb-20	09:12	Rainy	MA1e 1hr 2 003221	2.7172	2.7228	25753.60	25754.60	1.00	1.46	1.46	1.46	88	63.9
14-Feb-20	10:14	Rainy	MA1e 1hr 3 003226	2.6879	2.6915	25754.60	25755.60	1.00	1.46	1.46	1.46	88	41.1
20-Feb-20	09:33	Fine	MA1e 1hr 1 003300	2.7004	2.7024	25755.60	25756.60	1.00	1.36	1.36	1.36	82	24.4
20-Feb-20	10:34	Fine	MA1e 1hr 2 003261	2.6725	2.6780	25756.60	25757.60	1.00	1.36	1.36	1.36	82	67.2
20-Feb-20	13:00	Fine	MA1e 1hr 3 003270	2.6781	2.6831	25757.60	25758.60	1.00	1.36	1.36	1.36	82	61.1
26-Feb-20	09:33	Fine	MA1e 1hr 1 003276	2.7138	2.7194	25806.60	25807.60	1.00	1.46	1.46	1.46	88	64.0
26-Feb-20	10:35	Fine	MA1e 1hr 2 003127	2.6865	2.6899	25807.60	25808.60	1.00	1.46	1.46	1.46	88	38.9
26-Feb-20	13:25	Fine	MA1e 1hr 3 003135	2.6711	2.6745	25808.60	25809.60	1.00	1.46	1.46	1.46	88	38.9



Location: MA1w - International Finance Centre (Western Wing)

Report on 24-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 173.4
Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
03-Feb-20	14:34	Cloudy	MA1w_24hr_002820	2.6866	2.7924	25407.19	25431.19	24.00	0.83	1.29	1.06	1531	69.1
07-Feb-20	08:00	Cloudy	MA1w_24hr_002528	2.6470	2.7608	25431.19	25455.19	24.00	0.84	1.30	1.07	1540	73.9
13-Feb-20	08:00	Rainy	MA1w_24hr_002709	2.6923	2.7830	25458.19	25482.19	24.00	0.90	1.33	1.12	1607	56.5
19-Feb-20	08:00	Fine	MA1w_24hr_003232	2.6812	2.7998	25485.19	25509.19	24.00	0.84	1.39	1.11	1605	73.9
25-Feb-20	08:00	Fine	MA1w_24hr_003269	2.6804	2.8109	25512.19	25536.19	24.00	0.96	1.37	1.17	1682	77.6

Remarks: Due to interruption of electricity, the 24hr TSP were rescheduled from 2 Feb 2020 to 3 Feb 2020.




Report on 1-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 325.1
Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
03-Feb-20	09:04	Cloudy	MA1w_1hr_1_002971	2.6424	2.6475	25404.19	25405.19	1.00	1.29	1.29	1.29	78	65.7
03-Feb-20	10:07	Cloudy	MA1w_1hr_2_002918	2.6518	2.6562	25405.19	25406.19	1.00	1.29	1.29	1.29	78	56.7
03-Feb-20	13:30	Cloudy	MA1w_1hr_3_002910	2.6584	2.6630	25406.19	25407.19	1.00	1.29	1.29	1.29	78	59.3
08-Feb-20	08:33	Cloudy	MA1w_1hr_1_002293	2.8474	2.8523	25455.19	25456.19	1.00	1.30	1.30	1.30	78	63.0
08-Feb-20	09:35	Cloudy	MA1w_1hr_2_003301	2.7152	2.7166	25456.19	25457.19	1.00	1.30	1.30	1.30	78	18.0
08-Feb-20	10:37	Cloudy	MA1w_1hr_3_002704	2.6889	2.6939	25457.19	25458.19	1.00	1.30	1.30	1.30	78	64.3
14-Feb-20	08:15	Rainy	MA1w_1hr_1_003274	2.7208	2.7356	25482.19	25483.19	1.00	1.33	1.33	1.33	80	185.1
14-Feb-20	09:17	Rainy	MA1w_1hr_2_003222	2.7013	2.7075	25483.19	25484.19	1.00	1.33	1.33	1.33	80	77.6
14-Feb-20	10:19	Rainy	MA1w_1hr_3_003225	2.7012	2.7062	25484.19	25485.19	1.00	1.33	1.33	1.33	80	62.5
20-Feb-20	09:20	Fine	MA1w_1hr_1_003299	2.7116	2.7176	25509.19	25510.19	1.00	1.39	1.39	1.39	83	72.2
20-Feb-20	10:22	Fine	MA1w_1hr_2_003262	2.6928	2.6982	25510.19	25511.19	1.00	1.39	1.39	1.39	83	65.0
20-Feb-20	13:00	Fine	MA1w_1hr_3_003272	2.6777	2.6838	25511.19	25512.19	1.00	1.39	1.39	1.39	83	73.4
26-Feb-20	09:40	Fine	MA1w_1hr_1_003277	2.7083	2.7124	25536.19	25537.19	1.00	1.33	1.33	1.33	80	51.4
26-Feb-20	10:41	Fine	MA1w_1hr_2_003133	2.6508	2.6542	25537.19	25538.19	1.00	1.33	1.33	1.33	80	42.6
26-Feb-20	13:20	Fine	MA1w_1hr_3_003139	2.6661	2.6704	25538.19	25539.19	1.00	1.33	1.33	1.33	80	53.9






Graphic Presentation of 1 hour TSP Result






Graphic Presentation of 1 hour TSP Result











Graphic Presentation of 1 hour TSP Result



Graphic Presentation of 24 hour TSP Result



Graphic Presentation of 24 hour TSP Result



Graphic Presentation of 24 hour TSP Result

