



Location: CMA1b - Harbour Grand Hotel Boundary Wall

Report on 24-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 176.7

Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
27-Nov-20	08:00	Fine	CMA1b 24hr 006388	2.6106	2.7124	16490.47	16514.47	24.00	1.17	1.18	1.18	1693	60.1
03-Dec-20	08:00	Fine	CMA1b 24hr 006376	2.6376	2.7356	16517.47	16541.47	24.00	1.18	1.18	1.18	1701	57.6
09-Dec-20	08:00	Cloudy	CMA1b 24hr 006378	2.6459	2.7677	16544.47	16568.47	24.00	1.18	1.17	1.18	1693	71.9
16-Dec-20	11:52	Cloudy	CMA1b 24hr 005825	2.5804	2.6739	16574.47	16598.47	24.00	1.18	1.18	1.18	1704	54.9
21-Dec-20	08:00	Fine	CMA1b 24hr 005826	2.5811	2.7191	16598.47	16622.47	24.00	1.18	1.18	1.18	1700	81.2
24-Dec-20	08:00	Fine	CMA1b 24hr 006370	2.6219	2.7822	16625.47	16649.47	24.00	1.18	1.18	1.18	1695	94.6

Remarks: Due to interruption of electricity, the 24hr TSP monitoring was rescheduled from 15 December 2020 to 16 December 2020.

Report on 1-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 320.1

Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
28-Nov-20	08:40	Fine	CMA1b 1hr 1 005873	2.6072	2.6130	16514.47	16515.47	1.00	1.18	1.18	1.18	71	82.1
28-Nov-20	09:45	Fine	CMA1b 1hr 2 006372	2.6008	2.6052	16515.47	16516.47	1.00	1.18	1.18	1.18	71	62.3
28-Nov-20	10:47	Fine	CMA1b 1hr 3 006373	2.6191	2.6245	16516.47	16517.47	1.00	1.18	1.18	1.18	71	76.4
04-Dec-20	08:30	Fine	CMA1b 1hr 1 006353	2.6309	2.6359	16541.47	16542.47	1.00	1.18	1.18	1.18	71	70.5
04-Dec-20	09:45	Fine	CMA1b 1hr 2 006555	2.6338	2.6389	16542.47	16543.47	1.00	1.18	1.18	1.18	71	71.9
04-Dec-20	10:55	Fine	CMA1b 1hr 3 006356	2.6386	2.6437	16543.47	16544.47	1.00	1.18	1.18	1.18	71	71.9
10-Dec-20	08:40	Cloudy	CMA1b 1hr 1 006366	2.6188	2.6255	16568.47	16569.47	1.00	1.17	1.17	1.17	70	95.0
10-Dec-20	09:42	Cloudy	CMA1b 1hr 2 006358	2.6244	2.6304	16569.47	16570.47	1.00	1.17	1.17	1.17	70	85.1
10-Dec-20	10:45	Cloudy	CMA1b 1hr 3 006359	2.6246	2.6301	16570.47	16571.47	1.00	1.17	1.17	1.17	70	78.0
16-Dec-20	08:45	Cloudy	CMA1b 1hr 1 006360	2.6232	2.6302	16571.47	16572.47	1.00	1.18	1.18	1.18	71	98.5
16-Dec-20	09:47	Cloudy	CMA1b 1hr 2 005820	2.5987	2.6047	16572.47	16573.47	1.00	1.18	1.18	1.18	71	84.4
16-Dec-20	10:49	Cloudy	CMA1b 1hr 3 005821	2.5874	2.5936	16573.47	16574.47	1.00	1.18	1.18	1.18	71	87.3
22-Dec-20	08:45	Fine	CMA1b 1hr 1 006367	2.6075	2.6163	16622.47	16623.47	1.00	1.18	1.18	1.18	71	124.3
22-Dec-20	09:47	Fine	CMA1b 1hr 2 006368	2.5956	2.6017	16623.47	16624.47	1.00	1.18	1.18	1.18	71	86.2
22-Dec-20	10:49	Fine	CMA1b 1hr 3 006369	2.6131	2.6195	16624.47	16625.47	1.00	1.18	1.18	1.18	71	90.4
28-Dec-20	08:45	Fine	CMA1b 1hr 1 007381	2.5863	2.5924	16649.47	16650.47	1.00	1.17	1.17	1.17	70	86.6
28-Dec-20	09:47	Fine	CMA1b 1hr 2 007380	2.5847	2.5923	16650.47	16651.47	1.00	1.17	1.17	1.17	70	107.8
28-Dec-20	10:49	Fine	CMA1b 1hr 3 007378	2.5810	2.5893	16651.47	16652.47	1.00	1.17	1.17	1.17	70	117.8



Location: CMA2a - Causeway Bay Community Centre

Report on 24-hour TSP monitoring
 Action Level ($\mu\text{g}/\text{m}^3$) - 169.5
 Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
27-Nov-20	08:00	Fine	CMA2a 24hr 006389	2.6225	2.7155	2991.48	3015.48	24.00	1.39	1.39	1.39	1998	46.5
03-Dec-20	08:00	Fine	CMA2a 24hr 006377	2.6386	2.7493	3018.48	3042.48	24.00	1.39	1.40	1.39	2009	55.1
09-Dec-20	08:00	Cloudy	CMA2a 24hr 006381	2.6341	2.7729	3045.48	3069.48	24.00	1.39	1.39	1.39	1998	69.5
15-Dec-20	08:00	Cloudy	CMA2a 24hr 006363	2.6294	2.6957	3072.48	3096.48	24.00	1.40	1.40	1.40	2013	32.9
21-Dec-20	08:00	Fine	CMA2a 24hr 005830	2.5735	2.7353	3099.48	3123.48	24.00	1.40	1.39	1.39	2008	80.6
28-Dec-20	12:00	Fine	CMA2a 24hr 007383	2.5861	2.7079	3129.48	3153.48	24.00	1.39	1.39	1.39	2000	60.9

Remarks: Due to interruption of electricity, the 24hr TSP monitoring was rescheduled from 24 December 2020 to 28 December 2020.

Report on 1-hour TSP monitoring
 Action Level ($\mu\text{g}/\text{m}^3$) - 323.4
 Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
28-Nov-20	08:50	Fine	CMA2a 1hr 1 006371	2.6237	2.6283	3015.48	3016.48	1.00	1.39	1.39	1.39	83	55.2
28-Nov-20	09:52	Fine	CMA2a 1hr 2 006374	2.6204	2.6256	3016.48	3017.48	1.00	1.39	1.39	1.39	83	62.4
28-Nov-20	10:55	Fine	CMA2a 1hr 3 006375	2.6213	2.6260	3017.48	3018.48	1.00	1.39	1.39	1.39	83	56.4
04-Dec-20	08:40	Fine	CMA2a 1hr 1 006354	2.6288	2.6356	3042.48	3043.48	1.00	1.40	1.40	1.40	84	81.2
04-Dec-20	09:42	Fine	CMA2a 1hr 2 006379	2.6475	2.6537	3043.48	3044.48	1.00	1.40	1.40	1.40	84	74.0
04-Dec-20	10:48	Fine	CMA2a 1hr 3 006380	2.6454	2.6515	3044.48	3045.48	1.00	1.40	1.40	1.40	84	72.8
10-Dec-20	08:45	Cloudy	CMA2a 1hr 1 006357	2.6235	2.6289	3069.48	3070.48	1.00	1.39	1.39	1.39	83	64.9
10-Dec-20	09:50	Cloudy	CMA2a 1hr 2 006361	2.6134	2.6182	3070.48	3071.48	1.00	1.39	1.39	1.39	83	57.7
10-Dec-20	10:52	Cloudy	CMA2a 1hr 3 006362	2.6044	2.6107	3071.48	3072.48	1.00	1.39	1.39	1.39	83	75.7
16-Dec-20	08:50	Cloudy	CMA2a 1hr 1 005827	2.5803	2.5864	3096.48	3097.48	1.00	1.40	1.40	1.40	84	72.7
16-Dec-20	09:52	Cloudy	CMA2a 1hr 2 005828	2.5713	2.5769	3097.48	3098.48	1.00	1.40	1.40	1.40	84	66.7
16-Dec-20	10:54	Cloudy	CMA2a 1hr 3 005829	2.5795	2.5852	3098.48	3099.48	1.00	1.40	1.40	1.40	84	67.9
22-Dec-20	08:50	Fine	CMA2a 1hr 1 007373	2.6174	2.6246	3123.48	3124.48	1.00	1.39	1.39	1.39	84	86.1
22-Dec-20	09:52	Fine	CMA2a 1hr 2 007369	2.6010	2.6065	3124.48	3125.48	1.00	1.39	1.39	1.39	84	65.8
22-Dec-20	10:54	Fine	CMA2a 1hr 3 007370	2.6095	2.6150	3125.48	3126.48	1.00	1.39	1.39	1.39	84	65.8
28-Dec-20	08:50	Fine	CMA2a 1hr 1 007371	2.6039	2.6142	3126.48	3127.48	1.00	1.39	1.39	1.39	83	123.8
28-Dec-20	09:52	Fine	CMA2a 1hr 2 007372	2.6021	2.6068	3127.48	3128.48	1.00	1.39	1.39	1.39	83	56.5
28-Dec-20	10:54	Fine	CMA2a 1hr 3 007382	2.6064	2.6124	3128.48	3129.48	1.00	1.39	1.39	1.39	83	72.1



Location: CMA3a - CWB PRE Site Office Area

Report on 24-hour TSP monitoring
Action Level ($\mu\text{g}/\text{m}^3$) - 171
Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
28-Nov-20	11:20	Fine	CMA3a 24hr 006286	2.6637	2.7240	13357.40	13381.40	24.00	1.30	1.31	1.30	1878	32.1
07-Dec-20	10:00	Fine	CMA3a 24hr 006298	2.6873	2.8586	13421.77	13445.77	24.00	1.31	1.31	1.31	1885	90.9
09-Dec-20	08:00	Cloudy	CMA3a 24hr 006292	2.6772	2.7452	13451.76	13475.76	24.00	1.30	1.30	1.30	1877	36.2
15-Dec-20	08:00	Cloudy	CMA3a 24hr 005865	2.5844	2.6780	13478.76	13502.76	24.00	1.31	1.31	1.31	1889	49.6
21-Dec-20	08:00	Fine	CMA3a 24hr 005838	2.5832	2.6633	13505.76	13529.76	24.00	1.31	1.31	1.31	1885	42.5
24-Dec-20	08:00	Fine	CMA3a 24hr 005850	2.5892	2.7359	13532.76	13556.76	24.00	1.30	1.31	1.30	1879	78.1

Remarks: Due to interruption of electricity, the 24hr TSP monitoring was rescheduled from 27 November 2020 to 28 November 2020, 03 December 2020 to 07 December 2020.

Report on 1-hour TSP monitoring
Action Level ($\mu\text{g}/\text{m}^3$) - 311.3
Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
28-Nov-20	08:10	Fine	CMA3a 1hr 1 004677	2.7098	2.7248	13354.40	13355.40	1.00	1.31	1.31	1.31	78	191.5
28-Nov-20	09:12	Fine	CMA3a 1hr 2 004679	2.7043	2.7102	13355.40	13356.40	1.00	1.31	1.31	1.31	78	75.3
28-Nov-20	10:15	Fine	CMA3a 1hr 3 004680	2.7133	2.7186	13356.40	13357.40	1.00	1.31	1.31	1.31	78	67.7
04-Dec-20	11:00	Fine	CMA3a 1hr 1 004681	2.7114	2.7298	13405.41	13406.41	1.00	1.31	1.31	1.31	79	234.1
04-Dec-20	13:00	Fine	CMA3a 1hr 2 006382	2.6360	2.6429	13406.41	13407.41	1.00	1.31	1.31	1.31	79	87.8
04-Dec-20	14:02	Fine	CMA3a 1hr 3 006383	2.6384	2.6452	13407.41	13408.41	1.00	1.31	1.31	1.31	79	86.5
10-Dec-20	08:40	Cloudy	CMA3a 1hr 1 005814	2.6138	2.6192	13475.76	13476.76	1.00	1.30	1.30	1.30	78	69.1
10-Dec-20	09:42	Cloudy	CMA3a 1hr 2 005867	2.6005	2.6066	13476.76	13477.76	1.00	1.30	1.30	1.30	78	78.0
10-Dec-20	10:45	Cloudy	CMA3a 1hr 3 005864	2.5967	2.6037	13477.76	13478.76	1.00	1.30	1.30	1.30	78	89.5
16-Dec-20	08:40	Cloudy	CMA3a 1hr 1 005837	2.5862	2.5913	13502.76	13503.76	1.00	1.31	1.31	1.31	79	64.8
16-Dec-20	09:42	Cloudy	CMA3a 1hr 2 005824	2.5959	2.6009	13503.76	13504.76	1.00	1.31	1.31	1.31	79	63.5
16-Dec-20	10:41	Cloudy	CMA3a 1hr 3 004549	2.6435	2.6497	13504.76	13505.76	1.00	1.31	1.31	1.31	79	78.7
22-Dec-20	08:40	Fine	CMA3a 1hr 1 005842	2.5950	2.6075	13529.76	13530.76	1.00	1.31	1.31	1.31	78	159.3
22-Dec-20	09:42	Fine	CMA3a 1hr 2 005841	2.5900	2.5961	13530.76	13531.76	1.00	1.31	1.31	1.31	78	77.7
22-Dec-20	10:44	Fine	CMA3a 1hr 3 004550	2.6414	2.6495	13531.76	13532.76	1.00	1.31	1.31	1.31	78	103.2
28-Dec-20	08:30	Fine	CMA3a 1hr 1 006864	2.7122	2.7198	13556.76	13557.76	1.00	1.30	1.30	1.30	78	97.2
28-Dec-20	09:32	Fine	CMA3a 1hr 2 005823	2.5932	2.6038	13557.76	13558.76	1.00	1.30	1.30	1.30	78	135.6
28-Dec-20	10:34	Fine	CMA3a 1hr 3 006806	2.6877	2.6971	13558.76	13559.76	1.00	1.30	1.30	1.30	78	120.3



Location: CMA4a - SPCA

Report on 24-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 171.2

Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
28-Nov-20	11:15	Fine	CMA4a 24hr 006285	2.6848	2.7711	30321.30	30345.30	24.00	1.32	1.33	1.33	1909	45.2
03-Dec-20	08:00	Fine	CMA4a 24hr 006287	2.6623	2.7726	30345.30	30369.30	24.00	1.41	1.41	1.41	2029	54.4
10-Dec-20	11:45	Cloudy	CMA4a 24hr 005869	2.5852	2.7119	30387.34	30411.34	24.00	1.33	1.32	1.32	1907	66.4
15-Dec-20	08:00	Cloudy	CMA4a 24hr 005866	2.6075	2.6685	30411.34	30435.34	24.00	1.33	1.34	1.33	1922	31.7
21-Dec-20	08:00	Fine	CMA4a 24hr 005839	2.5913	2.7304	30438.34	30462.34	24.00	1.33	1.33	1.33	1917	72.6

Remarks: Due to interruption of electricity, the 24hr TSP monitoring was rescheduled from 27 November 2020 to 28 November 2020

Due to interruption of electricity, the 24hr TSP monitoring was rescheduled from 9 December 2020 to 10 November 2020

Report on 1-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 312.5

Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
28-Nov-20	08:02	Fine	CMA4a 1hr 1 006282	2.6853	2.6920	30318.30	30319.30	1.00	1.33	1.33	1.33	80	84.1
28-Nov-20	09:04	Fine	CMA4a 1hr 2 006283	2.6922	2.6967	30319.30	30320.30	1.00	1.33	1.33	1.33	80	56.5
28-Nov-20	10:06	Fine	CMA4a 1hr 3 006284	2.6833	2.6870	30320.30	30321.30	1.00	1.33	1.33	1.33	80	46.4
04-Dec-20	08:40	Fine	CMA4a 1hr 1 006288	2.6589	2.6650	30369.30	30370.30	1.00	1.42	1.42	1.42	85	71.8
04-Dec-20	09:42	Fine	CMA4a 1hr 2 006290	2.6867	2.6913	30370.30	30371.30	1.00	1.42	1.42	1.42	85	54.2
04-Dec-20	10:44	Fine	CMA4a 1hr 3 006291	2.6865	2.6911	30371.30	30372.30	1.00	1.42	1.42	1.42	85	54.2
10-Dec-20	08:34	Cloudy	CMA4a 1hr 1 005813	2.6018	2.6077	30384.34	30385.34	1.00	1.33	1.33	1.33	80	74.2
10-Dec-20	09:36	Cloudy	CMA4a 1hr 2 005811	2.6237	2.6296	30385.34	30386.34	1.00	1.33	1.33	1.33	80	74.2
10-Dec-20	10:40	Cloudy	CMA4a 1hr 3 005868	2.5886	2.5945	30386.34	30387.34	1.00	1.33	1.33	1.33	80	74.2
16-Dec-20	08:30	Cloudy	CMA4a 1hr 1 005863	2.5893	2.5941	30435.34	30436.34	1.00	1.34	1.34	1.34	80	59.9
16-Dec-20	09:32	Cloudy	CMA4a 1hr 2 004171	2.6588	2.6638	30436.34	30437.34	1.00	1.34	1.34	1.34	80	62.4
16-Dec-20	10:34	Cloudy	CMA4a 1hr 3 004170	2.6718	2.6768	30437.34	30438.34	1.00	1.34	1.34	1.34	80	62.4
22-Dec-20	08:30	Fine	CMA4a 1hr 1 005840	2.5975	2.6053	30462.34	30463.34	1.00	1.33	1.33	1.33	80	97.7
22-Dec-20	09:32	Fine	CMA4a 1hr 2 005858	2.5901	2.5948	30463.34	30464.34	1.00	1.33	1.33	1.33	80	58.9
22-Dec-20	10:34	Fine	CMA4a 1hr 3 005852	2.5823	2.5891	30464.34	30465.34	1.00	1.33	1.33	1.33	80	85.2



Location: MA1b - Harbour Building

Report on 24-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 173.4
Limit Level ($\mu\text{g}/\text{m}^3$) - 260




Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
27-Nov-20	08:00	Fine	MA1b 24hr 005872	2.5715	2.6944	7937.16	7961.16	24.00	1.41	1.41	1.41	2027	60.6
03-Dec-20	08:00	Fine	MA1b 24hr 006279	2.6643	2.8038	7964.16	7988.16	24.00	1.41	1.41	1.41	2034	68.6
09-Dec-20	08:00	Cloudy	MA1b 24hr 006296	2.7064	2.8304	7991.16	8015.16	24.00	1.41	1.41	1.41	2027	61.2
15-Dec-20	08:00	Cloudy	MA1b 24hr 005818	2.6072	2.6992	8018.16	8042.16	24.00	1.41	1.41	1.41	2037	45.2
21-Dec-20	08:00	Fine	MA1b 24hr 005859	2.6031	2.7521	8045.16	8069.16	24.00	1.41	1.41	1.41	2033	73.3
24-Dec-20	08:00	Fine	MA1b 24hr 005856	2.5802	2.6996	8072.16	8096.16	24.00	1.41	1.41	1.41	2029	58.9

Report on 1-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 325.1
Limit Level ($\mu\text{g}/\text{m}^3$) - 500



Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
28-Nov-20	13:00	Fine	MA1b 1hr 1 006280	2.6698	2.6760	7961.16	7962.16	1.00	1.41	1.41	1.41	85	73.3
28-Nov-20	14:02	Fine	MA1b 1hr 2 006277	2.6552	2.6622	7962.16	7963.16	1.00	1.41	1.41	1.41	85	82.8
28-Nov-20	15:04	Fine	MA1b 1hr 3 006278	2.6582	2.6665	7963.16	7964.16	1.00	1.41	1.41	1.41	85	98.2
04-Dec-20	13:00	Fine	MA1b 1hr 1 006293	2.6799	2.6888	7988.16	7989.16	1.00	1.41	1.41	1.41	85	105.0
04-Dec-20	14:02	Fine	MA1b 1hr 2 006294	2.6775	2.6883	7989.16	7990.16	1.00	1.41	1.41	1.41	85	127.4
04-Dec-20	15:00	Fine	MA1b 1hr 3 006295	2.7034	2.7162	7990.16	7991.16	1.00	1.41	1.41	1.41	85	151.0
10-Dec-20	13:00	Cloudy	MA1b 1hr 1 005815	2.6070	2.6144	8015.16	8016.16	1.00	1.41	1.41	1.41	84	87.6
10-Dec-20	14:02	Cloudy	MA1b 1hr 2 005816	2.6112	2.6190	8016.16	8017.16	1.00	1.41	1.41	1.41	84	92.4
10-Dec-20	15:04	Cloudy	MA1b 1hr 3 005817	2.6103	2.6194	8017.16	8018.16	1.00	1.41	1.41	1.41	84	107.8
16-Dec-20	13:00	Cloudy	MA1b 1hr 1 005861	2.6000	2.6063	8042.16	8043.16	1.00	1.41	1.41	1.41	85	74.2
16-Dec-20	14:02	Cloudy	MA1b 1hr 2 005857	2.6010	2.6088	8043.16	8044.16	1.00	1.41	1.41	1.41	85	91.9
16-Dec-20	15:04	Cloudy	MA1b 1hr 3 005862	2.5745	2.5823	8044.16	8045.16	1.00	1.41	1.41	1.41	85	91.9
22-Dec-20	13:06	Fine	MA1b 1hr 1 005853	2.5891	2.5965	8069.16	8070.16	1.00	1.41	1.41	1.41	85	87.4
22-Dec-20	14:08	Fine	MA1b 1hr 2 005854	2.5763	2.5821	8070.16	8071.16	1.00	1.41	1.41	1.41	85	68.5
22-Dec-20	15:10	Fine	MA1b 1hr 3 005855	2.5874	2.5938	8071.16	8072.16	1.00	1.41	1.41	1.41	85	75.6
28-Dec-20	13:00	Fine	MA1b 1hr 1 006804	2.6897	2.6958	8096.16	8097.16	1.00	1.41	1.41	1.41	84	72.3
28-Dec-20	14:02	Fine	MA1b 1hr 2 006867	2.7502	2.7571	8097.16	8098.16	1.00	1.41	1.41	1.41	84	81.7
28-Dec-20	15:04	Fine	MA1b 1hr 3 006866	2.7369	2.7428	8098.16	8099.16	1.00	1.41	1.41	1.41	84	69.9

Graphic Presentation of 1 hour TSP Result








Graphic Presentation of 1 hour TSP Result



Graphic Presentation of 24 hour TSP Result





Graphic Presentation of 24 hour TSP Result

