



Location: CMA1b - Harbour Grand Hotel Boundary Wall

Report on 24-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 176.7

Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
30-Dec-20	08:00	Fine	CMA1b_24hr_007379	2.5902	2.7911	16652.07	16676.07	24.00	1.18	1.18	1.18	1705	117.9
7-Jan-21	08:00	Fine	CMA1b_24hr_007366	2.6098	2.7927	16679.07	16703.07	24.00	2.75	1.19	1.97	2837	64.5
13-Jan-21	08:00	Fine	CMA1b_24hr_007392	2.6183	2.7670	16706.07	16730.07	24.00	1.30	1.30	1.30	1872	79.4
16-Jan-21	08:00	Fine	CMA1b_24hr_007049	2.7145	2.9169	16733.07	16757.07	24.00	1.30	1.30	1.30	1870	108.3
22-Jan-21	08:00	Fine	CMA1b_24hr_007042	2.7032	2.9086	16760.07	16784.07	24.00	1.29	1.29	1.29	1855	110.7

Remarks: Due to the electricity interruption, 24-hr TSP monitoring was rescheduled from 5 January 2021 to 7 January 2021

Report on 1-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 320.1

Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
2-Jan-21	08:45	Fine	CMA1b_1hr_1_007352	2.5967	2.6019	16676.07	16677.07	1.00	1.19	1.19	1.19	71	73.1
2-Jan-21	09:47	Fine	CMA1b_1hr_2_007364	2.6004	2.6058	16677.07	16678.07	1.00	1.19	1.19	1.19	71	75.9
2-Jan-21	10:49	Fine	CMA1b_1hr_3_007365	2.6088	2.6143	16678.07	16679.07	1.00	1.19	1.19	1.19	71	77.4
8-Jan-21	08:45	Fine	CMA1b_1hr_1_007390	2.6229	2.6294	16703.07	16704.07	1.00	1.19	1.19	1.19	71	90.9
8-Jan-21	09:47	Fine	CMA1b_1hr_2_007391	2.6277	2.6369	16704.07	16705.07	1.00	1.19	1.19	1.19	71	128.7
8-Jan-21	10:50	Fine	CMA1b_1hr_3_007389	2.6273	2.6354	16705.07	16706.07	1.00	1.19	1.19	1.19	71	113.3
14-Jan-21	08:05	Fine	CMA1b_1hr_1_006783	2.6914	2.7040	16730.07	16731.07	1.00	1.30	1.30	1.30	78	161.5
14-Jan-21	09:08	Fine	CMA1b_1hr_2_006785	2.7123	2.7245	16731.07	16732.07	1.00	1.30	1.30	1.30	78	156.4
14-Jan-21	10:25	Fine	CMA1b_1hr_3_006787	2.6977	2.7058	16732.07	16733.07	1.00	1.30	1.30	1.30	78	103.8
18-Jan-21	08:09	Fine	CMA1b_1hr_1_007041	2.6762	2.6877	16757.07	16758.07	1.00	1.31	1.31	1.31	78	146.8
18-Jan-21	09:20	Fine	CMA1b_1hr_2_007040	2.6977	2.7096	16758.07	16759.07	1.00	1.31	1.31	1.31	78	151.9
18-Jan-21	10:25	Fine	CMA1b_1hr_3_007039	2.7151	2.7367	16759.07	16760.07	1.00	1.31	1.31	1.31	78	275.7
23-Jan-21	08:02	Fine	CMA1b_1hr_1_006799	2.7015	2.7112	16784.07	16785.07	1.00	1.29	1.29	1.29	77	125.5
23-Jan-21	09:04	Fine	CMA1b_1hr_2_007030	2.6987	2.7062	16785.07	16786.07	1.00	1.29	1.29	1.29	77	97.0
23-Jan-21	10:06	Fine	CMA1b_1hr_3_007027	2.7097	2.7238	16786.07	16787.07	1.00	1.29	1.29	1.29	77	182.4



Location: CMA2a - Causeway Bay Community Centre

Report on 24-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 169.5

Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
30-Dec-20	08:00	Fine	CMA2a_24hr_007360	2.5714	2.8374	3153.50	3177.50	24.00	1.40	1.40	1.40	2013	132.1
7-Jan-21	08:00	Fine	CMA2a_24hr_007355	2.5918	2.7557	3180.50	3204.50	24.00	3.41	1.41	2.41	3470	47.2
13-Jan-21	08:00	Fine	CMA2a_24hr_007046	2.7060	2.8279	3253.95	3277.95	24.00	1.38	1.38	1.38	1984	61.4
16-Jan-21	08:00	Fine	CMA2a_24hr_006789	2.6986	2.9254	3280.95	3304.95	24.00	1.37	1.38	1.38	1982	114.5
22-Jan-21	08:00	Fine	CMA2a_24hr_007043	2.6981	2.9570	3307.95	3331.95	24.00	1.36	1.36	1.36	1965	131.8

Remarks: Due to the electricity interruption, 24-hr TSP monitoring was rescheduled from 5 January 2021 to 7 January 2021

Report on 1-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 323.4

Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
2-Jan-21	08:50	Fine	CMA2a_1hr_1_007356	2.5736	2.5797	3177.50	3178.50	1.00	1.40	1.40	1.40	84	72.6
2-Jan-21	09:52	Fine	CMA2a_1hr_2_007353	2.5756	2.5811	3178.50	3179.50	1.00	1.40	1.40	1.40	84	65.5
2-Jan-21	10:54	Fine	CMA2a_1hr_3_007354	2.5746	2.5786	3179.50	3180.50	1.00	1.40	1.40	1.40	84	47.6
8-Jan-21	08:50	Fine	CMA2a_1hr_1_007351	2.6051	2.6164	3204.50	3205.50	1.00	1.41	1.41	1.41	84	133.8
8-Jan-21	09:52	Fine	CMA2a_1hr_2_007348	2.6049	2.6172	3205.50	3206.50	1.00	1.41	1.41	1.41	84	145.6
8-Jan-21	10:55	Fine	CMA2a_1hr_3_007349	2.5947	2.6069	3206.50	3207.50	1.00	1.41	1.41	1.41	84	144.4
14-Jan-21	08:10	Fine	CMA2a_1hr_1_006784	2.6867	2.7005	3277.95	3278.95	1.00	1.38	1.38	1.38	83	166.8
14-Jan-21	09:13	Fine	CMA2a_1hr_2_006786	2.7035	2.7164	3278.95	3279.95	1.00	1.38	1.38	1.38	83	156.0
14-Jan-21	10:30	Fine	CMA2a_1hr_3_006788	2.6900	2.7008	3279.95	3280.95	1.00	1.38	1.38	1.38	83	130.6
18-Jan-21	08:05	Fine	CMA2a_1hr_1_006796	2.6942	2.7073	3304.95	3305.95	1.00	1.38	1.38	1.38	83	157.7
18-Jan-21	09:17	Fine	CMA2a_1hr_2_006798	2.6961	2.7125	3305.95	3306.95	1.00	1.38	1.38	1.38	83	197.4
18-Jan-21	10:20	Fine	CMA2a_1hr_3_007045	2.6927	2.7026	3306.95	3307.95	1.00	1.38	1.38	1.38	83	119.2
23-Jan-21	08:10	Fine	CMA2a_1hr_1_007031	2.7017	2.7109	3331.95	3332.95	1.00	1.36	1.36	1.36	82	112.4
23-Jan-21	09:12	Fine	CMA2a_1hr_2_007029	2.7121	2.7189	3332.95	3333.95	1.00	1.36	1.36	1.36	82	83.0
23-Jan-21	10:14	Fine	CMA2a_1hr_3_007028	2.7089	2.7149	3333.95	3334.95	1.00	1.36	1.36	1.36	82	73.3



Location: CMA3a - CWB PRE Site Office Area

Report on 24-hour TSP monitoring
Action Level ($\mu\text{g}/\text{m}^3$) - 171
Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
30-Dec-20	08:00	Fine	CMA3a_24hr_006863	2.6886	2.8862	13559.77	13583.77	24.00	1.31	1.31	1.31	1889	104.6
7-Jan-21	08:00	Fine	CMA3a_24hr_001659	2.7548	2.9154	13586.77	13610.77	24.00	2.85	1.32	2.09	3004	53.5
13-Jan-21	08:00	Fine	CMA3a_24hr_007142	2.7168	2.8330	13613.77	13637.77	24.00	1.22	1.22	1.22	1752	66.3
16-Jan-21	08:00	Fine	CMA3a_24hr_006790	2.6731	2.8611	13640.77	13664.77	24.00	1.21	1.22	1.22	1750	107.4
22-Jan-21	08:00	Fine	CMA3a_24hr_007054	2.7062	2.8969	13667.77	13691.77	24.00	1.21	1.21	1.21	1737	109.8

Remarks: Due to the electricity interruption, 24-hr TSP monitoring was rescheduled from 5 January 2021 to 7 January 2021

Report on 1-hour TSP monitoring
Action Level ($\mu\text{g}/\text{m}^3$) - 311.3
Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
2-Jan-21	08:30	Fine	CMA3a_1hr_1_005831	2.5760	2.5808	13583.77	13584.77	1.00	1.31	1.31	1.31	79	60.9
2-Jan-21	09:32	Fine	CMA3a_1hr_2_007323	2.6103	2.6146	13584.77	13585.77	1.00	1.31	1.31	1.31	79	54.6
2-Jan-21	10:34	Fine	CMA3a_1hr_3_005832	2.5722	2.5809	13585.77	13586.77	1.00	1.31	1.31	1.31	79	110.4
8-Jan-21	08:45	Fine	CMA3a_1hr_1_007200	2.7284	2.7321	13610.77	13611.77	1.00	1.32	1.32	1.32	79	46.7
8-Jan-21	09:47	Fine	CMA3a_1hr_2_007187	2.7371	2.7413	13611.77	13612.77	1.00	1.32	1.32	1.32	79	53.1
8-Jan-21	10:49	Fine	CMA3a_1hr_3_007188	2.7387	2.7473	13612.77	13613.77	1.00	1.32	1.32	1.32	79	108.6
14-Jan-21	13:05	Fine	CMA3a_1hr_1_006791	2.7194	2.7245	13637.77	13638.77	1.00	1.22	1.22	1.22	73	69.8
14-Jan-21	14:10	Fine	CMA3a_1hr_2_006792	2.6915	2.6988	13638.77	13639.77	1.00	1.22	1.22	1.22	73	100.0
14-Jan-21	15:15	Fine	CMA3a_1hr_3_006793	2.6966	2.7032	13639.77	13640.77	1.00	1.22	1.22	1.22	73	90.4
18-Jan-21	08:50	Fine	CMA3a_1hr_1_006795	2.7239	2.7312	13664.77	13665.77	1.00	1.22	1.22	1.22	73	99.6
18-Jan-21	09:52	Fine	CMA3a_1hr_2_006797	2.7045	2.7107	13665.77	13666.77	1.00	1.22	1.22	1.22	73	84.6
18-Jan-21	10:54	Fine	CMA3a_1hr_3_007044	2.7152	2.7241	13666.77	13667.77	1.00	1.22	1.22	1.22	73	121.4
23-Jan-21	13:10	Fine	CMA3a_1hr_1_007024	2.7430	2.7494	13691.77	13692.77	1.00	1.21	1.21	1.21	72	88.4
23-Jan-21	14:12	Fine	CMA3a_1hr_2_007023	2.7171	2.7234	13692.77	13693.77	1.00	1.21	1.21	1.21	72	87.0
23-Jan-21	15:16	Fine	CMA3a_1hr_3_007022	2.7226	2.7311	13693.77	13694.77	1.00	1.21	1.21	1.21	72	117.4



Location: MA1b - Harbour Building

Report on 24-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 173.4
Limit Level ($\mu\text{g}/\text{m}^3$) - 260

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
30-Dec-20	08:00	Fine	MA1b_24hr_006865	2.7264	2.9033	8099.18	8123.18	24.00	1.41	1.41	1.41	2037	86.9
7-Jan-21	08:00	Fine	MA1b_24hr_005835	2.6001	2.7836	8126.18	8150.18	24.00	2.69	1.42	2.06	2960	62.0
13-Jan-21	08:00	Fine	MA1b_24hr_006782	2.7026	2.8464	8153.18	8177.18	24.00	0.96	0.96	0.96	1376	104.5
16-Jan-21	08:00	Fine	MA1b_24hr_006794	2.7180	2.9424	8180.33	8204.33	24.00	0.95	0.96	0.95	1374	163.3
22-Jan-21	08:00	Fine	MA1b_24hr_007038	2.7085	2.9214	8207.33	8231.33	24.00	0.94	0.94	0.94	1360	156.5

Remarks: Due to the electricity interruption, 24-hr TSP monitoring was rescheduled from 5 January 2021 to 7 January 2021




Report on 1-hour TSP monitoring

Action Level ($\mu\text{g}/\text{m}^3$) - 325.1
Limit Level ($\mu\text{g}/\text{m}^3$) - 500

Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling Time, hr	Flow Rate, m^3/min			Total Volume, m^3	TSP Level, $\mu\text{g}/\text{m}^3$
				Initial	Final	Initial	Final		Initial, Q_{si}	Final, Q_{sf}	Average		
2-Jan-21	13:00	Fine	MA1b_1hr_1_005833	2.5960	2.6030	8123.18	8124.18	1.00	1.42	1.42	1.42	85	82.4
2-Jan-21	14:02	Fine	MA1b_1hr_2_005834	2.6053	2.6121	8124.18	8125.18	1.00	1.42	1.42	1.42	85	80.1
2-Jan-21	15:04	Fine	MA1b_1hr_3_007328	2.6132	2.6229	8125.18	8126.18	1.00	1.42	1.42	1.42	85	114.2
8-Jan-21	13:00	Fine	MA1b_1hr_1_007189	2.7256	2.7330	8150.18	8151.18	1.00	1.42	1.42	1.42	85	86.8
8-Jan-21	14:02	Fine	MA1b_1hr_2_007190	2.7365	2.7438	8151.18	8152.18	1.00	1.42	1.42	1.42	85	85.6
8-Jan-21	15:04	Fine	MA1b_1hr_3_007192	2.7227	2.7387	8152.18	8153.18	1.00	1.42	1.42	1.42	85	187.7
14-Jan-21	08:50	Fine	MA1b_1hr_1_007191	2.7282	2.7339	8177.18	8178.18	1.00	0.96	0.96	0.96	57	99.4
14-Jan-21	09:52	Fine	MA1b_1hr_2_007050	2.7244	2.7329	8178.18	8179.18	1.00	0.96	0.96	0.96	57	148.2
14-Jan-21	10:54	Fine	MA1b_1hr_3_007048	2.7234	2.7314	8179.18	8180.18	1.00	0.96	0.96	0.96	57	139.4
18-Jan-21	13:05	Fine	MA1b_1hr_1_007051	2.7091	2.7213	8204.33	8205.33	1.00	0.96	0.96	0.96	58	211.6
18-Jan-21	14:09	Fine	MA1b_1hr_2_007052	2.7184	2.7304	8205.33	8206.33	1.00	0.96	0.96	0.96	58	208.1
18-Jan-21	15:12	Fine	MA1b_1hr_3_007053	2.7141	2.7241	8206.33	8207.33	1.00	0.96	0.96	0.96	58	173.4
23-Jan-21	08:50	Fine	MA1b_1hr_1_007055	2.7066	2.7124	8231.33	8232.33	1.00	0.94	0.94	0.94	57	102.3
23-Jan-21	09:55	Fine	MA1b_1hr_2_007047	2.7143	2.7195	8232.33	8233.33	1.00	0.94	0.94	0.94	57	91.7
23-Jan-21	10:58	Fine	MA1b_1hr_3_007056	2.7044	2.7087	8233.33	8234.33	1.00	0.94	0.94	0.94	57	75.8




Graphic Presentation of 1 hour TSP Result








Graphic Presentation of 1 hour TSP Result



Graphic Presentation of 24 hour TSP Result





Graphic Presentation of 24 hour TSP Result

