



**Water Monitoring Result at M5B - Central Cooling Water Intake Group
Mid-Flood Tide**

Date	Time	Weather Condition	Sampling Depth		Water Temperature			pH			Salinity				DO Saturation				DO				Turbidity				Suspended Solids	
					°C		-		ppt		%		mg/L		NTU		mg/L											
			m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average					
1/8/17	3:30	Cloudy	Middle	1.8	30.00	30.00	30.05	7.81	7.81	7.81	27.02	27.01	27.01	76.0	78.1	77.2	4.95	5.08	5.02	1.53	1.51	1.51	<2	<2				
	3:31		Middle	1.8	30.10	30.10		7.80	7.80		27.01	27.01		77.0	77.5		5.01	5.04		1.50	1.48		<2					
3/8/17	3:35	Cloudy	Middle	3.5	28.30	28.30	28.25	7.64	7.64	7.65	25.81	25.81	25.81	74.1	75.0	74.5	5.00	5.07	5.03	2.39	2.41	2.32	4	3.50				
	3:36		Middle	3.5	28.20	28.20		7.65	7.65		25.81	25.81		74.4	74.5		5.02	5.03		2.35	2.13		3					
5/8/17	17:40	Fine	Middle	3.0	30.80	30.80	30.80	7.77	7.77	7.77	27.87	27.87	27.87	76.5	76.7	76.7	4.95	4.99	4.99	2.43	2.11	2.24	3	3.50				
	17:41		Middle	3.0	30.80	30.80		7.77	7.77		27.87	27.87		76.9	76.8		5.01	5.01		2.22	2.19		4					
7/8/17	19:40	Cloudy	Middle	3.0	28.40	28.40	28.40	7.75	7.75	7.76	28.91	28.91	28.91	77.4	77.7	77.4	5.12	5.14	5.12	4.78	4.74	4.77	4	5.00				
	19:41		Middle	3.0	28.40	28.40		7.77	7.75		28.91	28.91		77.5	77.0		5.13	5.09		4.77	4.80		6					
9/8/17	20:36	Cloudy	Middle	3.0	29.00	29.00	29.00	7.55	7.55	7.55	28.03	28.03	28.03	75.3	76.9	76.1	4.90	4.99	4.95	2.43	2.23	2.24	4	4.00				
	20:37		Middle	3.0	29.00	29.00		7.55	7.55		28.03	28.03		76.5	75.7		4.98	4.93		2.14	2.16		4					
12/8/17	9:35	Fine	Middle	4.0	27.30	27.30	27.40	7.87	7.87	7.89	30.16	30.16	30.15	82.2	86.4	85.0	5.50	5.77	5.68	3.05	3.08	3.07	4	4.50				
	9:37		Middle	4.0	27.50	27.50		7.90	7.90		30.14	30.14		85.4	85.9		5.71	5.73		3.08	3.06		5					
14/8/17	10:55	Fine	Middle	3.5	27.40	27.40	27.55	7.94	7.94	7.95	30.24	30.24	30.24	87.6	88.2	87.3	5.84	5.80	5.81	4.01	4.03	4.07	4	5.00				
	10:57		Middle	3.5	27.70	27.70		7.95	7.95		30.23	30.23		86.6	86.6		5.85	5.76		4.11	4.13		6					
17/8/17	14:45	Fine	Middle	3.5	28.40	28.40	28.55	8.15	8.15	8.15	30.36	30.36	30.36	99.4	100.5	100.1	6.51	6.58	6.55	3.98	3.99	4.01	9	8.50				
	14:47		Middle	3.5	28.70	28.70		8.15	8.15		30.36	30.36		100.6	99.7		6.58	6.52		4.04	4.04		8					
19/8/17	15:30	Fine	Middle	3.5	29.40	29.40	29.55	8.21	8.21	8.22	29.96	29.96	29.95	97.3	97.6	96.8	6.28	6.29	6.24	6.03	6.09	6.08	6	7.00				
	15:32		Middle	3.5	29.70	29.70		8.22	8.22		29.94	29.94		97.6	94.8		6.29	6.11		6.11	6.09		8					
21/8/17	19:37	Fine	Middle	3.0	28.40	28.40	28.45	7.91	7.91	7.93	30.91	30.91	30.60	79.7	80.8	79.5	5.52	5.28	5.25	8.55	8.43	8.50	10	10.50				
	19:38		Middle	3.0	28.50	28.50		7.94	7.94		30.28	30.28		77.6	80.0		5.09	5.10		8.52	8.50		11					
23/8/17	-	No. 8 South East Storm Signal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
25/8/17	9:25	Fine	Middle	4.0	26.50	26.50	26.60	7.99	7.99	8.00	31.20	31.20	31.36	81.7	81.1	81.2	5.46	5.46	5.45	12.11	12.09	12.10	10	10.00				
	9:27		Middle	4.0	26.70	26.70		8.00	8.00		31.52	31.52		80.9	81.0		5.44	5.45		12.10	12.11		10					
28/8/17	23:25	Cloudy	Middle	3.5	25.60	25.60	25.60	7.73	7.73	7.73	29.59	29.59	29.59	78.6	78.7	77.8	5.44	5.45	5.38	4.49	4.43	4.46	4	3.50				
	23:26		Middle	3.5	25.60	25.60		7.73	7.73		29.60	29.59		77.3	76.6		5.34	5.30		4.46	4.47		3					
31/8/17	0:31	Fine	Middle	3.5	26.50	26.50	26.55	7.75	7.75	7.75	30.15	30.15	30.15	76.7	78.4	77.3	5.20	5.31	5.23	4.58	4.52	4.54	<2	5.00				
	0:32		Middle	3.5	26.60	26.60		7.75	7.75		30.15	30.15		76.5	77.4		5.18	5.24		4.50	4.56		5					

Remarks:
 Single underline denotes exceedance over Action Level.
 Double underline denotes exceedance over Limit Level.
 The water quality monitoring on 23 August 2017 during both flood and ebb tide were cancelled due to the hoisting of Hurricane Signal No. 10 (during ebb tide) and No. 8 South East Storm Signal (during flood tide)



**Water Monitoring Result at Culvert J - Reference Station
Mid-Flood Tide**

Date	Time	Weather Condition	Sampling Depth		Water Temperature			pH			Salinity			DO Saturation			DO			Turbidity			Suspended Solids	
					°C		-		ppt		%		mg/L		NTU		mg/L							
			m		Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average		
1/8/17	3:40	Cloudy	Middle	1.5	30.00	30.00	30.00	7.75	7.75	7.73	23.17	23.17	23.16	71.1	70.9	71.1	4.73	4.72	4.73	1.66	1.69	1.69	2	2.00
	3:41		Middle	1.5	30.00	30.00		7.71	7.71	7.73	23.14	23.14		71.5	71.0		4.75	4.71		1.72	1.67		<2	
3/8/17	3:42	Cloudy	Middle	3.0	28.20	28.20	28.20	7.80	7.80	7.80	23.15	23.15	23.15	69.6	69.9	70.0	4.77	4.79	4.80	1.27	1.09	1.19	5	4.00
	3:43		Middle	3.0	28.20	28.20		7.80	7.80	7.80	23.15	23.15		70.6	69.8		4.84	4.79		1.13	1.28		3	
5/8/17	17:47	Fine	Middle	2.5	30.70	30.70	30.70	7.65	7.65	7.65	23.84	23.84	23.84	67.8	69.5	69.6	4.62	4.66	4.67	3.02	2.76	2.80	6	6.00
	17:48		Middle	2.5	30.70	30.70		7.65	7.65	7.65	23.84	23.84		70.4	70.7		4.70	4.71		2.74	2.66		6	
7/8/17	19:45	Cloudy	Middle	2.5	28.40	28.40	28.40	7.83	7.83	7.83	23.62	23.62	23.62	65.4	67.7	66.8	4.45	4.51	4.52	7.90	7.89	7.89	6	6.00
	19:46		Middle	2.5	28.40	28.40		7.83	7.83	7.83	23.62	23.62		66.8	67.1		4.55	4.57		7.86	7.91		6	
9/8/17	20:45	Cloudy	Middle	2.5	29.40	29.40	29.40	7.61	7.61	7.61	26.45	26.45	26.45	72.3	75.1	74.0	4.70	4.88	4.81	1.67	1.62	1.66	5	5.50
	20:46		Middle	2.5	29.40	29.40		7.61	7.61	7.61	26.45	26.45		74.0	74.4		4.81	4.84		1.60	1.73		6	
12/8/17	9:30	Fine	Middle	3.5	27.90	27.90	28.00	7.75	7.75	7.75	25.87	25.87	25.87	76.0	77.1	76.5	5.15	5.23	5.18	7.12	7.18	7.07	4	4.00
	9:32		Middle	3.5	28.10	28.10		7.75	7.75	7.75	25.86	25.86		76.6	76.2		5.19	5.16		7.00	6.98		4	
14/8/17	10:50	Fine	Middle	3.5	28.10	28.10	28.30	7.90	7.90	7.92	30.10	30.10	30.10	85.9	85.7	85.7	5.66	5.64	5.64	4.37	4.32	4.45	5	5.00
	10:52		Middle	3.5	28.50	28.50		7.95	7.92	7.92	30.09	30.09		85.4	85.8		5.61	5.63		4.94	4.17		5	
17/8/17	14:40	Fine	Middle	3.5	28.50	28.50	28.55	8.13	8.13	8.13	30.18	30.18	30.19	98.4	98.8	98.5	6.45	6.48	6.46	4.73	4.74	4.71	7	6.50
	14:42		Middle	3.5	28.60	28.60		8.13	8.13	8.13	30.19	30.19		98.7	98.0		6.47	6.42		4.67	4.68		6	
19/8/17	15:35	Fine	Middle	3.5	29.40	29.40	29.45	8.22	8.22	8.22	27.01	27.01	27.02	99.4	99.5	99.0	6.53	6.56	6.51	14.12	14.11	14.23	15	15.50
	15:37		Middle	3.5	29.50	29.50		8.22	8.22	8.22	27.02	27.02		99.5	97.4		6.54	6.40		14.32	14.37		16	
21/8/17	19:45	Fine	Middle	2.5	28.30	28.30	28.30	8.02	8.02	8.02	25.71	25.71	25.71	68.4	70.9	69.3	4.59	4.75	4.65	10.36	10.15	10.18	11	10.50
	19:46		Middle	2.5	28.30	28.30		8.02	8.02	8.02	25.71	25.71		68.2	69.7		4.57	4.67		10.08	10.11		10	
23/8/17	-	No. 8 South East Storm Signal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25/8/17	9:20	Fine	Middle	3.5	27.30	27.30	27.50	7.70	7.70	7.69	24.36	24.36	24.35	52.7	52.8	53.2	3.62	3.63	3.66	13.36	13.27	13.27	9	8.00
	9:22		Middle	3.5	27.70	27.70		7.68	7.68	7.68	24.34	24.34		53.2	54.0		3.66	3.71		13.22	13.21		7	
28/8/17	23:35	Cloudy	Middle	3.0	25.50	25.50	25.50	7.81	7.81	7.80	23.07	23.07	23.07	60.8	62.7	61.7	4.37	4.50	4.43	5.22	5.39	5.34	4	3.00
	23:36		Middle	3.0	25.50	25.50		7.78	7.78	7.78	23.06	23.06		62.0	61.3		4.45	4.40		5.42	5.32		2	
31/8/17	0:40	Fine	Middle	3.0	26.60	26.60	26.60	7.72	7.72	7.71	26.90	26.91	26.89	65.6	65.6	66.2	4.48	4.49	4.55	3.38	3.23	3.26	3	3.00
	0:41		Middle	3.0	26.60	26.60		7.70	7.70	7.71	26.88	26.88		67.3	66.3		4.65	4.57		3.22	3.20		3	

Remarks:
The water quality monitoring on 23 August 2017 during both flood and ebb tide were cancelled due to the hoisting of Hurricane Signal No. 10 (during ebb tide) and No. 8 South East Storm Signal (during flood tide)



**Water Monitoring Result at M5B - Central Colling Water Intake Group
Mid-Ebb Tide**

Date	Time	Weather Condition	Sampling Depth		Water Temperature °C			pH			Salinity ppt			DO Saturation %			DO mg/L			Turbidity NTU			Suspended Solids mg/L	
			m		Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
1/8/17	9:30	Cloudy	Middle	3.5	29.10	29.10	29.10	8.14	8.14	8.15	25.48	25.48	25.49	78.2	78.5	78.0	5.22	5.23	5.20	2.62	2.60	2.60	7	6.00
	9:32		Middle	3.5	29.10	29.10		8.15	8.15		25.49	25.49		77.6	77.5		5.18	5.17		2.59	2.59		5	
3/8/17	-	Red Rainstorm Warning Signal	Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5/8/17	10:50	Fine	Middle	3.5	28.50	28.50	28.65	8.19	8.19	8.16	28.20	28.20	28.20	78.0	77.7	77.8	5.19	5.15	5.16	1.24	1.24	1.27	5	4.50
	10:02		Middle	3.5	28.80	28.80		8.12	8.12		28.19	28.19		77.6	77.9		5.14	5.16		1.28	1.31		4	
7/8/17	11:05	Fine	Middle	4.0	28.80	28.80	28.85	8.29	8.29	8.25	29.44	29.44	29.44	82.0	82.8	82.8	5.37	5.42	5.42	4.58	4.58	4.59	7	7.50
	11:07		Middle	4.0	28.90	28.90		8.20	8.20		29.44	29.44		83.8	82.5		5.48	5.40		4.58	4.63		8	
9/8/17	13:40	Cloudy	Middle	3.0	28.40	28.40	28.55	7.87	7.87	7.93	27.68	27.68	27.60	65.1	64.4	64.2	4.34	4.29	<u>4.28</u>	2.98	2.98	3.20	3	2.50
	13:42		Middle	3.0	28.70	28.70		7.98	7.98		27.51	27.51		63.7	63.5		4.24	4.23		3.49	3.36		2	
12/8/17	14:40	Fine	Middle	3.5	28.40	28.40	28.45	7.89	7.89	7.90	29.70	29.70	29.70	85.6	85.6	85.3	5.64	5.64	5.62	2.95	2.99	2.92	5	4.50
	14:42		Middle	3.5	28.50	28.50		7.90	7.90		29.70	29.70		85.5	84.5		5.63	5.56		2.99	2.73		4	
14/8/17	15:25	Fine	Middle	3.5	28.70	28.70	28.75	8.05	8.05	8.06	29.03	29.03	29.03	94.1	94.7	94.4	6.17	6.21	6.19	3.41	3.40	3.40	6	6.00
	15:27		Middle	3.5	28.80	28.80		8.06	8.06		29.03	29.03		94.4	94.3		6.18	6.18		3.39	3.39		6	
17/8/17	9:40	Fine	Middle	3.5	28.47	28.40	28.47	8.10	8.11	8.11	29.07	29.07	29.07	92.9	93.0	92.8	6.14	6.14	6.13	3.56	3.52	3.49	6	6.00
	9:42		Middle	3.5	28.50	28.50		8.11	8.11		29.07	29.07		92.8	92.3		6.13	6.09		3.44	3.43		6	
19/8/17	9:35	Fine	Middle	4.0	27.20	27.20	27.25	8.15	8.15	8.16	30.61	30.61	30.61	94.8	95.5	94.9	6.33	6.38	6.34	3.36	3.35	3.35	4	5.00
	9:37		Middle	4.0	27.30	27.30		8.16	8.16		30.61	30.61		95.1	94.3		6.35	6.30		3.39	3.31		6	
21/8/17	12:25	Fine	Middle	2.5	28.80	28.70	28.33	8.10	8.10	8.11	31.20	31.27	31.28	67.9	66.3	67.4	4.62	4.60	4.64	8.76	8.86	8.90	14	<u>13.50</u>
	12:27		Middle	2.5	27.90	27.90		8.11	8.11		31.32	31.32		67.9	67.5		4.70	4.62		9.00	8.96		13	
23/8/17	-	Hurricane Signal No. 10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25/8/17	14:20	Fine	Middle	4.0	28.00	28.00	28.10	7.98	7.98	7.98	31.16	31.16	31.16	73.4	73.6	73.5	4.82	4.83	4.82	7.77	7.76	7.67	6	6.50
	14:22		Middle	4.0	28.20	28.20		7.98	7.98		31.16	31.16		73.6	73.3		4.83	4.81		7.58	7.57		7	
28/8/17	4:45	Cloudy	Middle	3.5	25.90	25.90	25.90	7.74	7.40	7.66	29.51	29.51	29.51	79.8	82.3	80.1	5.49	5.66	5.51	4.62	4.60	4.61	4	5.00
	4:46		Middle	3.5	25.90	25.90		7.74	7.74		29.51	29.51		79.3	79.0		5.45	5.43		4.58	4.64		6	
31/8/17	9:30	Fine	Middle	3.5	27.80	27.80	27.85	7.97	7.97	7.98	29.45	29.45	29.45	80.6	80.0	79.3	5.36	5.33	5.28	4.89	4.97	4.92	4	3.50
	9:32		Middle	3.5	27.90	27.90		7.98	7.98		29.45	29.45		78.2	78.4		5.20	5.21		4.92	4.91		3	

Remarks:
 Single underline denotes exceedance over Action Level.
 Double underline denotes exceedance over Limit Level.
 The water quality monitoring on 3 August 2017 during ebb tide was cancelled due to the hoisting of Red Rainstorm Warning Signals.
 The water quality monitoring on 23 August 2017 during both flood and ebb tide were cancelled due to the hoisting of Hurricane Signal No. 10 (during ebb tide) and No. 8 South East Storm Signal (during flood tide)






**Water Monitoring Result at Culvert J - Reference Station
Mid-Ebb Tide**

Date	Time	Weather Condition	Sampling Depth		Water Temperature			pH			Salinity			DO Saturation			DO			Turbidity			Suspended Solids	
					°C		-		ppt		%		mg/L		NTU		mg/L							
			m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average			
1/8/17	9:25	Cloudy	Middle	4	28.90	28.90	28.90	8.11	8.11	8.15	22.60	22.60	22.60	72.9	73.1	73.3	4.96	4.97	4.98	6.42	6.56	6.57	8	7.00
	9:27		Middle	4	28.90	28.90		8.19	8.19		22.60	22.60		73.9	73.1		5.02	4.97		6.63	6.65			
3/8/17	-	Red Rainstorm Warning Signal	Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-		Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5/8/17	10:45	Fine	Middle	4	29.00	29.00	29.10	7.98	7.98	7.98	25.69	25.69	25.69	72.2	72.5	72.4	4.80	4.82	4.81	4.06	4.00	4.01	5	6.00
	10:47		Middle	4	29.20	29.20		7.98	7.98		25.68	25.68		72.6	72.1		4.82	4.79		3.98	3.98			
7/8/17	11:00	Fine	Middle	4	29.50	29.50	29.50	8.24	8.24	8.23	28.76	28.76	28.76	84.6	84.0	83.8	5.49	5.45	5.46	3.27	3.33	3.35	8	8.00
	11:02		Middle	4	29.50	29.50		8.22	8.22		28.75	28.75		83.2	83.3		5.39	5.49		3.39	3.40			
9/8/17	13:35	Cloudy	Middle	3	28.50	28.50	28.65	7.85	7.85	7.84	23.29	23.29	23.25	47.8	41.6	46.4	3.26	3.24	3.26	10.90	10.90	10.80	3	3.50
	13:37		Middle	3	28.80	28.80		7.82	7.82		23.22	23.21		47.8	48.4		3.25	3.29		10.82	10.57			
12/8/17	14:35	Fine	Middle	4	28.30	28.30	28.50	7.86	7.86	7.87	29.25	29.25	29.25	90.7	90.3	89.6	5.99	5.95	5.90	3.16	3.12	3.19	6	5.50
	14:37		Middle	4	28.70	28.70		7.87	7.87		29.25	29.25		89.3	87.9		5.89	5.78		3.23	3.24			
14/8/17	15:20	Fine	Middle	4	29.50	29.50	29.65	8.02	8.02	8.03	29.01	29.01	29.02	96.2	96.0	95.8	6.20	6.20	6.18	3.87	3.82	3.90	6	6.50
	15:22		Middle	4	29.80	29.80		8.03	8.03		29.02	29.02		95.7	95.2		6.17	6.14		3.90	3.99			
17/8/17	9:35	Fine	Middle	4	28.90	28.90	29.00	7.86	7.86	7.87	27.40	27.40	27.40	81.5	81.8	81.5	5.39	5.40	5.38	8.12	8.27	8.36	9	8.50
	9:37		Middle	4	29.10	29.10		7.87	7.87		27.40	27.40		81.6	81.1		5.39	5.35		8.56	8.47			
19/8/17	9:30	Fine	Middle	4	27.60	27.60	27.75	8.05	8.05	8.06	27.23	27.23	27.23	90.1	89.7	89.1	6.18	6.05	6.03	6.70	6.73	6.83	5	5.00
	9:32		Middle	4	27.90	27.90		8.06	8.06		27.23	27.23		88.6	87.8		5.98	5.92		6.90	6.98			
21/8/17	12:18	Fine	Middle	3	28.30	28.30	28.40	7.97	7.97	7.97	25.86	25.86	25.90	68.5	46.7	56.5	4.45	3.20	3.74	9.55	9.55	9.56	6	6.00
	12:20		Middle	3	28.50	28.50		7.97	7.97		25.93	25.94		61.0	49.8		4.08	3.21		9.56	9.59			
23/8/17	-	Hurricane Signal No. 10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25/8/17	14:15	Fine	Middle	4	27.90	27.90	28.05	7.95	7.95	7.96	30.07	30.07	30.07	64.6	65.2	65.1	4.28	4.31	4.31	8.39	8.36	8.32	6	6.50
	14:17		Middle	4	28.20	28.20		7.96	7.96		30.07	30.07		65.5	65.2		4.33	4.31		8.28	8.26			
28/8/17	4:50	Cloudy	Middle	3	25.80	25.80	25.80	7.81	7.81	7.81	20.23	20.23	20.23	71.6	72.8	71.9	5.20	5.29	5.22	4.08	4.10	4.16	5	5.00
	4:51		Middle	3	25.80	25.80		7.80	7.80		20.23	20.23		70.9	72.2		5.16	5.24		4.17	4.30			
31/8/17	9:25	Fine	Middle	4	28.30	28.30	28.40	7.88	7.88	7.88	27.38	27.38	27.39	70.0	68.9	69.5	4.67	4.60	4.63	5.44	5.50	5.46	5	4.00
	9:27		Middle	4	28.50	28.50		7.88	7.88		27.39	27.39		69.5	69.4		4.63	4.62		5.47	5.41			

Remarks:
 The water quality monitoring on 3 August 2017 during ebb tide was cancelled due to the hoisting of Red Rainstorm Warning Signals.
 The water quality monitoring on 23 August 2017 during both flood and ebb tide were cancelled due to the hoisting of Hurricane Signal No. 10 (during ebb tide) and No. 8 South East Storm Signal (during flood tide)



Graphic Presentation of Water Quality Result of M5B - Central Cooling Water Intake Groups





Graphic Presentation of Water Quality Result of Culvert J - Reference Station

