



Ref. No.	Date	Time	Location	Construction Noise Level	Unit	Action Level	Limit Level	Follow-up action
X_10N160	2-Apr-14	10:30	M6 - HK Baptist Church Henrietta Secondary School	73	Leq(30-min)	when one documented complaint was received.	70	<p><b>Possible reason:</b> Traffic nearby was observed during monitoring and was considered as the major noise contribution.</p> <p><b>Action taken / to be taken:</b> Repeat measurement to confirm result and reviewed the trend of noise measurement. Analysis of contractor's working procedure.</p> <p><b>Remarks / Other Obs:</b> Welding removal and bracket installation works at dolphin cap for Contract HY/2009/19 were conducted around the concerned location during the measurement. It was observed that traffic noise was a major noise source during monitoring. It is concluded that the exceedance was not due to project but to traffic noise nearby.</p>



Ref. No.	Date	Time	Location	Construction Noise Level	Unit	Action Level	Limit Level	Follow-up action
X_10N161	8-Apr-14	9:50	M6 - HK Baptist Church Henrietta Secondary School	74	Leq(30-min)	when one documented complaint was received.	65	<p><b>Possible reason:</b> Traffic nearby was observed during monitoring and was considered as the major noise contribution.</p> <p><b>Action taken / to be taken:</b> Repeat measurement to confirm result and reviewed the trend of noise measurement. Analysis of contractor's working procedure.</p> <p><b>Remarks / Other Obs:</b> Bracket installtion works and dolphin works installation at dolphin cap for Contract HY/2009/19 were conducted around the concerned location during the measurement. It was observed that traffic noise was a major noise source during monitoring. It is concluded that the exceedance was not due to project but to traffic noise nearby.</p>



Ref. No.	Date	Time	Location	Construction Noise Level	Unit	Action Level	Limit Level	Follow-up action
X_10N162	15-Apr-14	9:10	M6 - HK Baptist Church Henrietta Secondary School	72	Leq(30-min)	when one documented complaint was received.	70	<p><b>Possible reason:</b> Traffic nearby was observed during monitoring and was considered as the major noise contribution.</p> <p><b>Action taken / to be taken:</b> Repeat measurement to confirm result and reviewed the trend of noise measurement. Analysis of contractor's working procedure.</p> <p><b>Remarks / Other Obs:</b> Bracket installtion works sealing works for dolphin cap ; concreting works for crosshead for Contract HY/2009/19 were conducted around the concerned location during the measurement. It was observed that traffic noise was a major noise source during monitoring. It is concluded that the exceedance was not due to project but to traffic noise nearby.</p>

Ref no.	Date	Tidal	Location	Parameters (Unit)	Measured	Action Level	Limit Level	Follow-up action	
X_W562	28-Mar-13	Mid-Flood	WSD19	DO(mg/L)	5.81	3.17	2.63	Possible reason:	Natural variation or changes of water quality in the vicinity of the water quality monitoring station.
				Turbidity	10.10	10.01	11.54	Action taken / to be taken:	Immediate repeated in-situ measurements had conducted to confirm the exceedances. Checking with contractor's works. Checking with contractor's inspection record
				SS	7.50	16.26	19.74	Remarks / Other Obs:	Filling works with installed silt curtain was conducted by Contractor HK/2012/08 during monitoring. Mitigation measures including framed silt curtain was confirmed in place. Silt screen was confirmed in order, the exceedances was considered not project related.
X_W563	28-Mar-13	Mid-Ebb	WSD19	DO(mg/L)	5.75	3.17	2.63	Possible reason:	Natural variation or changes of water quality in the vicinity of the water quality monitoring station.
				Turbidity	13.71	10.01	11.54	Action taken / to be taken:	Immediate repeated in-situ measurements had conducted to confirm the exceedances. Checking with contractor's works. Checking with contractor's inspection record.
				SS	7.00	16.26	19.74	Remarks / Other Obs:	Filling works with installed silt curtain was conducted by Contractor HK/2012/08 during monitoring. Mitigation measures including framed silt curtain was confirmed in place. Silt screen was confirmed in order, the exceedances was considered not project related.
X_W564	2-Apr-13	Mid-Ebb	WSD19	DO(mg/L)	6.24	3.17	2.63	Possible reason:	Natural variation or changes of water quality in the vicinity of the water quality monitoring station.
				Turbidity	12.07	10.01	11.54	Action taken / to be taken:	Immediate repeated in-situ measurements had conducted to confirm the exceedances. Checking with contractor's works. Checking with contractor's inspection record.
				SS	6.50	16.26	19.74	Remarks / Other Obs:	Filling works with installed silt curtain was conducted by Contractor HK/2012/08 during monitoring. Mitigation measures including framed silt curtain was confirmed in place. Silt screen was confirmed in order, the exceedances was considered not project related.



Ref no.	Date	Tidal	Location	Depth	Parameters (Unit)	Measured	Action Level	Limit Level	Follow-up action
X_10D407	4-Apr-13	Mid-Flood	Ex-WPCWA SW	Middle	DO(mg/l)	2.41	3.19	3.10	<p>Possible reason: Possible in relation to the accumulation of organic particles discharged from culvert near monitoring station</p> <p>Action taken / to be taken: Repeated the measurement to confirm the result. No odour nuisance was noted during the DO monitoring. Checked with Contract works.</p> <p>Remarks / Other Obs: In view that there was no marine activities at ex-WPCWA, it was considered not related to Project works.</p>
X_10D408	4-Apr-13	Mid-Flood	Ex-WPCWA SE	Middle	DO(mg/l)	2.35	3.55	3.00	<p>Possible reason: Possible in relation to the accumulation of organic particles discharged from culvert near monitoring station</p> <p>Action taken / to be taken: Repeated the measurement to confirm the result. No odour nuisance was noted during the DO monitoring. Checked with Contract works.</p> <p>Remarks / Other Obs: In view that there was no marine activities at ex-WPCWA, it was considered not related to Project works.</p>
X_10D409	7-Apr-13	Mid-Flood	Ex-WPCWA SW	Middle	DO(mg/l)	2.64	3.19	3.10	<p>Possible reason: Possible in relation to the accumulation of organic particles discharged from culvert near monitoring station</p> <p>Action taken / to be taken: Repeated the measurement to confirm the result. No odour nuisance was noted during the DO monitoring. Checked with Contract works.</p> <p>Remarks / Other Obs: In view that there was no marine activities at ex-WPCWA, it was considered not related to Project works.</p>
X_10D410	7-Apr-13	Mid-Flood	Ex-WPCWA SE	Middle	DO(mg/l)	2.01	3.55	3.00	<p>Possible reason: Possible in relation to the accumulation of organic particles discharged from culvert near monitoring station</p> <p>Action taken / to be taken: Repeated the measurement to confirm the result. No odour nuisance was noted during the DO monitoring. Checked with Contract works.</p> <p>Remarks / Other Obs: In view that there was no marine activities at ex-WPCWA, it was considered not related to Project works.</p>
X_10D411	9-Apr-13	Mid-Ebb	Ex-WPCWA SW	Middle	DO(mg/l)	1.79	3.19	3.10	<p>Possible reason: Possible in relation to the accumulation of organic particles discharged from culvert near monitoring station</p> <p>Action taken / to be taken: Repeated the measurement to confirm the result. No odour nuisance was noted during the DO monitoring. Checked with Contract works.</p> <p>Remarks / Other Obs: In view that there was no marine activities at ex-WPCWA and DO level restored to normal level on 14 April 2014, it was considered not related to Project works.</p>
X_10D412	9-Apr-13	Mid-Ebb	Ex-WPCWA SE	Middle	DO(mg/l)	1.85	3.55	3.00	<p>Possible reason: Possible in relation to the accumulation of organic particles discharged from culvert near monitoring station</p> <p>Action taken / to be taken: Repeated the measurement to confirm the result. No odour nuisance was noted during the DO monitoring. Checked with Contract works.</p> <p>Remarks / Other Obs: In view that there was no marine activities at ex-WPCWA and DO level restored to normal level on 14 April 2014, it was considered not related to Project works.</p>



Ref no.	Date	Tidal	Location	Depth	Parameters (Unit)	Measured	Action Level	Limit Level	Follow-up action
X_10D413	11-Apr-13	Mid-Ebb	Ex-WPCWA SW	Middle	DO(mg/l)	1.05	3.19	3.10	<p>Possible reason: Possible in relation to the accumulation of organic particles discharged from culvert near monitoring station</p> <p>Action taken / to be taken: Repeated the measurement to confirm the result. No odour nuisance was noted during the DO monitoring. Checked with Contract works.</p> <p>Remarks / Other Obs: In view that there was no marine activities at ex-WPCWA and DO level restored to normal level on 14 April 2014, it was considered not related to Project works.</p>
X_10D414	11-Apr-13	Mid-Ebb	Ex-WPCWA SE	Middle	DO(mg/l)	1.06	3.55	3.00	<p>Possible reason: Possible in relation to the accumulation of organic particles discharged from culvert near monitoring station</p> <p>Action taken / to be taken: Repeated the measurement to confirm the result. No odour nuisance was noted during the DO monitoring. Checked with Contract works.</p> <p>Remarks / Other Obs: In view that there was no marine activities at ex-WPCWA and DO level restored to normal level on 14 April 2014, it was considered not related to Project works.</p>
X_10D415	18-Apr-13	Mid-Flood	Ex-WPCWA SW	Middle	DO(mg/l)	1.27	3.19	3.10	<p>Possible reason: Possible in relation to the accumulation of organic particles discharged from culvert near monitoring station</p> <p>Action taken / to be taken: Repeated the measurement to confirm the result. No odour nuisance was noted during the DO monitoring. Checked with Contract works.</p> <p>Remarks / Other Obs: In view that there was no marine activities at ex-WPCWA and DO level restored to normal level on 22 April 2014, it was considered not related to Project works.</p>
X_10D416	18-Apr-13	Mid-Flood	Ex-WPCWA SE	Middle	DO(mg/l)	1.12	3.55	3.00	<p>Possible reason: Possible in relation to the accumulation of organic particles discharged from culvert near monitoring station</p> <p>Action taken / to be taken: Repeated the measurement to confirm the result. No odour nuisance was noted during the DO monitoring. Checked with Contract works.</p> <p>Remarks / Other Obs: In view that there was no marine activities at ex-WPCWA and DO level restored to normal level on 22 April 2014, it was considered not related to Project works.</p>
X_10D417	18-Apr-13	Mid-Ebb	Ex-WPCWA SW	Middle	DO(mg/l)	1.51	3.19	3.10	<p>Possible reason: Possible in relation to the accumulation of organic particles discharged from culvert near monitoring station</p> <p>Action taken / to be taken: Repeated the measurement to confirm the result. No odour nuisance was noted during the DO monitoring. Checked with Contract works.</p> <p>Remarks / Other Obs: In view that there was no marine activities at ex-WPCWA and DO level restored to normal level on 22 April 2014, it was considered not related to Project works.</p>



Ref no.	Date	Tidal	Location	Depth	Parameters (Unit)	Measured	Action Level	Limit Level	Follow-up action
X_10D418	18-Apr-13	Mid-Ebb	Ex-WPCWA SE	Middle	DO(mg/l)	1.44	3.55	3.00	<p>Possible reason: Possible in relation to the accumulation of organic particles discharged from culvert near monitoring station</p> <p>Action taken / to be taken: Repeated the measurement to confirm the result. No odour nuisance was noted during the DO monitoring. Checked with Contract works.</p> <p>Remarks / Other Obs: In view that there was no marine activities at ex-WPCWA and DO level restored to normal level on 22 April 2014, it was considered not related to Project works.</p>
X_10D419	24-Apr-13	Mid-Ebb	Ex-WPCWA SW	Middle	DO(mg/l)	1.77	3.19	3.10	<p>Possible reason: Possible in relation to the accumulation of organic particles discharged from culvert near monitoring station</p> <p>Action taken / to be taken: Repeated the measurement to confirm the result. No odour nuisance was noted during the DO monitoring. Checked with Contract works.</p> <p>Remarks / Other Obs: In view that there was no marine activities at ex-WPCWA and DO level restored to normal level on 26 April 2014, it was considered not related to Project works.</p>
X_10D420	24-Apr-13	Mid-Ebb	Ex-WPCWA SE	Middle	DO(mg/l)	2.05	3.55	3.00	<p>Possible reason: Possible in relation to the accumulation of organic particles discharged from culvert near monitoring station</p> <p>Action taken / to be taken: Repeated the measurement to confirm the result. No odour nuisance was noted during the DO monitoring. Checked with Contract works.</p> <p>Remarks / Other Obs: In view that there was no marine activities at ex-WPCWA and DO level restored to normal level on 26 April 2014, it was considered not related to Project works.</p>